



7008 River Bank
shawfloors.com

	US Units	Metric Units
Style Number	SW550	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	5"	127 mm
Finish	ScufResist Platinum	
Gloss Level	20%	
Surface Texture	Distressed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	35 lbs	15.87 kg
SQFT per Carton	23.66 sq ft	2.19 sq m
SQFT per Pallet	1419.6 sq ft	131.88 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Features

The Belle Grove hickory hardwood flooring is inspired by the natural character of distressed wood that we see in nature. The blackened undertone works in unison with the character of hickory wood, adding depth and distinction to every board. The Belle Grove colors allow you to beautify an array of interiors.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH38
Flush Reducer



SORH8
*Overlap Reducer



SSH38
Flush Stairnose



SOSH8
*Overlap Stairnose



SCH38
Threshold / Carpet Reducer



TMH78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

BELLE GROVE

Colors



2008 Fireside



5010 Shadow



7008 River Bank



9006 Twilight