

HARDWOOD

CASTLEWOOD PRIME

Engineered



7089 Keystone
shawfloors.com



| | US Units | Metric Units |
|----------------------------------|-------------------------------------|--------------|
| Style Number | SW739 | |
| Construction | Engineered | |
| Species | Tauari, Brazilian Oak | |
| Nominal Overall Thickness | 9/16" | 14 mm |
| Nominal Width | 7.5" | 190.5 mm |
| Finish | UV Aluminum Oxide | |
| Gloss Level | 8% | |
| Surface Texture | Smooth | |
| Edge Description | Micro Bevel | |
| End Description | Micro Bevel | |
| Profile | Tongue And Groove | |
| Weight per Carton | 50.71 lbs | 23 kg |
| SQFT per Carton | 31.57 sq ft | 2.93 sq m |
| SQFT per Pallet | 1736.35 sq ft | 161.31 sq m |
| Installation Methods | Staple(no Cleat), Glue, Floating | |
| Installation Grade | Above, On, Below | |
| Radiant Heat Approved | Yes | |
| Residential Warranty | 50 Years | |
| All measurements are nominal. | Cartons may include random lengths. | |

Suggested Adhesive

| Style Name | Style Number |
|--------------|--------------|
| 35MC | HS105 |
| Urebond Plus | SWADH |

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH12
Flush Reducer



SORH2
*Overlap Reducer



SSH12
Flush Stairnose



SOSH2
*Overlap Stairnose



SCH12
Threshold / Carpet
Reducer



TMH78
T-Molding




QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary.
Contact the Shaw Information Center for additional details: 800-441-7429.


CASTLEWOOD PRIME

HARDWOOD


Colors



1095 Turret



1100 Crown



7089 Keystone