


# TILE & STONE

# TESSUTO



550 Fumo


# TESSUTO

# TILE & STONE

Style Number	CS69V	CS70V	CS71V
Style Name	TESSUTO 12X24	TESSUTO MOSAIC	TESSUTO STACKED MOSAIC
Construction	Porcelain	Porcelain	Porcelain
Tile Type	Floor Tile	Accent	Accent
Tile Size	11.81" x 23.74"   30 cm x 60.3 cm	11.77" x 11.77"   29.9 cm x 29.9 cm	11.49" x 11.49"   29.18 cm x 29.18 cm
Edges	Pressed	Cut	Cut
Country Of Origin	USA	USA	USA
Residential Warranty	1 Year Limited	1 Year Limited	1 Year Limited
Installation Area	Exteriors, Floors, Walls	Exteriors, Floors, Walls	Exteriors, Floors, Walls

**Technical**

Wear Rating Group			4 (Commercial)
Breaking Strength			>= 250 lbs
Water Absorption %			5.00% (Semi Vitreous)
DCOF			>= 0.42
Shade & Texture Variation			V2



# TESSUTO TILE & STONE

Style Number	CS72V	CS73V
Style Name	TESSUTO COVEBASE	TESSUTO BN
Construction	Porcelain	Porcelain
Tile Type	Trim	Trim
Tile Size	5.91" x 11.81"   15 cm x 30 cm	2.76" x 11.81"   7 cm x 30 cm
Edges	Pressed	Cut
Country Of Origin	USA	USA
Residential Warranty	1 Year Limited	1 Year Limited
Installation Area	Exteriors, Floors, Walls	Exteriors, Floors, Walls
<b>Technical</b>		
Wear Rating Group	4 (Commercial)	4 (Commercial)
Breaking Strength	>= 250 lbs	>= 250 lbs
Water Absorption %	0.50% (Impervious (Porcelain))	5.00% (Semi Vitreous)
Shade & Texture Variation	V2	V2

## CS72V



## CS73V



**\*Reference ANSI A137.1 section 6.2.2.10 Dynamic Coefficient of Friction for more information regarding product slip resistance and how site conditions and maintenance effect slip resistance.**