



SPYDER[®]
2022 PRODUCT CATALOG





PROFESSIONAL TOOLS, WORLD-CLASS INNOVATION

Cutting, drilling, scraping, and sawing are hard work, but they don't have to be. There's a smarter way to tackle these time-consuming, labor-intensive, sweat-inducing jobs. ***Spyder's innovative power tool attachments are engineered to work harder, complete the job faster and last longer – up to 40x faster and 100x longer tool life!*** Using quality materials and innovative designs, our power tool accessories stand up to the punishment that is dished out every day – working as long and hard as the pros who depend on them.

Since our inception in 2008, when the Spyder Scraper® won *New Product of the Year* at the *National Hardware Show*, we continue to win awards for our innovation and quality. From the versatility of a 3-way cut reciprocating saw blade to effortless hole boring to the ingenious design of an arbor system that removes hole saw cores with a push of a button, every tool is meticulously engineered and constructed to provide significant advantages over the standard way of doing things. ***The result is an entire line of high-quality, high-performance tools that save time, effort and money.***

We make the tools that professionals use to power through the toughest jobs without the downtime and frustration of conventional tools. ***Spyder is the go to source when looking for quality, ease of use, leading edge performance and value.***



**RAPID CORE
EJECT™ ARBOR
SYSTEM**
Page 6



**TUNGSTEN
CARBIDE TIPPED
(TCT)
HOLE SAWS**
Page 8



**TUNGSTEN
CARBIDE TIPPED
(TCT)
DEEP CUT
HOLE SAWS**
Page 10



**TARANTULA™
HOLE SAWS**
Page 12



**BI-METAL
HOLE SAWS**
Page 14



**EXTENSIONS AND
Hex11 SYSTEM**
Page 17

*Cutting Comparison
Chart on page 16.*



HOLE SAW KITS
Page 18

*Nominal Hole Size
Chart on page 65.*



**STINGER™
SPADE BITS**
Page 20



**TARANTULA™
DEMOLITION
CIRCULAR
SAW BLADES**
Page 34



**TUNGSTEN
CARBIDE
TIPPED (TCT)
RECIPROCATING
SAW BLADES**
Page 50



**STINGER™
AUGER BITS**
Page 22



**TARANTULA™
DADO
CIRCULAR
SAW BLADES**
Page 36



**SPYDER
SCRAPER™
RECIPROCATING
BLADES**
Page 52



**STINGER™
POWER BITS**
Page 24



**TARANTULA™
PCD CIRCULAR
SAW BLADE**
Page 38



**RECIPROCATING
BRUSHES**
Page 54



**STINGER™
BRAD POINT
DRILL BITS**
Page 26




**DIAMOND EDGE
UNIVERSAL
CUT-OFF WHEELS**
Page 40



**GROUT-OUT™
RECIPROCATING
BLADES**
Page 56



**STINGER™
MACH-BLUE™
ARMOR PLATED
HSS DRILL BITS**
Page 28



**SINGLE,
DOUBLE-SIDED
AND SKELETON™
JIG SAW BLADES**
Page 42 - 45



**RECIPROCATING
SANDER**
Page 57



**TARANTULA™
CIRCULAR SAW
BLADES**
Page 30




**3X3™
DOUBLE-SIDED
RECIPROCATING
SAW BLADES**
Page 46



SHOP STOOL
Page 58




**TARANTULA™
LARGE DIAMETER
CIRCULAR SAW
BLADES**
Page 32



**BLACK SERIES™
RECIPROCATING
SAW BLADES**
Page 48



EJECT CORES WITH A PUSH OF A BUTTON



1

DRILL HOLE



2


PRESS BUTTON AND
PULL BACK CUP




3

EJECT CORE

CUT AT AN ANGLE AND ENLARGE EXISTING HOLES



EASILY
START AND...



...CUT AT
AN ANGLE





ENLARGE AN
EXISTING HOLE

SPYDER® RAPID CORE EJECT™ ARBOR SYSTEM

The Most Efficient Hole Saw System Ever Made!

- Ejects cores with a push of a button, screw driver not required.
 - Up to 5x faster than the competition.
 - Use with Spyder® TCT, Bi-Metal and Tarantula™ Hole Saws or with any threaded hole saw.
 - Hex8 and Hex10 Arbor Adapters.
 - Hex8 and Hex10 Pilot Bits available with either Tungsten Carbide Tipped (TCT) or High Speed Steel (HSS).
- Hex10 arbor adapter torque pins prevent the saw from becoming wedged onto the arbor, making saw changes quick and easy.





CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Up to 5x faster than standard hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, cement fiberboard, ceramic wall tile, PVC, and more, with a Mohs hardness of less than 6. Some materials including floor tile, porcelains and poured concrete may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. *Consult page 16 for a list of commonly used materials.*
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System - rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes, *(see page 6)*.
- For use in standard rotary drills, **not for use in hammer drill mode.**

Up to 10x More Cuts than Bi-Metal Hole Saws.

UP TO 10x MORE

CARBIDE TIPPED

Tungsten Carbide Tipped for Extended Life and Clean Cuts.

Up to 5x Faster than Standard Hole Saws.

UP TO 5x FASTER


Up to 2-3/8" Depth of Cut.

Utilizes Spyder® Patented Rapid Core Eject™ Arbor System, *(see page 6)*.

WOOD PLASTIC/PVC CEMENT FIBER BOARD CONCRETE BLOCK BRICK CERAMIC WALL TILE

Arbor Hex8 Diameters:			Arbor Hex10 Diameters:						
• 3/4" 	• 1-1/4" 	• 1-3/4" 	• 2-1/4" 	• 2-5/8" 	• 3-1/2" 	• 4-1/8" 	• 4-3/4" 	• 6" 	
• 7/8" 	• 1-3/8" 	• 1-7/8" 	• 2-3/8" 	• 2-3/4" 	• 3-5/8" 	• 4-1/4" 	• 5" 	• 6-1/4" 	
• 1" 	• 1-1/2" 	• 2" 	• 2-1/2" 	• 3" 	• 3-3/4" 	• 4-1/2" 	• 5-1/2" 	• 6-3/8" 	
• 1-1/8" 	• 1-5/8" 	• 2-1/8" 	• 2-9/16" 	• 3-1/4" 	• 4" 	• 4-5/8" 	• 5-3/4" 	• 6-5/8" 	

 Also Available in Kits, *(see page 18)*



CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAWS

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Up to 5x faster than standard hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, cement fiberboard, ceramic wall tile, PVC, and more, with a Mohs hardness of less than 6. Some materials including floor tile, porcelains and poured concrete may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. [Consult page 16 for a list of commonly used materials.](#)
- Up to 6-1/4" Depth of Cut.
- Deep Cut Hole Saws use Hex11 deep cut arbor and pilot bit. They do not use the Rapid Core Eject™ Arbor System.
- For use in standard rotary drills, **not for use in hammer drill mode.**



Up to 10x More
Cuts than
Bi-Metal Hole
Saws.

**UP TO
10x
MORE**




CARBIDE TIPPED

Tungsten Carbide Tipped for
Extended Life and Clean Cuts.



Up to 5x Faster
than Standard Hole
Saws.

**UP TO
5x
FASTER**



Up to 6-1/4" Depth of Cut.

Arbor Hex11 Diameters:

- | | | | |
|------------|-----------|----------|----------|
| • 1-1/4" | • 2-9/16" | • 4" | • 5-1/4" |
| • 1-25/32" | • 3" | • 4-1/8" | • 6" |
| • 2" | • 3-3/8" | • 4-3/8" | |
| • 2-3/8" | • 3-5/8" | • 4-3/4" | |



TARANTULA™
CARBIDE TIPPED

TARANTULA™ RAPID CORE EJECT™ HOLE SAWS

Cut the Toughest Materials

- Up to 50x more cuts than bi-metal hole saws.
- Up to 10x faster than standard hole saws.
- Carbide tipped for extended life in tough materials.
- Cuts nail-embedded wood, steel, stainless steel, plastics, non-ferrous metals and cement fiber board. Please note, these hole saws are not recommended for harder, abrasive materials. [Consult page 16 for a list of commonly used materials.](#)
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System - rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes, [\(see page 6\).](#)
- For use in standard rotary drills, **not for use in hammer drill mode.**

TARANTULA™
CARBIDE TIPPED

Carbide Tipped for Extended Life in Tough Materials.



Up to 50x More
Cuts than
Bi-Metal Hole
Saws.

UP TO
50x
MORE




Up to
2-3/8"
Depth
of Cut.

Up to 10x Faster
than Standard Hole
Saws.

UP TO
10x
FASTER

Utilizes Spyder®
Patented Rapid
Core Eject™
Arbor System,
[\(see page 6\).](#)



Arbor Hex8 Diameters:

- 7/8"
- 1"
- 1-1/16"
- 1-1/8"

Arbor Hex10 Diameters:

- | | | | | |
|----------|----------|-----------|----------|----------|
| • 1-1/4" | • 1-3/4" | • 2-1/4" | • 2-5/8" | • 3-5/8" |
| • 1-3/8" | • 1-7/8" | • 2-3/8" | • 2-3/4" | • 4" |
| • 1-1/2" | • 2" | • 2-1/2" | • 3" | • 4-1/4" |
| • 1-5/8" | • 2-1/8" | • 2-9/16" | • 3-1/2" | • 4-1/2" |

Also Available in Kits, [\(see page 18\)](#)



BI-METAL

BI-METAL RAPID CORE EJECT™ HOLE SAWS

Tough Bi-Metal Steel for Long Life

- Variable tooth pitch guarantees a fast and clean cut through all thicknesses.
- Creates smooth cuts in steel, stainless steel, aluminum, nail-embedded wood, non-ferrous metal, plastics/PVC and more.
Consult page 16 for a list of commonly used materials.
- Up to 1-7/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System - rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes, *(see page 6).*




BI-METAL

Variable Tooth Pitch
Guarantees a Fast and
Clean Cut.



Up to
1-7/8"
Depth
of Cut.

Utilizes Spyder®
Patented Rapid
Core Eject™
Arbor System,
(see page 6).



WOOD/NAILS PLASTIC/PVC STEEL/METAL NON-FERROUS METAL

Arbor Hex8 Diameters:				Arbor Hex10 Diameters:				
• 3/4"	• 1-1/4"	• 1-3/4"	• 2-1/4"	• 2-3/4"	• 3-5/8"	• 4-1/2"	• 5-1/2"	• 6-5/8"
• 7/8"	• 1-3/8"	• 1-7/8"	• 2-3/8"	• 3"	• 4"	• 4-5/8"	• 5-3/4"	
• 1"	• 1-1/2"	• 2"	• 2-1/2"	• 3-1/4"	• 4-1/8"	• 4-3/4"	• 6"	
• 1-1/8"	• 1-5/8"	• 2-1/8"	• 2-5/8"	• 3-1/2"	• 4-1/4"	• 5"	• 6-3/8"	

Also Available in Kits, *(see page 18)*

CUTTING COMPARISON CHART - BEST BETTER GOOD

	Material	TCT	Tarantula™	Bi-Metal
WOOD	Soft Wood	●	●	●
	Hard Wood	●	●	●
	Wood & Nails		●	●
	Chipboard	●	●	●
	Plywood	●	●	●
	MDF	●	●	●
	Sandwich	●	●	
	Pallet	●	●	●
	Window Frame		●	●
	Laminate	●	●	●
STEEL	Steel		●	●
	Carbon Steel		●	●
	Stainless Steel		●	
	Thin Sheet Metal		●	
	Metal Pipe		●	●
	Copper / Brass		●	●
	Aluminum		●	●
ABRASIVE	Masonry	●		
	Plasterboard	●	●	
	Fiber Cement	●	●	
	Soft Stone	●	●	
	Gypsum	●	●	
	Soft Tiles	●		
	Concrete Blocks	●		
	Brick	●		
	Aerated Concrete	●		
	Floor Tile			
	Hard Porcelains			
	Poured Concrete			
PLASTIC	PVC Plastic	●	●	●
	Acrylic	●	●	●
	Fiberglass	●	●	●
	Carbon Fiber	●	●	
	Reinforced Plastic	●	●	


LEGEND ● Best ● Better ● Good

Some materials including Floor Tile, Porcelains and Poured Concrete may have a Mohs hardness of 6 or greater. Spyder® Hole Saws are not recommended for harder, abrasive materials.

EXTENSIONS AND Hex11 SYSTEM

Full Systems Available for All Spyder® Hole Saws

Tungsten Carbide Tip (TCT) Provides Extended Life in Masonry, Concrete, Brick, and Cement Fiberboard.
High Speed Steel (HSS) is Excellent for Use in Wood and Metals.



24" Extension
• Hex10

12" Extension
• Hex8
• Hex10

Hex11 Arbor Complete
• TCT
• HSS

Hex11 Pilot Bit
• TCT
• HSS



HOLE SAW KITS FEATURING RAPID CORE EJECT™

Carbide Tipped (TCT), Bi-Metal, and Tarantula Kits

- Speed through tough jobs with Spyder's patented Rapid Core Eject™ Arbor System, ([see page 6](#)).
- Completes the job 5x faster than your competition and makes your time more valuable.
- Rugged, hard plastic carry case keeps your tools organized.


Kits, in a carry case, available in multiple configurations:

- TCT Kits includes 14 or 18 pieces, ([see page 62](#))
- Tarantula Kit includes 9 pieces, ([see page 63](#))
- Bi-Metal Kits includes 11 or 13 pieces, ([see page 64](#))
- Pro Pack includes 14 piece TCT Kit and 13 piece Bi-Metal Kit, ([see page 63](#))



Rugged, Hard Plastic Carry Case

Utilizes Spyder® Patented Rapid Core Eject™ Arbor System, ([see page 6](#)).





STINGER
Non-Clogging, Auto-Feed
Tip Technology


STINGER™ SPADE BITS

Won't Clog, Won't Wander and Drills Faster than the Competition.

- Up to 20x faster than conventional spade bits.
- Up to 10x more holes than conventional spade bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other spade bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Impact rated for use in battery-powered impacting tools.
- 1/4" speed hex won't slip in the chuck and fits quick-change impact drivers.

STINGER™

**Non-Clogging, Auto-Feed
Tip Technology**



Patent Pending
Tip Won't Clog,
Won't Wander.

6" Length
Diameters:

- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"
- 9/16"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also
Available
in Sets

16" Length
Diameters:

- 3/8"
- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"



1/4" Speed Hex
Won't Slip in the
Chuck, Fits
Quick-Change
Impact Drivers.



UP TO
20x
FASTER



UP TO
10x
MORE





STINGER™ AUGER BITS

Vibrates Less, Making it Easier to Control – Even in Nail-Embedded Wood.


- Up to 20x faster than conventional auger bits.
- Up to 10x more holes than conventional auger bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other auger bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Hardened cutting edges power through nail-embedded wood.
- Impact rated for use in battery-powered impacting tools.
- Two flute design provides optimal chip flow and reduced cutting friction.
- 3/8" or 7/16" speed hex won't slip in the chuck and fits quick change tools.
- Black oxide finish provides increased durability and lubricity.

STINGER™
Non-Clogging, Auto-Feed
Tip Technology

6-1/2" and
18" Length
Diameters:

- 3/8"
- 7/16"
- 1/2"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/16"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also
Available
in a Set



Two Flute Design Provides Optimal
Chip Flow and Reduced Friction.




Self Feeding Thread Point
Won't Clog, Won't Wander,
and Drills Faster.



Speed Hex Won't
Slip in the Chuck,
Fits Quick Change
Tools.

UP TO
20x
FASTER
Up to 20x Faster
than Conventional
Spade Bits.

UP TO
10x
MORE
Up to 10x More Holes
than Conventional
Spade Bits.





STINGER™
Non-Clogging, Fast-Feed
Tip Technology

STINGER™ POWER BITS™


Bores Faster with Less Torque, Excellent for Fast, Clean, Precise Applications.

- Up to 40x faster than conventional spade bits
- Up to 25x more holes per charge than conventional spade bits.
- Create extremely clean entry and exit holes.
- Up to 50% less drilling torque than other threaded wood boring bits.
- Use on high or low torque drills – drill more holes, save battery power.
- Impact ready with 1/4" speed hex.
- Ideal for use on soft and hard woods, laminated wood and particle boards.

STINGER™
*Non-Clogging, Fast-Feed
Tip Technology*



Extremely Clean
Entry and Exit Holes.



Up to 50%
Less Drilling
Torque.

**UP TO
50%
LESS**



6-1/2" Length
Diameters:

- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"
- 1-1/4"

Also
Available
in Sets

16" Length
Diameters:

- 1/2"
- 5/8"
- 3/4"



IMPACT HEX

Impact Ready
1/4" Speed Hex.

**UP TO
40x
FASTER**

Up to 40x Faster
than Conventional
Power Bits.

**UP TO
25x
MORE**

Up to 25x More Holes
than Conventional
Power Bits.

POWER BIT FAST•CLEAN™





STINGER™ BRAD POINT DRILL BITS

Drills More Holes, Cooler and Cleaner

- Up to 10x longer life than conventional brad point bits.
- Up to 6x faster than conventional brad point bits.
- Up to 30% longer battery life of cordless tools.
- Patented tip geometry drills faster, virtually eliminates chip burn and produces cleaner entry/exit holes.
- Dual flute lands accurately guide the drill through deep holes, and greatly reduce cutting friction and heat build-up.
- Ideal for drilling precise holes in soft and hard woods.



STINGER™



WOOD



LAMINATED
WOOD



PLASTIC/PVC

Patented Tip Drills Faster,
Produces Cleaner Entry/Exit.

Diameters:

- 1/8"
- 3/16"
- 1/4"
- 5/16"
- 3/8"
- 1/2"

Available
as a Set

Dual Flute Reduces
Cutting Friction.

Up to 30% Longer
Cordless Battery
Life.

UP TO
30%
LONGER

Up to 10x
Longer Life than
Conventional Brad
Point Bits.

UP TO
10x
LONGER

Up to 6x Faster than
Conventional Brad
Point Bits.

UP TO
6x
FASTER





STINGER™

STINGER™ MACH-BLUE™ ARMOR PLATED HIGH SPEED STEEL DRILL BITS

High Performance Metal and Wood Drilling Bits for Demanding Applications.

- Up to 100x more holes than titanium or black oxide drill bits.
- Up to 8x faster than titanium or black oxide drill bits.
- Proprietary Mach-Blue™ Armor Plating is a super hard surface that retains sharper cutting edges, and reduces heat build-up and cutting friction – resulting in faster cuts and exceptionally long drill life.
- Impact rated 1/4" speed hex won't slip in conventional 3-jaw chucks and ideal for use in quick change impacting power tools.
- Optimized 137° self-centering split point cutting geometry won't walk or wander – even on pre-hardened or curved surfaces.
- Advanced M-Series alloy tool steel construction and proprietary heat treatment increase drill bit durability, rigidity and breakage resistance.
- Ideal for drilling wood with nails, stainless steel, mild steel, aluminum, stacked materials and other tough to drill alloys.
- Made in the USA.



Proprietary Hard Surface Retains Cutting Edges, Reduces Heat and Friction.

Up to 100x More Holes than Titanium or Black Oxide.

UP TO
100x
MORE

STINGER™



137° Split Point Geometry Won't Walk or Wander.



Diameters:

- 1/16"
- 5/64"
- 3/32"
- 7/64"
- 1/8"
- 9/64"
- 5/32"
- 11/64"
- 3/16"
- 13/64"
- 7/32"
- 15/64"
- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"

Also Available in a Set

Up to 8x Faster than Titanium or Black Oxide.

UP TO
8x
FASTER

MADE IN

USA



Impact Ready
1/4" Speed Hex.

M-Series Alloy Tool Steel Construction.



CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ CIRCULAR SAW BLADES


NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life.

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) and Ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.



Lasts Up to 6x Longer than Conventional Blades.

UP TO
6x
LONGER



Diameters and Applications:

- 5-1/2" - 18T Framing
- 6-1/2" - 18T Fast Framing, 24T Framing, 48T Ultra Fine
- 7-1/4" - 24T Framing, 40T Fine, 44T Composite Decking, 60T Ultra Fine, 60T Laminated Wood
- 8-1/4" - 24T Framing, 40T Fine



CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ LARGE DIAMETER CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life.

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) and ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.



Lasts Up to 6x
Longer than
Conventional
Blades.

**UP TO
6x
LONGER**



Diameters and Applications:

- 10" - 40T Framing, 50T Combo, 60T Fine, 80T Ultra Fine,
- 12" - 40T Fast Framing, 60T Framing, 60T Combo, 80T Fine, 100T Ultra Fine




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ DEMOLITION CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) DEMO DRIVE Teeth Power Through Nail Embedded Wood.

- Lasts up to 10x longer than conventional blades.
- Blade features DEMO DRIVE teeth that are sharpened 4x to provide exceptionally clean cuts to power through nail embedded wood.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Alternating tooth bevel (ATB) provides exceptionally smooth cuts.
- Polymer stabilization vents reduce noise and vibrations.



Alternating tooth bevel separated with our DEMO DRIVE center point tooth for extra cutting accuracy and power.

Lasts up to 10x
Longer than
Conventional
Blades.


**UP TO
10x
LONGER**

Polymer
Stabilization
Vents



Ultra Tough NiCo
(Nickel Cobalt)
Cutting Teeth

**ULTRA
TOUGH** **NiCo** **NICKEL
COBALT**



Diameters and Applications:

- 6-1/2" - 24T Demolition
- 7-1/4" - 24T Demolition




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ DADO CIRCULAR SAW BLADES

Oversized, Ultra Tough NiCo (Nickel Cobalt) Teeth Cut Exceptionally Clean Grooves from 1/4" to 7/8".

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) profile on the outer scoring blades and re-sharpenable, oversized ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Flat top (FT) grind chippers cleanly remove material for ultimate cut joints.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Cuts grooves from 1/4" to 1" in soft and hard woods, plywood and melamine.
- Each set includes 2 blades, 3 chippers, 3 spacers and 8 width alignment shims.



Lasts Up to 6x Longer than Conventional Blades.

**UP TO
6x
LONGER**

3 Spacers



8 Width Alignment Shims



2 Outer Scoring Blades

Oversized, Re-sharpenable Cutting Teeth

3 Flat Top Grind Chippers

ULTRA TOUGH
NiCo
NICKEL COBALT

Oversized,
Ultra Tough
NiCo (Nickel Cobalt)
Cutting Teeth

Diameters and Applications:

- 6" - 10T Groove Cutting
- 8" - 12T Groove Cutting

Available in Sets




POLYCRYSTALLINE
DIAMOND TIPPED

TARANTULA™ PCD CIRCULAR SAW BLADE

PCD (Polycrystalline Diamond Tipped) Blade, the Professional's Choice for Fiber Cement Applications.

- Lasts up to 60x longer than carbide blades in tough fiber cement cutting applications.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Flat top grind (FTG) teeth reliably cut abrasive materials.
- Polymer stabilization vents reduce noise and vibrations.
- Durable blade tracks straight with reduced friction, heat and noise.
- Ideal for cutting exterior fiber cement board panels, interior cement backer board, laminate flooring and other softer, abrasive materials.

Lasts Up to
60x Longer than
Carbide
Blades.

**UP TO
60x
LONGER**

Flat Top Grind Teeth



**POLYCRYSTALLINE
DIAMOND TIPPED**



CEMENT
FIBER BOARD



FLAT TOP
GRIND
(FTG) TEETH



POLYCRYSTALLINE
DIAMOND
TIPPED



Diameter and Application:

- 7-1/4" PCD - 4T Cement Fiber Board




DIAMOND EDGE UNIVERSAL CUT-OFF WHEELS

Long Lasting Diamond Abrasive Powers Through Almost any Material.

- Lasts up to 100x longer than conventional cut off wheels.
- Cuts almost any material - steel, stainless steel, cast iron, rebar, masonry, ceramic tile, composites, and more.
- Safer shatter resistant steel core won't blow apart like conventional bonded abrasive wheels.
- Lowest cost per cut wheel - spend less time and cost replacing wheels, and more time working.
- Uniform wheel diameter provides a consistent cut.
- Reduced dust and debris during use.
- 4.5" and 5" diameter for angle grinders, and 7" diameter for angle grinders and circular saws.
- 7/8" arbor

UP TO
100x
LONGER

Lasts Up to 100x Longer
than Conventional
Cut Off Wheels.



Shatter
Resistant
Steel Core

Uniform
Diameter
Provides
Consistent
Cuts.



7" Blade, shown at left, Includes Optional
Bushing for Use with Circular Saw.

Diameters:

- 4-1/2" Blade
- 5" Blade
- 7" Blade




CHROME VANADIUM


CHROME VANADIUM (CrV) SINGLE-SIDED, DOUBLE-SIDED AND SKELETON™ JIG SAW BLADES

Chrome Vanadium Blades for Fast and Clean Cuts Through Wood.

- Double-Sided blades cut in all directions and make precise and small curve cuts.
- Skeleton™ open framework design creates exceptionally straight cuts and blades dissipate frictional heat for extreme durability.
- Blade types include: Fast Straight, Clean Straight, Fast Curve, and Clean Curve.
- Blade lengths include: 3", 4", and 4-1/2".
- T-Shank
- Made in Germany.




Double-Sided
Blades Create
Precise, Small
Curve Cuts.



Skeleton™ Open Framework
Design Creates Exceptionally
Straight Cuts.

CHROME VANADIUM

For Fast and Clean Cuts Through Soft and Hard Wood.



Length and TPI for Curve Wood Cutting:

- 3", 3 TPI, Clean Curve, Soft Wood
- 4-1/2", 8/11 TPI, Fast Curve, Double-Sided, Soft Wood
- 4", 10/18 TPI, Clean Curve, Double-Sided, Hard Wood
- 4", 6 TPI, Fast Curve, Soft Wood

Available in Sets

Length and TPI for Straight Wood Cutting:

- 4", 6 TPI, Fast Straight, Soft Wood
- 4", 10 TPI, Clean Straight, Soft Wood
- 4", 10 TPI, Fast Straight, Skeleton™, Soft Wood
- 4", 17 TPI, Clean Straight, Skeleton™, Hard Wood

Available in Sets





BI-METAL



BI-METAL (BiM) SINGLE-SIDED JIG SAW BLADES

Bi-Metal 8% Cobalt Blades for Tough Cuts.

- Highly heat resistant.
- Cuts steel, stainless steel, non-ferrous metals, and wood with nails.
- Fine and coarse tooth 4" blades.
- T-Shank
- Made in Germany.



STRAIGHT



THIN METAL
<1/16"



STRAIGHT



THICK METAL
<1/4"



WOOD/NAILS



Bi-Metal Blades are
Highly Heat Resistant.

BI-METAL

8% Cobalt Blades for Cutting Thin & Thick Metal.



STRAIGHT



THIN METAL
<1/16"



THICK METAL
<1/4"



WOOD/NAILS



T-SHANK

Length and TPI for Metal Cutting:

- 4", 12 TPI, Fine Straight
- 4", 21 TPI, Coarse Straight

Available in Sets



See page 70 for specifications
and ordering information.

www.spyderproducts.com



3X3™ DOUBLE-SIDED RECIPROCATING SAW BLADES

Blades Cut in Any Direction.

- Double-edged blade cuts in both directions without needing to flip the saw over.
- Rounded tip plunge cuts with ease – no pilot hole needed.
- Two-Sided blades last up to 20x longer than conventional single sided blades.
- Shatter resistant 8% cobalt Bi-Metal blade.
- Cuts wood, pipe, sheet metal, plastic, fiberglass, and more.
- Cost effective - 2 blades for the price of one!
- Made in Germany.

3X3™
STRENGTH • VERSATILITY • DURABILITY



Plunge Cut
with Ease.

Shatter Resistant
8% Cobalt
Bi-Metal
Blade.

Two-Sided Blades Last up to 20x
Longer than Conventional
One Sided Blades.

UP TO **2x10x** LONGER



Length, TPI and Applications:

- 6" - 10/6 TPI - Wood, Drywall and Laminates
- 6" - 14/10-14 TPI - Demolition and Metal
- 6" - 18/14 TPI - Metal, Nail Embedded Wood and Fiberglass
- 8" - 10/6 TPI - Wood, Drywall and Laminated Wood
- 8" - 10/8-12 TPI - Advanced Demolition
- 8" - 14/10 TPI - Demolition and Metal
- 8" - 14/10-14 TPI - Extreme Metal, Nail Embedded Wood and Fiberglass
- 10" - 10/8-12 TPI - Advanced Demolition
- 10" - 14/10-14 TPI - Extreme Metal, Nail Embedded Wood and Fiberglass

Available in Bulk and as a Set




BLACK SERIES™
Bi-Metal Reciprocating Blades

BLACK SERIES™ RECIPROCATING SAW BLADES

Variable Tooth Pitch Guarantees Fast and Clean Cuts Through Various Material Thicknesses.

- Up to 10x longer lasting than conventional bi-metal blades.
- Up to 3x faster than conventional bi-metal blades.
- 8% cobalt teeth provide exceptionally long cutting durability and heat resistance.
- Shatter resistant and durable for the toughest cutting applications.
- Cuts steel, stainless steel, aluminum, wood with nails, PVC and more.
- Made in the USA.

BLACK SERIES™
Bi-Metal Reciprocating Blades



UP TO
10x
LONGER

UP TO
3x
FASTER

Lasts Up to 10x Longer and Up to 3x Faster than Conventional Bi-Metal Blades.

8% Cobalt Teeth

Shatter Resistant and Durable

MADE IN
USA



Length, TPI and Applications:

- 6", 9" and 12" - 6 TPI - Nail Embedded Wood, Drywall and Timber, Fast and Smooth
- 6", 8", 9" and 12" - 10-14 TPI - Wood and Metals, Fast and Clean
- 6" - 18 TPI - Thin and Thick Metals, Fast and Smooth
- 8" - 14 TPI - Thin Metals, Fast and Clean

Also Available as a Set




CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) RECIPROCATING SAW BLADES

Cut with Significantly Less Dust & Debris than Conventional Rotary Cutting Wheels.

- Quickly cuts through concrete block, brick, masonry and timber.
- Creates less dust & debris than conventional rotary wheels.
- Tungsten carbide tipped blade provides extended tool life.
- Make square & flush cuts.
- Access hard-to-reach areas.
- 9", 12" and 18" lengths.
- Made in Germany.



CARBIDE TIPPED

Tungsten Carbide Tipped Blade
for Extended Tool Life.






SPYDER® SCRAPER™ RECIPROCATING BLADES

Finish the Job in a Fraction of the Time with a Fraction of the Effort.

- Easily remove tile, linoleum flooring, mastics and more.
- Quenched and tempered high-carbon spring steel retains edge sharpness.
- Re-sharpenable blade extends tool life.
- Multiple applications.
- Fits all reciprocating saws.
- Made in the USA.



TILE

LINOLEUM

ADHESIVE/
THIN-SET

CARPET

WALLPAPER

Fits all
Reciprocating Saws.



Widths:
2", 4" and 6"

Re-sharpenable
High-Carbon Spring
Steel Blade.

Widths and Applications:

- 2" - Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
- 4" - Linoleum, Tough Glue and Drywall Mud
- 6" - Paint, Rubber-Backed Carpet and Wall Paper


Also Available in Bulk or as a Set



CARBON STEEL WIRE RECIPROCATING BRUSH

Fit Where Many Rotary Brushes Cannot.

- Use on metals, concrete, stone and wood surfaces.
- Tough carbon steel bristles remove the toughest contaminants.
- Removes flaking paint, rust, scratches, dirt and small imperfections.
- Fits all reciprocating saws.



Available in Bulk


NYLON RECIPROCATING BRUSH

Make Clean-Up and Surface Prep a Snap.

- Use on grout, carpet, tile, laminates, rubber, concrete, brick and more.
- Nylon bristles provide tough cleaning power without scratching surfaces.
- Makes quick work of stubborn layers of grime.
- Fits all reciprocating saws.

Fits all
Reciprocating Saws.

Fits all
Reciprocating Saws.



Nylon Bristles



GROUT-OUT™ RECIPROCATING BLADES


Provides Both Speed and Precision to Make Your Job Easy.

- Up to 10x faster than hand removal.
- Vacuum-braised tungsten carbide grit quickly removes grout.
- Power through any grout in a fraction of the time - including urethane and epoxy.
- Fits all reciprocating saws.



UP TO
10x
FASTER

Up to 10x Faster than
Removal by Hand.



2 Widths

Narrow 1/16"	For joints 1/16" - 3/16"
Wide 3/16"	For joints 3/16" - 3/4"

Available in Bulk or as a Set



TILE



Tungsten Carbide Grit

Fits all Reciprocating Saws.


SANDER

Tight Spaces, Curved Surfaces and Hard-to-Reach Corners.

- Quickly sand tight spaces, curved surfaces and outside and inside corners.
- Tough insert-molded attachment blade provides maximum durability.
- Hook-and-loop sandpaper is quick and easy to replace.
- 3 piece sandpaper set included..
- Compatible with Mouse™ sandpaper.
- Fits all reciprocating saws.



3 Piece, Quick and Easy to Replace,
Hook-and-Loop Sandpaper Included.
(80, 120 and 220 Grit)





SHOP STOOL

Retro Vinyl Padded Stool.

- Constructed with heavy-duty steel & high grade vinyl for durability.
- Industrial quality stool supports up to 300 lbs.
- Chrome plated legs are equipped with anti-slip protective caps.
- Perfect for any shop, garage or home.










SPYDER® PATENTED Hex8 AND Hex10 HSS AND TCT RAPID CORE EJECT™ ARBOR SYSTEM



UP TO
5x
FASTER



Spyder® Patented Hex8 and Hex10 HSS and TCT Rapid Core Eject™ Arbor System


Description	Arbor Hex†	Arbor Thread	Pieces	RCE Pilot Bit	RCE Arbor Adapter	RCE Arbor Complete
HSS For Metal and Wood	8	1/2" - 20	1	600648	600868P	600637
	8	1/2" - 20	10	600648-10	600868-10	
	10	5/8" - 18	1	600645	600869P	600634
	10	5/8" - 18	10	600645-10	600869-10	
TCT For Masonry and Wood	8	1/2" - 20	1	600649	600868P	600638
	8	1/2" - 20	10	600649-10	600868-10	
	10	5/8" - 18	1	600646	600869P	600635
	10	5/8" - 18	10	600646-10	600869-10	

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS 2-3/8" DEPTH OF CUT

CARBIDE TIPPED



UP TO
10x
MORE

UP TO
5x
FASTER



Tungsten Carbide Tipped Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600922	6	Hex10	Hex10 HSS, Hex10 TCT	1-1/2, 2, 2-1/2"
600880	14	Hex10	Hex10 HSS, Hex10 TCT	1-3/8, 1-1/2, 1-3/4, 2, 2-1/2, 2-3/4, 3, 3-1/2, 4, 4-1/4, 4-1/2"
600938	18	Hex8, Hex10	Hex8 HSS, Hex8 TCT, Hex10 HSS, Hex10 TCT	3/4, 7/8, 1-1/8, 1-3/8, 1-3/4, 2, 2-1/2, 2-5/8, 3, 3-5/8, 4-1/8, 4-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600002CF	3/4"	8	1 / Crimp Foil
600005CF	7/8"	8	1 / Crimp Foil
600007CF	1"	8	1 / Crimp Foil
600009CF	1-1/8"	8	1 / Crimp Foil
600011CF	1-1/4"	10	1 / Crimp Foil
600013CF	1-3/8"	10	1 / Crimp Foil
600015CF	1-1/2"	10	1 / Crimp Foil
600017CF	1-5/8"	10	1 / Crimp Foil
600019CF	1-3/4"	10	1 / Crimp Foil
600021CF	1-7/8"	10	1 / Crimp Foil
600022CF	2"	10	1 / Crimp Foil
600024CF	2-1/8"	10	1 / Crimp Foil

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600025CF	2-1/4"	10	1 / Crimp Foil
600027CF	2-3/8"	10	1 / Crimp Foil
600028CF	2-1/2"	10	1 / Crimp Foil
600029CF	2-9/16"	10	1 / Crimp Foil
600030CF	2-5/8"	10	1 / Crimp Foil
600032CF	2-3/4"	10	1 / Crimp Foil
600034CF	3"	10	1 / Crimp Foil
600036CF	3-1/4"	10	1 / Crimp Foil
600038CF	3-1/2"	10	1 / Crimp Foil
600039CF	3-5/8"	10	1 / Crimp Foil
600041CF	3-3/4"	10	1 / Crimp Foil
600042CF	4"	10	1 / Crimp Foil

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600043CF	4-1/8"	10	1 / Crimp Foil
600044CF	4-1/4"	10	1 / Crimp Foil
600046CF	4-1/2"	10	1 / Crimp Foil
600055CF	4-5/8"	10	1 / Crimp Foil
600047CF	4-3/4"	10	1 / Crimp Foil
600048CF	5"	10	1 / Crimp Foil
600050CF	5-1/2"	10	1 / Crimp Foil
600116CF	5-3/4"	10	1 / Crimp Foil
600052CF	6"	10	1 / Crimp Foil
600051CF	6-1/4"	10	1 / Crimp Foil
600117CF	6-3/8"	10	1 / Crimp Foil
600054CF	6-5/8"	10	1 / Crimp Foil


†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAWS

6-1/4" DEPTH OF CUT

CARBIDE TIPPED



UP TO
10x
MORE

UP TO
5x
FASTER



Tungsten Carbide Tipped Deep Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600825	1-1/4"	11	1 / Clam
600826	1-3/4"	11	1 / Clam
600827	2"	11	1 / Clam
600828	2-3/8"	11	1 / Clam
600829	2-9/16"	11	1 / Clam

Tungsten Carbide Tipped Deep Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600830	3"	11	1 / Clam
600831	3-3/8"	11	1 / Clam
600832	3-5/8"	11	1 / Clam
600833	4"	11	1 / Clam
600834	4-1/8"	11	1 / Clam

Tungsten Carbide Tipped Deep Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600835	4-3/8"	11	1 / Clam
600836	4-3/4"	11	1 / Clam
600837	5-1/4"	11	1 / Clam
600838	6"	11	1 / Clam


†Hex11 fits 1/2" drill chucks.



TARANTULA™ RAPID CORE EJECT™ HOLE SAWS

2-3/8" DEPTH OF CUT

CARBIDE TIPPED



UP TO
50x
MORE

UP TO
10x
FASTER



Tarantula™ Hole Saw Kit and Set with Rapid Core Eject™ Arbor(s). Kit in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600923	6	Hex10	Hex10 HSS, Hex10 TCT	1-1/2, 2, 2-1/2"
600925	9	Hex8, Hex10	Hex10 HSS, Hex10 HSS	1, 1-1/8, 1-3/8, 1-1/2, 2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Tarantula™ Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600895CF	7/8"	8	1 / Crimp Foil
600896CF	1"	8	1 / Crimp Foil
600897CF	1-1/16"	8	1 / Crimp Foil
600898CF	1-1/8"	8	1 / Crimp Foil
600899CF	1-1/4"	10	1 / Crimp Foil
600900CF	1-3/8"	10	1 / Crimp Foil
600901CF	1-1/2"	10	1 / Crimp Foil
600902CF	1-5/8"	10	1 / Crimp Foil

Tarantula™ Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600903CF	1-3/4"	10	1 / Crimp Foil
600904CF	1-7/8"	10	1 / Crimp Foil
600905CF	2"	10	1 / Crimp Foil
600906CF	2-1/8"	10	1 / Crimp Foil
600907CF	2-1/4"	10	1 / Crimp Foil
600908CF	2-3/8"	10	1 / Crimp Foil
600909CF	2-1/2"	10	1 / Crimp Foil
600910CF	2-9/16"	10	1 / Crimp Foil

Tarantula™ Hole Saws


Item #	Diameter	Arbor Hex†	# / Pack
600911CF	2-5/8"	10	1 / Crimp Foil
600912CF	2-3/4"	10	1 / Crimp Foil
600913CF	3"	10	1 / Crimp Foil
600914CF	3-1/2"	10	1 / Crimp Foil
600927CF	3-5/8"	10	1 / Crimp Foil
600915CF	4"	10	1 / Crimp Foil
600916CF	4-1/4"	10	1 / Crimp Foil
600917CF	4-1/2"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



PRO PACK RAPID CORE EJECT™ HOLE SAW KIT BI-METAL & TCT HOLE SAWS

BI-METAL



CARBIDE TIPPED

UP TO
10x
MORE

UP TO
5x
FASTER




Pro Pack Hole Saw Kit with Rapid Core Eject™ Arbors in Two Carry Cases.

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600939	27	Hex8, Hex10 [2x]	Hex8 HSS, Hex10 HSS [2x], Hex10 TCT	11 TCT Saws - 2-3/8" Depth of Cut: 1-3/8, 1-1/2, 1-3/4, 2, 2-1/2, 2-3/4, 3, 3-1/2, 4, 4-1/4, 4-1/2"
				9 Bi-Metal Saws - 1-7/8" Depth of Cut: 3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



BI-METAL RAPID CORE EJECT™ HOLE SAWS 1-7/8" DEPTH OF CUT

BI-METAL


Bi-Metal Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600924	6	Hex10	Hex10 HSS [2x]	1-1/2, 2, 2-1/2"
600886	11	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-1/2, 2, 2-1/8, 2-1/2"
600887	13	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600061CF	3/4"	8	1 / Crimp Foil
600064CF	7/8"	8	1 / Crimp Foil
600066CF	1"	8	1 / Crimp Foil
600068CF	1-1/8"	8	1 / Crimp Foil
600070CF	1-1/4"	10	1 / Crimp Foil
600072CF	1-3/8"	10	1 / Crimp Foil
600074CF	1-1/2"	10	1 / Crimp Foil
600076CF	1-5/8"	10	1 / Crimp Foil
600078CF	1-3/4"	10	1 / Crimp Foil
600080CF	1-7/8"	10	1 / Crimp Foil
600081CF	2"	10	1 / Crimp Foil

Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600083CF	2-1/8"	10	1 / Crimp Foil
600084CF	2-1/4"	10	1 / Crimp Foil
600086CF	2-3/8"	10	1 / Crimp Foil
600087CF	2-1/2"	10	1 / Crimp Foil
600089CF	2-5/8"	10	1 / Crimp Foil
600091CF	2-3/4"	10	1 / Crimp Foil
600093CF	3"	10	1 / Crimp Foil
600095CF	3-1/4"	10	1 / Crimp Foil
600097CF	3-1/2"	10	1 / Crimp Foil
600098CF	3-5/8"	10	1 / Crimp Foil
600101CF	4"	10	1 / Crimp Foil


Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600102CF	4-1/8"	10	1 / Crimp Foil
600103CF	4-1/4"	10	1 / Crimp Foil
600105CF	4-1/2"	10	1 / Crimp Foil
600106CF	4-5/8"	10	1 / Crimp Foil
600100CF	4-3/4"	10	1 / Crimp Foil
600107CF	5"	10	1 / Crimp Foil
600109CF	5-1/2"	10	1 / Crimp Foil
600110CF	5-3/4"	10	1 / Crimp Foil
600111CF	6"	10	1 / Crimp Foil
600928CF	6-3/8"	10	1 / Crimp Foil
600113CF	6-5/8"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



EXTENSIONS AND Hex11 SYSTEM



Extensions and Hex11 System

Description	Arbor Hex†	Arbor Thread	Pilot Bit	12" Extension	24" Extension	Hex11 Arbor Complete
HSS For Metal and Wood	8	1/2" - 20		600844		
	10	5/8" - 18		600843	600845	
	11	5/8" - 18	600841			600839
TCT For Masonry and Wood	8	1/2" - 20		600844		
	10	5/8" - 18		600843	600845	
	11	5/8" - 18	600842			600840

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 and Hex11 fits 1/2" drill chucks.

NOMINAL HOLE DIMENSION CHART


Hole Saw Diameter	TCT 2-3/8" Depth of Cut	Tarantula™ 2-3/8" Depth of Cut	Bi-Metal 1-7/8" Depth of Cut	Deep TCT 6-1/4" Depth of Cut	Nominal Dimension Size†
3/4"	600002CF		600061CF		3/8" Metal Conduit, 1/2" Met Conduit, 1/2" PEX, 5/8" PEX, 3/8" Black Pipe
7/8"	600005CF	600895CF	600064CF		1/2" PVC, 5/8" PEX, 3/4" PEX, 1/2" Black Pipe
1"	600007CF	600896CF	600066CF		1/2" PVC, 3/4" Metal Conduit, 3/4" PEX, Door Lock
1-1/16"		600897CF			
1-1/8"	600009CF	600898CF	600068CF		3/4" Pipe, 3/4" PVC, 1" PEX, 3/4" Black Pipe
1-1/4"	600011CF	600899CF	600070CF	600825	3/4" Pipe, 1" PEX
1-3/8"	600013CF	600900CF	600072CF		1" Pipe, 1" PVC, 1" Black Pipe
1-1/2"	600015CF	600901CF	600074CF		
1-5/8"	600017CF	600902CF	600076CF		
1-3/4"	600019CF	600903CF	600078CF	600826	1-1/4" Pipe, 1-1/4" PVC, 1-1/2" Metal Conduit, 1-1/4" Black Pipe
1-7/8"	600021CF	600904CF	600080CF		1-1/2" Pipe
2"	600022CF	600905CF	600081CF	600827	1-1/2" Pipe, 1-1/2" PVC, 1-1/2" Black Pipe
2-1/8"	600024CF	600906CF	600083CF		Door Lock
2-1/4"	600025CF	600907CF	600084CF		2" Metal Conduit
2-3/8"	600027CF	600908CF	600086CF	600828	2" Pipe, 2" PVC, 2" Black Pipe
2-1/2"	600028CF	600909CF	600087CF		2" Pipe, 2" PVC
2-9/16"	600029CF	600910CF		600829	
2-5/8"	600030CF	600911CF	600089CF		2-1/2" clearance size
2-3/4"	600032CF	600912CF	600091CF		Recessed Lighting
3"	600034CF	600913CF	600093CF	600830	2-1/2" Metal Conduit, 2-1/2" Black Pipe
3-1/4"	600036CF		600095CF		
3-3/8"				600831	
3-1/2"	600038CF	600914CF	600097CF		3" PVC, 3" Metal Conduit, 3" Black Pipe
3-5/8"	600039CF	600927CF	600098CF	600832	3" PVC, 3" Metal Conduit, 3" Black Pipe, Old Work Electrical Box
3-3/4"	600041CF				Recessed Lighting
4"	600042CF	600915CF	600101CF	600833	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting
4-1/8"	600043CF		600102CF	600834	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting, Old Work Electrical Box, Dryer/Bath Vents
4-1/4"	600044CF	600916CF	600103CF		Recessed Lighting
4-3/8"				600835	
4-1/2"	600046CF	600917CF	600105CF		4" PVC, 4" Metal Conduit, 4" Black Pipe
4-5/8"	600055CF				4" PVC, 4" Metal Conduit, 4" Black Pipe
4-3/4"	600047CF			600836	
5"	600048CF		600107CF		5" Ducting
5-1/4"				600837	
5-1/2"	600050CF				
5-3/4"	600116CF				
6"	600052CF		600111CF	600838	5" PVC, 5" Black Pipe, 6" Ducting, Bag Toss
6-1/4"	600051CF				Recessed Lighting
6-3/8"	600117CF		600928CF		Recessed Lighting
6-5/8"	600054CF		600113CF		6" PVC, 6" Black Pipe

† Suggested size only, measure for true accuracy.

Spyder® Product	Best Application
Stinger™ Spade Bits	Auto-feed holes in wood
Stinger™ Auger Bits	Wood w/ nails & deep hole boring
Stinger™ Power Bits	Fastest drilling, clean entrance/exit and long battery life



STINGER™ SPADE BITS



STINGER™
Non-Clogging, Auto-Feed
Tip Technology

UP TO
20x
FASTER

UP TO
10x
MORE

Stinger™ Spade Bit Sets				
Item #	Length	Speed Hex	Pieces	Contents
11001	6"	1/4"	14	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8"; with Nylon Woven Pouch
11026	6"	1/4"	8	3/8, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8"; with Flip Case
11002	6"	1/4"	6	3/8, 1/2, 5/8, 3/4, 7/8, 1" in Clamshell

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11003	6" [1]	1/4"	1/4"
11004	6" [1]	1/4"	5/16"
11005	6" [1]	1/4"	3/8"
11006	6" [1]	1/4"	7/16"
11007	6" [1]	1/4"	1/2"
11008	6" [1]	1/4"	9/16"
11009	6" [1]	1/4"	5/8"


Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11010	6" [1]	1/4"	11/16"
11011	6" [1]	1/4"	3/4"
11012	6" [1]	1/4"	13/16"
11013	6" [1]	1/4"	7/8"
11014	6" [1]	1/4"	15/16"
11015	6" [1]	1/4"	1"
11016	6" [1]	1/4"	1-1/8"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11017	6" [1]	1/4"	1-1/4"
11018	6" [1]	1/4"	1-3/8"
11019	6" [1]	1/4"	1-1/2"
11029	6" [2]	1/4"	1/2"
11030	6" [2]	1/4"	5/8"
11031	6" [2]	1/4"	3/4"
11033	6" [2]	1/4"	1"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11020	16" [1]	1/4"	3/8"
11021	16" [1]	1/4"	1/2"
11022	16" [1]	1/4"	5/8"
11023	16" [1]	1/4"	3/4"
11024	16" [1]	1/4"	7/8"
11025	16" [1]	1/4"	1"



STINGER™ AUGER BITS



STINGER™
Non-Clogging, Auto-Feed
Tip Technology

UP TO
20x
FASTER

UP TO
10x
MORE

Stinger™ Auger Bit Set				
Item #	Length	Speed Hex	Pieces	Contents
12001	6-1/2"	1/4"	3	1/2, 3/4, 1"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12002	6-1/2"	1/4"	3/8"
12031	6-1/2"	1/4"	7/16"
12003	6-1/2"	1/4"	1/2"
12004	6-1/2"	7/16"	5/8"
12005	6-1/2"	7/16"	11/16"
12006	6-1/2"	7/16"	3/4"
12007	6-1/2"	7/16"	13/16"
12008	6-1/2"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12009	6-1/2"	7/16"	15/16"
12010	6-1/2"	7/16"	1"
12011	6-1/2"	7/16"	1-1/16"
12012	6-1/2"	7/16"	1-1/8"
12013	6-1/2"	7/16"	1-1/4"
12014	6-1/2"	7/16"	1-3/8"
12015	6-1/2"	7/16"	1-1/2"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12016	18"	1/4"	3/8"
12024	18"	1/4"	7/16"
12017	18"	1/4"	1/2"
12018	18"	7/16"	5/8"
12025	18"	7/16"	11/16"
12019	18"	7/16"	3/4"
12026	18"	7/16"	13/16"
12020	18"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12027	18"	7/16"	15/16"
12021	18"	7/16"	1"
12028	18"	7/16"	1-1/16"
12029	18"	7/16"	1-1/8"
12022	18"	7/16"	1-1/4"
12030	18"	7/16"	1-3/8"
12023	18"	7/16"	1-1/2"



STINGER™ POWER BITS



STINGER™
Non-Clogging, Fast-Feed
Tip Technology

POWER BIT FAST & CLEAN™
UP TO **40x** FASTER
UP TO **25x** MORE
UP TO **50%** LESS

Stinger™ Power™ Bit Sets

Item #	Length	Speed Hex	Pieces	Contents
15001	6-1/2"	1/4"	4	1/2, 5/8, 3/4, 1"
15003	6-1/2"	1/4"	6	1/2, 5/8, 3/4, 7/8, 1, 1-1/4"

Stinger™ Power™ Bits

Item #	Length	Speed Hex	Diameter
15004	6-1/2"	1/4"	1/2"
15005	6-1/2"	1/4"	5/8"
15006	6-1/2"	1/4"	3/4"

Stinger™ Power™ Bits

Item #	Length	Speed Hex	Diameter
15007	6-1/2"	1/4"	7/8"
15008	6-1/2"	1/4"	1"
15012	6-1/2"	1/4"	1-1/4"

Stinger™ Power™ Bits

Item #	Length	Speed Hex	Diameter
15009	16"	1/4"	1/2"
15010	16"	1/4"	5/8"
15011	16"	1/4"	3/4"



STINGER™ BRAD POINT DRILL BITS



STINGER™

UP TO **10x** LONGER
UP TO **6x** FASTER
UP TO **30%** LONGER

Stinger™ Brad Point Drill Bit Set

Item #	Pieces	Contents
11035	6	1/8, 3/16, 1/4, 5/16, 3/8, 1/2"



STINGER™ MACH-BLUE™ ARMOR PLATED HIGH SPEED STEEL (HSS) DRILL BITS



STINGER™

Mach-Blue™
Armor Plated

MADE IN USA
UP TO **100x** MORE
UP TO **8x** FASTER

Stinger™ Mach-Blue™ Armor Plated HSS Drill Bit Set

Item #	Speed Hex	Pieces	Contents
19017	1/4"	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Stinger™ Mach-Blue™ Armor Plated HSS Drill Bits

Item #	Speed Hex	Diameter
19000	1/4"	1/16"
19001	1/4"	5/64"
19002	1/4"	3/32"
19003	1/4"	7/64"
19004	1/4"	1/8"
19005	1/4"	9/64"

Stinger™ Mach-Blue™ Armor Plated HSS Drill Bits

Item #	Speed Hex	Diameter
19006	1/4"	5/32"
19007	1/4"	11/64"
19008	1/4"	3/16"
19009	1/4"	13/64"
19010	1/4"	7/32"
19011	1/4"	15/64"


Stinger™ Mach-Blue™ Armor Plated HSS Drill Bits

Item #	Speed Hex	Diameter
19012	1/4"	1/4"
19013	1/4"	5/16"
19014	1/4"	3/8"
19015	1/4"	7/16"
19016	1/4"	1/2"



TARANTULA™
CIRCULAR SAW
BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



UP TO
6x
LONGER


Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13029	1 / Ring	5-1/2"	18	Framing	5/8"	ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13030	1 / Ring	6-1/2"	18	Fast Framing	5/8" with Diamond Knockout	ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13004	1 / Ring	6-1/2"	24	Framing		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13025	1 / Ring	6-1/2"	48	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13001	1 / Ring	7-1/4"	24	Framing		ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13050	3 / Ring											
13017	10 / Box											
13007	1 / Ring	7-1/4"	40	Fine Finish		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13018	1 / Ring	7-1/4"	60	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13019	1 / Ring	7-1/4"	44	Composite/Decking		TCG	0.067"	1.7mm	0°	1mm	0.050"	10,000
13020	1 / Ring	7-1/4"	60	Laminated Wood		TCG	0.110"	2.8mm	-5°	1.8mm	0.070"	10,000
13031	1 / Ring	8-1/4"	24	Framing		ATB	0.063"	1.6mm	18°	1.2mm	0.040"	10,000
13058	1 / Ring	8-1/4"	40	Fine Finish		ATB	0.063"	1.6mm	15°	1.2mm	0.040"	10,000
13044	1 / Clam											

† ATB - Alternating Tooth Bevel TCG - Triple Chip



TARANTULA™ LARGE
DIAMETER CIRCULAR
SAW BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



UP TO
6x
LONGER

Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13056	1 / Ring	10"	40	Framing	5/8"	ATB	0.118"	3.0mm	18°	2.2mm	0.087"	7,000
13032	1 / Clam											
13021	1 / Ring	10"	50	Combo		ATB-R	0.091"	2.3mm	10°	1.8mm	0.079"	6,000
13053	1 / Ring	10"	60	Fine		HIATB	0.091"	2.3mm	15°	1.8mm	0.070"	7,000
13012	1 / Clam											
13055	1 / Ring	10"	80	Ultra Fine		HIATB	0.091"	2.3mm	7°	1.8mm	0.079"	7,000
13026	1 / Clam											
13059	1 / Ring	12"	40	Fast Framing	1"	ATB	0.118"	3.0mm	12°	2.2mm	0.087"	7,800
13049	1 / Clam											
13022	1 / Ring	12"	60	Combo		ATB-R	0.091"	2.3mm	10°	1.8mm	0.079"	6,000
13057	1 / Ring	12"	60	Framing		ATB	0.118"	3.0mm	18°	2.2mm	0.087"	6,000
13033	1 / Clam											
13054	1 / Ring	12"	80	Fine		HIATB	0.090"	2.3mm	15°	1.8mm	0.079"	6,000
13015	1 / Clam											
13027	1 / Ring	12"	100	Ultra Fine	HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000	

† ATB - Alternating Tooth Bevel HIATB - High Alternative Top Bevel ATB-R - Alternating Tooth Bevel with Raker



TARANTULA™ DEMOLITION CIRCULAR SAW BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



ULTRA TOUGH **NiCo** NICKEL COBALT

UP TO
10x
LONGER


Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13041	1 / Ring	6-1/2"	24	Wood with Nails	5/8" with Diamond Knockout	ATB+DD	0.060"	1.5mm	15°	1mm	0.040"	10,000
13006	1 / Ring	7-1/4"	24	Wood with Nails	5/8" with Diamond Knockout	ATB+DD	0.060"	1.5mm	15°	1mm	0.040"	10,000

† ATB+DD - Alternating Tooth Bevel + Demo Drive



TARANTULA™ DADO CIRCULAR SAW BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



ULTRA TOUGH **NiCo** NICKEL COBALT

UP TO
6x
LONGER


Item #	# / Pack	Diameter	# of Teeth	Spacers	Shims	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13023	1 / Ring	6"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 10T					ATB+F	0.197"	5.0mm	-10°	2.5mm	0.098"	
13024	1 / Ring	8"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 12T					ATB+F	0.197"	5.0mm	-10°	2.5mm	0.098"	

† FTG - Flat Top ATB+F - Alternating Tooth Bevel + Flat Top Raker



TARANTULA™ PCD CIRCULAR SAW BLADES

POLYCRYSTALLINE
DIAMOND TIPPED



UP TO
60x
LONGER


Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13028	1 / Ring	7-1/4"	4 PCD	Cement Fiber Board	5/8" w/Diamond Knockout	FTG	0.063"	1.6mm	18°	1.2mm	0.063"	10,000

† FTG - Flat Top



DIAMOND EDGE UNIVERSAL CUT-OFF WHEEL

DIAMOND EDGE



UP TO
100x
LONGER



4-1/2" and 5" USE WITH ANGLE GRINDERS.
7" USE WITH 7" ANGLE GRINDERS AND CIRCULAR SAWS.

Item #	Pieces	Diameter	Arbor Size	Max RPM	Application	Other
14001	1	4-1/2"	7/8"	13,000	Steel, Stainless Steel, Cast Iron, Rebar, Masonry, Ceramic Tile and Composites	
14005	1	5"	7/8"	12,000		
14007	1	7"	7/8"	8,400		5/8" Bushing Included for Use with Circular Saws



Spyder® Jig Saw Blade		Best Application
Chrome Vanadium		For Cutting Wood
Bi-Metal		For Cutting Thin Metal, Thick Metal and Wood with Nails

CHROME VANADIUM (CrV) SINGLE-SIDED, DOUBLE-SIDED AND SKELETON™ JIG SAW BLADES




CHROME VANADIUM For Fast and Clean Cuts Through Soft and Hard Wood



Chrome Vanadium Single-Sided, Double-Sided and Skeleton™ T-Shank Jig Saw Blade Sets					
Item #	Pieces	Length	TPI	Type	Application
300002	2	4-1/2"	8 Front/Long 11 Short/Back	Double-Sided	Fast Curve, Soft Wood
300004	2	4"	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
300009	2	4-1/2" [1]	8 Front/Long 11 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
300012	2	4"	10	Skeleton™	Fast Straight, Soft Wood
300022	2	4"	17	Skeleton™	Clean Straight, Hard Wood
300020	2	4" [1]	10	Skeleton™	Fast Straight, Soft Wood
		4" [1]	17	Skeleton™	Clean Straight, Hard Wood
300037	8	4-1/2" [2]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [2]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Skeleton™	Fast Straight, Soft Wood
		4" [2]	17	Skeleton™	Clean Straight, Hard Wood
300061	5 in Pocket Case	3" [1]	3	Single-Sided	Clean Curve, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Single-Sided	Clean Straight, Soft Wood
		4" [1]	6	Single-Sided	Fast Straight, Soft Wood

BI-METAL SINGLE-SIDED JIG SAW BLADES



BI-METAL 8% Cobalt Blades for Cutting Thin & Thick Metal



Bi-Metal Single-Sided T-Shank Jig Saw Blade Set					
Item #	Pieces	Length	TPI	Type	Application
300063	5 in Pocket Case	4" [3]	21	Single Sided	Medium Metal <1/8"
		4" [2]	12	Single Sided	Thick Metal <1/4"

MULTI-MATERIAL JIG SAW BLADES



SOFT WOOD



HARD WOOD



PLYWOOD



STRAIGHT



CURVE



STRAIGHT



THIN METAL
<1/16"



THICK METAL
<1/4"



WOOD/NAILS



T-SHANK

BI-METAL
CHROME VANADIUM



Multi-Material T-Shank Jig Saw Blade Sets

Item #	Pieces	Length	TPI	Type	Application
300062	5 in Pocket Case	4" [1]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300064	10 in Pocket Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [1]	10 Front/Long 18 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300065	12 in Snap Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [2]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4-1/2" [2]	8 Front/Long 11 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood



3x3™ DOUBLE-SIDED RECIPROCATING SAW BLADES



UP TO **2x10x** LONGER



3x3™ Double-Sided Reciprocating Saw Blade Set


Item #	Pieces	Contents
200228	5	200176 [1x], 200203 [2x], 200180 [1x], 200177 [1x]

3x3™ Double-Sided Reciprocating Saw Blades

Item #	#/Pack	Length	TPI			Application
			Top	Bottom	Nose	
200176	10 / Bulk with UPC	6"	10	6	10	Wood, Drywall and Laminates
200203	10 / Bulk with UPC	6"	14	10-14	10	Demolition and Metal
200180	10 / Bulk with UPC	6"	18	14	10	Metal, Nail Embedded Wood and Fiberglass
200177	10 / Bulk with UPC	8"	10	6	6	Wood, Drywall and Laminated Wood
200206	10 / Bulk with UPC	8"	10	8-12	10	Advanced Demolition
200179	10 / Bulk with UPC	8"	14	10	10	Demolition and Metal
200205	10 / Bulk with UPC	8"	14	10-14	10	Extreme Metal, Nail Embedded Wood and Fiberglass
200207	10 / Bulk with UPC	10"	10	8-12	10	Advanced Demolition
200204	10 / Bulk with UPC	10"	14	10-14	10	Extreme Metal, Nail Embedded Wood and Fiberglass



BLACK SERIES™ RECIPROCATING SAW BLADES



UP TO **10x** LONGER
UP TO **3x** FASTER




Black Series™ Reciprocating Saw Blade Sets

Item #	Pieces	Length	TPI	Application
200302	5	6"	10-14	Demolition - Fast and Clean Cut through Wood and Metal
200303	5	6"	18	Fast and Smooth Cut Through Thin and Thick Metals
200304	5	9"	6	Fast and Smooth Cut Through Nail Embedded Wood, Drywall and Timber
200305	5	9"	10-14	Demolition - Fast and Clean Cut Through Wood and Metal.
200306	3	12"	6	Fast and Smooth Cut Through Nail Embedded Wood, Drywall and Timber
200307	3	12"	10-14	Demolition - Fast and Clean Cut Through Wood and Metal
200308	14	various	various	6" [4x] 18 TPI, 6" [2x] 10/14 TPI, 6" [3x] 6 TPI, 8" [1x] 10/14 TPI, and 9" [2x] 6 TPI with Storage Tube



TUNGSTEN CARBIDE TIPPED (TCT) MASONRY RECIPROCATING SAW BLADES



CARBIDE TIPPED



Tungsten Carbide Tipped (TCT) Masonry Reciprocating Saw Blades

Item #	Length	Application
200209	9"	Concrete Block, Brick and Masonry
200210	12"	Concrete Block, Brick and Masonry
200211	18"	Concrete Block, Brick and Masonry



SPYDER® SCRAPER™ RECIPROCATING BLADES



MADE IN
USA

Spyder® Scraper™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
00243	3	[1] each of 2", 4" and 6"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue, Drywall Mud, Paint, Rubber-Backed Carpet, & Wall Paper


Spyder® Scraper™ Reciprocating Blades

Item #	Pieces	Width	Application
00138	1	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00108	1	4"	Linoleum, Tough Glue and Drywall Mud
00137	1	6"	Paint, Rubber-Backed Carpet and Wall Paper
00319	6 / Bulk with UPC	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00320	6 / Bulk with UPC	4"	Linoleum, Tough Glue and Drywall Mud
00321	6 / Bulk with UPC	6"	Paint, Rubber-Backed Carpet and Wall Paper




RECIPROCATING BRUSHES

WIRE



NYLON



Reciprocating Brushes

Item #	Pieces	Brush	Application
400005	6 / Bulk with UPC	Carbon Steel Wire	Removes Flaking Paint, Rust, Scratches, Dirt and Small Imperfections
400006	6 / Bulk with UPC	Nylon	Nylon - Removes Layers of Grime



GROUT-OUT™ RECIPROCATING BLADES



UP TO
10x
FASTER



RECIPROCATING SANDER WITH SANDPAPER SET



Spyder® Grout-Out™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
100234	2	[1] each of Narrow and Wide	Narrow: Joints 1/16" - 3/16" in width, Wide: Joints 3/16" - 3/4" in width

Spyder® Grout-Out™ Reciprocating —Blades

Item #	Pieces	Width	Application
100263	6 / Bulk with UPC	Narrow	Narrow: Joints 1/16" - 3/16" in width
100264	6 / Bulk with UPC	Wide	Wide: Joints 3/16" - 3/4" in width

Reciprocating Sander with Sandpaper Set

Item #	Contents	Application
500010	Sander with 3pc Sandpaper Set (80, 120, 220 Grit)	Sand Tight Spaces, Curved Surfaces and the Inside and Outside of Corners.



SHOP STOOL

Shop Stool

Item #	Contents / Description
900532	Industrial Quality, Chrome Plated Steel and High Grade Padded Vinyl Shop Stool Supports Up to 300 lbs. - 14" x 14" x 29" Tall







The Spyder Rapid Core Eject™ Hole Saw System is patented in the US and Canada, US Patent no. 7,934,893 and Canada Patent no. 2,589,999. © 2021 SM Products, LLC. Spyder, the Spyder logo and Rapid Core Eject are trademarks of SM Products, LLC. All rights reserved.

SM Products, LLC 1-888-471-2239 • info@spyderproducts.com

www.spyderproducts.com

