

**U.S. TAPE**<sup>®</sup>

WORLD CLASS TOOLS SINCE 1876

*Stringliner*<sup>®</sup>

**DuraWheel**<sup>™</sup>  
COMMERCIAL DUTY

**DuraMark**

**CENTER POINT**<sup>®</sup>

**PROTAPE**<sup>®</sup>



**TABLE OF CONTENTS**

<b>Private Label Tape Measure Program</b>		1
<b>Stringliner:</b> <i>Stringliner Pro, Construction / Mason's Line, Stringliner Original, LevelWiz, TapeWiz, CordWiz, Pencil Pal</i>		2-7
<b>DuraWheel:</b> <i>DW-PRO, DIGI-PRO, DW-1000, DW-500, Carrying Cases</i>		8-9
<b>DuraMark:</b> <i>Chalk Reels/Lines, Marking Chalk</i>		10-11
<b>ProTape Auto-Rewind Long Tapes</b>		12
<b>Long Tapes:</b> <i>Black Vinyl Covered Steel Case, Contractor Series, ProTape Construction Grade</i>		13
<b>ProTape Open Reel Long Tapes:</b> <i>Nylon Clad Steel blade, Fiberglass blade</i>		14
<b>CenterPoint® Center-finding Products</b>		15
<b>Short Tapes:</b> <i>Pro-SL Self-Locking, Chrome/Black Fractional, Chrome/Red CenterPoint®, XL Carpenter and Engineer's, and XR Series Assorted blade styles</i>		16-17
<b>Made In USA Short Tapes:</b> <i>Classic Series and Diameter Pro</i>		18
<b>Adhesive Back Steel Bench Tapes</b>		19
<b>Rhino™ Fiberglass Folding Rulers</b>		20
<b>CenterPoint® Stainless Steel Rulers</b>		20
<b>MagTite Magnetic Tape Measure Holster</b>		21
<b>Dead Blow Hammers</b>		21
<b>Oil Gauging Tapes:</b> <i>Plated, Double Duty, Black Etched, Etched Stainless, Derrick Tapes, Plumb Bobs, and Accessories</i>		22-24
<b>About U.S. Tape</b>		25
<b>Warranty, Terms and Conditions, Contact Information</b>		

## PRIVATE LABEL TAPE MEASURE PROGRAM



You can private label our quality ProTape XR, XL, CB, and Pro-SL series short tapes in a variety of blade styles including:

*Carpenter's (English)  
CenterPoint®  
Fractional-Read  
English/Metric  
Engineer's*

**Labels are FULL COLOR and FULL SIZE.**

**There are NO EXTRA LABEL CHARGES or SET UP FEES!**

### IT'S SIMPLE

#### 1. Choose your tape model and size

Choose from our Protape XR, Protape CB, Protape XL, or Pro-SL series short tapes in any blade style or length.\*

#### 2. Place your order

Please contact Customer Service at 800-472-8273 or email [privatelabel@ustape.com](mailto:privatelabel@ustape.com) for specific ordering information.

There is a minimum order of 72 pieces (for higher quantities please order in increments of 12). Lead time is approximately 10 business days after label approval. (50% deposit required on orders over \$1000 for new customers.)

#### 3. Design your label

You can design your own label, or send your logo, color requirements and any information you want to include on your label to our art department and we'll do it for you. Contact us by phone, or email [privatelabel@ustape.com](mailto:privatelabel@ustape.com).

We can work with electronic files (ai, eps, pdf, jpg, tif, bmp), or scannable logos.

\*Item # 56675 (Diameter Pro) is not available for private label.



#### Packaging Options:

1. Bulk (CB, XL, and XR)
2. Individual white boxes (All)
3. U.S. Tape blister hang cards (ALL)
4. U.S. Tape blister hang cards in a 12 pc. Counter Display (ALL)
5. 12 pack Bulk Counter Display (XR 25' +30', XL + CB 25' only)

Options 1, 2, 3 are NO charge. There is an additional fee/tape for options 4 and 5.



## STRINGLINER

### Stringliner Professional Construction / Mason's Line Reels



- Durable polyethylene rewind hand crank
- Holds the line for easy dispensing
- Quality #18 Braided or Twisted nylon line
- Tensile strength of 165 lbs.
- Wide variety of bright solid and mixed colors
- Available in 1/8 lb., 1/4 lb., 1/2 lb., and 1 lb. spools
- Many different lengths

### Stringliner Professional Construction / Mason's Line




- Available in Braided and Twisted line
- #18 nylon line
- 165 lb. tensile strength
- Wide variety of bright solid and mixed colors
- Available in 1/8 lb., 1/4 lb., 1/2 lb., and 1 lb. spools
- Many different lengths
- Braided line does not come apart even when reused
- Braided line does not spin as much as twisted line when using a plumb bob

### TapeWiz and Barricade Tape



- Dispensers come in two sizes, 1000 ft. and 300 ft.
- Holds 2-4 mil. Barricade tape
- Easy dispensing of barricade tapes
- TapeWiz Pro has serrated edge for quick cutting and safety
- Notch secures loose tape end
- Simple reload
- Choose from 7 different tape warnings
- Caution tape available in English and Spanish

### CordWiz Extension Cord Holders



- Replaces flimsy H-winders
- Choose from 4 different models
- Some models hold up to 200 ft. of extension cord
- Some models with rotating handles

**STRINGLINER PRO**

Line reel handle made of durable polyethylene  
 Various line lengths and colors  
 Fits all 1" line cores from 4"-6" long  
 Line secures in convenient notch  
 Reload rolls of line easily  
 Rewind hand crank  
 (or automatic using power screwdriver)



Item #	Length	Description	Item #	Length	Description
<b>1/8 lb. #18 Nylon Line</b>			<b>1/4 lb. #18 Nylon Line</b>		
25000	135 Ft.	Twisted; Gold	25100	270 Ft.	Twisted; Gold
25003	135 Ft.	Twisted; White	25103	270 Ft.	Twisted; White
25006	135 Ft.	Twisted; Fluorescent Orange	25106	270 Ft.	Twisted; Fluorescent Orange
25009	135 Ft.	Twisted; Fluorescent Pink	25109	270 Ft.	Twisted; Fluorescent Pink
25012	135 Ft.	Twisted; Fluorescent Yellow	25112	270 Ft.	Twisted; Fluorescent Yellow
25015	135 Ft.	Twisted; Fluorescent Green	25115	270 Ft.	Twisted; Fluorescent Green
25050	125 Ft.	Braided; Yellow	25150	250 Ft.	Braided; Yellow
25053	125 Ft.	Braided; White	25153	250 Ft.	Braided; White
25056	125 Ft.	Braided; Green	25156	250 Ft.	Braided; Green
25059	125 Ft.	Braided; Fluorescent Orange	25159	250 Ft.	Braided; Fluorescent Orange
25062	125 Ft.	Braided; Fluorescent Pink	25162	250 Ft.	Braided; Fluorescent Pink
25065	125 Ft.	Braided; Fluorescent Yellow	25165	250 Ft.	Braided; Fluorescent Yellow
25068	125 Ft.	Braided; Fluorescent Green	25168	250 Ft.	Braided; Fluorescent Green
25090	125 Ft.	Braided; Black/White	25190	250 Ft.	Braided; Black/White
<b>1/2 lb. #18 Nylon Line</b>			<b>1 lb. #18 Nylon Line</b>		
25400	540 Ft.	Twisted; Gold	25700	1080 Ft.	Twisted; Gold
25403	540 Ft.	Twisted; White	25703	1080 Ft.	Twisted; White
25406	540 Ft.	Twisted; Fluorescent Orange	25706	1080 Ft.	Twisted; Fluorescent Orange
25409	540 Ft.	Twisted; Fluorescent Pink	25709	1080 Ft.	Twisted; Fluorescent Pink
25412	540 Ft.	Twisted; Fluorescent Yellow	25712	1080 Ft.	Twisted; Fluorescent Yellow
25415	540 Ft.	Twisted; Fluorescent Green	25715	1080 Ft.	Twisted; Fluorescent Green
25450	500 Ft.	Braided; Yellow	25750	1000 Ft.	Braided; Yellow
25453	500 Ft.	Braided; White	25753	1000 Ft.	Braided; White
25456	500 Ft.	Braided; Green	25756	1000 Ft.	Braided; Green
25459	500 Ft.	Braided; Fluorescent Orange	25759	1000 Ft.	Braided; Fluorescent Orange
25462	500 Ft.	Braided; Fluorescent Pink	25762	1000 Ft.	Braided; Fluorescent Pink
25465	500 Ft.	Braided; Fluorescent Yellow	25765	1000 Ft.	Braided; Fluorescent Yellow
25468	500 Ft.	Braided; Fluorescent Green	25768	1000 Ft.	Braided; Fluorescent Green
25490	500 Ft.	Braided; Black/White	25790	1000 Ft.	Braided; Black/White



## STRINGLINER CONSTRUCTION / MASON'S LINE

Quality #18 Twisted or Braided nylon line  
 Highly visible colors  
 #27 Nylon Bonded, and  
 Cotton line also available



Item #	Length	Description	Item #	Length	Description
<b>1/8 lb. #18 Nylon Line</b>			<b>1/4 lb. #18 Nylon Line</b>		
35000	135 Ft.	Twisted; <i>Gold</i>	35100	270 Ft.	Twisted; <i>Gold</i>
35003	135 Ft.	Twisted; <i>White</i>	35103	270 Ft.	Twisted; <i>White</i>
35006	135 Ft.	Twisted; <i>Fluorescent Orange</i>	35106	270 Ft.	Twisted; <i>Fluorescent Orange</i>
35009	135 Ft.	Twisted; <i>Fluorescent Pink</i>	35109	270 Ft.	Twisted; <i>Fluorescent Pink</i>
35012	135 Ft.	Twisted; <i>Fluorescent Yellow</i>	35112	270 Ft.	Twisted; <i>Fluorescent Yellow</i>
35015	135 Ft.	Twisted; <i>Fluorescent Green</i>	35115	270 Ft.	Twisted; <i>Fluorescent Green</i>
35050	125 Ft.	Braided; <i>Yellow</i>	35150	250 Ft.	Braided; <i>Yellow</i>
35053	125 Ft.	Braided; <i>White</i>	35153	250 Ft.	Braided; <i>White</i>
35056	125 Ft.	Braided; <i>Green</i>	35156	250 Ft.	Braided; <i>Green</i>
35059	125 Ft.	Braided; <i>Fluorescent Orange</i>	35159	250 Ft.	Braided; <i>Fluorescent Orange</i>
35062	125 Ft.	Braided; <i>Fluorescent Pink</i>	35162	250 Ft.	Braided; <i>Fluorescent Pink</i>
35065	125 Ft.	Braided; <i>Fluorescent Yellow</i>	35165	250 Ft.	Braided; <i>Fluorescent Yellow</i>
35068	125 Ft.	Braided; <i>Fluorescent Green</i>	35168	250 Ft.	Braided; <i>Fluorescent Green</i>
35090	125 Ft.	Braided; <i>Black/White</i>	35190	250 Ft.	Braided; <i>Black/White</i>
<b>1/2 lb. #18 Nylon Line</b>			<b>1 lb. #18 Nylon Line</b>		
35400	540 Ft.	Twisted; <i>Gold</i>	35700	1080 Ft.	Twisted; <i>Gold</i>
35403	540 Ft.	Twisted; <i>White</i>	35703	1080 Ft.	Twisted; <i>White</i>
35406	540 Ft.	Twisted; <i>Fluorescent Orange</i>	35706	1080 Ft.	Twisted; <i>Fluorescent Orange</i>
35409	540 Ft.	Twisted; <i>Fluorescent Pink</i>	35709	1080 Ft.	Twisted; <i>Fluorescent Pink</i>
35412	540 Ft.	Twisted; <i>Fluorescent Yellow</i>	35712	1080 Ft.	Twisted; <i>Fluorescent Yellow</i>
35415	540 Ft.	Twisted; <i>Fluorescent Green</i>	35715	1080 Ft.	Twisted; <i>Fluorescent Green</i>
35450	500 Ft.	Braided; <i>Yellow</i>	35750	1000 Ft.	Braided; <i>Yellow</i>
35453	500 Ft.	Braided; <i>White</i>	35753	1000 Ft.	Braided; <i>White</i>
35456	500 Ft.	Braided; <i>Green</i>	35756	1000 Ft.	Braided; <i>Green</i>
35459	500 Ft.	Braided; <i>Fluorescent Orange</i>	35759	1000 Ft.	Braided; <i>Fluorescent Orange</i>
35462	500 Ft.	Braided; <i>Fluorescent Pink</i>	35762	1000 Ft.	Braided; <i>Fluorescent Pink</i>
35465	500 Ft.	Braided; <i>Fluorescent Yellow</i>	35765	1000 Ft.	Braided; <i>Fluorescent Yellow</i>
35468	500 Ft.	Braided; <i>Fluorescent Green</i>	35768	1000 Ft.	Braided; <i>Fluorescent Green</i>
35490	500 Ft.	Braided; <i>Black/White</i>	35790	1000 Ft.	Braided; <i>Black/White</i>
35491	500 Ft.	Braided; <i>Black/Orange</i>	35791	1000 Ft.	Braided; <i>Black/Orange</i>
35492	500 Ft.	Braided; <i>Black/Yellow</i>	35792	1000 Ft.	Braided; <i>Black/Yellow</i>
35494	500 Ft.	Braided; <i>Black/Fl. Yellow</i>	35794	1000 Ft.	Braided; <i>Black/Fl. Yellow</i>
<b>1/2 lb. #27 Bonded Nylon Line</b>			<b>1 lb. #27 Bonded Nylon Line</b>		
35495	320 Ft.	Braided; <i>Black/Yellow</i>	35795	640 Ft.	Braided; <i>Black/Yellow</i>
35496	320 Ft.	Braided; <i>Black/Orange</i>	35796	640 Ft.	Braided; <i>Black/Orange</i>
35797	640 Ft.	Braided; <i>Black/Fl. Yellow</i>			
<b>1/2 lb. Cotton Line</b>			<b>1 lb. Cotton Line</b>		
12493	540 Ft.	Twisted; <i>White</i>	12793	1080 Ft.	Twisted; <i>White</i>



## STRINGLINER ORIGINAL

Line reel handle made of durable polyethylene  
 Quality #18 Twisted or Braided nylon line  
 Large selection of colors  
 Line secures in convenient notch  
 Made in the USA



Item #	Length	Description	Item #	Length	Description
<b>Model 100 #18 Twisted Nylon Line</b>			<b>Model 100 #18 Braided Nylon Line</b>		
11100	100 Ft.	Twisted; Gold	11150	100 Ft.	Braided; Yellow
11103	100 Ft.	Twisted; White	11153	100 Ft.	Braided; White
11106	100 Ft.	Twisted; Fluorescent Orange	11156	100 Ft.	Braided; Green
11109	100 Ft.	Twisted; Fluorescent Pink	11159	100 Ft.	Braided; Fluorescent Orange
11112	100 Ft.	Twisted; Fluorescent Yellow	11162	100 Ft.	Braided; Fluorescent Pink
11115	100 Ft.	Twisted; Fluorescent Green	11165	100 Ft.	Braided; Fluorescent Yellow
<b>Model 110 #18 Twisted Nylon Line</b>			<b>Model 110 #18 Braided Nylon Line</b>		
11400	270 Ft.	Twisted; Gold	11450	250 Ft.	Braided; Yellow
11403	270 Ft.	Twisted; White	11453	250 Ft.	Braided; White
11406	270 Ft.	Twisted; Fluorescent Orange	11456	250 Ft.	Braided; Green
11409	270 Ft.	Twisted; Fluorescent Pink	11459	250 Ft.	Braided; Fluorescent Orange
11412	270 Ft.	Twisted; Fluorescent Yellow	11462	250 Ft.	Braided; Fluorescent Pink
11415	270 Ft.	Twisted; Fluorescent Green	11465	250 Ft.	Braided; Fluorescent Yellow
<b>Model 500 #18 Twisted Nylon Line</b>			<b>Model 500 #18 Braided Nylon Line</b>		
11700	500 Ft.	Twisted; Gold	11750	500 Ft.	Braided; Yellow
11703	500 Ft.	Twisted; White	11753	500 Ft.	Braided; White
11706	500 Ft.	Twisted; Fluorescent Orange	11756	500 Ft.	Braided; Green
11709	500 Ft.	Twisted; Fluorescent Pink	11759	500 Ft.	Braided; Fluorescent Orange
11712	500 Ft.	Twisted; Fluorescent Yellow	11762	500 Ft.	Braided; Fluorescent Pink
11715	500 Ft.	Twisted; Fluorescent Green	11765	500 Ft.	Braided; Fluorescent Yellow
			11768	500 Ft.	Braided; Fluorescent Green
			11790	500 Ft.	Braided; Black/White

## RELOADABLE REEL REPLACEMENT HANDLES

Item #	Description	Item #	Description
11901	Reel handle S.L. Original Model 100	25905	Reel handle Stringliner Pro
11902	Reel handle S.L. Original Model 110, 500		

**LEVELWIZ**

Stringliner Pro reloadable line reel  
with detachable precision line level  
that stores on the handle  
#18 Nylon Line  
Level available separately



Item #	Length	Description	Item #	Description
<b>1/4 lb. #18 Nylon Line</b>			<b>Precision Line Level</b>	
24106	270 Ft.	Twisted; <i>Fluorescent Orange</i>	24925	Level alone
24162	250 Ft.	Braided; <i>Fluorescent Pink</i>	<b>Layout Pack</b> Contains LevelWiz with 270' Twisted Fl. Orange #18 nylon line; 3/4" x 16' Tape measure; Magnetic pencil holder; Carpenter's pencil	
<b>1/2 lb. #18 Nylon Line</b>			14150	Layout Pack
24406	540 Ft.	Twisted; <i>Fluorescent Orange</i>		
24462	500 Ft.	Braided; <i>Fluorescent Pink</i>		

**TAPEWIZ Barricade Tape Dispenser**

Dispenses barricade tape with ease  
Notch secures loose tape end  
Simple to reload  
Assorted models of barricade tape available



Item #	Description	Item #	Length	Description
<b>TAPEWIZ</b> Holds 300' of 2-4 mil. barricade tape		<b>Barricade Tape</b>		
42000	TapeWiz dispenser	16930	300 Ft.	Caution 2 mil
42010	TapeWiz + 300' Caution Tape 2 mil	16930SF	300 Ft.	Caution (Fr) 2 mil
42012	TapeWiz + 300' Cuidado Tape (Sp) 2 mil	16932	300 Ft.	Cuidado (Sp) 2 mil
<b>TAPEWIZ PRO</b> Holds 1000' of 2-4 mil. barricade tape; Serrated edge cuts tape quickly; No loose parts when reloading		16940	1000 Ft.	Caution 2 mil
42003	TapeWiz Pro dispenser	16940SF	1000 Ft.	Caution (Fr) 2 mil
42020	TapeWiz Pro + 1000' Caution 2 mil	16942	1000 Ft.	Police DNC 2 mil
42022	TapeWiz Pro + 1000' Police DNC 2 mil	16944	1000 Ft.	Fire Line DNC 2 mil
42027	TapeWiz Pro + 1000' Fire Line DNC 2 mil	16945	1000 Ft.	Sheriff DNC 2 mil
42028	TapeWiz Pro + 1000' Sheriff DNC 2 mil	16946	1000 Ft.	Crime Scene DNC 2 mil
42029	TapeWiz Pro + 1000' Crime DNC 2 mil	16947	1000 Ft.	Cuidado (Sp) 2 mil
42037	TapeWiz Pro + 1000' Cuidado (Sp) 2 mil	16970	1000 Ft.	Electric Line Buried Below 4 mil
42025	TapeWiz Pro + 1000' Electric Line Buried Below 4 mil			



## CORDWIZ EXTENSION CORD HOLDERS

### CORDWIZ

Holds 100' of 14/3 AWG cord  
 Holds 150' of 16/3 AWG cord  
 Stand keeps cord off the ground  
 Eliminates cord mess  
 (Extension cord not included)



### CORDWIZ PRO

Holds 125' of 12/3 AWG cord  
 Holds 150' of 14/3 AWG cord  
 Wrap and dispense heavy cord easily  
 Dispense cord automatically using rotating handles  
 (Extension cord not included)



### CORDWIZ CLASSIC

Holds 100' of 12/3 AWG cord  
 Holds 125' of 14/3 AWG cord  
 Dispense cord automatically using rotating handles  
 Replaces flimsy H-winders  
 (Extension cord not included)



### CORDWIZ Mini 6 & Mini 15

Mini 6 holds 6' of 16/2 AWG cord  
 Mini 15 holds 15' of 16/2 AWG cord  
 Stores extension cords, phone cords, speaker wire, Christmas lights, etc.  
 Stays attached to cord when extended  
 (Extension cord not included)



Item #	Description	Item #	Description
30000	CordWiz	30376	CordWiz Mini; 6' + 15' carded
30100	CordWiz Pro	30377	CordWiz Mini; 2 Pack Mini on card/clip strip in display box (20 pack)
30200	CordWiz Classic		

## PENCIL PAL

Magnetic hat clip pencil holder and pencil  
 Super strong magnet  
 Quality banded pencils  
 Nylon clip can be used on bill of cap or over the ear



Item #	Description	Item #	Description
	<b>PENCIL PAL</b> with Standard pencil or Carpenter pencil		<b>PENCIL PAL DISPLAYS</b> 36 packs with display box and clip strips
27003	Standard pencil (3)	27013	Standard pencil
27006	Carpenter pencil (2)	27016	Carpenter pencil

**DURAWHEEL™ Commercial Duty Measuring Wheels**

**DW-500 6" diameter wheel**  
*Normally used for shorter distances and smoother surfaces.*  
Tri-fold handle

**DW-1000 12.5" diameter wheel**  
*Ideal for long distances over rough surfaces.*  
Wide stance folding kick stand  
Heavy duty chassis  
Debris scraper



Balanced in-line design  
Measures to 9999 feet  
Belt driven counter for long life and smooth operation  
Sealed roller bearings  
Hi-traction tire  
Pistol grip handle  
Folds for easy carrying and storage

**DW-500, DW-1000, and DW Cases**

Item #	Size	Description	Inner Pack	Master Pack
68910	12.5" dia. wheel	DW-1000 measuring wheel; <i>Feet/Tenths</i>	1	5
68912	12.5" dia. wheel	DW-1000 measuring wheel; <i>Meters/Decimeters</i>	1	5
68920	6" dia. wheel	DW-500 measuring wheel; <i>Feet/Tenths</i>	1	10
68922	6" dia. wheel	DW-500 measuring wheel; <i>Meters/Decimeters</i>	1	10
68930		Carrying Case for DW-PRO and DW-1000	1	N/A
68932		Carrying Case for DW-500	1	N/A



**Designed and built for Professionals**

**DW-PRO 12.5" diameter wheel**  
*Has all the features of the DW-1000 and more:*

- Trigger operated brake
- Grip mounted counter-reset control along with reset button near counter
- Strong oval tube design

**DIGI-PRO 12.5" diameter wheel**  
*Digital counter converts distances to various scales.*

- Reset button on counter can scroll through units of measure
- Trigger operated brake
- Comes complete with carrying case (Uses 2 AA batteries, not included)



**DW-PRO and DIGI-PRO Premium wheels**

Item #	Size	Description	Inner Pack	Master Pack
68900	12.5" dia. wheel	DW-PRO measuring wheel WITH case; <i>Feet/Tenths</i>	1	5
68901	12.5" dia. wheel	DW-PRO measuring wheel NO case; <i>Feet/Tenths</i>	1	5
68902	12.5" dia. wheel	DW-PRO measuring wheel WITH case; <i>Meters/Decimeters</i>	1	5
68903	12.5" dia. wheel	DW-PRO measuring wheel NO case; <i>Meters/Decimeters</i>	1	5
68940	12.5" dia. wheel	DIGI-PRO Digital measuring wheel WITH case	1	5

## DURAMARK CHALK REELS AND LINES

### MagnumPro

Compact design with comfort rubber grip handle  
Holds over 10 oz. of marking chalk  
Easy to open slide for quick and simple fill  
Steel crank assembly; fast rewind capability  
165' braided cotton string with large round ring for easy pull and set



### Lil' Magnum

Compact design holds 7 oz. of marking chalk  
Steel crank assembly; fast rewind capability  
100' braided cotton line with large round ring for easy pull and set



### Aluminum or Plastic Case Fast Rewind Reels

3:1 gear ratio  
Rubber plug for easy fill  
100' line



### Stoplevel Combo

Comfort rubber grip handle and compact design  
Fast rewind  
100' braided poly/cotton line  
Packaged with 8 oz. blue chalk



### Aluminum Case Reel

Durable, compact metal case  
Easy to carry and use  
100' twisted cotton line



### Replacement Line



Item #	Description	Inner Pack	Master Pack
75300	MagnumPro 165' reel; holds over 10 oz. of chalk	1	12
74140	Magnum Pack: 165' reel with 32 oz. Blue chalk plus bonus 8 oz. Blue chalk	6	6
75200	Lil' Magnum 100' reel; holds 7 oz. of chalk	1	12
75400	Aluminum chalk box 100'; Orange case with rubber grip; braided line	12	12
75450	ABS plastic chalk box 100'; Orange case; twisted line	12	12
75508	Stoplevel Pack: 100' Stoplevel reel with 8 oz. Blue chalk	6	6
75100	Aluminum chalk box 100'; Silver case, twisted line	20	20
77100	165' Refill line for MagnumPro; 2.5mm braided cotton line on reel with crank and ring	1	1
77300	100' Refill line for Lil' Magnum; 2mm braided cotton line on reel with crank and ring	1	1
77400	100' Refill line; 1.5mm braided poly/cotton line	5	5
77500	100' Refill line; 1mm twisted cotton line	5	5



# DURAMARK CHALK

Premium chalk in brilliant colors  
 Formulated to give you a precise, strong, lasting line  
 Standard colors for every job including  
 highly visible fluorescent orange  
 Easy flow



Item #	Size	Description	Inner Pack	Master Pack
76108	8 oz. bottle	Blue chalk	6	6
76208	8 oz. bottle	Red chalk	6	6
76308	8 oz. bottle	Yellow chalk	6	6
76408	8 oz. bottle	White chalk	6	6
76508	8 oz. bottle	Black chalk	6	6
76608	8 oz. bottle	Fluorescent Orange chalk	6	6
76132	32 oz. bottle	Blue chalk	6	6
76232	32 oz. bottle	Red chalk	6	6
76332	32 oz. bottle	Yellow chalk	6	6
76432	32 oz. bottle	White chalk	6	6
76532	32 oz. bottle	Black chalk	6	6
76632	32 oz. bottle	Fluorescent Orange chalk	6	6
76180	5 lb. bottle	Blue chalk	1	6
76280	5 lb. bottle	Red chalk	1	6
76380	5 lb. bottle	Yellow chalk	1	6
76480	5 lb. bottle	White chalk	1	6
76580	5 lb. bottle	Black chalk	1	6
76680	5 lb. bottle	Fluorescent Orange chalk	1	6

## PROTAPE AUTO-REWIND TAPES

- Open reel design with gear drive
- Aircraft aluminum case
- Alloy steel main shaft
- Locking brake, folding engineer's hook, belt clip
- Active bumper to cushion blade tip on rewind
- Double side print blade
- Variety of blade styles and lengths
- Complete tapes and refill blades




Item #	Size	Description	Inner Pack	Master Pack
<b>PROTAPE Auto-Rewind Tapes-Made in USA</b>				
65622	3/8" x 50'	Black aluminum case (Model 950B); Ft/In/8ths	1	12
67322	3/8" x 100'	Black aluminum case (Model 900B); Ft/In/8ths	1	12
65422	3/8" x 50'/15m	Black aluminum case (Model 950EMB); Ft/In/8ths/m/cm	1	12
65722	3/8" x 15m	Black aluminum case (Model 950MEB); m/cm	1	12
67422	3/8" x 30m/Dia.	Black aluminum case (Model 900MEDB); m/cm/Diameter	1	12
65322	3/8" x 50'/Dia.	Black aluminum case (Model 950DCB); Ft/10ths/Diameter	1	12
67122	3/8" x 100'/Dia.	Black aluminum case (Model 900DCB); Ft/10ths/Diameter	1	12
68400	3/8" x 50'	Yellow Delrin plastic case (Model 50SXB); Ft/In/8ths	1	24
<b>PROTAPE Auto-Rewind Refill blades</b>				
65629	3/8" x 50'	Refill for 65622 and 68400 (Model 965E); Ft/In/8ths	6	96
67329	3/8" x 100'	Refill for 67322 (Model 905E); Ft/In/8ths	6	48
65429	3/8" x 50'/15m	Refill for 65422 (Model 965EME); Ft/In/8ths/m/cm	6	96
65729	3/8" x 15m	Refill for 65722 (Model 965MEE); m/cm	6	96
67429	3/8" x 30m/Dia.	Refill for 67422 (Model 905MEDE); m/cm/Diameter	6	48
65329	3/8" x 50'/Dia.	Refill for 65322 (Model 965DCE); Ft/10ths/Diameter	6	96
67129	3/8" x 100'/Dia.	Refill for 67122 (Model 905DCE); Ft/10ths/Diameter	6	48



**BLACK VINYL COVERED STEEL CASE TAPES**

Made in USA  
 Yellow or Chrome blades  
 Hand-wind



Item #	Size	Description	Inner Pack	Master Pack
58515	3/8" x 25'	Yellow blade; Ft/In/8ths	1	28
58519	3/8" x 50'	Yellow blade; Ft/In/8ths	1	28
58525	3/8" x 100'	Yellow blade; Ft/In/8ths	1	28
58549	3/8" x 50'/15m	Yellow blade; Ft/In/8ths/m/cm	1	28
58551	3/8" x 66'/20m	Yellow blade; Ft/In/8ths/m/cm	1	28
58555	3/8" x 100'/30m	Yellow blade; Ft/In/8ths/m/cm	1	28
58522	3/8" x 50'	Yellow blade; Ft/10ths	1	28
58530	3/8" x 100'	Yellow blade; Ft/10ths	1	28
68560	3/8" x 50'/Dia.	Yellow blade; Ft/10ths/Diameter	1	28
58521	3/8" x 50'	Chrome blade; Ft/In/8ths	1	28
58535	3/8" x 100'	Chrome blade; Ft/In/8ths	1	28
58520	3/8" x 50'	Chrome blade; Ft/10ths	1	28
58528	3/8" x 100'	Chrome blade; Ft/10ths	1	28

**CONTRACTOR LONG TAPES**

Made in USA  
 ABS plastic case  
 Folding end hook  
 Hand-wind



Item #	Size	Description	Inner Pack	Master Pack
58620	3/8" x 50'	Yellow case; Ft/In/8ths	1	28
58621	3/8" x 50'/15m	Yellow case; Ft/In/8ths/m/cm	1	28
58630	3/8" x 100'	Yellow case; Ft/In/8ths	1	28
58633	3/8" x 100'/30m	Yellow case; Ft/In/8ths/m/cm	1	28
58610	3/8" x 50'	Orange case; Ft/In/8ths	1	28
58615	3/8" x 100'	Orange case; Ft/In/8ths	1	28
58619	3/8" x 50'	Black case; Ft/In/8ths	1	28
58649	3/8" x 50'/15m	Black case; Ft/In/8ths/m/cm	1	28
58625	3/8" x 100'	Black case; Ft/In/8ths	1	28
58655	3/8" x 100'/30m	Black case; Ft/In/8ths/m/cm	1	28

**PROTAPE CONSTRUCTION GRADE TAPE**

ABS plastic case with comfort rubber grip  
 Folding end hook  
 Hand-wind



Item #	Size	Description	Inner Pack	Master Pack
58794	3/8" x 100'	Yellow case with rubber grip; Ft/In/8ths	12	N/A

## PROTAPE OPEN REEL TAPES

- Nylon Clad Steel or Fiberglass blades
- ABS plastic case with contoured grip handle
- Hand-wind
- Folding end hook
- Extra large stake enables secure measurements



Item #	Size	Description	Inner Pack	Master Pack
<b>Nylon Clad Steel blade</b>				
59927	1/2" x 100'	English; Ft/In/8ths	1	20
59928	1/2" x 200'	English; Ft/In/8ths	1	10
59929	1/2" x 300'	English; Ft/In/8ths	1	10
59932	1/2" x 100'/30m	English/Metric; Ft/In/8ths/m/cm	1	20
59933	1/2" x 200'/60m	English/Metric; Ft/In/8ths/m/cm	1	10
59934	1/2" x 300'/90m	English/Metric; Ft/In/8ths/m/cm	1	10
59936	1/2" x 100'	Engineer's; Ft/10ths/100ths	1	20
59937	1/2" x 200'	Engineer's; Ft/10ths/100ths	1	10
59938	1/2" x 300'	Engineer's; Ft/10ths/100ths	1	10




Item #	Size	Description	Inner Pack	Master Pack
<b>Fiberglass blade</b>				
59962	1/2" x 100'/30m	English/Metric; Ft/In/8ths/m/cm	1	20
59963	1/2" x 200'/60m	English/Metric; Ft/In/8ths/m/cm	1	10
59964	1/2" x 300'/90m	English/Metric; Ft/In/8ths/m/cm	1	10
59965	1/2" x 100'	English; Ft/In/8ths	1	20
59966	1/2" x 200'	English; Ft/In/8ths	1	10
59967	1/2" x 300'	English; Ft/In/8ths	1	10
59972	1/2" x 100'	Engineer's; Ft/10ths/100ths	1	20
59973	1/2" x 200'	Engineer's; Ft/10ths/100ths	1	10
59974	1/2" x 300'	Engineer's; Ft/10ths/100ths	1	10



# CENTERPOINT® Patented Center-Finding Products


## HOUSEHOLD

- Picture hanging
- Interior decorating
- Tile work
- Installing cabinets




## WORKSHOP

- Woodworking
- Framing
- Cabinet design



## CONSTRUCTION

- Remodeling
- Brickwork
- Plumbing
- Electrical



### EASY TO USE

Just take your measurement using the top scale.



Then find that same number on the bottom scale.


**THIS IS THE CENTER!**

## Simple Accurate Fast

Simplify common jobs such as layout (for floors, tile, framing, and cabinets), hanging pictures, installing drawer pulls, or any job that requires dividing a measured distance.

Mark the exact center of your work every time and avoid costly mistakes.

Quickly divide fractions without complicated math. Use this one simple tool for all your measuring needs. CenterPoint® tapes have the patented center-finding scale as well as all standard markings.



Item #	Size	Description	Inner Pack	Master Pack
50036	3/4" x 16'	CenterPoint® tape measure in Yellow/Black case (XR style)	6	48
50035	1" x 25'	CenterPoint® tape measure in Yellow/Black case (XR style)	6	48
53816	3/4" x 16'	CenterPoint® tape measure in Chrome/Red case	6	48
53825	1" x 25'	CenterPoint® tape measure in Chrome/Red case	6	48
50001	1" x 12"	CenterPoint® Stainless Steel ruler	10	N/A
50002	1" x 24"	CenterPoint® Stainless Steel ruler	10	N/A
50008	1/2" x 12'	CenterPoint® Adhesive-backed steel bench tape	10	N/A



**PRO-SL Series SELF-LOCKING TAPES**

- Top and bottom brake releases
- Nylon coated blade for durability
- Blade printed on both sides
- Multi-riveted, double prong end hook



Item #	Size	Description	Inner Pack	Master Pack
54812	5/8" x 12'	Vertical-read reverse side blade; Ft/In/16ths	6	48
54816	3/4" x 16'	Ft/In/16ths	6	48
54819	3/4" x 16'/5m	Vertical-read reverse side blade; Ft/In/16ths/m/cm/mm	6	48
54825	1" x 25'	Vertical-read reverse side blade; Ft/In/16ths	6	48
54829	1" x 25'/7.5m	Vertical-read reverse side blade; Ft/In/16ths/m/cm/mm	6	48
54836	1" x 36'	Vertical-read reverse side blade; Ft/In/16ths	6	48

**PROTAPE CB and CR Series TAPES**

- Chrome ABS plastic case
- Matte finish on blade
- Large, multi-riveted end hook
- Compact design
- Positive lock



**PROTAPE CB**  
Fractional-read blade



**PROTAPE CR**  
CenterPoint® blade

Item #	Size	Description	Inner Pack	Master Pack
<b>PROTAPE CB Series Fractional-read blade; Shows fractions to 8ths, markings to 16THS</b>				
53712	5/8" x 12'	Chrome/Black case; Ft/In/16ths (32nds to first 12")	6	48
53716	3/4" x 16'	Chrome/Black case; Ft/In/16ths (32nds to first 12")	6	48
53725	1" x 25'	Chrome/Black case; Ft/In/16ths (32nds to first 12")	6	48
<b>PROTAPE CR Series Patented CenterPoint® blade; Center-finding scale; All standard markings and graduations</b>				
53816	3/4" x 16'	Chrome/Red case; Ft/In/16ths	6	48
53825	1" x 25'	Chrome/Red case; Ft/In/16ths	6	48



## PROTAPE XL Series TAPES

Large numbers for easy reading  
 Comfort molded grip case  
 Matte finish on blade  
 Positive lock  
 Available in Carpenter's  
 or Engineer's blade style



Item #	Size	Description	Inner Pack	Master Pack
<b>Carpenter's</b>				
Large-read English blade; Yellow plastic case with black molded rubber grip				
54912	5/8" x 12'	<i>Ft/In/16ths</i> (32nds to first 12")	6	48
54916	3/4" x 16'	<i>Ft/In/16ths</i> (32nds to first 12")	6	48
54925	1" x 25'	<i>Ft/In/16ths</i> (32nds to first 12")	6	48
54936	1" x 36'	<i>Ft/In/16ths</i> (32nds to first 12")	6	48
<b>Engineer's</b>				
Engineers blade with Ft/10ths/100ths; Orange plastic case with black molded rubber grip				
55012	5/8" x 12'	<i>Ft/10ths/100ths and In/16ths</i>	6	48
55025	1" x 25'	<i>Ft/10ths/100ths and In/16ths</i>	6	48

## PROTAPE XR Series CONSTRUCTION GRADE TAPES

ABS plastic case  
 Comfort rubber grips  
 Compact design  
 Heavy duty spring  
 Active bumper  
 Yellow case unless noted

Specialty blade styles



Item #	Size	Description	Inner Pack	Master Pack
52712	3/4" x 12'	Carpenter's; Large, easy to read numbers; <i>Ft/In/16ths</i>	6	48
52716	3/4" x 16'	Carpenter's	6	48
52725	1" x 25'	Carpenter's	6	48
52745	1" x 25'	Carpenter's; Red case	6	48
52750	1" x 25'	Carpenter's; Green case	6	48
52730	1" x 30'	Carpenter's	6	48
50036	3/4" x 16'	CenterPoint®; Center-finding scale; <i>All standard markings</i>	6	48
50035	1" x 25'	CenterPoint®	6	48
52717	3/4" x 16'/5m	English/Metric; <i>Ft/In/16ths and m/cm/mm</i>	6	48
52768	1" x 26'/8m	English/Metric	6	48
53025	1" x 25'	Engineer's; <i>Ft/10ths/100ths and Ft/In/16ths</i>	6	48
52436	3/4" x 16'	Brick Spacing; 10 Common course scales	6	48
52446	3/4" x 16'	CSR Brick Spacing; Large brick scales	6	48
52466	3/4" x 16'	Modular Spacing; Various masonry scales	6	48
52718	19mm x 3m	Metric; Red case; <i>m/cm/mm</i>	6	48
52719	19mm x 5m	Metric	6	48
52748	25mm x 8m	Metric	6	48



## CLASSIC SERIES TAPES - MADE in USA


Original case design that has stood the test of time  
 Large numbers for easy reading  
 Crafted for the professional  
 Made in USA



Item #	Size	Description	Inner Pack	Master Pack
56705	1/2" x 10'	Chrome case; Ft/In/16ths	10	80
56735	1/2" x 10'/3m	Chrome case; Ft/In/16ths/m/cm/mm	10	80
56707	1/2" x 12'	Chrome case; Ft/In/16ths	10	80
56737	1/2" x 12'/3.5m	Chrome case; Ft/In/16ths/m/cm/mm	10	80
56907	3/4" x 12'	Chrome case; Ft/In/16ths	6	48
56937	3/4" x 12'/3.5m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
56908	3/4" x 12' (10ths)	Chrome case; Ft/10ths/100ths and In/16ths	6	48
56909	3/4" x 16'	Chrome case; Ft/In/16ths	6	48
56939	3/4" x 16'/5m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
57213	1" x 25'	Chrome case; Ft/In/16ths (32nds first 6")	6	48
57243	1" x 26'/8m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
56605	1/2" x 10'	Black case; Ft/In/16ths	10	80
56635	1/2" x 10'/3m	Black case; Ft/In/16ths/m/cm/mm	10	80
56607	1/2" x 12'	Black case; Ft/In/16ths	10	80
56637	1/2" x 12'/3.5m	Black case; Ft/In/16ths/m/cm/mm	10	80
56807	3/4" x 12'	Black case; Ft/In/16ths	6	48
56837	3/4" x 12'/3.5m	Black case; Ft/In/16ths/m/cm/mm	6	48
56809	3/4" x 16'	Black case; Ft/In/16ths	6	48
56839	3/4" x 16'/5m	Black case; Ft/In/16ths/m/cm/mm	6	48
57113	1" x 25'	Black case; Ft/In/16ths (32nds first 6")	6	48
57143	1" x 26'/8m	Black case; Ft/In/16ths/m/cm/mm	6	48
57613	1" x 25'	Orange case; Ft/In/16ths (32nds first 6")	6	48
57643	1" x 26'/8m	Orange case; Ft/In/16ths/m/cm/mm	6	48

## DIAMETER PRO - MADE in USA

Converts circumference to diameter  
 Double side printed blade  
*Feet/Inches/16ths on front*  
*Diameter equivalents in 16ths and 10ths on back*



Item #	Size	Description	Inner Pack	Master Pack
56675	3/8" x 12'	Black Classic case; loop end	10	80



## STEEL BENCH TAPES with Adhesive Backing

Premium steel- .0075" thick  
 Adhesive backed  
 Can be trimmed to desired length  
 Many blade styles and lengths now available



MADE in USA unless marked with \*




Item #	Size	Description	Inner Pack	Master Pack
50004	1/2" x 12'/3.6m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A
50005	1/2" x 12'/3.6m	R-L; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A
50006	1/2" x 12'	L-R; 32nds first Ft., then 16ths; White	10	N/A
50007	1/2" x 12'	R-L; 32nds first Ft., then 16ths; White	10	N/A
50008 *	1/2" x 12'	L-R; <b>CenterPoint®</b> center-finding bottom, 16ths top; White	10	N/A
50009	1/2" x 6'	L-R; 32nds first Ft., then 16ths; White	10	N/A
50010	1/2" x 6'	R-L; 32nds first Ft., then 16ths; White	10	N/A
50011	3/4" x 25'	L-R / R-L; 32nds first Ft., then 16ths; Yellow	5	N/A
50012	3/4" x 8m	L-R; m/cm top, mm bottom; Yellow	5	N/A
50013	3/4" x 6'	L-R; 32nds first Ft., then 16ths; White	10	N/A
50014	3/4" x 6'/1.8m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A
50019	1/2" x 4'	L-R; 32nds first Ft., then 16ths; White	10	N/A
50020	1/2" x 4'/1.2m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A
50021	1/2" x 3m	L-R; m/cm top, mm bottom; Yellow	10	N/A
50022	1/2" x 3m	R-L; m/cm top, mm bottom; Yellow	10	N/A
58500	3/8" x 25'	L-R; Continuous inches, 16ths bottom; Yellow	5	N/A
58501	3/8" x 50'	L-R; Continuous inches, 16ths bottom; Yellow	5	N/A
58502	3/8" x 25'	R-L; Continuous inches, 16ths bottom; Yellow	5	N/A
58503	3/8" x 50'	R-L; Continuous inches, 16ths bottom; Yellow	5	N/A
58504	3/8" x 8m	L-R; Continuous cm, repeat every m, mm bottom; Yellow	5	N/A
58505	3/8" x 15m	L-R; Continuous cm, repeat every m, mm bottom; Yellow	5	N/A
58506	3/8" x 25'	L-R; 8ths top and bottom; Yellow	5	N/A
58507	3/8" x 50'	L-R; 8ths top and bottom; Yellow	5	N/A
58508	3/8" x 100'	L-R; 8ths top and bottom; Yellow	5	N/A
58509	3/8" x 25'	R-L; 8ths top and bottom; Yellow	5	N/A
58510	3/8" x 50'	R-L; 8ths top and bottom; Yellow	5	N/A
58512	3/8" x 26'/8m	L-R; 8ths top, cm/mm bottom; Yellow	5	N/A
58513	3/8" x 50'/15m	L-R; 8ths top, cm/mm bottom; Yellow	5	N/A
59600 *	1/4" x 6'	L-R; 32nds first Ft., then 8ths top, 16ths bottom; Yellow	10	N/A
59604 *	1/4" x 10'	L-R; 32nds first Ft., then 8ths top, 16ths bottom; Yellow	10	N/A
59610 *	1/4" x 3m	L-R; cm/mm top and bottom; Yellow	10	N/A



## RHINO™ FLEXIBLE FOLDING RULERS

Polyamide reinforced with 30% fiberglass  
 Waterproof-will not warp or swell like wooden rulers  
 Wear resistant and maintenance free  
 Deeply embossed scales won't wear away  
 under harsh working conditions  
 Flexible and scratch resistant  
 90° positive stop joints



Item #	Size	Description	Inner Pack	Master Pack
55110	5/8" x 6'	Brick Spacing; other side Ft/In/16ths	6	72
55115	5/8" x 6'	Oversize Brick Spacing; other side Ft/In/16ths	6	72
55120	5/8" x 6'	Modular Spacing; other side Ft/In/16ths	6	72
55125	5/8" x 6'	Engineer's; Ft/10ths/100ths; other side Ft/In/16ths	6	72
55130	5/8" x 6'	Engineer/Metric; Ft/10ths/100ths; other side m/cm/mm	6	72
55140	5/8" x 6'	Carpenter's Outside-reading; Ft/In/16ths	6	72
55145	5/8" x 6'	Carpenter's Inside-reading; Ft/In/16ths	6	72
55155	5/8" x 6'	English/Metric; Ft/In/16ths; other side m/cm/mm	6	72
55160	5/8" x 6'	Carpenter's with 6" sliding extension; Ft/In/16ths	6	72
55170	2m	Euro Metric; m/cm/mm; other side Ft/In/16ths	6	72

## STAINLESS STEEL CENTERPOINT® RULERS

Patented CenterPoint® scale  
 .031 gauge tempered stainless steel  
 Etched, black filled markings



Item #	Size	Description	Inner Pack	Master Pack
50001	1" x 12"	Stainless Steel ruler; patented CenterPoint® scale and 16ths	10	N/A
50002	1" x 24"	Stainless Steel ruler; patented CenterPoint® scale and 16ths	10	N/A



## MAGTITE

### Magnetic Tape Measure Holster

- Grips steel studs, duct work, or any steel surface
- Powerful 35 lb. magnetic force
- Snaps easily into its belt clip holster



Item #	Size	Description	Inner Pack	Master Pack
MagTite 59955	Fits most 16', 25', 30' tapes	Magnetic tape measure holster	6	48

## STRIKER™ DEAD BLOW HAMMERS

- Soft face prevents marring of the work surface and reduces noise
- Sand-loaded head adds weight for controlled impact, minimized rebound, and low vibration
- Controlled swing allows for less fatigue with use
- Textured grip handle makes hammer easy to hold

Item #	Size	Inner Pack	Master Pack
69002	.5 Lb.	4	24
69003	1 Lb.	4	24
69004	1.5 Lb.	4	24
69000	2 Lb.	4	24
69005	3 Lb.	4	24
69006	4 Lb.	4	24



## OIL GAUGING TAPES, DERRICK TAPES, REFILLS

Wide variety of Gauging Tapes:

- Plated, Double Duty, and Derrick Tapes (MADE in the USA)
- Black Etched and Etched Stainless

Meets or exceeds American Petroleum Institute (API) Standard 2545 and American Society for Testing and Materials (ASTM) Standard D1085

NIST Certification available

Oil Gauge Frames:

Strong and durable

Corrosion resistant

Safety yellow handle with grounding wire (oil gauge)

Longer crank arm to speed retraction

*(75' and longer Plated and Double Duty complete tapes are housed in large frame.*

*All Black Etched and Stainless complete tapes are housed in small frame.)*

Blades:

New coating on blades helps reduce the wear caused by harsh chemicals


Variety of blade materials, graduations, and lengths

Refill blades are compatible with competitors frames

3 rivet end assembly for dependability and durability



### PLATED for dark oils; corrosion resistant



Item #	Size/Description	Item #	Size/Description
<b>Innage Complete</b>		<b>Innage Refill</b>	
58811	1/2" x 18'; Ft/In/8ths	58911	1/2" x 18'; Ft/In/8ths
58813	1/2" x 25'; Ft/In/8ths	58913	1/2" x 25'; Ft/In/8ths
58815	1/2" x 33'; Ft/In/8ths	58915	1/2" x 33'; Ft/In/8ths
58819	1/2" x 50'; Ft/In/8ths	58919	1/2" x 50'; Ft/In/8ths
58821	1/2" x 66'; Ft/In/8ths	58921	1/2" x 66'; Ft/In/8ths
58823	1/2" x 75'; Ft/In/8ths	58923	1/2" x 75'; Ft/In/8ths
58825	1/2" x 100'; Ft/In/8ths	58925	1/2" x 100'; Ft/In/8ths
58833	1/2" x 66'; Ft/10ths	58933	1/2" x 66'; Ft/10ths
58828	1/2" x 75'; Ft/10ths	58931	1/2" x 75'; Ft/10ths
58829	1/2" x 100'; Ft/10ths	58929	1/2" x 100'; Ft/10ths
58835	1/2" x 66'; Ft/In/16ths	58935	1/2" x 66'; Ft/In/16ths
58837	1/2" x 100'; Ft/In/16ths	58937	1/2" x 100'; Ft/In/16ths
<b>Outage Complete</b>		<b>Outage Refill</b>	
59011	1/2" x 18'; Ft/In/8ths	59111	1/2" x 18'; Ft/In/8ths
59013	1/2" x 25'; Ft/In/8ths	59113	1/2" x 25'; Ft/In/8ths
59015	1/2" x 33'; Ft/In/8ths	59115	1/2" x 33'; Ft/In/8ths
59019	1/2" x 50'; Ft/In/8ths	59119	1/2" x 50'; Ft/In/8ths
59021	1/2" x 66'; Ft/In/8ths	59121	1/2" x 66'; Ft/In/8ths
59023	1/2" x 75'; Ft/In/8ths	59123	1/2" x 75'; Ft/In/8ths
59025	1/2" x 100'; Ft/In/8ths	59125	1/2" x 100'; Ft/In/8ths
59029	1/2" x 100'; Ft/10ths	59129	1/2" x 100'; Ft/10ths



**DOUBLE DUTY for dark and light liquids**

Item #	Size/Description	Item #	Size/Description
<b>Innage Complete</b>		<b>Innage Refill</b>	
58812	1/2" x 18'; Ft/In/8ths	58912	1/2" x 18'; Ft/In/8ths
58814	1/2" x 25'; Ft/In/8ths	58914	1/2" x 25'; Ft/In/8ths
58816	1/2" x 33'; Ft/In/8ths	58916	1/2" x 33'; Ft/In/8ths
58820	1/2" x 50'; Ft/In/8ths	58920	1/2" x 50'; Ft/In/8ths
58822	1/2" x 66'; Ft/In/8ths	58922	1/2" x 66'; Ft/In/8ths
58824	1/2" x 75'; Ft/In/8ths	58924	1/2" x 75'; Ft/In/8ths
58826	1/2" x 100'; Ft/In/8ths	58926	1/2" x 100'; Ft/In/8ths
<b>Outage Complete</b>		<b>Outage Refill</b>	
59012	1/2" x 18'; Ft/In/8ths	59112	1/2" x 18'; Ft/In/8ths
59014	1/2" x 25'; Ft/In/8ths	59114	1/2" x 25'; Ft/In/8ths
59016	1/2" x 33'; Ft/In/8ths	59116	1/2" x 33'; Ft/In/8ths
59020	1/2" x 50'; Ft/In/8ths	59120	1/2" x 50'; Ft/In/8ths
59022	1/2" x 66'; Ft/In/8ths	59122	1/2" x 66'; Ft/In/8ths
59024	1/2" x 75'; Ft/In/8ths	59124	1/2" x 75'; Ft/In/8ths
59026	1/2" x 100'; Ft/In/8ths	59126	1/2" x 100'; Ft/In/8ths



**BLACK ETCHED for clear and dark liquids; all sizes small frame**

Item #	Size/Description	Item #	Size/Description
<b>Innage Complete</b>		<b>Innage Refill</b>	
59246	1/2" x 25'/7.5m; Ft/In/16ths/m/cm	59346	1/2" x 25'/7.5m; Ft/In/16ths/m/cm
59257	1/2" x 33'; Ft/In/16ths	59357	1/2" x 33'; Ft/In/16ths
59247	1/2" x 33'/10m; Ft/In/16ths/m/cm	59347	1/2" x 33'/10m; Ft/In/16ths/m/cm
59249	1/2" x 50'/15m; Ft/In/16ths/m/cm	59349	1/2" x 50'/15m; Ft/In/16ths/m/cm
59251	1/2" x 66'/20m; Ft/In/16ths/m/cm	59351	1/2" x 66'/20m; Ft/In/16ths/m/cm
59255	1/2" x 100'/30m; Ft/In/16ths/m/cm	59355	1/2" x 100'/30m; Ft/In/16ths/m/cm
<b>Outage Complete</b>		<b>Outage Refill</b>	
59457	1/2" x 33'; Ft/In/16ths	59557	1/2" x 33'; Ft/In/16ths
59447	1/2" x 33'/10m; Ft/In/16ths/m/cm	59547	1/2" x 33'/10m; Ft/In/16ths/m/cm
59449	1/2" x 50'/15m; Ft/In/16ths/m/cm	59549	1/2" x 50'/15m; Ft/In/16ths/m/cm
59451	1/2" x 66'/20m; Ft/In/16ths/m/cm	59551	1/2" x 66'/20m; Ft/In/16ths/m/cm
59455	1/2" x 100'/30m; Ft/In/16ths/m/cm	59555	1/2" x 100'/30m; Ft/In/16ths/m/cm



**ETCHED STAINLESS for all liquids; all sizes small frame**

Item #	Size/Description	Item #	Size/Description
<b>Innage Complete</b>		<b>Innage Refill</b>	
62457	1/2" x 33'; Ft/In/16ths	62557	1/2" x 33'; Ft/In/16ths
62447	1/2" x 33'/10m; Ft/In/16ths/m/cm	62547	1/2" x 33'/10m; Ft/In/16ths/m/cm
62449	1/2" x 50'/15m; Ft/In/16ths/m/cm	62549	1/2" x 50'/15m; Ft/In/16ths/m/cm
62451	1/2" x 66'/20m; Ft/In/16ths/m/cm	62551	1/2" x 66'/20m; Ft/In/16ths/m/cm
62452	1/2" x 75'/23m; Ft/In/16ths/m/cm	62554	1/2" x 75'/23m; Ft/In/16ths/m/cm
62453	1/2" x 82'/25m; Ft/In/16ths/m/cm	62553	1/2" x 82'/25m; Ft/In/16ths/m/cm
62455	1/2" x 100'/30m; Ft/In/16ths/m/cm	62555	1/2" x 100'/30m; Ft/In/16ths/m/cm
<b>Outage Complete</b>		<b>Outage Refill</b>	
62657	1/2" x 33'; Ft/In/16ths	62857	1/2" x 33'; Ft/In/16ths
62647	1/2" x 33'/10m; Ft/In/16ths/m/cm	62847	1/2" x 33'/10m; Ft/In/16ths/m/cm
62649	1/2" x 50'/15m; Ft/In/16ths/m/cm	62849	1/2" x 50'/15m; Ft/In/16ths/m/cm
62655	1/2" x 100'/30m; Ft/In/16ths/m/cm	62855	1/2" x 100'/30m; Ft/In/16ths/m/cm



**DERRICK AND STRAPPING TAPES**



Item #	Size/Description	Item #	Size/Description
<b>Complete</b>		<b>Refill</b>	
59625	1/4" x 100' Derrick Tape	59725	1/4" x 100' Derrick Refill
59630	1/4" x 30m Derrick Tape	59730	1/4" x 30m Derrick Refill
59650	1/4" x 100' Strapping Tape	59750	1/4" x 100' Strapping Refill

**PLUMB BOBS AND ACCESSORIES**

**Innage Plumb Bob**



**Large frame**



**Small frame**

**Line wiper**



**Outage Plumb Bob**



Item #	Size/Description
58888	20 oz. Innage English/Metric plumb bob; <i>brass</i>
58890	20 oz. Innage English/Metric plumb bob; <i>stainless steel</i>
58891	20 oz. Innage Metric plumb bob; <i>brass</i>
58892	23 oz. 12" Outage English plumb bob
58893	16 oz. Outage Decimal (10ths) plumb bob; <i>brass</i>
58894	20 oz. Innage Decimal (10ths) plumb bob; <i>brass</i>
58895	22 oz. 6" Innage English/Metric plumb bob; <i>brass with stainless steel tip</i>
58898	16 oz. Outage plumb bob; <i>brass</i>
58899	20 oz. Innage plumb bob; <i>brass</i>
58877	Line Wiper
58878	Wiper replacement parts set; <i>2 rubber cylinders, 2 screws, 2 nuts</i>
58897	Y-9 Wiper assembly
63004	Derrick X frame assembly
63005	Grounding wire handle and clip
63007	Small oil gauge frame assembly
63008	Wood handle assembly
63011	Large oil gauge frame assembly



## ABOUT U.S. TAPE COMPANY



U.S. Tape is a company that looks back proudly on its long history as it looks forward to its future growth. Founded by surveyor Justus Roe in 1876, U.S. Tape has been an innovator in the invention and manufacture of steel tape measures and the printing press designs that continue to serve as industry benchmarks. U.S. Tape continues to manufacture our Spencer forestry logger tapes, most oil tank gauging tapes, and a line of short and long measuring tapes here in our Pennsburg, PA facility. We are also a distributor of other quality tape measures and specialty tools for the professional user.

We are proud to feature such brands as DuraWheel-an industry leader in the design and manufacture of professional grade measuring wheels; DuraMark-a full line of quality measuring chalk and chalk lines, reels, and boxes; ProTape construction grade measuring tapes; CenterPoint® patented center finding measuring products; and Rhino™ fiberglass folding rulers.

We are very excited to announce that we have acquired the STRINGLINER Company. We can now offer a one-stop shop for distributors, with quality products such as construction/mason line and line reels, barricade tape and dispensers, and other items for construction and masonry professionals.

U.S. Tape is well known for our Private Label Program which allows you to custom label a wide variety of our tape measures for your business. We offer full color/full size labels, low minimum order, volume discounts, and no additional label charges or set up fees. Getting your company name out there is fast, easy and cost effective.

As a tape measure supplier to the U.S. Government Supply Administration (GSA), our products are built for accuracy and durability. Our oil tank gauging tapes exceed the standards set by the American Society of Testing and Materials (ASTM) and the American Petroleum Institute (API).

### DEDICATION TO QUALITY AND CUSTOMER SERVICE

The core of our reputation-based on almost 140 years of experience as an innovative manufacturer of measuring tools-is dedication to quality, value, and meeting the needs of our customers.

***At U.S. Tape Company we understand that our lasting success starts and ends with our customer.***

## **WARRANTY**

U.S. Tape Company warrants to the purchaser that should this product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within the first twelve month period from the date of shipment, such defects(s) will be repaired, replaced, or credited at the Company's option, without charge for parts or labor directly related to the defect(s).

## **RETURNS and CLAIMS**

Prior authorization must be obtained through customer service before any return to the factory will be honored for credit or replacement at our discretion.

All order discrepancies must be reported to customer service within 10 days of invoice date.

## **TERMS and CONDITIONS**

**PAYMENT TERMS:** Net 30 days

**MINIMUM ORDER:** Minimum order is \$100 Net

**NEW ACCOUNTS:** New accounts must sign our Customer Credit Application and provide bank, trade, credit references and a COPY of RESALE CERTIFICATE at time of initial order.

Amount of credit to be established at sole discretion of the U.S. Tape credit department.

**FREIGHT:** Shipping and Handling charges will be applied to orders totaling less than the "prepaid" minimums.  
Freight will be prepaid\* on all orders valued at \$500.00 or more to one destination within the contiguous U. S. by carrier of our choice.

\*Freight will be prepaid on all orders valued at \$1000.00 or more to Alaska and Hawaii. Canadian prepaid shipping (US\$):  
\$750 QC, ON; \$1000 NL, NS, PE, NB, MB, SK, AB, BC;  
\$1500 NU, NT, YT

All Forestry items and Special Orders are freight collect.

**PRICING:** Prices are subject to change and will be those in effect at the time of shipment.

---

## **U.S. TAPE Company**

2452 Quakertown Road, Suite 300

Pennsburg, PA 18073

Tel: 215-541-1850

Fax: 215-541-1760

General Inquiries Email: [info@ustape.com](mailto:info@ustape.com)

Order Inquiries Email: [orders@ustape.com](mailto:orders@ustape.com)

Web: [www.ustape.com](http://www.ustape.com)

[www.stringliner.com](http://www.stringliner.com)