









# PROTAPE®



FALL 2019









#### **ABOUT U.S. TAPE COMPANY**



U.S. Tape is a company that looks back proudly on its long history as it looks forward to its future growth. Founded by surveyor Justus Roe in 1876, U.S. Tape has been an innovator in the invention and manufacture of steel tape measures and the printing press designs that continue to serve as industry benchmarks. U.S. Tape continues to manufacture our Spencer forestry logger tapes, most oil tank gauging tapes, and a line of short and long measuring tapes here in our Pennsburg, PA facility. We also sell other quality tape measures and specialty tools for the professional user.

We are proud to feature such brands as DuraWheel-an industry leader in the design and manufacture of professional grade measuring wheels; DuraMark-a full line of quality measuring chalk, and chalk lines and reels; ProTape construction grade measuring tapes; CenterPoint<sup>®</sup> patented center finding measuring products; and Rhino<sup>™</sup> fiberglass folding rulers.

The acquisition of the Stringliner line of products means we can now offer a one-stop shop for distributors with quality products such as construction/mason line and line reels, barricade tape and dispensers, and other items for construction and masonry professionals.

U.S. Tape is well known for our Private Label Program which allows you to custom label a wide variety of our short tape measures for your business. We offer full color/full size labels, low minimum order, volume discounts, and no additional label charges or set up fees. Getting your company name out there is fast, easy and cost effective.

As a tape measure supplier to the U.S. Government Supply Administration (GSA), our products are built for accuracy and durability. Our oil tank gauging tapes exceed the standards set by the American Society of Testing and Materials (ASTM) and the American Petroleum Institute (API).

#### DEDICATION TO QUALITY AND CUSTOMER SERVICE

The core of our reputation-based on over 140 years of experience as an innovative manufacturer of measuring toolsis dedication to quality, value, and meeting the needs of our customers.

# At U.S Tape Company we understand that our lasting success starts and ends with our customer.



ltem

#### TABLE OF CONTENTS

#### CHALK

Chalk Reels, Lines Marking Chalk	l 2	
MASONS LINE		
Mason/Construction Line	3	
Pro Reels	4	
LevelWiz, Accessories	5	
Original Reels	6	
MEASURING WHEELS		
DW-500, DW-1000, Carry Cases	7	
DW-PRO, DIGI-PRO	8	
OIL GAUGE		
General Information, Plated Tapes and Refills,	9	
Double Duty, Black Etched, Etched Stainless Steel Tapes and Refills	10	
Derrick and Strapping Tapes and Refills, Plumb Bobs, Line Wiper, Accessories	11	
SPECIALTY		
Bench Tapes	12	
Folding Rulers, Stainless Steel Center-Finding Rulers	13	
TapeWiz Caution Tape and Reels, CordWiz Extension Cord Holders	14	
Dead Blow Hammers, Magtite Magnetic Tape Holster	15	
TAPE MEASURES		
Long Tapes: Auto Rewind Tapes and Refills	16	
Open Reel Tapes: Nylon Clad Steel Blade, Fiberglass Blade	17	
Black Vinyl Covered Steel Case Tapes, Contractor Plastic Case Tapes, Protape Construction Grade Tapes	18	
Short Tapes: CenterPoint Items	19	
Made in US Classic Series, and Diameter Pro	20	
Protape XLT Series, Protape CB Series, Protape CR Series	21	
Protape XR Series	22	
PRIVATE LABEL TAPE MEASURE PROGRAM	23	
Warranty, Terms and Conditions	24	

Page

# CHALK

## **DURAMARK CHALK REELS and LINES**

#### MagnumPro

- Compact design with comfort rubber grip handle
- Holds over 10 oz. of marking chalk
- Easy to open slide for quick and simple fill
- Steel crank assembly; fast rewind capability
- I 65' braided cotton string with large round ring for easy pull and set

#### Lil' Magnum

- Compact design holds 7 oz. of marking chalk
- Steel crank assembly; fast rewind capability
- 100' braided cotton line with large round ring for easy pull and set

#### Aluminum or Plastic Case Fast Rewind Reels

- 3:1 gear ratio
- Rubber plug for easy fill
- 100' line

#### **Stopline Combo**

- · Comfort rubber grip handle and compact design
- Fast rewind
- 100' braided poly/cotton line
- Packaged with 8 oz. blue chalk

#### Aluminum Case Reel

- Durable, compact metal case
- Easy to carry and use
- 100' twisted cotton line
- Available in bulk or boxed packaging

#### **Replacement Line**

ltem #	Description	Inner Pack	Master Pack
75300	MagnumPro 165' reel; holds over 10 oz. of chalk	I	12
75302	MagnumPro Contractor Pack: MagnumPro with (3) 5 lb. Blue chalks	I	I
75303	MagnumPro Contractor Pack: MagnumPro with (3) 5 lb. Red chalks	I	I
75200	Lil' Magnum 100' reel; holds 7 oz. of chalk	I	12
75400	Aluminum chalk box 100'; Orange case with rubber grip; braided line	12	12
75450	ABS plastic chalk box 100'; Orange case; twisted line	12	12
75508	Stopline Pack: 100' Stopline reel with 8 oz. Blue chalk	6	6
75100	Aluminum chalk box 100'; bulk packaging; Silver case, twisted line	20	20
75105	Aluminum chalk box 100'; packaged in retail boxes; Silver case, twisted line	12	12
77100	165' Refill line for MagnumPro; 2.5mm braided cotton line on reel with crank and ring	I	I
77300	100' Refill line for Lil' Magnum; 2mm braided cotton line on reel with crank and ring	I	I
77400	100' Refill line; 1.5mm braided poly/cotton line	5	5
77500	100' Refill line; Imm twisted cotton line	5	5

# **DURAMARK CHALK**

- Premium chalk in brilliant colors
- Formulated to give you a precise, strong, lasting line
- Easy flow
- Standard colors for every job including highly visible fluorescent orange and green
- NEW! Permanent chalk in blue, red, and black



	Permanenc	e	Stand	dard	Standard / Hi-Viz			Semi-Permanent	Ultra-Perman	ent
	Colors Ava	rs Available White		ite	Yellow Fl. Orange Fl. Green			Red Blue Black	Red Blue Black	
	Performano Rating	ce	1		2			3	4-5	
	Durability		Short / Te	mporary	Medium			Long Term	Permanent	
ľ	Location		Interior /	Exterior	Interior / Exterio	r		nterior / Exterior	Exterior / Harsh V	/eather
	Applicatior	ıs	Interior La Roofing Paint St	, Siding,	Plumbing, Electrical Utilities, Masonry, Corrections		Ext	Framing, Decking, erior Layout, Concrete, Moderate Weather Exposure	Concrete, Utilities, I Exterior Layor Extreme Weath Exposure	ut,
	Item #	Size		Description		Leve	el	Classification	Inner Pack	Master Pack
	76108	8 oz. bo	ottle	Blue chalk		2	3	Semi-Permanent	6	6
	76208	8 oz. bo	ottle	Red chalk			3	Semi-Permanent	6	6
	76308	8 oz. bo	ottle	Yellow cha	ılk	2	2	Standard-High Viz	6	6
	76408	8 oz. bo	ottle	White cha	lk		I	Standard	6	6
	76508	8 oz. bo	ottle	Black chall	ĸ	2	3	Semi-Permanent	6	6
	76608	8 oz. bo	ottle	Fluorescer	nt Orange chalk	2	2	Standard-High Viz	6	6
	76708	8 oz. bo	ottle	Fluorescer	nt Green chalk	2	2	Standard-High Viz		6
	78108	8 oz. bo	ottle	Permanen	t Blue chalk	4	-5	Ultra-Permanent	6	6
	78208	8 oz. bo	ottle	Permanen	t Red chalk	4	-5	Ultra-Permanent	6	6
	78508	8 oz. bo	ottle	Permanen	t Black chalk	4	-5	Ultra-Permanent	6	6
	76132	32 oz. t	ottle	Blue chalk			3	Semi-Permanent	6	6
	76232	32 oz. t	ottle	Red chalk			3	Semi-Permanent	6	6
	76332	32 oz. t	ottle	Yellow cha	ılk	2	2	Standard-High Viz	6	6
	76432	32 oz. t		White cha	lk		I	Standard	6	6
	76532	32 oz. t		Black chall			3	Semi-Permanent	6	6
	76632	32 oz. t			nt Orange chalk		2	Standard-High Viz	6	6
	76732	32 oz. t	ottle		nt Green chalk		2	Standard-High Viz		6
	78132	32 oz. t	ottle	Permanen	t Blue chalk	4	-5	Ultra-Permanent	6	6
	78232	32 oz. t	ottle	Permanen	t Red chalk	4	-5	Ultra-Permanent	6	6
	78532	32 oz. t	ottle	Permanen	t Black chalk	4	-5	Ultra-Permanent	6	6
	76180	5 lb. bo		Blue chalk			3	Semi-Permanent	6	6
	76280	5 lb. bo	ttle	Red chalk			3	Semi-Permanent	6	6
	76380	5 lb. bo	ttle	Yellow cha	ılk		2	Standard-High Viz	6	6
	76480	5 lb. bo	ttle	White cha	lk		I	Standard	6	6
	76580	5 lb. bo		Black chall			3	Semi-Permanent	6	6
	76680	5 lb. bo			nt Orange chalk		2	Standard-High Viz	6	6
	76780	5 lb. bo			nt Green chalk		2	Standard-High Viz		6
	78180	5 lb. bo			t Blue chalk		-5	Ultra-Permanent	6	6
	78280	5 lb. bo		Permanen	t Red chalk	4	-5	Ultra-Permanent	6	6
	78580	5 lb. bo			t Black chalk		-5	Ultra-Permanent	6	6

# **MASON LINE**

# **STRINGLINER MASON LINE**

- Quality #18 Nylon Line (tensile strength 165 lbs.)
- Bright solid or mixed colors
- Twisted or Braided
- #27 Nylon Line (tensile strength 216 lbs.)
- Cotton line also available
- \*Black/White, Black/Mixed Color, and #27 lines are Bonded (coated for added durability, UV, water, and wear resistance)



ltem #	Length	Description	ltem #	Length	Description
I/8 lb.#	I 8 Nylon	Line	I/4 lb.#	18 Nylon	Line
35000	135 Ft.	Twisted; Gold	35100	270 Ft.	Twisted; Gold
35003	135 Ft.	Twisted; White	35103	270 Ft.	Twisted; White
35006	135 Ft.	Twisted; Fluorescent Orange	35106	270 Ft.	Twisted; Fluorescent Orange
35009	135 Ft.	Twisted; Fluorescent Pink	35109	270 Ft.	Twisted; Fluorescent Pink
35012	135 Ft.	Twisted; Fluorescent Yellow	35112	270 Ft	Twisted; Fluorescent Yellow
35015	135 Ft.	Twisted; Fluorescent Green	35115	270 Ft.	Twisted; Fluorescent Green
35050	125 Ft.	Braided; Yellow	35150	250 Ft.	Braided; Yellow
35053	125 Ft.	Braided; White	35153	250 Ft.	Braided; White
35056	125 Ft.	Braided; Green	35156	250 Ft.	Braided; Green
35059	125 Ft.	Braided; Fluorescent Orange	35159	250 Ft.	Braided; Fluorescent Orange
35062	125 Ft.	Braided; Fluorescent Pink	35162	250 Ft.	Braided; Fluorescent Pink
35065	125 Ft.	Braided; Fluorescent Yellow	35165	250 Ft.	Braided; Fluorescent Yellow
35068	125 Ft.	Braided; Fluorescent Green	35168	250 Ft.	Braided; Fluorescent Green
35090	125 Ft.	Braided; Black/White*	35190	250 Ft.	Braided; Black/White*
I/2 lb.#	I 8 Nylon	Line	lb.#18	8 Nylon L	ine
35400	540 Ft.	Twisted; Gold	35700	1080 Ft.	Twisted; Gold
35403	540 Ft.	Twisted; White	35703	1080 Ft.	Twisted; White
35406	540 Ft.	Twisted; Fluorescent Orange	35706	1080 Ft.	Twisted; Fluorescent Orange
35409	540 Ft.	Twisted; Fluorescent Pink	35709	1080 Ft.	Twisted; Fluorescent Pink
35412	540 Ft.	Twisted; Fluorescent Yellow	35712	1080 Ft.	Twisted; Fluorescent Yellow
35415	540 Ft.	Twisted; Fluorescent Green	35715	1080 Ft.	Twisted; Fluorescent Green
35450	500 Ft.	Braided; Yellow	35750	1000 Ft.	Braided; Yellow
35453	500 Ft.	Braided; White	35753	1000 Ft.	Braided; White
35456	500 Ft.	Braided; Green	35756	1000 Ft.	Braided; Green
35459	500 Ft.	Braided; Fluorescent Orange	35759	1000 Ft.	Braided; Fluorescent Orange
35462	500 Ft.	Braided; Fluorescent Pink	35762	1000 Ft.	Braided; Fluorescent Pink
35465	500 Ft.	Braided; Fluorescent Yellow	35765	1000 Ft.	Braided; Fluorescent Yellow
35468	500 Ft.	Braided; Fluorescent Green	35768	1000 Ft.	Braided; Fluorescent Green
35490	500 Ft.	Braided; Black/White*	35790	1000 Ft.	Braided; Black/White*
35491	500 Ft.	Braided; Black/Orange*	35791	1000 Ft.	Braided; Black/Orange*
35492	500 Ft.	Braided; Black/Yellow*	35792	1000 Ft.	Braided; Black/Yellow*
35494	500 Ft.	Braided; Black/Fl.Yellow*	35794	1000 Ft.	Braided; Black/Fl.Yellow*
I/2 lb.#	27 Bonde	ed Nylon Line	I Ib.#27	<b>Bonded</b>	Nylon Line
35495	320 Ft.	Braided; Black/Yellow*	35795	640 Ft.	Braided; Black/Yellow*
35496	320 Ft.	Braided; Black/Orange*	35796	640 Ft.	Braided; Black/Orange*
		. 0	35797	640 Ft.	Braided; Black/FI. Yellow*
I/2 Ib. C	Cotton Li	ne	I Ib. Cot	tton Line	

12793

1080 Ft. Twisted; White

WORLD CLASS TOOLS SINCE 1876

12493

540 Ft.

Twisted; White

## **STRINGLINER PRO REELS**

- Patented line reel made of durable polyethylene US Pat. No.: 7,121,498 Canadian Pat. No.: 2,198, 678
- Various line lengths and colors
- Fits all I" line cores from 4"-6" long
- Line secures in convenient notch
- Reload rolls of line easily
- Rewind hand crank (or automatic rewind using power screwdriver in slot in bottom of handle)

\*Black/White and Black/Mixed Color lines are Bonded (coated for added durability, UV, water, and wear resistance)

Description

Length 1/8 lb.#18 Nylon Line

Item #

25000	135 Ft.	Twisted; Gold
25003	135 Ft.	Twisted; White
25006	135 Ft.	Twisted; Fluorescent Orange
25009	135 Ft.	Twisted; Fluorescent Pink
25012	135 Ft.	Twisted; Fluorescent Yellow
25015	135 Ft.	Twisted; Fluorescent Green
25050	125 Ft.	Braided; Yellow
25053	125 Ft.	Braided; White
25056	125 Ft.	Braided; Green
25059	125 Ft.	Braided; Fluorescent Orange
25062	125 Ft.	Braided; Fluorescent Pink
25065	125 Ft.	Braided; Fluorescent Yellow
25068	125 Ft.	Braided; Fluorescent Green
25090	125 Ft.	Braided; Black/White*

#### 1/2 lb.#18 Nylon Line

540 Ft.	Twisted; Gold
540 Ft.	Twisted; White
540 Ft.	Twisted; Fluorescent Orange
540 Ft.	Twisted; Fluorescent Pink
540 Ft.	Twisted; Fluorescent Yellow
540 Ft.	Twisted; Fluorescent Green
500 Ft.	Braided; Yellow
500 Ft.	Braided; White
500 Ft.	Braided; Green
500 Ft.	Braided; Fluorescent Orange
500 Ft.	Braided; Fluorescent Pink
500 Ft.	Braided; Fluorescent Yellow
500 Ft.	Braided; Fluorescent Green
500 Ft.	Braided; Black/White*
500 Ft.	Braided; Black/Orange*
500 Ft.	Braided; Black/Yellow*
500 Ft.	Braided; Black/Fl.Yellow*
	540 Ft. 540 Ft. 540 Ft. 540 Ft. 540 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft. 500 Ft.

#### 1/4 lb.#18 Nylon Line

Length

Item #

.,	• • • • • • • •	
25100	270 Ft.	Twisted; Gold
25103	270 Ft.	Twisted; White
25106	270 Ft.	Twisted; Fluorescent Orange
25109	270 Ft.	Twisted; Fluorescent Pink
25112	270 Ft	Twisted; Fluorescent Yellow
25115	270 Ft.	Twisted; Fluorescent Green
25150	250 Ft.	Braided; Yellow
25153	250 Ft.	Braided; White
25156	250 Ft.	Braided; Green
25159	250 Ft.	Braided; Fluorescent Orange
25162	250 Ft.	Braided; Fluorescent Pink
25165	250 Ft.	Braided; Fluorescent Yellow
25168	250 Ft.	Braided; Fluorescent Green
25190	250 Ft.	Braided; Black/White*

Description

#### I lb.#18 Nylon Line

25700		Tuista di Cald
25700	1080 Ft.	Twisted; Gold
25703	1080 Ft.	Twisted; White
25706	1080 Ft.	Twisted; Fluorescent Orange
25709	1080 Ft.	Twisted; Fluorescent Pink
25712	1080 Ft.	Twisted; Fluorescent Yellow
25715	1080 Ft.	Twisted; Fluorescent Green
25750	1000 Ft.	Braided; Yellow
25753	1000 Ft.	Braided; White
25756	1000 Ft.	Braided; Green
25759	1000 Ft.	Braided; Fluorescent Orange
25762	1000 Ft.	Braided; Fluorescent Pink
25765	1000 Ft.	Braided; Fluorescent Yellow
25768	1000 Ft.	Braided; Fluorescent Green
25790	1000 Ft.	Braided; Black/White*
25791	1000 Ft.	Braided; Black/Orange*
25792	1000 Ft.	Braided; Black/Yellow*
25794	1000 Ft.	Braided; Black/FI. Yellow*

# MASON LINE

# STRINGLINER LEVEL WIZ

- Stringliner Pro reloadable line reel with detachable precision line level
- Level stores right on the handle
- #18 Nylon Line
- Level available separately

Grayhan

ltem #	Length	Description		
I/4 lb.#	18 Nylon			Peter 2007
24106	270 Ft.	Twisted; Fluorescent Orange		Contractioner
24162	250 Ft.	Braided; Fluorescent Pink		
I/2 lb.#	I 8 Nylor	n Line		Line Level + Novem Light + Rivel de Lines 2748. Dat de 2 Pagen et 2
24406	540 Ft.			and the second se
24462	500 Ft.	<b>u</b>		and the second second
Precisio	on Line L	evel		
24927		Level (2 pack)		
		MASONRY	ACCESSORIE	S
			1987 - S 🐨 🗰	e data na data e

	ine Bone Line Block	Ground Stakes
Item #	Description	
25940 25943 19941CD 19946CD	Line Bone; Set a level course for hollow block (2 pack) 4" Wood Line Block; Set a level course for walls/corners (2 pack) 11" Ground Stake (24 ct. case display) 16" Ground Stake (12 ct. case display)	



## **STRINGLINER ORIGINAL REELS**

- Line reel handle made of durable polyethylene
- Quality #18 Twisted or Braided nylon line
- Large selection of colors
- Line secures in convenient notch
- \*Black/White line is Bonded (coated for
- added durability, UV, water, and wear resistance)

Item #	Length	Description
Model	100 #18 Tv	wisted Nylon Line
11100	100 Ft.	Twisted; Gold
11103	100 Ft.	Twisted; White
11106	100 Ft.	Twisted; Fluorescent Orange
11109	100 Ft.	Twisted; Fluorescent Pink
11112	100 Ft.	Twisted; Fluorescent Yellow
11115	100 Ft.	Twisted; Fluorescent Green

#### Model 110 #18 Twisted Nylon Line

11400	270 Ft.	Twisted; Gold
11403	270 Ft.	Twisted; White
11406	270 Ft.	Twisted; Fluorescent Orange
11409	270 Ft.	Twisted; Fluorescent Pink
11412	270 Ft.	Twisted; Fluorescent Yellow
11415	270 Ft.	Twisted; Fluorescent Green

#### Model 500 #18 Twisted Nylon Line

11700	500 Ft.	Twisted; Gold
11703	500 Ft.	Twisted; White
11706	500 Ft.	Twisted; Fluorescent Orange
11709	500 Ft.	Twisted; Fluorescent Pink
11712	500 Ft.	Twisted; Fluorescent Yellow
11715	500 Ft.	Twisted; Fluorescent Green

nem #	Length	Description

#### Model 100 #18 Braided Nylon Line

11150	100 Ft.	Braided; Yellow
11153	100 Ft.	Braided; White
11156	100 Ft.	Braided; Green
11159	100 Ft.	Braided; Fluorescent Orange
11162	100 Ft.	Braided; Fluorescent Pink
11165	100 Ft.	Braided; Fluorescent Yellow
11168	100 Ft.	Braided; Fluorescent Green
11190	100 Ft.	Braided; Black/White*

#### Model 110 #18 Braided Nylon Line

11450	250 Ft.	Braided; Yellow
11453	250 Ft.	Braided; White
11456	250 Ft.	Braided; Green
11459	250 Ft.	Braided; Fluorescent Orange
11462	250 Ft.	Braided; Fluorescent Pink
11465	250 Ft.	Braided; Fluorescent Yellow
11468	250 Ft.	Braided; Fluorescent Green
11490	250 Ft.	Braided; Black/White*

#### Model 500 #18 Braided Nylon Line

11750	500 Ft.	Braided; Yellow
11753	500 Ft.	Braided; White
11756	500 Ft.	Braided; Green
11759	500 Ft.	Braided; Fluorescent Orange
11762	500 Ft.	Braided; Fluorescent Pink
11765	500 Ft.	Braided; Fluorescent Yellow
11768	500 Ft.	Braided; Fluorescent Green
11790	500 Ft.	Braided; Black/White*

#### **DURAWHEEL COMMERCIAL DUTY MEASURING WHEELS**

DW-500 6" diameter wheel Normally used for shorter distances and smoother surfaces. • Tri-fold handle

#### DW-1000 12.5" diameter wheel Ideal for long distances over rough surfaces.

- Strong oval tube design
- Wide stance folding kick stand
- Heavy duty chassis
- Debris scraper



# DW-500 and DW-1000 WHEELS, and DW CASES

ltem #	Size	Description	Inner Pack	Master Pack
68910	12.5" dia. wheel	DW-1000 measuring wheel; Feet/Tenths	I	5
68912	12.5" dia. wheel	DW-1000 measuring wheel; Meters/Centimeters	I	5
68920	6" dia. wheel	DW-500 measuring wheel; Feet/Tenths	I	10
68922	6" dia. wheel	DW-500 measuring wheel; Meters/Centimeters	I	10
68930		Carrying Case for DW-PRO and DW-1000	I	N/A
68932		Carrying Case for DW-500	I	N/A

#### **Designed and Built for Professionals**

#### DW-PRO 12.5" diameter wheel Has all the features of the DW-1000 and more:

- Trigger operated brake
- Grip mounted counter-reset control along with reset button near counter

# **DIGI-PRO 12.5**" diameter wheel Digital counter converts distances to

various scales.

- Reset button on counter can scroll through units of measure
- Trigger operated brake
- Comes complete with carrying case (Uses 2 AA batteries, not included)



# **DW-PRO and DIGI-PRO PREMIUM WHEELS**

ltem #	Size	Description	Inner Pack	Master Pack
68900	l 2.5" dia. wheel	DW-PRO measuring wheel WITH case; Feet/Tenths	I	5
68901	l 2.5" dia. wheel	DW-PRO measuring wheel NO case; Feet/Tenths	I	5
68902	12.5" dia. wheel	DW-PRO measuring wheel WITH case; Meters/Centimeters	I	5
68903	12.5" dia. wheel	DW-PRO measuring wheel NO case; Meters/Centimeters	I	5
68940	12.5" dia. wheel	DIGI-PRO Digital measuring wheel WITH case	I	5

# **OIL GAUGE**

# **OIL GAUGING TAPES, DERRICK TAPES, REFILLS**

#### Wide variety of Gauging Tapes:

- Plated, Double Duty, and Derrick Tapes (Made in USA) • Black Etched and Etched Stainless

Meets or exceeds American Petroleum Institute (API) Standard 2545 and American Society for Testing and Materials (ASTM) Standard D1085

**NIST Certification available** 

#### **Oil Gauge Frames:**

- Strong and durable
- Corrosion resistant

ltem #

- Safety yellow handle with grounding wire (oil gauge)
- Longer crank arm to speed retraction

(Plated and Double Duty 75' and shorter complete tapes are housed in small frame. All Black Etched and Stainless complete tapes are housed in small frame.)

#### **Blades:**

- New coating on blades helps reduce the wear caused by harsh chemicals
- Variety of blade styles, graduations, and lengths
- Refill blades are compatible with competitors frames
- 3 rivet end assembly for dependability and durability

Size/Description

# **PLATED** for Dark Liquids; Corrosion Resistant

Item #

1	9	<b>N</b>		
Ma	de in	USA		
		_	Ø	
		_	1	7
	0	F	7	

Innage Complete			
1/2" x 18'; Ft/In/8ths			
1/2" × 25'; Ft/In/8ths			
1/2" x 33'; Ft/In/8ths			
1/2" × 50'; Ft/In/8ths			
1/2" × 50'; Ft/10ths			
1/2" x 66'; Ft/In/8ths			
1/2" x 66'; Ft/10ths			
1/2" x 75'; Ft/In/8ths			
1/2" x 75'; Ft/10ths			
1/2" × 100'; Ft/In/8ths			
1/2" × 100'; Ft/10ths			
1/2" x 100'; Ft/In/16ths			
omplete			
1/2" × 18'; Ft/In/8ths			
1/2" x 25'; Ft/In/8ths			
1/2" x 33'; Ft/In/8ths			
1/2" × 33'; Ft/In/10ths			
1/2" x 50'; Ft/In/8ths			
1/2" x 66'; Ft/In/8ths			
1/2" x 75'; Ft/In/8ths			
1/2" × 100'; Ft/In/8ths			
1/2" × 100'; Ft/10ths			

Innage Refill			
58911	1/2" x 18'; Ft/In/8ths		
58913	1/2" x 25'; Ft/In/8ths		
58915	1/2" x 33'; Ft/In/8ths		
58919	1/2" × 50'; Ft/In/8ths		
58921	1/2" x 66'; Ft/In/8ths		
58933	1/2" × 66'; Ft/10ths		
58923	1/2" x 75'; Ft/In/8ths		
5893 I	1/2" x 75'; Ft/10ths		
58925	1/2" x 100'; Ft/In/8ths		
58929	1/2" x 100'; Ft/10ths		
58937	1/2" × 100'; Ft/In/16ths		
Outage Re	efill		
59111	1/2" x 18'; Ft/In/8ths		
59113	1/2" x 25'; Ft/In/8ths		
59115	1/2" x 33'; Ft/In/8ths		
59119	1/2" x 50'; Ft/In/8ths		
59121	1/2" x 66'; Ft/In/8ths		
59123	1/2" x 75'; Ft/In/8ths		
59125	1/2" x 100'; Ft/In/8ths		
59129	1/2" × 100'; Ft/10ths		

Size/Description



# **OIL GAUGE**

- I

# **DOUBLE DUTY** for Dark and Light Liquids

ltem #	Size/Description	Item #	Size/Description
Innage C	Complete	Innage Refill	
58812	1/2" x 18'; Ft/In/8ths	58912	1/2" × 18'; Ft/In/8ths
58814	1/2" × 25'; Ft/In/8ths	58914	1/2" x 25'; Ft/In/8ths
58816	1/2" × 33'; Ft/In/8ths	58916	1/2" x 33'; Ft/In/8ths
58820	1/2" × 50'; Ft/In/8ths	58920	1/2" × 50'; Ft/In/8ths
58822	1/2" × 66'; Ft/In/8ths	58922	1/2" x 66'; Ft/In/8ths
58824	1/2" × 75'; Ft/In/8ths	58924	1/2" x 75'; Ft/In/8ths
58826	1/2" × 100'; Ft/In/8ths	58926	1/2" × 100'; Ft/In/8ths
58846	1/2" x 25'/7.5m; Ft/In/8ths/m/cm/mm	58946	1/2" x 25'/7.5m; Ft/In/8ths/m/cm/mm
58848	1/2" x 33'/10m; Ft/In/8ths/m/cm/mm		
58850	1/2" x 50'/15m; Ft/In/8ths/m/cm/mm	58950	1/2" x 50'/15m; Ft/In/8ths/m/cm/mm
58853	1/2" x 66'/20m; Ft/In/8ths/m/cm/mm	58953	1/2" x 66'/20m; Ft/In/8ths/m/cm/mm
58854	1/2" x 75'/23m; Ft/In/8ths/m/cm/mm	58954	1/2" x 75'/23m; Ft/In/8ths/m/cm/mm
58856	1/2" x 100'/30m; Ft/In/8ths/m/cm/mm	58956	1/2" x 100'/30m; Ft/In/8ths/m/cm/mm
Outage	Complete	Outage	Refill
59012	1/2" × 18'; Ft/In/8ths	59112	1/2" x 18'; Ft/In/8ths
59014	1/2" x 25'; Ft/In/8ths	59114	1/2" x 25'; Ft/In/8ths
59016	1/2" x 33'; Ft/In/8ths	59116	1/2" × 33'; Ft/In/8ths
59020	1/2" × 50'; Ft/In/8ths	59120	1/2" x 50'; Ft/In/8ths
59022	1/2" × 66'; Ft/In/8ths	59122	1/2" x 66'; Ft/In/8ths
59024	1/2" × 75'; Ft/In/8ths	59124	1/2" x 75'; Ft/In/8ths
59026	1/2" × 100'; Ft/In/8ths	59126	1/2" × 100'; Ft/In/8ths

# BLACK ETCHED for Clear and Dark Liquids; all sizes small frame

ltem #	Size/Description	Item #	Size/Description
Innage C	omplete	Innage Refill	
59246 59257 59247 59249 59251 59255	1/2" × 25'/7.5m; Ft/ln/16ths/m/cm/mm 1/2" × 33'; Ft/ln/16ths 1/2" × 33'/10m; Ft/ln/16ths/m/cm/mm 1/2" × 50'/15m; Ft/ln/16ths/m/cm/mm 1/2" × 66'/20m; Ft/ln/16ths/m/cm/mm 1/2" × 100'/30m; Ft/ln/16ths/m/cm/mm	59346 59357 59347 59349 59351 59355	1/2" × 25'/7.5m; Ft/ln/16ths/m/cm/mm 1/2" × 33'; Ft/ln/16ths 1/2" × 33'/10m; Ft/ln/16ths/m/cm/mm 1/2" × 50'/15m; Ft/ln/16ths/m/cm/mm 1/2" × 66'/20m; Ft/ln/16ths/m/cm/mm 1/2" × 100'/30m; Ft/ln/16ths/m/cm/mm
	Complete	Outage	
59457 59447 59449 59451 59455	1/2" × 33'; Ft/ln/16ths 1/2" × 33'/10m; Ft/ln/16ths/m/cm/mm 1/2" × 50'/15m; Ft/ln/16ths/m/cm/mm 1/2" × 66'/20m; Ft/ln/16ths/m/cm/mm 1/2" × 100'/30m; Ft/ln/16ths/m/cm/mm	59557 59547 59549 59551 59555	1/2" × 33'; Ft/ln/16ths 1/2" × 33'/10m; Ft/ln/16ths/m/cm/mm 1/2" × 50'/15m; Ft/ln/16ths/m/cm/mm 1/2" × 66'/20m; Ft/ln/16ths/m/cm/mm 1/2" × 100'/30m; Ft/ln/16ths/m/cm/mm

# ETCHED STAINLESS for All Liquids; all sizes small frame

ltem #	Size/Description	Item #	Size/Description	
Innage C	omplete	Innage R	efill	
62457	1/2" × 33'; Ft/In/16ths	62557	1/2" × 33'; Ft/In/16ths	
62447	1/2" x 33'/10m; Ft/In/16ths/m/cm/mm	62547	1/2" x 33'/10m; Ft/In/16ths/m/cm/mm	
62449	1/2" x 50'/15m; Ft/In/16ths/m/cm/mm	62549	1/2" x 50'/15m; Ft/In/16ths/m/cm/mm	
62451	1/2" x 66'/20m; Ft/In/16ths/m/cm/mm	6255 I	1/2" x 66'/20m; Ft/In/16ths/m/cm/mm	
62452	1/2" x 75'/23m; Ft/In/16ths/m/cm/mm	62554	1/2" x 75'/23m; Ft/In/16ths/m/cm/mm	
62453	1/2" x 82'/25m; Ft/In/16ths/m/cm/mm	62553	1/2" x 82'/25m; Ft/In/16ths/m/cm/mm	
62455	1/2" x 100'/30m; Ft/In/16ths/m/cm/mm	62555	1/2" x 100'/30m; Ft/In/16ths/m/cm/mm	3
Outage Complete		Outage	Refill	1
62657	1/2" x 33'; Ft/In/16ths	62857	1/2" x 33'; Ft/In/16ths	
62647	1/2" x 33'/10m; Ft/In/16ths/m/cm/mm	62847	1/2" x 33'/10m; Ft/In/16ths/m/cm/mm	
62649	1/2" x 50'/15m; Ft/In/16ths/m/cm/mm	62849	1/2" x 50'/15m; Ft/In/16ths/m/cm/mm	
62655	1/2" x 100'/30m; Ft/In/16ths/m/cm/mm	62855	1/2" x 100'/30m; Ft/In/16ths/m/cm/mm	



# **OIL GAUGE**

in USA			STRAITI		
In Fallen	ltem #	Size/Description	✓ Item #	Size/Description	
Ξ	Comple	ete	Refill		
7	59625	1/4" x 100' Derrick Tape	59725	I/4" x 100' Derrick Refill	
	59630 59650	1/4" x 30m Derrick Tape 1/4" x 100' Strapping Tape	59730 59750	I/4" x 30m Derrick Refill I/4" x 100' Strapping Refill	

DERRICK and STRAPPING TAPES

< 1		OIL GAUGE KITS		
	ltem #	Size/Description	Inner Pack	Master Pack
	58801	1/2" x 25' Double Duty Kit-includes: Tape, Line Wiper, Grad. Plumb Bob	Ι	N/A
	58803	1/2" x 33' Double Duty Kit-includes: Tape, Line Wiper, Grad. Plumb Bob	I	N/A
V b	58804	1/2" x 33' Stainless Steel Kit-includes: Tape, Line Wiper, Grad. Plumb Bob	Ι	N/A





# **STEEL BENCH TAPES with ADHESIVE BACKING**

- Premium steel- .0075" thick
- Adhesive backed
- Can be trimmed to desired length
- Many blade styles and lengths now available

Made in USA unless marked with \*





1 2 3 4 5 6 7 8 9 9 10 10 10 11

ltem #	Size	Description	Inner Pack	Master Pack	
50004	1/2" x 12'/3.6m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A	
50005	I/2" x I2'/3.6m	<b>R-L</b> ; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A	
50006	I/2" x I2'	L-R; 32nds first Ft., then 16ths; White	10	N/A	
50007	I/2" x I2'	R-L; 32nds first Ft., then 16ths; White	10	N/A	
50008	I/2" x I2'	L-R; CenterPoint <sup>®</sup> center-finding bottom, I 6ths top; White	10	N/A	
50009	l/2" x 6'	L-R; 32nds first Ft., then 16ths; White	10	N/A	
50010	I/2" x 6'	R-L; 32nds first Ft., then 16ths; White	10	N/A	
50011	3/4" x 25'	L-R / R-L; 32nds first Ft., then 16ths; Yellow	5	N/A	
50012	3/4" x 8m	L-R; m/cm top, mm bottom; Yellow	5	N/A	
50013 *	3/4" x 6'	L-R; 32nds first Ft., then 16ths; White	10	N/A	
50014 *	3/4" x 6'/1.8m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A	
50019	I/2" x 4'	L-R; 32nds first Ft., then 16ths; White	10	N/A	
50020	I/2" x 4'/I.2m	L-R; 32nds first Ft., then 16ths top, mm bottom; White	10	N/A	
50021	I/2" x 3m	L-R; m/cm top, mm bottom; Yellow	10	N/A	
50022	I/2" x 3m	R-L; m/cm top, mm bottom; Yellow	10	N/A	
58500	3/8" x 25'	L-R; Continuous inches, 16ths bottom; Yellow	5	N/A	
58501	3/8" × 50'	L-R; Continuous inches, 16ths bottom; Yellow	5	N/A	
58502	3/8" x 25'	<b>R-L</b> ; Continuous inches, <i>l</i> 6ths bottom; Yellow	5	N/A	
58503	3/8" × 50'	<b>R-L</b> ; Continuous inches, <i>l</i> 6ths bottom; Yellow	5	N/A	
58504	3/8" x 8m	L-R; Continuous cm, repeat every m,mm bottom; Yellow	5	N/A	
58505	3/8" x 15m	L-R; Continuous cm, repeat every m,mm bottom; Yellow	5	N/A	
58506	3/8" x 25'	L-R; 8ths top and bottom; Yellow	5	N/A	
58507	3/8" × 50'	L-R; 8ths top and bottom; Yellow	5	N/A	
58508	3/8" × 100'	L-R; 8ths top and bottom; Yellow	5	N/A	
58509	3/8" x 25'	<b>R-L</b> ; 8ths top and bottom; Yellow	5	N/A	
58510	3/8" × 50'	<b>R-L</b> ; 8ths top and bottom; Yellow	5	N/A	
58512	3/8" x 26'/8m	L-R; 8ths top, cm/mm bottom; Yellow	5	N/A	
58513	3/8" x 50'/15m	L-R; 8ths top, cm/mm bottom; Yellow	5	N/A	
59600 *	I/4" x 6'	L-R; 32nds first Ft., then 8ths top, 16ths bottom; Yellow	10	N/A	
59604 *	I/4" x 10'	L-R; 32nds first Ft., then 8ths top, 16ths bottom; Yellow	10	N/A	
59610 *	I/4" x 3m	L-R; cm/mm top and bottom; Yellow	10	N/A	

# SPECIALTY

# **RHINO FLEXIBLE FOLDING RULERS**

- Polyamide reinforced with 30% fiberglass
- Waterproof-will not warp or swell like wooden rulers
- Wear resistant and maintenance free
- Deeply embossed scales won't wear away under harsh working conditions
- Flexible and scratch resistant
- 90° positive stop joints





Item #	Size	Description	Inner Pack	Master Pack
55110	5/8" × 6'	Brick Spacing; other side Ft/In/16ths	6	72
55115	5/8" x 6'	Oversize Brick Spacing; other side Ft/In/16ths	6	72
55120	5/8" x 6'	Modular Spacing; other side Ft/In/16ths	6	72
55125	5/8" x 6'	Engineer's; Ft/10ths/100ths; other side Ft/In/16ths	6	72
55130	5/8" x 6'	Engineer/Metric; Ft/10ths/100ths; other side m/cm/mm	6	72
55140	5/8" x 6'	Carpenter's Outside-reading; Ft/In/16ths	6	72
55145	5/8" x 6'	Carpenter's Inside-reading; Ft/In/16ths	6	72
55155	5/8" x 6'	English/Metric; Ft/In/16ths; other side m/cm/mm	6	72
55160	5/8" x 6'	Carpenter's with 6" sliding extension; Ft/In/16ths	6	72
55170	15mm x 2m	Euro Metric; m/cm/mm; other side Ft/In/16ths	6	72

# STAINLESS STEEL CENTERPOINT<sup>®</sup> RULERS

- Patented CenterPoint<sup>®</sup> scale
- .031 gauge tempered stainless steel
- Etched, black filled markings

ltem #	Size	Description	Inner Pack	Master Pack
50001 50002	l" x l2" l" x 24"	Stainless Steel ruler; patented Center-finding scale and 16ths Stainless Steel ruler; patented Center-finding scale and 16ths	10 10	N/A N/A



# TAPEWIZ BARRICADE TAPE DISPENSER

- Dispenses barricade tape with ease
- Notch secures loose tape end
- Simple to reload
- Assorted models of barricade tape available



item #	Description	ntenn #	Lengui
TAPEV	<b>VIZ</b> Holds 300' of 2-4 mil. barricade tape	Barrica	de Tape
42000	TapeWiz dispenser	16930	300 Ft.
42010	TapeWiz + 300' Caution Tape 2 mil	16930SF	300 Ft.
42012	TapeWiz + 300' Cuidado Tape (Sp) 2 mil	16932	300 Ft.
		16940	1000 Ft.
		16940SF	1000 Ft.
	<b>VIZ PRO</b> Holds 1000' of 2-4 mil. barricade	16942	1000 Ft.
tape; Ser	rated edge cuts tape quickly; No loose parts	16944	1000 Ft.
when rel	oading	16945	1000 Ft.
42003	TapeWiz Pro dispenser	16947	1000 Ft.
42020	TapeWiz Pro + 1000' Caution 2 mil	16970	1000 Ft.
42022	TapeWiz Pro + 1000' Police DNC 2 mil		

TapeWiz Pro + 1000' Fire Line DNC 2 mil

TapeWiz Pro + 1000' Sheriff DNC 2 mil

TapeWiz Pro + 1000' Cuidado (Sp) 2 mil

TapeWiz Pro + 1000' Electric Line Buried Below 4 mil

arricado	e Tape	
930	300 Ft.	Caution 2 mil
30SF	300 Ft.	Caution (Fr) 2 mil
932	300 Ft.	Cuidado (Sp) 2 mil
940	1000 Ft.	Caution 2 mil
40SF	1000 Ft.	Caution (Fr) 2 mil
942	1000 Ft.	Police DNC 2 mil
944	1000 Ft.	Fire Line DNC 2 mil
945	1000 Ft.	Sheriff DNC 2 mil
947	1000 Ft.	Cuidado (Sp) 2 mil
970	1000 Ft.	Electric Line Buried Below 4 mil

# **CORDWIZ EXTENSION CORD HOLDERS**



#### CORDWIZ

42027

42028

42037

42025

Holds 100' of 14/3 AWG cord Holds 150' of 16/3 AWG cord Stand keeps cord off the ground Use both ends without unwinding the whole cord Eliminates cord mess (Extension cord not included)



#### **CORDWIZ PRO**

Holds 125' of 12/3 AWG cord Holds 150' of 14/3 AWG cord Wrap and dispense heavy cord easily Dispense cord automatically using rotating handles (Extension cord not included)



#### **CORDWIZ CLASSIC**

Holds 100' of 12/3 AWG cord Holds 125' of 14/3 AWG cord Dispense cord automatically using rotating handles Replaces flimsy H-winders (Extension cord not included)

ltem #	Description	Item #	Description	ltem #	Description	
30000	CordWiz	30100	CordWiz Pro	30200	CordWiz C	lassic

# SPECIALTY

# **STRIKER DEAD BLOW HAMMERS**

- Soft face prevents marring of the work surface and reduces noise
- Sand-loaded head adds weight for controlled impact, minimized rebound, and low vibration
- Controlled swing allows for less fatigue with use
- Textured grip handle makes hammer easy to hold

ltem #	Size	ner ack	Master Pack
69002	.5 Lb.	4	24
69003	I Lb.	4	24
69004	1.5 Lb.	4	24
69000	2 Lb.	4	24
69005	3 Lb.	4	24
69006	4 Lb.	4	24



#### **PROTAPE AUTO-REWIND TAPES**

HE ULTIMATE LAYOUT TO

- Open reel design with gear drive
- Aircraft aluminum case
- Alloy steel main shaft
- Locking brake, folding engineer's hook, belt clip
- Active bumper to cushion blade tip on rewind
- IMPROVED Nylon Coated double side print blade
- Variety of blade styles and lengths
- Complete tapes and refill blades



Item #	Size	Description	Inner Pack	Master Pack				
PROTAF	PROTAPE Auto-Rewind Tapes with Nylon Coated Blade-Made in USA with global components							
45622	3/8" × 50'	Black aluminum case (Model 950B); Ft/In/8ths	I	12				
47322	3/8" x 100'	Black aluminum case (Model 900B); Ft/In/8ths	I	12				
45422	3/8" x 50'/15m	Black aluminum case (Model 950EMB); Ft/In/8ths/m/cm	I	12				
45722	3/8" x 15m	Black aluminum case (Model 950MEB); m/cm	I	12				
47422	3/8" x 30m/Dia.	Black aluminum case (Model 900MEDB); m/cm/Diameter	I	12				
45322	3/8" x 50'/Dia.	Black aluminum case (Model 950DCB); Ft/10ths/Diameter	I	12				
47122	3/8" x 100'/Dia.	Black aluminum case (Model 900DCB); Ft/10ths/Diameter	I	12				
48400	3/8" × 50'	Yellow Delrin plastic case (Model 50SXB); <i>Ft/In/8th</i> s	I	24				
PROTAF	PE Auto-Rewind N	lylon Coated Refill Blades						
45629	3/8" × 50'	Refill for 45622 and 48400 (Model 965E); Ft/In/8ths	6	96				
47329	3/8" x 100'	Refill for 47322 (Model 905E); Ft/In/8ths	6	48				
45429	3/8" x 50'/15m	Refill for 45422 (Model 965EME); Ft/In/8ths/m/cm	6	96				
45729	3/8" x 15m	Refill for 45722 (Model 965MEE); m/cm	6	96				
47429	3/8" x 30m/Dia.	Refill for 47422 (Model 905MEDE); m/cm/Diameter	6	48				
45329	3/8" x 50'/Dia.	Refill for 45322 (Model 965DCE); Ft/10ths/Diameter	6	96				
47129	3/8" x 100'/Dia.	Refill for 47122 (Model 905DCE); Ft/10ths/Diameter	6	48				

# **PROTAPE OPEN REEL TAPES**

- Nylon Clad Steel or Fiberglass blades
- ABS plastic case with contoured grip handle

- Hand-wind
- NEW 3X faster rewind models available
- Folding end hook
- Extra large stake enables secure measurements

19111111111111	12113	4		1 2	3
19,111,111,111,111		All Hard Hard Hard Hard Hard	8		
	Item #	Size	Description	Inner Pack	Master Pack
NEW!	Nylon C	lad Steel blade - 3	I Gear Ratio for Extra Fast	Rewind	
	59827	1/2" × 100'	English; Ft/In/8ths	5	20
	59828 59829	I/2" x 200' I/2" x 300'	English; Ft/In/8ths English; Ft/In/8ths	5 5	10 10
	59832	1/2 × 300 1/2" × 100'/30m	English/Metric; Ft/In/8ths/m/cm	5	20
	59833	1/2" x 100/30m 1/2" x 200'/60m	English/Metric; <i>Ft/ln/8ths/m/cm</i>	5	10
	59834	I/2" x 300'/90m	English/Metric; Ft/In/8ths/m/cm	5	10
	59836	I/2" x 100'	Engineer's; Ft/10ths/100ths	5	20
	59837	1/2" × 200'	Engineer's; Ft/10ths/100ths	5	10
te.	59838	1/2" × 300'	Engineer's; Ft/10ths/100ths	5	10
	-		x Standard Crank Speed	_	
	59927 59928	1/2" x 100' 1/2" x 200'	English; Ft/In/8ths English; Ft/In/8ths	5 5	20 10
	59929	1/2" x 200 1/2" x 300'	English; Ft/In/8ths	5	10
	59932	1/2" x 100'/30m	English/Metric; Ft/In/8ths/m/cm	5	20
	59933	I/2" x 200'/60m	English/Metric; Ft/In/8ths/m/cm	5	10
	59934	1/2" x 300'/90m	English/Metric; <i>Ft/In/8ths/m/cm</i>	5	10
	59936	1/2" x 100'	Engineer's; Ft/10ths/100ths	5	20
	59937 59938	l/2" × 200' l/2" × 300'	Engineer's; Ft/10ths/100ths Engineer's; Ft/10ths/100ths	5 5	10 10
	2 3 4	5	입사는 것 같아요. 나도		1.00
10, 11, 1 F. J	fulliniliniliniti 4 00	MANUTA AND A MANUTANA	F114112100	3 4	1. Mile
		9 10 11 3	9 1 1 1 2	2005 Mile	
NEW!	•		r Ratio for Extra Fast Rewin	d	
-	59862	1/2" x 100'/30m	English/Metric; Ft/In/8ths/m/cm	5	20
	59863 59864	I/2" x 200'/60m I/2" x 300'/90m	English/Metric; Ft/In/8ths/m/cm English/Metric; Ft/In/8ths/m/cm	5 5	10 10
	59865	1/2" x 100'	English; Ft/In/8ths	5	20
	59866	1/2" × 200'	English; <i>Ft/ln/8ths</i>	5	10
	59867	1/2" × 300'	English; Ft/In/8ths	5	10
	59872	1/2" × 100'	Engineer's; Ft/10ths/100ths	5	20
	59873 59874	l/2" × 200' l/2" × 300'	Engineer's; Ft/10ths/100ths Engineer's; Ft/10ths/100ths	5 5	10 10
			•	J	10
-	•		dard Crank Speed	F	20
	59962 59963	I/2" x 100'/30m I/2" x 200'/60m	English/Metric; Ft/In/8ths/m/cm English/Metric; Ft/In/8ths/m/cm	5 5	20 10
	59964	1/2" x 300'/90m	English/Metric; <i>Ft/In/8ths/m/cm</i>	5	10
	59965	I/2" x 100'	English; <i>Ft/In/8th</i> s	5	20
	59966	1/2" × 200'	English; Ft/In/8ths	5	10
	59967	1/2" × 300'	English; Ft/In/8ths	5	10
	59972 59973	1/2" × 100' 1/2" × 200'	Engineer's; Ft/10ths/100ths Engineer's; Ft/10ths/100ths	5 5	20 10
	59974	1/2 x 200 1/2" x 300'	Engineer's; Ft/10ths/100ths	5	10
			J,	-	-

## **BLACK VINYL COVERED STEEL CASE TAPES**

20

- Made in USA
- Yellow, Chrome, or White blades
- Folding end hook
- Hand-wind

ltem #	Size	Description	Inner Pack	Master Pack
58515	3/8" × 25'	Yellow blade; Ft/In/8ths	6	28
58519	3/8" × 50'	Yellow blade; Ft/In/8ths	6	28
58525	3/8" x 100'	Yellow blade; Ft/In/8ths	6	28
58549	3/8" x 50'/15m	Yellow blade; Ft/In/8ths/m/cm	6	28
5855 I	3/8" x 66'/20m	Yellow blade; Ft/In/8ths/m/cm	6	28
58555	3/8" x 100'/30m	Yellow blade; Ft/In/8ths/m/cm	6	28
58522	3/8" × 50'	Yellow blade; Ft/10ths	6	28
58530	3/8" × 100'	Yellow blade; Ft/10ths	6	28
68560	3/8" x 50'/Dia.	Yellow blade; Ft/10ths/Diameter	6	28
58516	3/8" x 25'	Chrome blade; Ft/In/8ths	6	28
58521	3/8" × 50'	Chrome blade; Ft/In/8ths	6	28
58535	3/8" × 100'	Chrome blade; Ft/In/8ths	6	28
58520	3/8" × 50'	Chrome blade; Ft/10ths	6	28
58528	3/8" × 100'	Chrome blade; Ft/10ths	6	28
58550TC	3/8" x 50'/15m	White blade; Ft/10ths/m/cm	6	28
58556TC	3/8" x 100'/30m	White blade; Ft/10ths/m/cm	6	28

#### **CONTRACTOR LONG TAPES**

- Made in USA
- ABS plastic case
- Folding end hook
- Hand-wind

ltem #	Size	Description	Inner Pack	Master Pack
58620	3/8" × 50'	Yellow case; Ft/In/8ths	6	28
58621	3/8" x 50'/15m	Yellow case; Ft/In/8ths/m/cm	6	28
58630	3/8" x 100'	Yellow case; Ft/In/8ths	6	28
58633	3/8" x 100'/30m	Yellow case; Ft/In/8ths/m/cm	6	28
58619	3/8" × 50'	Black case; Ft/In/8ths	6	28
58649	3/8" x 50'/15m	Black case; Ft/In/8ths/m/cm	6	28
58625	3/8" x 100'	Black case; Ft/In/8ths	6	28
58655	3/8" x 100'/30m	Black case; Ft/In/8ths/m/cm	6	28

# PROTAPE CONSTRUCTION GRADETAPE • ABS plastic case with comfort rubber grip • ABS plastic case with comfort rubber grip Image: Construction of the section of the section

# **CENTERPOINT® PATENTED CENTER-FINDING PRODUCTS**

#### HOUSEHOLD

- Picture hanging
- Interior decorating
- Tile work
- Installing cabinets

#### WORKSHOP

- Woodworking
- Framing
- Cabinet design

#### CONSTRUCTION

- Remodeling
- Brickwork
- Plumbing
- Electrical



EASY TO USE Just take your measurement using the top scale



Then find that same number on the bottom scale. THIS IS THE CENTER!

#### Simple Accurate Fast

Simplify common jobs such as layout (for floors, tile, framing, and cabinets), hanging pictures, installing drawer pulls, or any job that requires dividing a measured distance.

Mark the exact center of your work every time and avoid costly mistakes.

Quickly divide fractions without complicated math. Use this one simple tool for all your measuring needs. CenterPoint® tapes have the patented center-finding scale as well as all standard markings.



# **CLASSIC SERIES TAPES - MADE in USA**

- Original case design that has stood the test of time
- Durable ABS plastic case
- Large numbers for easy reading
- Crafted for the professional
- Made in USA

Item #	Size	Description	Inner Pack	Master Pack
56705	1/2" x 10'	Chrome case; Ft/In/16ths	10	80
56735	I/2" x 10'/3m	Chrome case; Ft/In/16ths/m/cm/mm	10	80
56707	I/2" x I2'	Chrome case; Ft/In/16ths	10	80
56737	I/2" x I2'/3.5m	Chrome case; Ft/In/16ths/m/cm/mm	10	80
56907	3/4" x 12'	Chrome case; Ft/In/16ths	6	48
56937	3/4" x 12'/3.5m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
56908	3/4" x 12' (10ths)	Chrome case; Ft/10ths/100ths and In/16ths	6	48
56909	3/4" x 16'	Chrome case; Ft/In/16ths	6	48
56939	3/4" x 16'/5m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
57213	l" x 25'	Chrome case; Ft/In/16ths (32nds first 6")	6	48
57243	l" x 26'/8m	Chrome case; Ft/In/16ths/m/cm/mm	6	48
56605	1/2" x 10'	Black case; Ft/In/16ths	10	80
56635	I/2" x 10'/3m	Black case; Ft/In/16ths/m/cm/mm	10	80
56607	l/2" x l2'	Black case; Ft/In/16ths	10	80
56637	I/2" x I2'/3.5m	Black case; Ft/In/16ths/m/cm/mm	10	80
56807	3/4" x 12'	Black case; Ft/In/16ths	6	48
56837	3/4" x 12'/3.5m	Black case; Ft/In/16ths/m/cm/mm	6	48
56809	3/4" x 16'	Black case; Ft/In/I 6ths	6	48
56839	3/4" x 16'/5m	Black case; Ft/In/I 6ths/m/cm/mm	6	48
57113	l" x 25'	Black case; Ft/In/16ths (32nds first 6")	6	48
57143	l" x 26'/8m	Black case; Ft/In/16ths/m/cm/mm	6	48
57613	l" x 25'	Orange case; Ft/In/16ths (32nds first 6")	6	48
57643	l" x 26'/8m	Orange case; Ft/In/16ths/m/cm/mm	6	48

# **DIAMETER PRO - Made in USA**

- Converts circumference to diameter
- Double side printed blade Feet/Inches/16ths on front Diameter equivalents in 16ths and 10ths on back

	Diam	Inches 0	PRO BUTX12	
Item #	Size	Description	Inner Pack	Master Pack
56675	3/8" × 12'	Black Classic case; loop end	10	80

# TAPE MEASURES





# **PROTAPE XR SERIES CONSTRUCTION GRADE TAPES**

- Compact design ABS plastic case
- Comfort rubber grips
- Matte finish on blade
- Large, multi-riveted end hook
- Positive Lock
- Heavy duty spring
- Active bumper

Yellow case unless noted



Specialty blade styles



ltem #	Size	Description	Inner Pack	Master Pack
52712	3/4" x 12'	Carpenter's; Large, easy to read numbers; Ft/ln/16ths	6	48
52716	3/4" x 16'	Carpenter's	6	48
52725	l" x 25'	Carpenter's	6	48
52745	l" x 25'	Carpenter's; Red case	6	48
52730	l" x 30'	Carpenter's	6	48
50036	3/4" x 16'	CenterPoint <sup>®</sup> ; Center-finding scale; All standard markings	6	48
50035	l" x 25'	CenterPoint <sup>®</sup>	6	48
52717	3/4" x 16'/5m	English/Metric; Ft/In/16ths and m/cm/mm	6	48
52768	l" x 26'/8m	English/Metric	6	48
53025	l" x 25'	Engineer's; Ft/10ths/100ths and Ft/In/16ths	6	48
52436	3/4" x 16'	Brick Spacing; 10 Common course scales	6	48
52446	3/4" x 16'	CSR Brick Spacing; Large brick scales	6	48
52466	3/4" x 16'	Modular Spacing; Various masonry scales	6	48
52718	19mm x 3m	Metric; Red case; <i>m/cm/mm</i>	6	48
52719	19mm x 5m	Metric	6	48
52748	25mm x 8m	Metric	6	48

# TAPE MEASURES

#### PRIVATE LABEL TAPE MEASURE PROGRAM









#### You can private label our quality ProTape XLT, CB, CR, and XR series short tapes in a variety of blade styles including:

Carpenter's (English) Fractional-Read CenterPoint® English/Metric Engineer's

#### Labels are FULL COLOR and FULL SIZE. There are NO LABEL CHARGES or SET UP FEES!

#### IT'S SIMPLE

#### I. Choose your tape model and size

Choose from our Protape XLT, Protape CB, Protape CR, or Protape XR series short tapes in any blade style or length.\*

#### 2. Place your order

Please email privatelabel@ustape.com for specific ordering information.

There is a minimum order of 72 pieces (for higher quantities please order in increments of 12). Production turnaround time is approximately 10 business days after label approval.

There is a 50% deposit required on orders for new customers. (All promotional companies' orders will have 50% deposit due at time of order, and remaining balance due at time of shipment, payable by credit card.)

#### 3. Design your label

You can design your own label, or send your logo, color requirements and any information you want to include on your label to our art department and we'll do it for you. Contact us by email at *privatelabel@ustape.com*.

We can work with electronic files (ai, eps, pdf, jpg, tif, bmp), or high resolution scanned logos.

#### \*Item # 56675 (Diameter Pro) is not available for private label.









- I. Bulk (CB, XR) no charge
- 2. Individual white boxes (All) no charge
- 3. U.S. Tape hang cards (All) no charge
- 4. **NEW** Private Labeled plastic hang cards \$0.25 extra per tape Private label hang cards are available for All tape measure models You can customize your hang card with any information you want (Company logo, address, website, slogan, etc.)



#### WARRANTY

U.S. Tape Company warrants to the purchaser that should this product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within the first twelve month period from the date of shipment, such defect(s) will be repaired, replaced, or credited at the Company's option, without charge for parts or labor directly related to the defect(s).

# **RETURNS and CLAIMS**

Prior authorization must be obtained through customer service before any return to the factory will be honored for credit or replacement at our discretion.

All order discrepancies must be reported to customer service within 10 days of invoice date.

	TERMS and CONDITIONS
PAYMENT TERMS:	Net 30 days
MINIMUM ORDER:	Minimum order is \$100 Net
NEW ACCOUNTS:	New accounts must sign our Customer Credit Application and provide bank, trade, credit references and a COPY of RESALE CERTIFICATE at time of initial order.
	Amount of credit to be established at sole discretion of the U.S.Tape credit department.
PRICING:	Prices are subject to change and will be those in effect at the time of shipment.
FREIGHT:	Shipping and Handling charges will be applied to orders totaling less than the "prepaid" minimums. Freight will be prepaid* on all orders according to the rate chart below, to one destination by carrier of our choice.
	All Forestry items and Special Orders are freight collect.
	2019 Freight Prepaid Rate Chart

Destination	U.S. \$ Freight PPD		
United States - Lower 48	\$500		
United States - Alaska, Hawaii	\$1,250		
Canada* - Ontario & Quebec	\$750		
Canada* - NL, NS, PE, NB, MB, SK, AB, BC	\$1,000		
Canada* - NU, NT, YT	\$1,500		
International* - to U.S. lower 48 Freight Forwarder	\$500		
*International customers are responsible for all customs	duties, and brokerage fees		

International customers are responsible for all customs, duties, and brokerage fees.

# **U.S.TAPE** Company

2452 Quakertown Road, Suite 300 Pennsburg, PA 18073 Tel: 215-541-1850 Fax: 215-541-1760 General Inquiries Email: info@ustape.com Order Inquiries Email: orders@ustape.com Web: www.ustape.com www.stringliner.com www.oilgaugingtapes.com

Not responsible for typographical errors