

* * * * * * * *

PRODUCT CATALOG EASTERN REGION



| Gates | 6-11 |
|-------------------------|-------|
| Gate Stands & Racks | |
| Corral Panels | |
| Walk-Thrus | |
| Valu-Line Products | |
| Large Bale Hay Feeders | |
| Creep Feeders | |
| Fence Line Feeder Panel | |
| Creep Feeder Panel | |
| Mineral Feeders | 24-25 |
| Bunk Feeders | |
| Hay Rack | |

JOHN DEERE EQUIPMENT

| | ~~ ~~ |
|-------------------------|-------|
| Gates | |
| Corral Panels | 30 |
| Walk-Thrus | |
| Metal Grain Feeder | |
| Bull Hay Feeder | |
| Post Driver | |
| Mineral Feeder | |
| Equine Hay Basket | |
| Horse Hay Feeder | |
| Stock Tanks | |
| Canning & Utility Tanks | |
| Spigot Tanks & Stands | |
| Fire Ring | 35 |
| Gate Stands & Racks | |
| | |

CATTLE HANDLING EQUIPMENT

| Squeeze Chutes | 38-41 |
|-------------------------|-------|
| Headgates | |
| Wheel Kit & Accessories | 43 |
| Sweep & Alley Systems | 44-48 |
| Maternity Pen | |

3-POINT EQUIPMENT

| Rotary Cutters | 52 |
|--------------------------------|-------|
| Finish Mowers | 53 |
| Tillage Equipment | 54-55 |
| Plows | |
| Box Blade | |
| One-Row Cultivator | |
| Land Grader | |
| Rear Grader Blade | |
| Boom Poles | 58 |
| Landscape Rake | |
| Fertilizer Spreaders & Seeders | |
| Carry All | 60 |
| Trailer Mover | |
| Rear Dirt Scoop | |
| Hay Spears | |
| Post Hole Digger | |
| Fence Stretcher / Unroller | |
| Sub-Compacts | |
| | |

WIRE AND FENCING

| Wire and Fencing | 68-73 |
|-------------------------|-------|
| T-Posts | 71 |
| Wire Panels | 74 |
| Post Driver | 75 |
| T-Post Puller | 75 |
| Fence & Post Calculator | 75 |
| Packaged Accessories | |
| Hardware | 77 |

TANKS AND WATERERS

| Stock Tanks | |
|---------------------------|----|
| Canning & Utility Tanks . | 80 |
| Spigot Tanks & Stands | |
| Fire Ring | |
| Tuff Tanks | |
| 8' Round Tank | |
| Waterers | |
| De-Icer | 83 |
| Water Tank Float Valve | 83 |
| | |

RODEO AND ARENA EQUIPMENT

| Roping Chutes | |
|---------------------|-----------------------|
| Remotes & Holders | |
| Roping Boxes | |
| | |
| | |
| | |
| | |
| 11 0 | |
| | |
| | /e-Thrus |
| , , | |
| | alk-Thrus92-93 |
| Connector Posts | |
| | ls & Walk-Thrus 94-95 |
| Roping Sweep System | |
| Arena Worker | |
| | sories97-98 |
| | ey Panel |
| | |
| . , | |
| | r |
| Arena Packages | |

EQUINE EQUIPMENT

| Horse Stalls & Accessories | |
|----------------------------|--|
| Corral Pen Calculator | |
| Horse Corral Panel | |
| Horse Walk-Thrus | |
| Equine Feeders | |
| Waterer & Stall Mat | |

SMALL ANIMAL EQUIPMENT

| Trough Feeders | |
|--------------------------|--|
| Goat Mineral Feeder | |
| Hay Racks and Feeders | |
| Creep Feeder | |
| Small Animal Transporter | |
| Kidder Panel & Walk-Thru | |
| Waterer | |
| Canine Equipment | |

UTILITY TRAILERS

| 4' x 7' Utility Trailer | |
|--------------------------|--|
| 5' x 8' Utility Trailer | |
| 5' x 10' Utility Trailer | |
| 6' x 12' Utility Trailer | |
| 7' x 12' Utility Trailer | |

ATV EQUIPMENT

| Disc/Culti-Packer Combo | |
|--------------------------|--|
| 8-Blade Disc Harrow | |
| Compact Disc | |
| Flip Disc | |
| Wire Unroller | |
| Chain Harrows | |
| 5-Bushel Spreader/Feeder | |

Tarter Gate, founded in 1945, is still managed and owned by the Tarter family.

C.V. Tarter founded the Tarter Gate Company, located in Dunnville, Kentucky in 1945. He made wooden farm gates by hand and sold them throughout the local area. He sold the business to his son and daughter-in-law, Roger and Vivian Tarter. They, along with their sons, Donald and David Tarter, expanded the business to include tubular and galvanized-steel gates along with other livestock-related products.

In 2008, the company changed its name from Tarter Gate Company to Tarter Farm and Ranch Equipment. Currently, the 4th generation of the Tarter family oversees what has become the largest manufacturer of farm gates and animal management equipment in North America.

Today Tarter has almost 1,000,000 square feet of production facilities in two Kentucky communities and a full manufacturing and distribution center in Corinne, Utah.

E-COAT AND POWDER OVER E-COAT

HERE'S WHY TARTER'S FINISH IS UNEQUALED THROUGHOUT THE INDUSTRY

Tarter's Electro-Deposition (E-Coat) System puts an automotivelike finish on each product – that means 100% coverage to exacting tolerances each and every time.


Our system puts each product through a 9-stage pretreatment process that removes all contaminants before the products are electrically charged and submerged in a 26,000-gallon E-Coat pigment bath.


After passing through the bath, all pigment not electronically bonded to the surface of the product is rinsed off before it is subjected to a 2-stage/3-pass curing oven that hardens the already bonded E-Coat finish.

Powder Over E-Coat (POE) describes the one-two punch that puts traditional powder coat on top of our revolutionary E-Coat finish. This special finishing step allows for a wide range of color selection and provides for even greater corrosion protection and quality.



OTHER COMPANIES CLAIM TO HAVE SUPERIOR PROTECTION. BUY FROM THE COMPANY WITH THE ONLY TRUE DUAL-FINISH IN THE INDUSTRY AND THE ONLY COMPANY IN THE INDUSTRY WHO CAN OFFER SUPERIOR E-COAT PROTECTION!







Product enters 1 of 9 rinse and cleaning prep baths.



Product leaves the final rinse headed for the electro-deposition coating bath.



Product enters 1 of the 26,000-gallon E-Coat baths.





BRING TARTER PRODUCTS INTO YOUR STORE TODAY!

- Serves as an end-cap attached to a standard gondola or can be used as a freestanding display. Digitally printed graphics show actual Tarter products in use in a variety of traditional farming and hobbyist applications.
- Made by Tarter from the same E-Coated steel tubing you'll find on actual products.
- Washable, laminate tabletop with binder rings holds page after page of our full-color catalog that includes over 700 Tarter products.
- Assembles in minutes using only a 9/16" wrench (easy-to-follow instructions and parts list included with every end-cap).
- Compare this sturdy, attractive display to other units costing hundreds of dollars more.
- Tarter's fast service and low minimums let you place orders for the products you need when you need them.

MADE IN THE U.S.A. SINCE 1945

Tarter Farm and Ranch Equipment headquarters are located in South Central Kentucky, a day's drive from 2/3 of the nation's population, while the Utah plant is strategically located to serve the western United States. Each plant works as its own entity, but together they form the company that has been working harder for you since 1945.





Available Colors

GOOD



BETTER BEST

6-BAR ECONOMY TUBE GATE

- Perfect gate between pastures and entries
- 1-3/4" round high-tensile strength tubing •
- Superior continuous-welded saddle joints •
- Stands 50" high with Vertical "Z" braces •
- Ready to hang with hinge pins, snap chain and welded chain latch
- Available sizes from 4' 20' in red, green, blue, and black finish
- Features our superior E-Coat and powder over E-Coat finishes to ensure longer life in the field

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

| Length | Vertical "Z" Braces | Approx. 6-Bar Weight | 6-Bar Red Item # | 6-Bar Green Item # | 6-Bar Blue Item # | 6-Bar Black Item # |
|--------|---------------------|-------------------------|---------------------|-----------------------|----------------------|-----------------------|
| 4' | 0 | 17 lbs. | 6ER4 | 6EG4 | 6EB4 | 6EBL4* |
| 6' | 1 | 26 lbs. | 6ER6 | 6EG6 | 6EB6 | 6EBL6* |
| 8' | 1 | 34 lbs. | 6ER8 | 6EG8 | 6EB8 | 6EBL8* |
| 10' | 1 | 42 lbs. | 6ER10 | 6EG10 | 6EB10 | 6EBL10* |
| 12' | 2 | 51 lbs. | 6ER12 | 6EG12 | 6EB12 | 6EBL12* |
| 14' | 2 | 60 lbs. | 6ER14 | 6EG14 | 6EB14 | 6EBL14* |
| 16' | 3 | 69 lbs. | 6ER16 | 6EG16 | 6EB16 | 6EBL16* |
| 18'** | 3 | 78 lbs. | 6ER18 | 6EG18 | 6EB18 | 6EBL18* |
| 20'** | 4 | 87 lbs. | 6ER20 | 6EG20 | 6EB20 | 6EBL20* |

*Special order requiring additional lead time. **Has 3 hinges and 3 hinge pins.



FARM AND RANCH EQUIPMENT



RBB12





7-BAR HEAVY-DUTY STANDARD BULL GATE

- Designed for confinement situations, as well as pasture and field entrances
- 1-3/4" rounded high-tensile strength tubing
- Superior continuous-welded saddle joints
- Ready to hang with hinge pins, snap chain and welded chain latch
- Stands 50" high with vertical "Z" braces
- Available sizes from 4' 20'
- Available in red, blue, and green
- Features our superior E-Coat and Powder Over E-Coat finishes to ensure longer life in the field

NOTE: Not available in galvanized. All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light-to-medium confinement only.

| Length | Vertical "Z" Braces | Approx. Weight | Red Item # | Blue Item # | Green Item # |
|--------|---------------------|----------------|------------|-------------|--------------|
| 4' | 0 | 28 lbs. | RRB4 | RBB4 | RGB4T |
| 6' | 1 | 39 lbs. | RRB6 | RBB6 | RGB6T |
| 8' | 1 | 45 lbs. | RRB8 | RBB8 | RGB8T |
| 10' | 2 | 53 lbs. | RRB10 | RBB10 | RGB10T |
| 12' | 3 | 64 lbs. | RRB12 | RBB12 | RGB12T |
| 14' | 3 | 71 lbs. | RRB14 | RBB14 | RGB14T |
| 16' | 4 | 81 lbs. | RRB16 | RBB16 | RGB16T |
| 18'** | 5 | 98 lbs. | RRB18 | RBB18 | RGB18T* |
| 20'** | 6 | 110 lbs. | RRB20 | RBB20 | RGB20T* |

*Special order requiring additional lead time.

**Has 3 hinges and 3 hinge pins.



FEATURING THE INDUSTRY EXCLUSIVE - E-COAT AND POWDER OVER E-COAT FINSIH!







2" 6-BAR EXTRA HEAVY-DUTY BULL GATE

- Designed for feedlots, large herd containment, and strenuous • confinement situations
- 2" rounded high-tensile strength tubing .
- Continuous-welded saddle joints
- Ready to hang with hinge pins, snap chain, and welded chain latch .
- Stands 52" high with vertical "Z" braces •

Approx.

Weight

120 lbs.

136 lbs.

157 lbs.

184 lbs.

Available sizes from 4' - 20'

Vertical "Z"

Braces

2

3

3

4

- Available in red, green, and black
- Features our superior E-Coat and Powder Over E-Coat finishes to ensure longer life in the field

NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.

2RG14

2RG16

2RG18

2RG20

Red Item # Green Item #

| | "Z" | Approx. | | | | |
|--------|--------|----------|------------|--------------|--------------|--------|
| Length | Braces | Weight | Red Item # | Green Item # | Black Item # | |
| 4' | 0 | 43 lbs. | 2RG4 | 2GG4 | 2BLG4* | Length |
| 6' | 1 | 58 lbs. | 2RG6 | 2GG6 | 2BLG6* | 14' |
| 8' | 1 | 75 lbs. | 2RG8 | 2GG8 | 2BLG8* | 16' |
| 10' | 1 | 88 lbs. | 2RG10 | 2GG10 | 2BLG10* | 18'** |
| 12' | 2 | 105 lbs. | 2RG12 | 2GG12 | 2BLG12* | 20'** |
| | | | | | | - |

*Special order requiring additional lead time.

**Has 3 hinges and 3 hinge pins.

Vertical





Heavy-Duty 2" Round Tube

| Length | Letters per line (2 line max) | 6-Bar Red Item # | 6-Bar Green Item # | 6-Bar Black Item # |
|--------|----------------------------------|---------------------|-----------------------|-----------------------|
| 12' | 15 | 2RG12* | 2GG12* | 2BLG12* |
| 16' | 21 | 2RG16* | 2GG16* | 2BLG16* |

*Special order requiring additional lead time.

Economy 1-3/4" Round Tube

| Length | Letters per line (2 line max) | 6-Bar Red Item # | 6-Bar Green Item # | 6-Bar Blue Item # | 6-Bar Black Item # |
|--------|----------------------------------|---------------------|-----------------------|----------------------|-----------------------|
| 12' | 15 | 6ER12* | 6EG12* | 6EB12* | 6EBL12* |
| 16' | 21 | 6ER16* | 6EG16* | 6EB16* | 6EBL16* |

FEATURING OUR INDUSTRY EXCLUSIVE - E-COAT AND POWDER OVER E-COAT FINSIH!

2GG14

2GG16

2GG18

2GG20

Black Item #

2BLG14*

2BLG16*

2BLG18*

2BLG20*

PERSONALIZED GATE


- Perfect for sprucing up the farm or entry way
- Ordered to specification with any letters desired .
- Custom letters are available in one font and one size (9" tall)
- Available with single line or two lines of letters.
- Adjustable hinges are provided and can be mounted on either side of gate for proper display when hung on a post
- Ready to hang with hinge pins and snap chain
- Available in our Economy 1-3/4" and 2" round tube gates
- Available sizes 12' & 16' only
- Available in red, green, blue, and black
- Features our superior E-Coat and Powder Over E-Coat finishes to . ensure longer life in the field


NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.



*Special order requiring additional lead time.








6-BAR ECONOMY GALVANIZED TUBE GATE

- Perfect gate for placement at construction sites, for fencing pastures, orchards and gardens, or for controlling areas of crowding
- 1-3/4" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Stands 50" high with vertical "Z" braces
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes from 4' 20'
- Galvanized finish with clear coating (for additional protection against white rust)

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

| Length | Vertical Z" Braces | Approx. Weight | Item # | | Length | Vertical Z" Braces | | Item # | Length | Vertical Z" Braces | | |
|--------|-----------------------|-------------------|--------|---|--------|-----------------------|---------|--------|--------|-----------------------|---------|-------|
| 4' | 0 | 18 lbs. | 6GG4 | - | 10' | 1 | 43 lbs. | 6GG10 | 16' | 2 | 68 lbs. | 6GG16 |
| 6' | 0 | 26 lbs. | 6GG6 | | 12' | 1 | 51 lbs. | 6GG12 | 18'** | 3 | 78 lbs. | 6GG18 |
| 8' | 1 | 35 lbs. | 6GG8 | - | 14' | 2 | 60 lbs. | 6GG14 | 20'** | 3 | 87 lbs. | 6GG20 |
| | | | | - | | | | | | | | |

**Has 3 hinges and 3 hinge pins.



2GVG12

BEST

GOOD BETTER

2" 6-BAR EXTRA HEAVY-DUTY GALVANIZED BULL GATE

- Designed for feedlots, large herd containment, and strenuous confinement situations
- 2" rounded high-tensile strength tubing
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Superior continuous-welded saddle joints
- Stands 52" high with vertical "Z" braces
- Available sizes from 4' 20'
- Features a galvanized finish


NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|--------|
| 4' | 0 | 43 lbs. | 2GVG4 |
| 6' | 1 | 58 lbs. | 2GVG6 |
| 8' | 1 | 75 lbs. | 2GVG8 |
| 10' | 1 | 88 lbs. | 2GVG10 |
| 12' | 2 | 105 lbs. | 2GVG12 |

Vertical "Z" Braces Length Approx. Weight Item # 14' 2 120 lbs. 2GVG14 3 2GVG16 16' 136 lbs. 18'** 3 157 lbs. 2GVG18* 20'** 4 184 lbs. 2GVG20*

*Special order requiring additional lead time.

**Has 3 hinges and 3 hinge pins.



CLEAR .

STEEL

WG12

GALVANIZED WIRE-FILLED TUBE GATE

- Designed for confinement of hogs, sheep, or any small animal
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes from 4' 16'
- Galvanized finish with clear coating (for additional protection against white rust)

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for small livestock confinement only.

| Length | Vertical Braces | Approx. Weight | Item # |
|------------|-----------------|----------------|--------|
| 12' | 1 | 55 lbs. | WG12 |
| 14' | 2 | 65 lbs. | WG14 |
| 16' | 2 | 72 lbs. | WG16 |

| Length | Vertical Braces | Approx. Weight | Item # |
|--------|-----------------|----------------|--------|
| 4' | 0 | 20 lbs. | WG4 |
| 6' | 0 | 28 lbs. | WG6 |
| 8' | 1 | 39 lbs. | WG8 |
| 10' | 1 | 47 lbs. | WG10 |
| | | | |



WFGB12



2 X 4 WIRE-FILLED GATE

- Gate keeps horses and small livestock safely inside while allowing no catch points
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes from 4' 16'
- Available in blue, green, gray, and black finishes
- Features our superior E-Coat and Powder Over E-Coat finishes to ensure longer life in the field

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

| Length | Vertical Braces | Approx. Weight | Blue Item # | Green Item # | Gray Item # | Black Item # |
|--------|-----------------|----------------|-------------|--------------|-------------|--------------|
| 4' | 0 | 26 lbs. | WFGB4 | WFGG4 | WFGGR4 | WFGBL4 |
| 6' | 0 | 35 lbs. | WFGB6 | WFGG6 | WFGGR6 | WFGBL6 |
| 8' | 1 | 44 lbs. | WFGB8 | WFGG8 | WFGGR8 | WFGBL8 |
| 10' | 1 | 53 lbs. | WFGB10 | WFGG10 | WFGGR10 | WFGBL10 |
| 12' | 1 | 61 lbs. | WFGB12 | WFGG12 | WFGGR12 | WFGBL12 |
| 14' | 2 | 72 lbs. | WFGB14 | WFGG14 | WFGGR14 | WFGBL14 |
| 16' | 2 | 83 lbs. | WFGB16 | WFGG16 | WFGGR16 | WFGBL16 |



FEATURING OUR INDUSTRY EXCLUSIVE - E-COAT AND POWDER OVER E-COAT FINSIH!




RRP12



| Vertical "Z" Braces | Approx. Weight | Item # |
|---------------------|-------------------------------|---|
| 0 | 22 lbs. | RRP4* |
| 1 | 31 lbs. | RRP6* |
| 1 | 41 lbs. | RRP8* |
| 2 | 52 lbs. | RRP10 |
| 3 | 62 lbs. | RRP12 |
| | Vertical "Z" Braces 0 1 1 2 3 | 0 22 lbs. 1 31 lbs. 1 41 lbs. 2 52 lbs. |

*Special order requiring additional lead time.

**Has 3 hinges and 3 hinge pins.







7-BAR HOG/SHEEP GATE

- Specially designed for hogs, sheep, and other small animals •
- 1-3/4" round high-tensile strength steel tubing .
- Superior continuous-welded saddle joints
- Stands 35" high with vertical "Z" braces
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes from 4' 20'
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only. Recommended for small livestock confinement only.

| Vertical "Z" Braces | Approx. Weight | Item # |
|---------------------|-------------------------------|---|
| 3 | 72 lbs. | RRP14* |
| 4 | 82 lbs. | RRP16* |
| 5 | 92 lbs. | RRP18* |
| 5 | 103 lbs. | RRP20* |
| | Vertical "Z" Braces 3 4 5 5 5 | 3 72 lbs. 4 82 lbs. 5 92 lbs. |

GATE STANDS

- Easy-to-use stand puts the product upright and in position so the customer can easily visualize several gates in use
- Available in three configurations of 6-, 10-, and 14-peg stands
- Holds double the number of gates when placing gate between the steel pegs
- Features our durable, corrosion-resistant E-Coat red finish

| | | | Approx. | | |
|-------------|--------|--------|---------|--------|-------|
| Description | Item # | Height | Weight | Length | Width |
| 6 Peg | 6BGS | 8-1/4" | 21 lbs. | 27" | 6" |
| 10 Peg | 10BGS | 8-1/4" | 36 lbs. | 43" | 6" |
| 14 Peg | 14BGS | 8-1/4" | 50 lbs. | 59" | 6" |

GATE RACKS

- Designed for farm supply dealers as well as the large herdsman who need off-the-ground storage of gates and corral panels
- Single and double-deck design allows for easy storage of more gates in a small space
- Loads or unloads by hand or forklift
- Constructed from 3" steel channel
- Features our durable, corrosion-resistant powder coat gray finish



| Description | Item # | Approx. Weight | Height | Length | Width | Arm Length | 1-3/4"Gate Capacity | 2"Gate Capacity |
|-----------------|--------|----------------|--------|--------|-------|------------|---------------------|-----------------|
| Gate Rack | GR | 260 lbs. | 115" | 80" | 50" | 28" | 56 | 48 |
| Short Gate Rack | SGR | 175 lbs. | 67" | 80" | 50" | 28" | 28 | 24 |



6-BAR ECONOMY CORRAL PANEL

- Ideal for livestock confinement and are portable for travel to overnight shows or trail rides
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Easy hook up to our Walk-Thru Arch Gate
- Available sizes from 6' 16'
- Available in red, blue, and green
- Features our superior E-Coat and Powder Over E-Coat finishes to ensure longer life in the field

NOTE: Recommended for light confinement.

| Length | Vertical "Z" Braces | Approx. Weight | Red Item # | Blue Item # | Green Item # |
|--------|---------------------|----------------|------------|-------------|--------------|
| 6' | 1 | 36 lbs. | ECR6 | _ | _ |
| 8' | 1 | 40 lbs. | ECR8 | _ | _ |
| 10' | 1 | 52 lbs. | ECR10 | ECB10 | ECG10T |
| 12' | 2 | 58 lbs. | ECR12 | ECB12 | ECG12T |
| 14' | 2 | 65 lbs. | ECR14 | ECB14* | ECG14T* |
| 16' | 3 | 72 lbs. | ECR16 | ECB16 | ECG16T |

*Special order requiring additional lead time.



FEATURING OUR INDUSTRY EXCLUSIVE - E-COAT AND POWDER OVER E-COAT FINSIH!


CORRAL PEN CALCULATOR

- 1. To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle).
- 2. Divide the circumference by the length of panels being used. This will equal the number of panels needed.

NOTES: Sizes of pens are approximate. Pen sizes will vary depending on the size of the Walk-Thru Arch Gate used. Walk-Thru Arch Gates are available in 4' and 6' lengths. Walk-Thru Arch Gates with Panels are available in 10' and 12' lengths for a more rigid entry.

Diameter of Holding Area (Feet)

| Demol Leventh | 201 | 251 | 201 | 251 | 401 | 451 | 501 | <i>CC</i> | (0) | 151 | 701 | 751 | 0.01 | 0.51 | 0.01 | 051 | 1001 |
|---------------|-----|-----|-----|-----|-----|-----|-----|------------------|-----|-----|-----|-----|------|------|------|-----|------|
| Panel Length | 20' | 25' | 30' | 35' | 40' | 45' | 50' | 55' | 60' | 65' | 70' | 75' | 80' | 85' | 90' | 95' | 100' |
| 10' | 6 | 8 | 9 | 11 | 13 | 14 | 16 | 17 | 19 | 20 | 22 | 24 | 25 | 27 | 28 | 30 | 31 |
| 12' | 5 | 7 | 8 | 9 | 10 | 12 | 13 | 14 | 15 | 16 | 18 | 20 | 21 | 22 | 24 | 25 | 26 |
| 16' | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |



6GC12



BETTER BEST



6-BAR ECONOMY GALVANIZED CORRAL PANEL

- Ideal for confinement and are portable for travel to overnight shows or trail rides
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
 - Easily hooks up to our Walk-Thru Arch Gate
- Available sizes 10', 12' & 16'
- Galvanized finish with clear coating (for additional protection against white rust)

NOTE: Recommended for light confinement.

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|--------|
| 10' | 1 | 52 lbs. | 6GC10 |
| 12' | 2 | 58 lbs. | 6GC12 |
| 16' | 2 | 72 lbs. | 6GC16 |



RRC12

GOOD BETTER



FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!

BEST

6-BAR HEAVY-DUTY STANDARD CORRAL PANEL

- Ideal for confinement of livestock in round pens and working areas
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
- Available sizes from 6' 16'
- Available in red only
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: Not available in galvanized. Recommended for light-to-medium confinement.

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|------------------------|----------------|--------|
| 6' | 1 | 39 lbs. | RRC6* |
| 8' | 1 | 45 lbs. | RRC8* |
| 10' | 2 | 54 lbs. | RRC10 |
| 12' | 3 | 62 lbs. | RRC12 |
| 14' | 3 | 78 lbs. | RRC14 |
| 16' | 4 | 84 lbs. | RRC16 |

*Special order requiring additional lead time.




2" 6-BAR EXTRA HEAVY-DUTY CORRAL PANEL

- Designed for containment in crowding areas such as feedlots and working pens
- 2" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
- Available sizes from 10' 16'
- Available in red, green, and galvanized
- Features our superior E-Coat, Powder Over E-Coat, and galvanized finishes to ensure longer life in the field

NOTE: Recommended for heavy confinement.

| Length | Vertical "Z" Braces | Approx. Weight | Red Item # | Green Item # | Galv. Item # |
|--------|---------------------|----------------|------------|--------------|--------------|
| 10' | 1 | 100 lbs. | 2RC10 | 2GC10 | _ |
| 12' | 2 | 118 lbs. | 2RC12 | 2GC12 | 2GVC12 |
| 14' | 2 | 141 lbs. | 2RC14* | 2GC14* | _ |
| 16' | 3 | 153 lbs. | 2RC16 | 2GC16 | _ |

*Special order requiring additional lead time.




ECONOMY PIPE PANEL & WALK-THRU

- Designed to enclose small animals including goats or sheep
- Quickly and easily attach to form round or square pens, runways, or other configurations
- Available sizes 4' & 8'
- Constructed of 1" steel tubing
- Matching walk-thru arch gate is available
- Walk-thru arch gate offers even more versatility
- Lightweight and is recommended for small animal confinement only
- Available in red only
- Features our durable, corrosion-resistant powder coat red finish

| Description | Item # | Height | Approx. Weight |
|--------------------------------------|--------|--------|----------------|
| 4' Pipe Panel w/Hardware | PPWR4 | 36" | 15 lbs. |
| 8' Pipe Panel w/Hardware | PPWR8 | 36" | 24 lbs. |
| 4' Pipe Panel Walk-Thru Arch Gate | PPWTR4 | 74" | 23 lbs. |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!











WALK-THRU ARCH GATES

- Provides ease of access for both livestock and herdsmen into round pens
- Available in round 1-3/4" and round 2" high-tensile steel tubing
- Superior continuous-welded saddle joints
- Single hand sliding lockable gate latch system
- Available in 4' or 6' widths
- 8' tall arch
- Quick-pin latch system makes for easy hookup
- Available in red, blue, green, and galvanized
- Galvanized finish with clear coating (for additional protection against white rust)
- Features our superior E-Coat and Powder Coat finish to ensure longer life in the field



Heavy-Duty 1-3/4" Round Tub Red Item Approx.

#

RRW4

RRW6

Length


4'

6'

| und Tube | Extra-Heavy-Duty 2" Round Tube | | | | | |
|-------------------|--------------------------------|------|------|-------------------|--|--|
| Approx. Weight | length | | | Approx. Weight | | |
| 53 lbs. | 4' | | 2WG4 | 76 lbs. | | |
| 80 lbs. | 6' | 2WR6 | _ | 114 lbs. | | |

Economy 1-3/4" Round Tube

| | Red | Blue | Green | | Galvanized | |
|--------|--------|--------|--------|---------|------------|---------|
| Length | Item # | Item # | Item # | Weight | Item # | Weight |
| 4' | EWR4 | EWB4 | EWG4T | 45 lbs. | 6GW4 | 48 lbs. |
| 6' | EWR6 | EWB6 | EWG6T | 68 lbs. | _ | _ |



Economy 1-3/4" Round Tube

| Length | Red Item # | Blue Item # | Approx. Weight |
|--------------------|------------|-------------|----------------|
| 6' Panel w/4' Gate | EWR64 | EWB64 | 71 lbs. |
| 8' Panel w/4' Gate | EWR84 | EWB84 | 86 lbs. |
| 6' Panel w/6' Gate | EWR66 | _ | 90 lbs. |

| Economy | 1-3/4" | Round | Tube | Galvanized |
|---------|--------|-------|------|------------|
|---------|--------|-------|------|------------|

| Length | Galvanized Item # | Approx. Weight |
|--------------------|-------------------|----------------|
| 8' Panel w/4' Gate | 6GW84 | 88 lbs. |

WALK-THRU ARCH GATES WITH PANEL

- Built to stand rigid for ease of opening and closing when handling livestock
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Single hand sliding lockable gate latch
- Walk-Thru Gates stand 8' tall and available in 4' or 6' widths
- Panel attachments available sizes 6' & 8'
- Panel stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Available in red, blue, and galvanized
- Galvanized finish with clear coating (for additional protection against white rust)
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: Recommended for light-to-medium confinement.


Heavy-Duty 1-3/4" Round Tube

| Length | Red Item # | Approx. Weight |
|--------------------|------------|----------------|
| 6' Panel w/4' Gate | RRW64 | 77 lbs. |
| 8' Panel w/4' Gate | RRW84 | 92 lbs. |



The Valu-Line Series features 5-bar lightweight price performers that are perfect for any light-duty needs. They include straight end-post construction and superior E-Coat finish for long life in the field. All welds are continuous-welded saddle joints constructed with 1-1/2" tubing. They are easy to handle, maneuver, and afford.

VALU-LINE 5-BAR 10' CORRAL PANEL



VLC10

- Ideal for light confinement and are portable for travel to overnight shows or trail rides
- Stands 62" high with vertical "Z" braces
- Unique drop-pin hookup for quick and easy setup
- Loop leg design prevents sinking
- Constructed of 1-1/2" tubular steel
- Features our superior E-Coat finish to ensure longer life in the field

| Description | Item # | Approx. Weight | Length |
|----------------------------------|--------|----------------|--------|
| Valu-Line 5-Bar 10' Corral Panel | VLC10 | 31 lbs. | 10' |



VALU-LINE 5-BAR 4' WALK-THRU



• Constructed of 1-1/2" tubular steel

round pens

brace bow design

hookup system

 Features our superior E-Coat finish to ensure longer life in the field

Provides ease of access for both livestock and herdsmen into

4' wide and features double-

Chain and latch connects to the corral with our drop-pin



| Description | Item # | Approx. Weight | Length |
|------------------------------|--------|----------------|--------|
| Valu-Line 5-Bar 4' Walk-Thru | VLW4 | 41 lbs. | 4' |

VALU-LINE 3-PIECE ROUND BALE FEEDER

- Ideal for feeding round bales to smaller livestock under 600 lbs.
- Lightweight, but durable, featuring our slant bar design
- Constructed of 1-1/2" tubular steel

VLW4

- Available in red and galvanized
- Galvanized finish with clear coating (for additional protection against white rust)
- Features our superior E-Coat finish to ensure longer life in the field

NOTE: Not to be used for horses. Not recommended for livestock over 600 lbs. Misuse of feeder will void manufacturer's warranty.

NEW

PODUC

POLY PIPE ROUND BALE FEEDER



PPRBF

- Ideal for feeding round bales to cattle
- Perfect fit for anyone who wants a dependable and long lasting hay feeder
- Constructed of high-strength polyethylene material
- 8' in diameter to accommodate large round bales
- Ends are fused together using a butt fusion technique making the pipe joints stronger than the pipe itself when applying pressure and tension
- A light but sturdy alternative to heavy metal hay feeders
- Available in black only

NOTE: Not to be used for horses. Sold in bundles of 5.

| Description | Item # | Height | Diameter | Approx. Weight |
|--------------------------------|--------|--------|----------|----------------|
| Poly Pipe Round Bale Feeder | PPRBF | 46" | 8' | 102 lbs. |

GALVANIZED CRADLE BALE FEEDER





- Keeps round bale off the ground to minimize waste
- Removable gate on one end of feeder for easy loading
- Skids for ease of movement
- 1-3/4" round tubing for extra strength
- Galvanized finish with clear coating (for additional protection against white rust)

| Description | Item # | Height | Width | Approx. Weight | Length |
|-------------------------------------|--------|--------|---------|-------------------|---------|
| Galvanized Cradle Bale Feeder | CBFG | 45" | 78-1/2" | 150 lbs. | 84-1/2" |










3-PIECE GALVANIZED S-BAR HAY FEEDER

- Ideal for feeding round bales to cattle
- 1-3/4" round high-tensile strength steel tubing
- S-bar design helps prevent calves from getting inside feeder
- Heavy-duty end post brace provides superior strength and easy assembly
- 8' in diameter to accommodate large bales
- Galvanized finish with clear coating (for additional protection against white rust)

NOTE: All hay feeders come complete with bolts and nuts. Recommended for tough situations. Not to be used for horses.

| Description | Item # | Height | Diameter | Approx. Weight |
|---|--------|--------|----------|-------------------|
| 8' 3-Piece S-Bar Hay Feeder - Galvanized | GFOE | 45" | 8' | 108 lbs. |



3-PIECE S-BAR HAY FEEDER

- Ideal for feeding round bales to cattle
- 1-3/4" round high-tensile strength steel tubing
- S-bar design helps prevent calves from getting inside feeder
- Heavy-duty end post brace provides superior strength and easy assembly
- 8' in diameter to accommodate large bales
- Available with or without 17" metal hay saver
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: All hay feeders come complete with bolts and nuts. Recommended for tough situations. Not to be used for horses.

| Description | Item # | Height | Diameter | Approx. Weight |
|---|--------|--------|----------|-------------------|
| 8' 3-Piece S-Bar Hay Feeder | RF | 45" | 8' | 120 lbs. |
| 8' 3-Piece S-Bar Hay Feeder w/Metal Hay Saver | RFM | 45" | 8' | 168 lbs. |



E-COAT FINISH!

14G2O

GOOD **BETTER** BEST




FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!

2-PIECE HEAVY-DUTY SLANT-BAR HAY FEEDER

- Ideal for feeding round bales to cattle
- 1-7/8" flat oval rails and 1-1/4" round slats
- Slats are welded on the outside for extra strength
- Heavy-duty round end post brace with 3 bolt connections for superior strength and rock-solid assembly
- 8' in diameter to accommodate large bales
- Stands 45" tall
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.

| Description | Item # | Height | Diameter | Approx. Weight |
|------------------------------------|--------|--------|----------|-------------------|
| 2-Piece HD Slant-Bar Hay Feeder | 14G2O | 45" | 8' | 185 lbs. |



3-PIECE HEAVY-DUTY BULL HAY FEEDER

- Ideal for feeding round bales to large cattle in tough situations
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Super-duty end post brace provides superior strength and easy assembly
- 17" metal hay saver to reduce waste
- Stands 45" high
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.

| | | Description | Item # | Height | Diameter | Approx. Weight |
|----------------|---------------------------|-------------------------------|---------|--------------------------|-------------------|-------------------|
| and the second | Contraction of the second | 3-Piece HD Bull Hay Feeder | HDBHF | 45" | 8' | 225 lbs. |
| - NT | LARCER | C | | ATURING OI DUSTRY EXC | | - |
| | | PROTE | | OAT FINISH | | 200 |
| 148.016 | TARTER | MB. | die in | | Tales | |
| Same adarted | COURSE MANAGER | | | and a second | l -torontowy A | at the |
| Charles Ma | and the same and the same | 人 小学的品牌 | Sales & | Failer | and speed | Sec. |



3-PIECE SUPER ROUND BALE FEEDER

- Ideal for feeding round bales to large cattle in tough situations
- Stands 51" high (6" taller than standard hay feeders)
- Larger metal hay-saver bottom (19" high). Deeper than standard hay feeders reduces waste
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.

| Description | Item # | Height | Diameter | Approx. Weight |
|------------------------------|--------|--------|----------|----------------|
| 3-Piece Super Bale Feeder | TBF | 51" | 8' | 224 lbs. |





FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



| Item # | FM165WC |
|----------------------------|-----------------------------------|
| Feed Capacity | Approx. 8,100 lbs. |
| Approx. Dry Feeder Weight | 1,930 lbs. |
| Cage Dimensions | 8' 5-1/2"l x 4' 10"w x 3' 8-1/2"h |
| Calf Stall Openings | 10 |
| Calf Stall Width | 17-1/2" |
| Feeder Height w/Cages Up | 8' 3" |
| Feeder Top Width | 8' |
| Feeder Bottom Width | 6' 1" |
| Overall Length | 11' 1" w/Tongue; 8' w/o Tongue |
| Overall Width w/Cages Down | 14' 5" |
| Feed Trough | 7' 11"l x 14"w x 7"d x 2 sides |
| | |

Additional Features

- Leveling stands have adjustments for leveling and raise all the way up against feeder for transport.
- Agitator ensures even flow of feed with the simple turn of a crank.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

165-BUSHEL PORTABLE CREEP FEEDER

Serious herdsmen need serious capacity and the Tarter FeedMaster 165-Bushel Portable Creep Feeder provides it better than any feeder of its kind on the market. Large in capacity, larger still in functionality, and long-lasting corrosion-resistant life.

- Heaviest and largest single-axle creep feeder on the market
- 33" x 96" feed door lid easily opens from ground with large handle
- Redesigned feed control doors for easier feed flow adjustments
- Heaviest cages on the market with 2 additional bars on bottom sides to prevent animals from reaching under cage sides
- Improved feed agitation ensures even flow of feed with the simple turn of a crank
- Cages have 2 positions:
 - 1. Fully vertical for shipping and transport (can be filled in this position)
 - 2. Completely down and in position for feeding
- One of the only powder coated creeps on the market for superior rust and corrosion protection
- Heavy-duty wheels and new large 11L x 15SL 8-ply pneumatic implement tires make transport easy, even on rough ground
- R-pinned corner braces on super-duty cages ensure maximum stability
- Super-duty tongue with attached pin
- Adjustable height limiter on creep cage allows for multiple height positions or can be removed entirely
- Improved roofline provides better protection for feed from the elements
- Heaviest gauge metal throughout the entire feeder
- Features a drop pin rear hitch
- Features full ladder for easy access
- 4 heavy-duty leveling stands
- Super-duty adjustable jack is fully removable
- Features our durable, corrosion-resistant powder coat red finish



| Item # | C140WC |
|----------------------------|-----------------------------------|
| Feed Capacity | Approx. 7,000 lbs. |
| Approx. Dry Feeder Weight | 1,740 lbs. |
| Cage Dimensions | 8' 6"l x 5'w x 44-1/2"h |
| Calf Stall Openings | 10 |
| Calf Stall Width | 18" |
| Feeder Height w/Cages Up | 8' 4" |
| Feeder Top Width | 7' 10" |
| Feeder Bottom Width | 5' 6" |
| Overall Length | 11' 7" w/Tongue; 9' 3" w/o Tongue |
| Overall Width w/Cages Down | 15' |
| Feed Trough | 8' 3"l x 18"w x 5-1/2"d x 2 sides |
| | |

Additional Features

- Rear-leveling stand have adjustments for leveling and raises all the way up against feeder for transport.
- Agitator ensures even flow of feed with the simple turn of a crank.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

140-BUSHEL PORTABLE CREEP FEEDER

The Tarter 140-Bushel Portable Creep Feeder has long been the standard of excellence, efficiency, and economy in creep feeding. Now there are even more reasons to invest in the fast payback this creep feeder offers.

- Feed door lid opens from ground with handle
- Redesigned feed control doors for easier feed flow adjustments
- Heaviest cages on the market with 2 additional bars on bottom sides to prevent animals from reaching under cage sides
- Cages have 2 positions:
 - 1. Fully vertical for shipping and transport (can be filled in this position)
 - 2. Completely down and in position for feeding
- Improved feed agitation ensures even flow of feed with the simple turn of a crank
- One of the only powder coated creeps on the market for superior rust and corrosion protection
- Heavy-duty wheels and new large pneumatic implement tires make transport easy, even on rough ground
- R-pinned corner braces on cages ensure maximum stability
- Heavy-duty tongue
- Heavy-duty, adjustable jack is fully removable
- Adjustable height limiter on creep cage allows for multiple height positions or can be removed entirely
- Overhang helps prevent moisture from gathering in the trough
- Features full ladder for easy access
- Drop pin rear hitch
- Features our durable, corrosion-resistant powder coat red finish







FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!


650 - AND 1,000-LB CALF CREEP FEEDERS

- Best method available for adding pounds to your calves before weaning and/or marketing
- Maximize growth rates in young animals, using proper rations
- Maximize the return on your invested cattle dollars
- Holds 650 lbs. and 1,000 lbs. of feed
- All feeders have adjustable feed control bands
- Ideal for small-to-medium sized calf herds
- Cage is constructed from 1-3/8" square tubing with adjustable gate bar for growing calves
- Feeder features a 1-3/8" square frame reinforced with 1-1/4" angle iron and a rounded 1/8" thick poly back and bottom trough for complete feeding
- Extra back bracing provides additional support, making this creep feeder one of the strongest on the market.
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: Feeders come standard with cages. Not available without cages.

| Item # | C65F | C10F |
|---------------------|---------------------|------------------|
| Feed Capacity | 650 lbs. 1,000 lbs. | |
| Feed Trough | 9"w x 50"l x 6"d | 9"w x 76"l x 6"d |
| Approx. Dry Weight | 267 lbs. | 340 lbs. |
| Height | 48" | 48" |
| Length | 50" | 76" |
| Depth | 37" | 37" |
| Length/Cage | 65" | 92" |
| Depth/Cage | 43" | 43" |
| Calf Stall Openings | 4 | 5 |
| Calf Stall Width | 14-1/2" | 17" |
| | | |





2FSR10



FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!

FENCE LINE FEEDER PANEL


- Designed for feeding square-bale, loose hay, or silage in the pasture fence line or corner
- Used in barns or sheds for easy feeding
- Great for constructing your own square bale feeders
- 2" round high-tensile strength steel tubing
- S-bar openings to prevent calves from getting inside
- Available in 10' and 12' lengths
- Features our superior E-Coat red finish to ensure longer life in the field

NOTE: All panels come with quick pin hookup and are not available in galvanized.

| Description | Item # | Height | Approx. Weight | Length |
|------------------|--------|--------|----------------|--------|
| 10' Feeder Panel | 2FSR10 | 50" | 83 lbs. | 10' |
| 12' Feeder Panel | 2FSR12 | 50" | 96 lbs. | 12' |



2RRCF10



CREEP FEEDER PANEL

- Useful between pastures and outside sheds for calf feeding only
- Designed with an adjustable horizontal bar for calf passage only
- Ideal for small or large herds
- Constructed of 2" round tubular steel
- Calf openings are 18" apart
- Available in 10' and 12' lengths
- Features our superior E-Coat red finish to ensure longer life in the field

| | | | Approx. | |
|------------------------|---------|--------|----------|--------|
| Description | Item # | Height | Weight | Length |
| 10' Creep Feeder Panel | 2RRCF10 | 50" | 91 lbs. | 10' |
| 12' Creep Feeder Panel | 2RRCF12 | 50" | 109 lbs. | 12' |



FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!



BULL MINERAL FEEDERS

- Ideal for feeding mineral to livestock in all weather conditions
- Heavy-enough to withstand animals and the elements but light enough to move to any location
- Low profile helps prevent tipping or spilling of valuable minerals
- Convenient anchoring holes make it easy to secure these mineral feeders to the ground preventing animals from moving it
- Weatherproof poly lid protect the contents of the entire feeder
- Resistant to impact as well as heat and cold
- Features smooth edges for safety to both people and animals
- Lightweight and can be shipped by UPS or FedEx



| Description | Item # | Height | Approx. Weight | Diameter | Capacity |
|-----------------------------|--------|--------|----------------|--------------------------|------------|
| Small Bull Mineral Feeder | SBMF | 7" | 23-1/2 lbs. | 38" outside; 35-1/2" lid | 6-gallons |
| Bull Mineral Feeder | BMF | 14" | 40 lbs. | 45" outside; 40" lid | 18-gallons |
| Ground Level Mineral Feeder | GLMF | 15" | 54 lbs. | 37" outside: 40-3/4" lid | 18-gallons |



HEAVY-DUTY MINERAL FEEDER

TWISTER MINERAL FEEDER



- Used to feed minerals to livestock
- Easily assembled and ready to use in minutes
- Broad poly cover allows easy access to animals while shielding minerals from the elements
- 15-gallon rotating poly tub
- Single lube bearing assures years of smooth operation
- Wide base prevents tipping
- Features our durable, corrosion-resistant powder coat red finish

| | | Assembled | |
|------------------------|--------|-----------|----------------|
| Description | Item # | Height | Approx. Weight |
| Twister Mineral Feeder | TMF | 54" | 45 lbs. |



_ _ _



- Our best selling mineral feeder on the market due to its superior design and workmanship
- Used to feed mineral to livestock
- Rotating 15" poly wind vane
- 15-gallon rotating poly tub
- Dual ball bearings
- 46"-diameter base constructed from 1-3/4" steel legs to prevent tipping
- Features our durable, corrosion-resistant powder coat red finish

| Description | ltem # | Assembled Height | Approx. Weight |
|---------------------------|--------|---------------------|-------------------|
| Heavy-Duty Mineral Feeder | MF | 59" | 58 lbs. |

SUPER-DUTY MINERAL FEEDER

- One of the heaviest mineral feeders on the market and a proven leader
- Used for feeding livestock while protecting minerals from the weather
- Low center of gravity and 48" wide square base constructed from 2" heavy-duty gauge steel tubing for long lasting durability
- Large 28" x 24" hood opening provides easy access for horned cattle
- 18-gallon capacity rotates 360° with beveled opening to aid in tub access
- Heavy-duty bearing in feeder base allows for long life and easy movement
- Available with an optional Face Fly Applicator Kit
- Features our superior E-Coat red finish to ensure longer life in the field

| | | Assembled | Approx. |
|---------------------------|--------|-----------|---------|
| Description | Item # | Height | Weight |
| Super-Duty Mineral Feeder | SDMF | 56" | 76 lbs. |
| Face Fly Kit | FFAK | _ | 4 lbs. |







10' 1-PIECE ECONOMY BUNK FEEDER

- Lightweight easy-to-move bunk feeder
- Ideal for feeding smaller livestock under 600 lbs.
- Welded frame is 1-3/4" diameter round tubular steel
- Durable poly liner is held securely with rivets
- Available in 10' length only
- Fully replaceable bunk liner is a single piece formed from 100% recycled materials with no seams or inserts
- Galvanized finish with clear coating (for additional protection against white rust)

| Description | Item # | Approx. Weight | Height | Width |
|------------------------------------|--------|----------------|--------|-------|
| 10' 1-Piece Economy Bunk Feeder | 1PEB10 | 52 lbs. | 19" | 34" |
| 10' 1-Piece Poly Bunk Feeder Liner | 1PBL10 | 15 lbs. | 9" | 34" |



| Description | Red Item # | Galvanized Item # | Approx. Weight | Liner Item # | Approx. Weight | Height | Width |
|---------------------------------------|------------|-------------------|----------------|--------------|----------------|--------|-------|
| 5' 1-Piece Poly Bunk Feeder | 1PB5 | 1PGB5 | 40 lbs. | _ | _ | 19" | 34" |
| 5' 1-Piece Poly Bunk Feeder Liner | _ | _ | _ | 1PBL5 | 8 lbs. | 9" | 34" |
| 10' 1-Piece Poly Bunk Feeder | 1PB10 | 1PGB10 | 62 lbs. | _ | _ | 19" | 34" |
| 10' 1-Piece Poly Bunk Feeder Liner | _ | _ | _ | 1PBL10 | 15 lbs. | 9" | 34" |






1PGB5 feeder shown with HR5 Hay Rack

5' OR 10' HAY RACK

- Heavy-duty galvanized steel
- V-style for easy loading and animal access
- Bolts easily onto your feeder for quick assembly
- Keeps hay accessible and clean
- Galvanized finish only

| Description | Galv. Item # | Approx. Weight |
|--------------|--------------|----------------|
| 5' Hay Rack | HR5 | 48 lbs. |
| 10' Hay Rack | HR10 | 68 lbs. |



Tarter Farm and Ranch Equipment is a 71-year-old family-owned national leader in farm and ranch equipment and is pleased to announce an exclusive line of licensed John Deere products.

It is our mission to provide high quality equipment for the John Deere lifestyle to farms and ranches throughout the nation. The quality and service that has made Tarter the industry leader is now available in this exclusive John Deere offering.

LIVESTOCK MANAGEMENT EQUIPMENT

| af | |
|----|--|
| | |
| | |
| | |
| 1 | |

JD6EG12

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|---------|
| 4' | 0 | 17 lbs. | JD6EG4 |
| 10' | 1 | 42 lbs. | JD6EG10 |
| 12' | 2 | 51 lbs. | JD6EG12 |
| 16' | 3 | 69 lbs. | JD6EG16 |

6-BAR ECONOMY TUBE GATE

- Perfect gate between pastures and entries
- 1-3/4" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Stands 50" high with Vertical "Z" braces
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes 4', 10', 12', & 16'
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.



JD2GG12

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|---------|
| 4' | 0 | 43 lbs. | JD2GG4 |
| 10' | 1 | 88 lbs. | JD2GG10 |
| 12' | 2 | 105 lbs. | JD2GG12 |
| 16' | 3 | 136 lbs. | JD2GG16 |

2" HEAVY-DUTY BULL GATE

- Designed for feedlots, and large herd containment situations
- 2" round high-tensile strength tubing
- Continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Stands 52" high with vertical "Z" braces
- Available sizes 4', 10', 12', & 16'
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.



ALL JOHN DEERE PRODUCTS FEATURE OUR INDUSTRY EXCLUSIVE POWDER OVER E-COAT FINISH!

JOHN DEERE




JDWFGG12

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|----------|
| 4' | 0 | 26 lbs. | JDWFGG4 |
| 10' | 1 | 53 lbs. | JDWFGG10 |
| 12' | 1 | 61 lbs. | JDWFGG12 |
| 16' | 2 | 83 lbs. | JDWFGG16 |

2 X 4 WIRE-FILLED GATE

- Gate keeps horses and small livestock safely inside while allowing no catch points
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes 4', 10', 12', & 16'
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.



JDECG12T

| Length | Vertical "Z" Braces | Approx. Weight | Item # |
|--------|---------------------|----------------|----------|
| 10' | 1 | 52 lbs. | JDECG10T |
| 12' | 2 | 58 lbs. | JDECG12T |
| 16' | 3 | 72 lbs. | JDECG16T |



| Length | Vertical "Z" Braces | Approx. Weight | Item # | |
|--------|---------------------|----------------|---------|--|
| 10' | 1 | 100 lbs. | JD2GC10 | |
| 12' | 2 | 118 lbs. | JD2GC12 | |

6-BAR ECONOMY CORRAL PANEL


- Ideal for light confinement of livestock and are portable for travel to overnight shows or trail rides
- Quick-pin latch system makes for easy hookup
- Easy hookup to Walk-Thru Arch Gate
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Available sizes 10', 12', & 16'
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: Recommended for light confinement.

2" 6-BAR EXTRA-HEAVY-DUTY CORRAL PANEL

- Designed for containment in crowding areas such as feedlots and working pens
- 2" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
- Available sizes 10' & 12'
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: Recommended for heavy confinement.





10' METAL GRAIN FEEDER

- Ideal for easily feeding large or small herds of livestock
- One of the heaviest bunks on the market constructed of 14-gauge steel with heavy-duty legs
- All steel construction
- Features our superior Powder Over E-Coat finish in John Deere's signature green



| Description | Item # | Height | Approx. Weight | Width | Bunk Depth |
|---------------------------|--------|--------|-------------------|-------|---------------|
| 10' Metal Grain Feeder | JDMGF | 21" | 110 lbs. | 28" | 6-3/4" |

ALL JOHN DEERE PRODUCTS FEATURE OUR INDUSTRY EXCLUSIVE POWDER OVER E-COAT FINISH!

JOHN DEERE

Hay Feeder



JDHDBHF Description Item # Height Diameter Approx. Weight 3-Piece HD Bull JDHDBHF 45" 8' 225 lbs.

3-PIECE HEAVY-DUTY BULL HAY FEEDER

- Ideal for feeding of round bales to large cattle in tough situations
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Heavy-duty end post brace provides superior strength and easy assembly
- 17" metal hay saver to reduce waste
- Features our superior Powder Over E-Coat finish in John Deere's signature green

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.





POST DRIVER

- Used to drive T-posts and smaller metal posts into ground
- Fashioned from 2-3/8" heavy-wall pipe
- Sturdy 1/2" thick rod handles to make post driving easier
- 14 lb. drive weight
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| Description | Item # | Approx. Weight | Length | Width |
|-------------|--------|----------------|---------|--------|
| Post Driver | JDPD | 14 lbs. | 28-1/4" | 7-3/4" |



JDSDMF shown with optional Face Fly Kit.

JDEHB

SUPER-DUTY MINERAL FEEDER

- One of the heaviest mineral feeders on the market
- Feeds livestock while protecting minerals from the weather
- Low center of gravity and 48" wide square base constructed from 2" heavy-duty gauge steel tubing for long lasting durability
- Large 28" x 24" hood opening for horned cattle to easily feed
- 18-gallon capacity rotates 360° with beveled opening to aid in tub access
- Heavy-duty bearing in feeder base allows for long life and easy movement
- Available with an optional Face Fly Applicator Kit
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| Description | Item # | Assembled Height | Approx. Weight |
|------------------------------|--------|---------------------|-------------------|
| Super-Duty Mineral Feeder | JDSDMF | 56" | 76 lbs. |
| Face Fly Kit | FFAK | — | 4 lbs. |

EQUINE HAY BASKET

- Perfect for feeding square bales to horses in their natural feeding position
- Keeps the hay dry and off the ground
- Smooth-sided poly basket for horse safety
- Tarter exclusive fully removable basket for easy cleaning
- Large vent holes keep moisture out and hay in
- Constructed of 1-3/4" round tubing
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| Description | Item # | Height | Approx. Weight | Diameter |
|-------------------|--------|--------|----------------|----------|
| Equine Hay Basket | JDEHB | 34" | 70 lbs. | 64" |



JDRHF

3-PIECE HORSE HAY FEEDER

- Ideal for safe feeding of round bales to horses
- Round 1-3/4" tubing for extra-strength
- Open top helps minimize hay waste while feeding
- Loop legs prevent sinking into the ground
- 17" metal hay saver to reduce waste
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| Description | Item # | Height | Diameter | Approx. Weight |
|--|--------|--------|----------|-------------------|
| 8' 3-Piece Horse Hay Feeder w/Hay Saver & Loop Legs | JDRHF | 50" | 8' | 163 lbs. |

JOHN DEERE

GALVANIZED OVAL STOCK TANKS



JDWT214

Item #

JDWTS

JDGCT21S

JDWTSL

JDWT214S

Height

28'

13"

28"

13"

Approx. Weight

20 lbs.

19 lbs.

26 lbs.

30 lbs.

| | | Approx. Capacity | Approx. Weight | Item # JDWT214 | |
|--|--------------|------------------|----------------|-------------------|--|
| | | 40 gallons | 30 lbs. | | |
| | 2' x 2' x 4' | 100 gallons | 46 lbs. | JDWT224 | |

*Drain plug not available

- The preferred watering method for all types of livestock
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" rolled top rim with 1" tube insert for additional strength and rigidity
- 4-ply, double-lock bottom and deep sidewall corrugation for strength
- Larger tanks feature a 1" drain plug
- Unmatched quality and consistency in construction
- Sold in nests of 3

GALVANIZED CANNING & UTILITY TANKS



JDGCT21

JDGUT22

| Size | Capacity | Approx. Weight | Item # |
|---------|------------|----------------|---------|
| 2' x 1' | 23 gallons | 18 lbs. | JDGCT21 |
| 2' x 2' | 46 gallons | 27 lbs. | JDGUT22 |

- Small sizes and heavy-duty handles make tanks easy to manage and store
- Useful for small gardens, planters, feed storage, and assisting with chores around the home or farm
- Great drink coolers at social gatherings
- 4-ply, double-lock bottom and deep sidewall corrugation for strength
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" rolled top rim with 1" tube insert for additional strength and rigidity
- Unmatched quality and consistency in construction

SPIGOT TANKS & STANDS

- Great drink coolers, planters, and merchandise holders
- Spigots for easy dispensing of water
- Customized for our 2' x 1' canning tank and 2' x 1' x 4' stock tank
- Stands are constructed of 1-3/4" tubular steel
- Stands feature our superior Powder Over E-Coat finish in John Deere's signature green
- Tank and stand sold separately

Water Tank Stand (fits tank JDGCT21S)

Galvanized Canning Tank 2' x 1' w/Spigot

Water Tank Stand Large (fits tank JDWT214S)

Galvanized Water Tank 2' x 1' x 4' w/Spigot

Description



Width

22'

26"

30"

23"

Length

22'

_

42-1/2"

53"




Spigot allows easy water disposal. Threaded nozzle to accommodate water hoses.



3' FIRE RING

- Perfect for fire containment and safety at campsite
- Keeps embers hot extending fire burn time
- 12" tall design to accommodate more wood
- Constructed from galvanized metal for extended life
- Measures 3' diameter with smooth rolled top
- Sold in nests of 3

| Description | Item # | Height | Approx. Weight | Diameter |
|--------------|--------|--------|----------------|----------|
| 3' Fire Ring | JDFR3 | 12" | 31 lbs. | 3' |



GATE STANDS

- Easy-to-use stand puts the product upright and in position so the customer can easily visualize several gates in use
- Available in three configurations of 6-, 10-, and 14-peg stands
- Holds twice the gates when placing gate between the pegs
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| | | | Approx. | | |
|-------------|----------|--------|---------|--------|-------|
| Description | Item # | Height | Weight | Length | Width |
| 6 Peg | JD6BGS* | 8-1/4" | 21 lbs. | 27" | 6" |
| 10 Peg | JD10BGS* | 8-1/4" | 36 lbs. | 43" | 6" |
| 14 Peg | JD14BGS* | 8-1/4" | 50 lbs. | 59" | 6" |

*Special order requiring additional lead time.



GATE RACKS

- Designed for farm supply dealers as well as the large herdsman who need off-the-ground storage of gates and corral panels
- Single and double-deck design allows for easy storage of more gates in a small space
- Loads or unloads by hand or forklift
- Constructed from 3" steel channel
- Features our superior Powder Over E-Coat finish in John Deere's signature green

| Description | Item # | Approx. Weight | Height | Length | Width | Arm Length | 1-3/4"Gate Capacity | 2"Gate Capacity |
|-----------------|--------|----------------|--------|--------|-------|------------|---------------------|-----------------|
| Gate Rack | JDGR* | 260 lbs. | 115" | 80" | 50" | 28" | 56 | 48 |
| Short Gate Rack | JDSGR* | 175 lbs. | 67" | 80" | 50" | 28" | 28 | 24 |

*Special order requiring additional lead time.



CATTLE HANDLING EQUIPMENT

CATLENASTER® SERIES SQUEEZE CHUTES



CATTLEMASTER SERIES 12








CATTLEMASTER SERIES 6

CATTLEMASTER SERIES 3







Side exit for sorting or exiting larger animals



Removable kick pan gives great low animal access

CATTLEMASTER SERIES 12 - HYDRAULIC SQUEEZE CHUTE

- Features 3 lever hydraulic control for headgate, tailgate, and squeeze
- Powerful 2 hp, 110 volt, fully-enclosed motor.
- Easy to remove, drop-down kick-pan gives full access to lower portion of animal
- Easy-flap neck access
- Adjustable neck extenders
- Hinged, removable top-side access panels
- Side exit door for sorting and exiting larger animals

- Easy float adjustable sides allows for qu change from calves to bulls
- Ratcheting backup bar allows you to mc animals forward safely
- Durable, corrosion-resistant powder coat red finish

NOTE: Series 12 Squeeze Chute is recommended for cattle up to 1,600 lbs.



Three hinged, removable side access panels on both sides of chute

| SHIPPING DIMENSIONS (dimensions include shipping blocks) | | | | | | | |
|--|--------|--------|---------|-------|--------|--|--|
| | | | Approx. | | | | |
| Description | Item # | Height | Weight | Width | Length | | |

| Description | item# | Height | vveignt | vviatri | Length |
|---|--------|--------|------------|---------|--------|
| CattleMaster Series 12 Hydraulic Squeeze Chute | CMHC12 | 96" | 1,900 lbs. | 53" | 113" |

| WORKING DIMENSIONS | | | | |
|---|--------|--------|-------|--------|
| Description | Item # | Height | Width | Length |
| CattleMaster Series 12 Hydraulic Squeeze Chute | CMHC12 | 93" | 133" | 113" |

*Minimum amount of space required to properly operate chute effectively.

| Description | Item # | Height | Width | Length |
|---|--------|--------|-------|--------|
| CattleMaster Series 12 Hydraulic Squeeze Chute | CMHC12 | 66" | 31" | 95" |

*Width measurement is measured 40" from the floor of the chute.








Side exit for sorting or exiting larger animals



Removable kick pan gives great low animal access



Built on the same heavy-duty frame as the Series 12 Hydraulic Chute

.

CATTLEMASTER SERIES 9 – HEAVY-DUTY SQUEEZE CHUTE

- Heavy-Duty, spring-cushioned, self-catching auto headgate with auto reset
- Easy-to-use, single-handle mechanism opens and closes split-tailgate with minimal effort
- Easy-flap neck access
- Easy to remove, drop-down kick-pan gives full access to lower portion of animal
- Hinged, removable top-side access panels
- Horizontal easy-pull squeeze mechanism makes it easier to squeeze animal proportionately

- Easy float adjustable sides allows for quick change from calves to bulls
- Side exit door for sorting and exiting larger animals
- Ratcheting backup bar allows you to move animals forward safely
- Available with automatic headgate only
- Durable, corrosion-resistant powder coat red finish

NOTE: Series 9 Squeeze Chute is recommended for cattle up to 1,600 lbs.

| SHIPPING DIMENSIONS (dimensions include shipping blocks) | | | | | | |
|--|--------|--------|-------------------|-------|--------|--|
| Description | Item # | Height | Approx. Weight | Width | Length | |
| CattleMaster Series 9 Squeeze Chute | CMSCA9 | 88" | 1,650 lbs. | 52" | 111" | |

| WORKING DIMENSIONS | | | | |
|--|--------|--------|-------|--------|
| Description | Item # | Height | Width | Length |
| CattleMaster Series 9 Squeeze Chute | CMSCA9 | 87" | 126" | 123" |

*Minimum amount of space required to properly operate chute effectively.


INSIDE MAXIMUM WORKING DIMENSIONS

| Description | Item # | Height | Width | Length |
|--|--------|--------|-------|--------|
| CattleMaster Series 9 Squeeze Chute | CMSCA9 | 62" | 39" | 98" |

*Width measurement is measured 40" from the floor of the chute.







CATTLEMASTER SERIES 6 - HEAVY-DUTY SQUEEZE CHUTE

- Features a high-mount, single-lever, double-sided squeeze mechanism with heavy-duty linkage to keep animals firmly in place
- Available with either manual or automatic headgate
- Easy-to-use, single-handle mechanism opens and closes split-tailgate with little effort
- Drop-down horseshoes for easy top-side

access, as well as the fold-down and fullyremovable bottom panels

- Spring-loaded side exit door for sorting and exiting larger animals
- Side door release features durable triangular pull handle hooked to pulleys at pivot points for ease of operation and durability
- Constructed of 2-3/8" tubular steel with grease fittings at critical points
- Bottom side adjustments with multiple settings for various size animals
- Optional Nose Bar available for CattleMaster Manual Headgates Only
- Features our durable, corrosion-resistant powder coat red finish

NOTE: Series 6 Squeeze Chute is recommended for cattle up to 1,400 lbs.

| Description | Item # | Width | Length | | |
|---|--------|-------|------------|-----|------|
| CattleMaster Series 6 w/ Auto Headgate | CMSCA6 | 93" | 1,605 lbs. | 48" | 105" |
| CattleMaster Series 6 w/ Manual Headgate | CMSCM6 | 93" | 1,503 lbs. | 53" | 105" |

| WORKING DIMENSION | S | | | |
|---|--------|--------|-------|--------|
| Description | Item # | Height | Width | Length |
| CattleMaster Series 6 w/ Auto Headgate | CMSCA6 | 94" | 101" | 113" |
| CattleMaster Series 6 w/ Manual Headgate | CMSCM6 | 94" | 106" | 113" |


*Minimum amount of space required to properly operate chute effectively.

INSIDE MAXIMUM WORKING DIMENSIONS Width Description Item # Height Length CattleMaster Series 6 CMSCA6 62" 25" 89" w/ Auto Headgate CattleMaster Series 6 67" CMSCM6 25" 87" w/ Manual Headgate

*Width measurement is measured 40" from the floor of the chute.

.





CATTLEMASTER SERIES 3 – STANDARD SQUEEZE CHUTE

- Features a high-mount, single-lever, double-sided squeeze mechanism with heavy-duty linkage to keep animals firmly in place
- Available with either manual or automatic headgate
- Drop-down horseshoes for easy top-side access, as well as the fold-down and fully-removable bottom panels
- Spring-loaded side exit door for sorting and exiting larger animals
- Rear vertical sliding tailgate with automatic locking that locks it in both the closed and fully open positions with safety stop at top
- Vertical tailgate and side door release feature durable triangular pull handles hooked to pulleys at pivot points for ease of operation and durability

Features our durable, corrosion-resistant

CattleMaster Series 3 with Manual Headgate – CCM

NOTE: Series 3 Squeeze Chute is recommended for cattle up to 1,200 lbs.

powder coat red finish

| SHIPPING DIMENSIONS | | | | | |
|---|--------|--------|-------------------|-------|--------|
| Description | Item # | Height | Approx. Weight | Width | Length |
| CattleMaster Series 3 w/ Auto Headgate | CCA | 79" | 1035 lbs. | 42" | 107" |

| w/ Auto Headgate | CCA | 79" | 1035 lbs. | 42" | 107" |
|---|-----|-----|-----------|-----|------|
| CattleMaster Series 3 w/ Manual Headgate | ССМ | 79" | 985 lbs. | 61" | 96" |
| | | | | | |

| WORKING DIMENSIONS | | | | |
|---|--------|--------|-------|--------|
| Description | Item # | Height | Width | Length |
| CattleMaster Series 3 w/ Auto Headgate | CCA | 112" | 95" | 109" |
| CattleMaster Series 3 w/ Manual Headgate | CCM | 112" | 105" | 109" |

*Minimum amount of space required to properly operate chute effectively.

INSIDE MAXIMUM WORKING DIMENSIONS Item # Width Description Height Length CattleMaster Series 3 CCA 55" 26" 89" w/ Auto Headgate CattleMaster Series 3 57" 87" CCM 31" w/ Manual Headgate

*Width measurement is measured 40" from the floor of the chute.



SERIES 6 AUTOMATIC HEADGATE

- Perfect for medium-tolarge herds
- Operated smoothly by a single operator
- Adjusts from calves to bulls
- Grease fittings at critical points
- Positive latching with in/out rotating door
- Reversible controls allow it to be operated from either side
- Adjustable bottom to accommodate various animal sizes
- Constructed of quality heavyduty 2-3/8" tubular steel
- Overhead bar prevents
 accidental release of automatic
 headgate
- Headgate is recommended for cattle up to 1,400 lbs.
- Sold separately or with CattleMaster Series 6 Chute
- Features our durable, corrosionresistant powder coat red finish



CMAH6

SERIES 6 MANUAL HEADGATE

- Perfect for medium-tolarge herds
- Superior "catch-ability" of a manual chute
- Heaviest and most proven for any size animal
- Constructed of quality heavy-duty 2-3/8" tubular steel
- Headgate is recommended for cattle up to 1,400 lbs.
- Sold separately or with CattleMaster Series 6 Chute
- Optional Nose Bar
- Features our durable, corrosion-resistant powder coat red finish



CMMH6



ALL HEADGATES FEATURE OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!!

SERIES 3 MANUAL HEADGATE

- Ideal for small herds
- Superior "catch-ability" of a manual chute
- Can be bolted to wooden alley posts if desired
- Headgate is recommended for cattle up to 1,200 lbs.
- Sold separately or with CattleMaster Series 3 Chute
- Features our durable, corrosion-resistant powder coat red finish



Approx. Weight Mounting Bolt Width Total Width Description Item # Height Length 15" Series 6 Auto Headgate CMAH6 81-1/2" 343 lbs. 42-1/2" 46" 51" CMMH6 79" 262 lbs. 37-1/2" 10" Series 6 Manual Headgate 72" 223 lbs. 37-1/2" 41" Series 3 Auto Headgate CAH 19-1/2" Series 3 Manual Headgate СМН 76" 169 lbs. 37-1/2" 60-1/2" 8"

Ideal for small herds Single-person operated Can be bolted to wooden alley posts if desired

SERIES 3 AUTOMATIC HEADGATE

- Grease fittings at critical points
- Single-piece top linkage for smooth operation
- Quality constructed of heavyduty 2-3/8" tubular steel
- Headgate is recommended for cattle up to 1,200 lbs.
- Sold separately or with CattleMaster Series 3 Chute
- Features our durable, corrosionresistant powder coat red finish



42 TARTERUSA.COM





WHEEL KIT

- Provides easy loading of all CattleMaster Chutes for transport to multiple locations
- Fully assembled including new tires, rims, and heavy-duty, 2-way winch
- Adjustable to accommodate all CattleMaster chutes
- Durable powder coat red finish

| | | | Approx. | | |
|----------------|--------|---------|----------|---------|--------|
| Description | Item # | Height | Weight | Width | Length |
| Wheel Kit Only | WK | 38-1/2" | 400 lbs. | 56-1/4" | 158" |

PALPATION CAGE





- Optional unit configured to fit all of our CattleMaster Chutes
- High-sheeted doors with heavy square tubing to block animal views
- Features dual-access doors from each side with heavy-duty, spring-loaded slam latches
- Both doors open into alley and latch, forming a protective barrier from the animals in the alley
- Easy-adjusting, movable hookups for ease of attachment to different chutes and alleys
 - Grease fittings on all pivot points
- Durable powder coat red finish

| | | | Approx. | | |
|----------------------------|--------|--------|----------|-------|--------|
| Description | Item # | Height | Weight | Width | Length |
| Standard Palpation Cage | SPC | 78" | 185 lbs. | 32" | 32" |

NOSE BAR



- Cattle Nose Bar for Manual CattleMaster 6 Headgate Only
- Nose Bar assists in keeping the cow's head restrained while in the chute

| | | | Approx. | |
|---|--------|---------|---------|--------|
| Description | Item # | Height | Weight | Length |
| Cattle Nose Bar for Manual CattleMaster Headgate Only | NB* | 5-1`/2" | 7 lbs. | 45" |

*Special order requiring additional lead time.



A SUPERIOR SYSTEM!

FIVE REASONS WHY TARTER'S CATTLE-HANDLING EQUIPMENT IS ALL YOU NEED TO GET THE JOB DONE.



A fully adjustable alleyway on all units allows working animals of any size. These are versatile systems, designed for a wide range of species, sizes, and ages. The alleyway rolls on a smooth but tough roller system. Large alley adjustment handles make adjustment easy in 3" increments from 13" to 31". Interchangeable first bow at chute connection points make for clean and easy connections to all CattleMaster Chutes.



Tubs feature full bows to hold the sweep tub in place – this means no shifting or moving of any tub panels regardless of the load.

Value pricing offers a heavy-duty system at a lightweight price. All sweep and alley systems are 14-gauge or heavier. The 7-bar design on both the open and sheeted unit is heavier and more rigid than any on the market. You simply get more cattle-handling capacity, versatility, and simplicity for less money. The superior e-coat and durable, corrosion-resistant powder coat finish will still be bright and rust-free long after dip-painted models are covered in rust. Expect these heavy-duty, rugged units to be your working partners for a long, long time.

No tools required for assembly, unless sweep gate latch is reversed. Assembly is simple. The complete unit can be set up in 6 different configurations, putting the controls where you want them, in less than an hour.

Both open and sheeted units ship complete on a single pallet that includes all components and easyto-use, picture-based assembly instructions. This means easy shipping to the store and easy transport to the farm after purchase.










The entire system ships complete on a single pallet, whether sheeted or opensided, and assembles quickly and easily, with no tools required (unless sweep gate latch is reversed).

SHEETED & OPEN SWEEP SYSTEM

When Tarter designers set out to make the best and most versatile system on the market, they started with several clear objectives. Make it rugged, make it versatile, make it easy to assemble and use, make it affordable, and make it work every single time. The result? An alley and sweep system like no other on the market. And now these units dominate the market!



Both the open and sheeted systems are fully reversible and can be configured in 6 different setups. Straight lead-in setups include a 10' alley. For a 20' alley on a straight lead-in configuration, one additional alley panel (SAP10 or SSAP10) and one additional bow (AAA2) must be purchased.

Area required for setups 1, 2, 5, and 6: 21' x 31' 6" Area required for setups 3 and 4: 11' 3" x 31' 10"

COMPLETE ALLEY & SWEEP SYSTEM KITS


| Description | Item # | Height | Approx. Weight | Width | Length |
|----------------------------------|----------|--------|----------------|-------|--------|
| 180 x 20 Sheeted Sweep System | SSS | 86" | 2,750 lbs. | 48" | 132" |
| 180 x 20 Open-Sided Sweep System | OSS | 86" | 1,900 lbs. | 48" | 132" |
| 120 x 20 Open-Sided Sweep System | OSS120 | 86" | 1,680 lbs. | 48" | 132" |
| 120 Open Sweep Tub | OSSWO120 | 86" | 946 lbs. | 48" | 132" |

ALLEY & SWEEP SYSTEM COMPONENTS & OPTIONS

| Description | Item # | Height | Approx. Weight | Width | Length |
|---|---------|---------|----------------|--------|--------|
| Adjustable Alley Arch – One Way | AAA1 | 74-1/2" | 95 lbs. | 38" | 4" |
| Straight 10' Alley Panel | SAP10 | 62" | 136 lbs. | 2-1/2" | 121" |
| Straight 10' Alley Panel – Sheeted | SSAP10 | 62" | 223 lbs. | 2-1/2" | 121" |
| Adjustable Alley Arch – Two-Way | AAA2 | 74-1/2" | 95 lbs. | 38" | 4" |
| Straight 10' Alley Entry Panel w/Arch | SAPA10 | 74-1/2" | 153 lbs. | 2-1/2" | 126" |
| Straight 10' Alley Entry Panel w/Arch – Sheeted | SSAPA10 | 74-1/2" | 287 lbs. | 2-1/2" | 126" |
| Center Arch Assembly | CAA | 80-1/2" | 165 lbs. | 12" | 132" |
| Secondary Arch Assembly | SAA | 79" | 85 lbs. | 6" | 126" |
| Curved Sweep Panel | CSP | 62" | 136 lbs. | 16" | 117" |
| Curved Sweep Panel – Sheeted | CSSP | 62" | 236 lbs. | 16" | 117" |
| Sweep Pen Gate | SPG | 62" | 136 lbs. | 2-1/2" | 121" |
| Sweep Pen Gate – Sheeted | SSPG | 62" | 223 lbs. | 2-1/2" | 121" |
| Sweep Gate Latch | SGL | 12-1/2" | 35 lbs. | 6-1/2" | 21" |
| Sweep Gate Latch – Sheeted | SSGL | 12-1/2" | 37 lbs. | 6-1/2" | 21" |
| Attachment Rods | AR | | 5 lbs. | _ | 63" |



ALLEY PANEL WITH CUT GATE



- 10' gate and panel combo .
- Interchangeable with any panel in the alley
- Escape gate features a spring-loaded latch
- Gate will open in either direction
- Available in open or sheeted

w/Cut Gate

Sheeted Alley Panel

Features our durable, corrosion-resistant powder coa

SAPWCGR*

| powder coat red fir | nish | | | |
|---------------------------|---------|--------|-------------------|--------|
| Description | Item # | Height | Approx. Weight | Length |
| Alley Panel w/Cut Gate | APWCGR* | 76" | 175 lbs. | 121" |

76"

COATED

TOUGH[®]

121"

306 lbs.

*Special order requiring additional lead time.

UNIVERSAL HOOKUP BAR

- The ideal connection between most any brand of equipment to the Tarter line
- Allows for easy hookup to many different types of panels and systems
- Includes one attachment rod for easy hookup
- Features our durable, corrosion-resistant . powder coat red finish

| Description | ltem # | Height | Approx. Weight |
|-------------------------|--------|--------|-------------------|
| Universal Hookup Bar | UHUB | 63" | 13 lbs. |



COATED **TOUGH**[®]

FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

OPTIONAL SLIDING ALLEY GATE



- Heavy-duty square tube construction and sheeted door to block animal view
- Door slides easily on top-mounted rollers with self-cleaning bottom
- Door features heavy-duty handle and spring-loaded auto latch
- Can be used as alleyway entry gate or mid-alley for scales or other uses
- Features our durable, corrosion-resistant powder coat red finish •

NOTE: Requires an additional adjustable allev arch (AAA1) and two attachment rods (AR) to install in sweep system.

| Description | Item # | Height | Approx. Weight | Width | Length |
|--------------------|--------|--------|-------------------|-------|--------|
| Sliding Alley Gate | SCG | 80" | 196 lbs. | 74" | 8" |


NO BACK ALLEY STOP



- Universal hookup to fit any system
- Prevents animals from backing up in the alley
- Spring-loaded to allow for easy animal passage
- Adjusts to accommodate any size animal and moves with adjustable alleyway
- Features our durable, corrosion-resistant powder coat red finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|--------------------|--------|--------|-------------------|-------|--------|
| No Back Alley Stop | NBAS | 6" | 42 lbs. | 27" | 50" |

.









Collared hinges for maximum gate support

Welded drop pin Hook regular corrals hookups configured to tub or alley for fully reversible tub





Flat bar support for tub integrity

Reversible sweep latch

VALUE 90 SWEEP TUB

- Full function 90° sweep for smaller setup areas and • smaller herds
- Welded C-style hookups with drop pins throughout system .
- Fully reversible
- Comes with two 10' alley panels •
- Easily attaches to any Tarter chute or palpation cage with two • attachment rods
- Regular Tarter economy or heavy-duty corrals can also connect • to tub entry or alley exit
- No tools required for setup unless sweep latch is reversed .
- Available in un-sheeted only .
- Fully set up dimensions measure 21' x 11'
- Features our superior, industry exclusive E-Coat red finish .




FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!

| Description | Item # | Height | Approximate Weight | Width | Length |
|----------------------------------|---------|---------|--------------------|--------|----------|
| 90° Sweep Tub | 90ST | 88" | 586 lbs. | 132" | 252" |
| Value Straight Panel 10' | VSAP10 | 63-1/4" | 79 lbs. | 2-1/8" | 122-1/2" |
| Value Sweep Gate & Arch | VSGA | 87-1/4" | 170 lbs. | 8-1/4" | 130-1/2" |
| Value Curved Sweep Panel 8' | VCSP | 63-14" | 68 lbs. | 9" | 95" |
| Value Straight 10' Panel w/ Arch | VSAPA10 | 77" | 88 lbs. | 5-1/4" | 127" |
| Value Flat Stock Radius Bar | VFSRB | _ | 34 lbs. | 2-1/2" | 127" |
| Value 2-Way Arch | V2WA* | 77-1/4" | 30 lbs. | 5-1/4" | 34" |

*Not included in base system, must order separately. V2WA is used for extending alley.



MP



Split-nursing panel on both sides of pen



Spring-loaded latching system



Welded drop-pin hook-ups

MATERNITY PEN

- Great for birthing and nursing animals
- Circular design with sweep gate provides safe handling of animals
- Heavy-duty auto headgate
- Split sweep gate with ratchet stop
- Split nursing panel on both sides of pen
- Rear access door
- Ribbed floor plate in birthing area
- Can also be used as a confinement or squeeze pen
- Completely reversible to fit your facilities
- Heavy-duty, all-welded 2 ½" square tube frame
- No tools required for assembly
- Features our durable, corrosion-resistant powder coat red finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

NEW PRODUCT

| Description | Item # | Height | Approximate Weight | Width | Length |
|-----------------------------------|--------|---------|--------------------|----------|----------|
| Maternity Pen | MP | 85" | 1,005 lbs. | 167-1/2" | 129-1/4" |
| Left Hand Short Panel | LHSP | 30-1/2" | 60 lbs. | 4-3/4" | 118" |
| Right Hand Short Panel | RHSP | 30-1/2" | 60 lbs. | 4-3/4" | 118" |
| Left Hand Tall Panel | LHTP | 37" | 78 lbs. | 4-3/4" | 118" |
| Right Hand Tall Panel | RHTP | 37" | 78 lbs. | 4-3/4" | 118" |
| Overhead Arch Assembly | OAA | 85-3/8" | 63 lbs. | 6" | 123" |
| Overhead Arch Assembly with Latch | OAAWL | 85-3/8" | 64 lbs. | 6" | 123" |
| Spring Latch Assembly | SLA | 13-1/2" | 3 lbs. | 2" | 2" |
| Arch Panel | APMP | 68" | 77 lbs. | 10-1/2" | 93" |
| Sweep Gate Latch | SGL | 12-1/2" | 35 lbs. | 6-1/2" | 21" |

3-POINT EQUIPMENT

ANTERL

a second

3-POINT EQUIPMENT

ENGINEERED TO PERFORM

Tarter 3-Point equipment is engineered to perform day in and day out. Whether it's plowing, mowing, moving, digging, or leveling, Tarter has it covered. Tarter's team of Engineers have the capability to design and build a wide range of agricultural equipment. Our Engineering Team is equipped with the latest and greatest in conceptual and 3D modeling software and equipment.

Tarter products are not only designed to last, but they're tested to ensure they last! Our state of the art Research and Development Department builds prototypes that are put to the test in the field by our team of actual farmers. Each prototype is pushed to the limits to ensure the utmost quality and functionality.

When it comes to manufacturing, Tarter is a step above as well. Utilizing cutting edge manufacturing technology allows us to be one of the most lean and cost effective suppliers in the industry. Manufacturing Engineers understand how to put the entire manufacturing process together, providing the most competitive pricing and meeting our customer's tight delivery schedules. From product development to manufacturing, Tarter outperforms the competition.



3-POINT EQUIPMENT



ROTARY CUTTER (SQUARE BACK)

- 3-Point rear attach cutter is ideal for grass, stalks, and light brush
- Available in 4', 5', and 6' sizes
- 540 RPM tractor PTO speed ONLY
- 25-45 Tractor PTO horsepower
- 45 HP heavy-duty cast iron gearbox
- 14-gauge deck, 11-gauge sides
- Series 4 shielded PTO shaft with shear pin
- Balanced stump jumper/blade pan with heavy-duty, 3 inch heattreated forged blades
- Adjustable, laminated, puncture-resistant rear wheel
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Rotary Cutter Gearboxes ship without oil and must be filled with 90 wt. gear oil before first use. See manual for all grease points before use.

| Description | Item # | Unit Height | Approx. Weight | Width | Length |
|------------------------------|--------|-------------|----------------|-------|--------|
| 4' Rotary Cutter Square Back | RC4 | 24" | 345 lbs. | 50" | 69" |
| 5' Rotary Cutter Square Back | RC5 | 24" | 450 lbs. | 63" | 81" |
| 6' Rotary Cutter Square Back | RC6 | 24" | 529 lbs. | 76" | 95" |
| | | | | | |

| 4' Rubber Guard Item # | Weight | 5' Rubber Guard Item # | Weight | 6' Rubber Guard Item # | Weight |
|------------------------|---------|------------------------|---------|------------------------|---------|
| RCGRD4 - Front | 8 lbs. | RCGRD5 - Front | 9 lbs. | RCGRD6 - Front | 10 lbs. |
| RCRGRD4 - Back | 5 lbs. | RCRGRD5 - Back | 5 lbs. | RCRGRD6 - Back | 6 lbs. |
| RCGRDK4 - Both | 13 lbs. | RCGRDK5 - Both | 14 lbs. | RCGRDK6 - Both | 16 lbs. |



ROTARY CUTTER (ROUND BACK)

 3-Point rear attach cutter is ideal for grass, stalks, and light brush

NEW PRODUCT

- Available in 4', 5', and 6' sizes
- Sleek round back design for mowing in tight corners
- 540 RPM tractor PTO speed ONLY
- 25-45 Tractor PTO horsepower
- 45 HP heavy-duty cast iron gearbox
- 12-gauge deck construction
- Balanced stump jumper blade pan with heavy duty 3" heat treated forged blades
- Series 4 shielded PTO shaft with shear pin
- Adjustable, laminated , puncture resistant rear wheel
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Rotary Cutter Gearboxes ship without oil and must be filled with 90 wt. gear oil before first use. See manual for all grease points before use.

| Description | Item # | Unit Height | Approx. Weight | Width | Length |
|-----------------------------|---------|-------------|----------------|-------|--------|
| 4' Rotary Cutter Round Back | RBRC402 | 18" | 463 lbs. | 51" | 77" |
| 5' Rotary Cutter Round Back | RBRC502 | 18" | 530 lbs. | 64" | 86" |
| 6' Rotary Cutter Round Back | RBRC602 | 18" | 623 lbs. | 75" | 93" |



FINISH MOWER

- Available in 5' and 6' models
- Vertical floating hitch system allows the mower to follow the contour of the ground to mow evenly over uneven terrain
- Heavy-duty steel deck and cast-iron gearbox
- Single belt with easy adjustment
- Shielded PTO shaft with shear pin
- Turf-friendly tires, anti-scalp roller and fully baffled deck with easy height adjustment
- Rear discharge with rubber guards only
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

| Description | Item # | Unit Height | Cutting Width | Approx. Weight | Overall Width | Overall Length |
|-----------------|--------|-------------|---------------|----------------|---------------|----------------|
| 5' Finish Mower | FM5 | 34" | 60" | 628 lbs. | 63" | 71" |
| 6' Finish Mower | FM6 | 34" | 72" | 670 lbs. | 75" | 73" |



FMGR6



PREMIUM FINISH MOWER

- Available in 5', 6' and 7' models
- Heavy Duty 30 HP gearbox
- Floating Category 1 hitch
- Fabricated 3/16" thick hardened steel deck
- Heavy Duty ASAE Cat. 2 PTO shaft with quick coupler
- High Speed Heavy Duty 1/4" thick Heat Treated Alloy Steel Blades
- 0.75-5.25" adjustable cutting height
- Tractor PTO HP Range 20-60
- Zinc Plated weather resistant hardware
- Powder coated tough finish
- Easy service spindles
- Heavy duty fabricated steel belt guard w/ easy access lubrication points
- Heavy duty 10" solid filled rubber tires w/ easy lube axle
- Widened rear grass discharge area improves cut quality
- Features our durable, corrosion-resistant powder coat gray finish

| | | | | Overall | |
|----------------------|--------|--------|----------------|---------|--------|
| Description | Item # | Height | Approx. Weight | Width | Length |
| 5' Gray Finish Mower | FMGR5 | 36" | 628 lbs. | 63" | 71" |
| 6' Gray Finish Mower | FMGR6 | 36" | 670 lbs. | 75" | 76" |
| 7' Gray Finish Mower | FMGR7 | 36" | 712 lbs. | 87" | 76" |

3-POINT EQUIPMENT



• **REVERSIBLE** •



ROTARY TILLER

- Perfect for cultivating, aerating, and stirring up soil for gardens, food plots, and other tillage needs
- Available in 4', 5', 6', and 7' sizes
- Unit can be switched between forward or reverse rotation
- Units work efficiently on 25-50 HP tractors (depending on tiller size)
- Oil bath lubrication with all gear driven driveline
- Self-sharpening heat-treated cutting tines
- Adjustable runners for variable working depths
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Comes with heavy-duty PTO shaft and slip clutch
- 7' model (RT7) features 2-stage Category I and Category II hookup (2-stage Cat. I & Cat. II pins included)
- Heavy-Duty steel construction with 3/8" solid steel gearbox plate
- Features our durable, corrosion-resistant powder coat yellow finish

| | | | | Overall | |
|------------------|--------|--------|----------------|---------|--------|
| Description | Item # | Height | Approx. Weight | Width | Length |
| 4' Rotary Tiller | RT4 | 38" | 591 lbs. | 55" | 28" |
| 5' Rotary Tiller | RT5 | 38" | 638 lbs. | 64" | 28" |
| 6' Rotary Tiller | RT6 | 38" | 718 lbs. | 79" | 28" |
| 7' Rotary Tiller | RT7 | 38" | 800 lbs. | 89" | 28" |



HEAVY-DUTY 20-BLADE 7' TILLAGE DISC

- 3-point rear attach tillage disc used to prepare soil for planting
- Heavy-duty box frame with 10-18" x 3mm notched blades, 10-18" x 3mm smooth blades, and heavy-duty sealed bearings
- Front and rear disc gangs have adjustable angles and together they cut a 7' swath with each pass
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Scalloped blades are available on rear gangs with an additional factory lead-time and up-charge. See your authorized Tarter dealer for more details.



| Description | Item # | Height | Approx. Weight | Width | Length |
|--------------------------------|--------|--------|----------------|-------|---------|
| Heavy-Duty 7' Disc, 18" Blades | HDD7 | 41" | 846 lbs. | 84" | 53-1/2" |



MEDIUM-DUTY 20-BLADE 6' TILLAGE DISC

- 3-point rear attach tillage disc used to prepare soil for planting
- Heavy-duty angle-iron frame with 10-18" x 3mm notched blades, 10-18" x 3mm smooth blades, and heavy-duty sealed bearings
- 6-1/2' cutting swath with each pass
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Scalloped blades are available on rear gangs with an additional factory lead-time and up-charge. See your authorized Tarter dealer for more details.



| Description | Item # | Height | Approx. Weight | Width | Length |
|---------------------------------|--------|--------|----------------|-------|--------|
| Medium-Duty 6' Disc, 18" Blades | MDD6 | 41" | 553 lbs. | 73" | 50" |



TARTER FARM & RANCH PRODUCT GUIDE 55

3-POINT EQUIPMENT



TURNING PLOWS

- 3-point rear attach plow is ideal for deep plowing and preparing soil for tilling and planting
- Plow provides maximum cutting through even compacted soil
- Available in single or two bottom units
- Replaceable 14" plow shares, shins, and landsides are available
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish



| Description | Item # | Height | Approx. Weight | Width | Length |
|---------------|--------|------------------------|----------------|-------|--------|
| 1 Bottom Plow | 1BP | 40-1/2" | 256 lbs. | 33" | 45" |
| 2 Bottom Plow | 2BP | 4 <mark>0-1/2</mark> " | 479 lbs. | 40" | 71" |





BB5



BOX BLADE

- Ideal for working gravel, topsoil, mulch, manure, and more
- Available in 5' and 6' models
- Heavy-duty steel rear-mount box blades help retain product being worked
- Equipped with a fixed front and rear replaceable/reversible steel cutting edges
- Adjustable ripper shanks
- Ideal for tractors from 25 to 35 horsepower (depending on box blade size)
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

| Description | Item # | Height | Approx. Weight | Width | Length | Replacement Blade Item # |
|--------------|--------|--------|----------------|-------|--------|--------------------------|
| 5' Box Blade | BB5 | 33" | 395 lbs. | 62" | 31" | RB5 |
| 6' Box Blade | BB6 | 33" | 445 lbs. | 74" | 31" | RB6 |





- 3-Point rear attach cultivator designed for family gardens and smaller farming operations
- Useful when preparing garden soil, planting beds, and cultivating for weed control
- Not to exceed 35 HP rated tractors
- 6 cultivator tines with 1-3/4" x 10" long reversible curved points
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

| | | | | Approx. | | |
|---|--------------------|--------|--------|----------|---------|--------|
| _ | Description | Item # | Height | Weight | Width | Length |
| | One Row Cultivator | CUL | 36" | 102 lbs. | 50-1/2" | 37" |



POWDER COATED TOUGH

LAND GRADER

- Ideal for grading driveways, leveling land, filling potholes and ditches, or reconditioning gravel roads
- Extra length for improved leveling
- Two cutting edges for maximum grading
- 72" grading width
- Ideal for tractors from 18 to 55 horsepower
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

| | | | Approx. | | |
|----------------|--------|--------|----------|-------|---------------------|
| Description | Item # | Height | Weight | Width | Cutting Edges |
| 6' Land Grader | LG6 | 36" | 475 lbs. | 76" | (2) 1/4" x 3" x 72" |



3-POINT EQUIPMENT








REAR GRADER BLADE

- Ideal for grading or scraping needs, such as sand, snow, or gravel
- Units work efficiently on tractors rated between 25-45 HP (depending on blade size)
- Pull-pin design with 5 reversible blade angle adjustments
- 1/4" blade with 1/2" thick hardened steel replaceable cutting edge
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

| Description | Item # | Unit Height | Blade Height | Approx. Weight | Width | Length | Replacement Blade Item # |
|----------------------|--------|-------------|--------------|----------------|-------|--------|--------------------------|
| 5' Rear Grader Blade | GB5 | 38" | 15" | 197 lbs. | 60" | 40" | RB5 |
| 6' Rear Grader Blade | GB6 | 38" | 15" | 213 lbs. | 72" | 40" | RB6 |
| 7' Rear Grader Blade | GB7 | 38" | 15" | 232 lbs. | 84" | 40" | RB7 |





BOOM POLES

- Ideal for loading items onto trailers, pulling up old fence posts, or other lifting chores
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Multiple lifting loops for extra capacity and heights
- Available in standard and heavy-duty model
- Features our durable, corrosion-resistant powder coat yellow finish



| Description | Item # | Height | Empty Weight | Width | Length | Front Loop Lift Capacity | Rear Loop Lift Capacity |
|----------------------|--------|---------|--------------|-------|---------|-----------------------------|----------------------------|
| Boom Pole | BP | 25-1/2" | 66 lbs. | 32" | 85-1/2" | 500 lbs. | 1,000 lbs. |
| Heavy-Duty Boom Pole | HDBP | 24-1/2" | 150 lbs. | 40" | 95" | 1,000 lbs. | 2,000 lbs. |





LANDSCAPE RAKE WITH OPTIONAL WHEEL KIT

- Rake used for smoothing, raking, or contouring soil surfaces
- Rotates a full 360° with 5 forward and 5 reverse settings to be pulled or pushed
- Ideal for tractors from 25 to 35 horsepower (depending on box blade size)
- Replaceable high-carbon curved tines
- Use with or without optional wheel kit
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Wheels allow several points of adjustment for varying heights above grade
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: This unit can be fitted with optional wheel kit.



| Description | Item # | Height | Approx. Weight | Width | Length |
|--------------------------|--------|--------|----------------|-------|--------|
| 5' Landscape Rake | LR5 | 39" | 195 lbs. | 60" | 42" |
| 6' Landscape Rake | LR6 | 39" | 215 lbs. | 72" | 42" |
| 7' Landscape Rake | LR7 | 39" | 238 lbs. | 84" | 42" |
| Landscape Rake Wheel Kit | LRWK | 12" | 62 lbs. | 10" | 25" |

3-POINT EQUIPMENT



TARTER FERTILIZER SPREADERS AND SEEDERS

- Seamless, 1-piece, 500 lb. and 850 lb. capacity hoppers
- Reversible lift arm pins to accommodate different size tractors (FS)
- PTO-driven spin broadcast with super treated spreading disc and galvanized fins
- Side discharge hopper guarantees greater accuracy and more even spreading
- Spreading width up to 46'
- Can broadcast to each side for directional spreading when needed
- Fully splined gearbox shaft
- Super-duty epoxy painting throughout the complete frame
- Category I quick-hitch compatible hookup (Cat. I pins included)

NOTE: Spreading volume coverage and rate will vary with the material being spread, spreader aperture settings, machine speed, and terrain. Consult the spreader rate chart for precise indications. Unit performs optimally at ground speed of 6-8 MPH and PTO speed of 540 RPM.

| Description | Item # | Color | Height | Approx. Weight | Tub Diameter | Spreading Capacity | Spreading Width |
|---------------------------------|--------|-------|--------|----------------|--------------|--------------------|-----------------|
| Fertilizer Spreader – Metal Tub | FS | Red | 42" | 135 lbs. | 40" | 850 lbs. | 46' |
| Poly Tub Fertilizer Spreader | PFS | Red | 36" | 75 lbs. | 37" | 500 lbs. | 46' |



CARRY ALL

- Ideal for small moving and carrying needs
- 3-point rear attach platform frame
- Pre-drilled holes throughout frame for easy platform installation
- Construct and attach your own custom platform
- Not intended for use without platform
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish



| Description | Item # | Height | Empty Weight | Overall Width | Platform Arm Width | Overall Length | Platform Arm Length | Carry Capacity |
|-------------|--------|--------|--------------|---------------|--------------------|----------------|---------------------|----------------|
| Carry All | CA | 36" | 86 lbs. | 29" | 28" | 36" | 33" | 1,000 lbs. |



TRAILER MOVER

- 3-point rear attach trailer mover that is handy for easy movement of gooseneck trailers, regular trailers, or farm wagons
- Move trailers without raising the landing gear
- 2" receiver accepts hitch for pin drop wagons or ball mount trailers
- 2-5/16" ball is included with purchase
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Rated for 3,000 lbs. or less
- Features our durable, corrosion-resistant powder coat yellow finish

| | | | Approx. | | | |
|---------------|--------|--------|---------|-------|-------|--|
| Description | Item # | Height | Weight | Width | Depth | |
| Trailer Mover | TM | 32" | 47 lbs. | 36" | 12" | |

* For moving unloaded trailers only.



REAR DIRT SCOOP

- 3-point rear hitch attachment is ideal for backing or driving into dirt, gravel, mulch, or other materials to take a wheelbarrow-sized bite
- Material can be dumped by a simple pull on the control rope
- Bucket is constructed of 6-gauge metal
- Holds approximately 5 cubic feet of soil
- Dual Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Trip rope not included.

| | | Description | Item # | Height | Approx. Weight | Width | Depth |
|---------------|--------|-----------------|----------------|---------------------------------------|---------------------------------|-------|----------------|
| | | Rear Dirt Scoop | DSR | 32" | 255 lbs. | 42" | 38" |
| | | | PO CC TG | WDER DATED DUGH® | CUICK-HITCH QH COMPATIBLE | 1 | |
| | | | | | | E.C. | |
| | | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
| alter andrest | 1 Down | 1 Carton 1 | | が | - | N | when the state |

3-POINT EQUIPMENT



STANDARD HAY SPEAR

- 3-point rear attach hay mover for moving and lifting round bales
- Spear lifts up to 1,500 lb. bales
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales. Only the spear is replaceable – stabilizer bars are welded to frame.

| Description | Item # | Height | Approx. Empty Spear Weight | Width | Overall Length | Center Spear Length | Stabilizer Spike Length | Max. Bale Capacity |
|--------------------|--------|---------|-------------------------------|-------|-------------------|------------------------|----------------------------|-----------------------|
| Standard Hay Spear | HF | 26-1/4" | 95 lbs. | 36" | 51" | 45" | 14-1/2" | 1,500 lbs. |




HEAVY-DUTY SUPER SPEAR

- 3-point rear attach hay mover for lifting and moving heavier round bales
- Spear lifts up to 2,000 lb. bales
- 2-stage quick-hitch Category I and Category II pin compatible hookups to fit both medium and larger size tractors (2-stage Cat. I & Cat. II pin included)
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales. Only the spear is replaceable – stabilizer bars are welded to frame.

| Description | Item # | Height | Approx. Empty Spear Weight | Width | Overall Length | Center Spear Length | Stabilizer Spike Length | Max. Bale Capacity | |
|------------------------|--------|---------|-------------------------------|-------|-------------------|------------------------|----------------------------|-----------------------|--|
| Heavy-Duty Super Spear | SST | 26-1/4" | 75 lbs. | 36" | 51-1/2" | 45" | 14-1/2" | 2.000 lbs. | |





BUCKET-MOUNT SUPER SPEAR

- Front bucket mounted unit designed for round bale lifting and moving
- Easily mounts and dismounts with a single bolt without removing the bucket (bolt and nut included)
- Spear lifts up to 2,000 lb. bales
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Spear must be securely mounted to bucket with provided nut and bolt for extra strength. Bale must be fully seated against frame of spear before attempting to move bales. Spear is only replaceable stabilizer bars are welded to frame.

| Description | Item # | Height | Approx. Empty Spear Weight | Width | Overall Length | Center Spear Length | Stabilizer Spike Length | Max. Bale Capacity |
|--------------------------|--------|--------|-------------------------------|---------|-------------------|------------------------|----------------------------|-----------------------|
| Bucket-Mount Super Spear | BS | 8-3/4" | 65 lbs. | 30-1/4" | 61-1/2" | 45" | 15" | 2,000 lbs. |



QASS

QUICK ATTACH SUPER SPEAR

- Universal front mount round bale spear
- Mounts in place of the bucket on a front end loader using the universal mounting system (not for use on skid steer units)
- Spear lifts up to 2,000 lb. bales
- Designed for easy mounting and lifting of heavier round bales
- Heavy-duty replaceable heat-treated upper spear and two lower (bolted on) replaceable stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales.





| | | | Approx. Empty | | Overall | Center Spear | Stabilizer Spike | Max. Bale |
|--------------------------|--------|--------|---------------|-------|---------|--------------|------------------|------------|
| Description | Item # | Height | Spear Weight | Width | Length | Length | Length | Capacity |
| Quick Attach Super Spear | QASS | 22" | 192 lbs. | 48" | 47-1/2" | 44" | 13" | 2,000 lbs. |

3-POINT EQUIPMENT / SUB-COMPACT



| Description | Item # | Opening Height | Overall Height | Rod Height | Approx. Weight | Length |
|-------------------------------|--------|----------------|----------------|------------|----------------|--------|
| Wire Fence Stretcher/Unroller | WFS | 65" | 71" | 75" | 200 lbs. | 45" |



5' REAR GRADER BLADE SC

- 3-point rear attach adjustable grader blade for grading or scraping needs, such as sand, snow, or gravel
- Pull-pin design with forward and reversible blade angle adjustment
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
- 1/4" blade with a 1/2"-thick replaceable cutting edge
- Features our durable, corrosion-resistant powder coat orange finish



| Description | Item # | Unit Height | Approx. Weight | Width | Length | Blade Height | Replacement Blade Item # |
|-------------------------|--------|-------------|----------------|-------|--------|--------------|--------------------------|
| 5' Rear Grader Blade SC | RBSC5 | 26" | 168 lbs. | 60" | 22" | 13" | RB5 |



3-POINT EQUIPMENT / SUB-COMPACT



5' DISC SC

- 3-point rear attach disc for tilling garden or backyard vegetable plot
- Welded angle-iron frame disc harrow with 16-14" x 3mm notched cutting blades, and heavy-duty sealed bearings
- Front and rear disc gangs have adjustable angles and together they cut a 5' swath with each pass
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
 - Features our durable, corrosion-resistant powder coat orange finish





RCSC4



4' ROTARY CUTTER SC

- 3-point rear attach cutter is ideal for cutting grass, stalks, and light brush
- 540 RPM tractor PTO speed ONLY
- 15-25 Tractor PTO horsepower
- 45 HP heavy-duty cast iron gearbox
- Shielded PTO with shear pin
- 14-gauge deck, 13-gauge sides; series 4 driveline
- Balanced stump jumper/blade pan with heavy-duty, 3" heattreated forged blades
- Adjustable rear wheel design for stability, weight support for smaller tractors, and keeping cutter level
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
- Comes standard with front rubber guard
- Features our durable, corrosion-resistant powder coat orange finish

NOTE: Gearbox ships without oil and must be filled with 90 wt. gear oil before first use. This unit ships with front guard installed. Optional rear guard available (rubber only).

| uard Approx. Weight |
|-----------------------------|
| 8 lbs. 5 lbs. 13 lbs. |
| |

3-POINT EQUIPMENT / SUB-COMPACT



RTSC4

| Description | Item # | Unit Height | Approx. Weight | Width | Length |
|---------------------|--------|----------------|-------------------|-------|--------|
| 4' Rotary Tiller SC | RTSC4 | 24" | 510 lbs. | 50" | 69" |

4' ROTARY TILLER SC

- Perfect for cultivating, aerating, and tilling up soil for gardens, food plots, and other tillage needs
- Category I compatible hookup and Category O spacing for sub-compact tractors (Cat. I pins included)
- Not to exceed 25 HP rated tractors
- 45 HP heavy-duty cast iron 540 RPM gearbox
- Cast, precision machined bearing housing with ball bearings
- Grease bath lubrication
- Self-sharpening heat-treated cutting tines
- 3-point rear attach PTO driven with heat treated cutting tines
- Adjustable runners for working depths from 1" to 4"
- Heavy-duty PTO shaft and slip clutch with chain-driven driveline
- Features our durable, corrosion-resistant powder coat orange finish









- Ideal for working gravel, topsoil, mulch, manure, and more
- Heavy-duty steel rear-mount box blades help retain product being worked
- Equipped with a fixed front and rear replaceable steel cutting edges
- Not to exceed 25 HP rated tractors
- Replaceable 1/2"-thick blades
- Adjustable ripper shanks
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat orange finish

| Description | Item # | Unit Height | Approx. Weight | Width | Length | Replacement Blade Item # |
|-----------------|--------|-------------|----------------|---------|--------|--------------------------|
| 4' Box Blade SC | BBSC4 | 32" | 270 lbs. | 49-1/2" | 28" | RB4 |



MIDDLE BUSTER/SUBSOILER SC

- Double-wing cutter for planting or plowing up potatoes
- Attach a subsoiler point and easily break up hard, low ground where water accumulates
- Water drains after one pass
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat orange finish

| Description | Item # | Unit Height | Approx. Weight | Width |
|-------------------------------|--------|----------------|-------------------|-------|
| Middle Buster/Subsoiler SC | MBSSSC | 31" | 35 lbs. | 27" |



LRSC5

5' LANDSCAPE RAKE SC

- Steel tines curve to make quick work of smoothing, raking, or contouring soil surfaces
- Gather twigs, rocks, and other debris
- Rake rotates a full 360° to be pulled or pushed
- Category I compatible hookup and Category 0 spacing for sub-compact tractors (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat orange finish

NOTE: This unit can be fitted with optional wheel kit.

| Description | Item # | Unit Height | Approx. Weight | Width | Length |
|-------------------------|--------|----------------|-------------------|-------|--------|
| 5' Landscape Rake SC | LRSC5 | 21" | 177 lbs. | 61" | 48" |





TRADITIONAL BARBED WIRE



317831TD

- Available in Class 1
- 4-point barbs
- 5" barb spacing
- Each spool contains 1/4 mile of product

Barbed Wire - Class 1

| Item # | Description | Barbs | Spacing | Gauge | ASTM |
|----------|---------------------|-------|---------|-------|------|
| 317831TD | Barbed Wire Class 1 | 4PT | 5" | 12.5 | A121 |

.

4 Point

Palletized and shrink-wrapped

Sold in pallet quantities only

27 spools per pallet

1,320' roll

HIGH-TENSILE BARBED WIRE





- Available in Class 3
- 4-point barbs
- 5" barb spacing
- 27 spools per pallet

4 Point

- 1,320' roll
- Sold in pallet quantities only

Barbed Wire - Class 3

| Item # | Description | Barbs | Spacing | Gauge | ASTM |
|----------|---------------------|-------|---------|-------|------|
| 317881TD | Barbed Wire Class 3 | 4PT | 5" | 15.5 | A121 |

WIRE AND FENCING

WIRE AND FENCING

ELECTRIC FENCE WIRE



- Made with superior quality high-tensile steel
- For a low-cost temporary or permanent fence
- Galvanized zinc coating resists rust and corrosion
- Tension and breaking strength resistance twice as high as the common galvanized wire
- Allows placing of posts every 65' without deformation
- 1,320' and 2,640' rolls
- Available in 14 and 17 gauge
- 5 box minimum on all orders

Electric Fence Wire

| ltem # | Gauge | Boxes Per Pallet | Rolls Per Box | Length | ASTM |
|-----------|-------|---------------------|------------------|----------|------|
| 317774TD | 14 | 54 | 2 | 1/4 mile | A641 |
| 317772TD | 14 | 32 | 2 | 1/2 mile | A641 |
| 317754TD* | 17 | 54v | 4 | 1/4 mile | A641 |
| 317752TD* | 17 | 54 | 2 | 1/2 mile | A641 |

* Minimum order of 5 boxes.

HEAVY-DUTY CLASS 3 ELECTRIC FENCE WIRE



317732TD



- High-tensile steel
- Class 3 galvanized
- 200,000 PSI
- 12.5 gauge wire
- 48% more electrical conductivity than standard 14.5 gauge wire
- 77% savings in posts allows posts to be placed every 65-1/2' without deformity
- 100 lbs. per roll, 4,000' per roll
- 5 rolls per pallet
- Sold in pallet quantities only

Class 3 Electric Fence Wire

| Item # | Gauge | Length | ASTM |
|----------|-------|--------|------|
| 317732TD | 12.5 | 4,000' | A641 |



WIRE AND FENCING

SHEEP AND GOAT FIELD FENCE

- 4" x 4" spacing for goats and other small animals
- 48" high
- 12.5 gauge
- Class 1 zinc coating
- 330' per roll
- 4" x 4" spacing
- 4 rolls per pallet
- Sold in pallet quantities only





| Galvanized - C | Class 1 | | | |
|----------------|---------|--------|--------|------|
| Item # | Gauge | Height | Length | ASTM |
| 356106TD | 12.5 | 48" | 330' | A116 |

FIELD FENCE

- Heavy-duty galvanized coating
- Palletized and shrink-wrapped
- 9 rolls per pallet
- Sold in pallet quantities only







Galvanized - Class 1

| Guivanizea | Clubb I | | | | | |
|--------------------|-----------------------|---------------|---------------|---------------|----------------|--------------|
| Item # | Description | Gauge | Spacing | Height | Length | ASTM |
| 348106TD | 1047-6 | 12.5 | 6" | 47" | 330' | A116 |
| | | | | | | |
| Galvanized · | - Class 3 | | | | | |
| | | | | | | |
| Item # | Description | Gauge | Spacing | Height | Length | ASTM |
| Item # 348134TD | Description 1047-6 | Gauge 12.5 | Spacing 6" | Height 47" | Length 330' | ASTM A116 |
| | | 0 | 1 0 | 0 | 0 | |
| 348134TD | | 12.5 | 6" | 0 | 0 | |

| Item # | Description | Gauge | Spacing | Height | Length | ASTM |
|----------|-------------|-------|---------|--------|--------|------|
| 348136TD | 949-12 | 12.5 | 12" | 49" | 330' | A116 |

HORSE FENCE

- Class 1 galvanized for corrosion-resistance
- Continuous vertical and horizontal wires
- Squares connected with horse-safe knot
- Strong, rigid, and designed for horse safety
- 4" x 2" spacing
- 8 Rolls per pallet
- Sold in pallet quantities only







348308TD

| Galvanized - Class 1 | | | | |
|----------------------|-------|--------|--------|------|
| Item # | Gauge | Height | Length | ASTM |
| 348308TD | 12.5 | 48" | 100' | A641 |

PAINTED ELECTRIC FENCE POST



- Stocked and shipped with all of your other Tarter products
- 3/8" x 4' / 1.5 lb. rebar ridged
- 25 posts per bundle
- 2000 pieces per pallet
- Sold in bundle or pallet quantities only

| | | Approx. | | |
|---------------------------------|--------|---------|--------|-------|
| Description | Item # | Weight | Length | Width |
| Painted Electric Fence Posts | PEFP | 1.5 lb. | 4' | 3/8" |



T-POSTS

- Stocked in our warehouse for your convenience
- Available with the same great lead times as all other Tarter products
- No truckload or 1/2 truckload minimums required
- Add 1 skid, 2 skids, or any quantity you need for fill-in or special order
- Sold in bundles of 200
- Available in green only

| Description | 1.25 lbs./ft. Item # | Approx. Weight |
|-------------|----------------------|----------------|
| 5' | TP5125 | 6.69 lbs. |
| 5.5' | TP512125 | 7.32 lbs. |
| 6' | TP6125 | 7.95 lbs. |
| 6.5' | TP612125 | 8.57 lbs. |
| 7' | TP7125 | 9.20 lbs. |
| 8' | TP8125 | 10.45 lbs. |
| Description | 1.33 lbs./ft. Item # | Approx. Weight |
| 10' | TP10133 | 14.00 lbs. |
| | | |

HORSE FENCE

- Class 1 galvanized for corrosion-resistance
- Continuous vertical and horizontal wires
- Squares connected with horse-safe knot
- Strong, rigid, and designed for horse safety
- 4" x 2" spacing
- Sold in pallet quantities only





Galvanized - Class 1

| Item # | Gauge | Height | Length | Rolls Per Pallet | ASTM |
|---------|-------|--------|--------|------------------|------|
| 348308T | 12.5 | 48" | 100' | 9 | A641 |
| 348328T | 12.5 | 48" | 200' | 4 | A641 |
| 348310T | 12.5 | 60" | 100' | 9 | A641 |
| | | | | | |

WELDED WIRE

- Heavy-duty galvanized wire
- High-tech welding process results in stronger welds and longer life
- Ideal for animal enclosures or plant protection
- Product comes in 100' rolls
- 4" x 2" spacing
- 9 rolls per pallet
- Sold in pallet quantities only





308322T

| Item # | Gauge | Height | Length | ASTM |
|---------|-------|--------|--------|------|
| 308322T | 12.5 | 48" | 100' | A641 |
| 308323T | 12.5 | 60" | 100' | A641 |
| 308324A | 12.5 | 72" | 100' | A641 |
| 308312T | 14.0 | 48" | 100' | A641 |
| 308313T | 14.0 | 60" | 100' | A641 |
| 308314A | 14.0 | 72" | 100' | A641 |

WIRE AND FENCING


TRADITIONAL BARBED WIRE

- Available in Class 1 and Commercial Grade
- 2-point or 4-point barbs
- 5" barb spacing
- Each spool contains 1/4 mile of product
- Palletized and shrink-wrapped
- 27 spools per pallet (Barbed)
- 32 spools per pallet (Barbless)
- 1,320' roll
- Sold in pallet quantities only



31/831

RANGEMASTER



| Barbed Wi | ire - Class 1 | | | | |
|-----------------------------|-----------------------------|-------|---------|-------|------|
| Item # | Description | Barbs | Spacing | Gauge | ASTM |
| 317831T | 317831T Barbed Wire Class 1 | | 5" | 12.5 | A121 |
| 317821A Barbed Wire Class 1 | | 2PT | 5" | 12.5 | A121 |
| 317801T | Barbless Cable Class 1 | _ | _ | 12.5 | A641 |

Barbed Wire - Commercial Grade

| Item # | Description | Barbs | Spacing | Gauge | ASTM |
|---------|------------------|-------|---------|-------|------|
| 317841T | Commercial Grade | 2PT | 5" | 12.75 | A116 |
| 317851T | Commercial Grade | 4PT | 5" | 12.75 | A116 |

HIGH-TENSILE BARBED WIRE

- Available in Class 3
- Heavy-duty galvanized coating for years of longer life
- Weighs 50% less than traditional barbed wire without losing strength
- Allows for further placement distance between posts
- Extra-sharp barbs
- Easy carrying handle
- Cardboard cover protects from sharp barbs
- Palletized and shrink-wrapped
- 48 spools per pallet
- 1,320' roll
- Sold in pallet quantities only



317881T





Barbed Wire - Class 3

| Item # | Description | Barbs | Spacing | Gauge | ASTM |
|---------|--------------------------------------|-------|---------|-------|------|
| 317881T | Barbed Wire High- Tensile Class 3 | 4PT | 5" | 15.5 | A121 |

FIELD FENCE

Available in 2 different Class 1 gauges

CLASS 3

CLASS 1

COMMERCIAL

- Heavy-duty galvanized coating
- Palletized and shrink-wrapped



8 rolls per pallet (11 ga.)

What is Class 3 ?

CORROSION RESISTANCE

BEST

BETTER

GOOD

Sold in pallet quantities only



348104T





Tension curve helps maintain fence uniformity despite extremes of temperature



Hinge joint construction provides flexibility and shape retention

Galvanized - Class 1

| Item # | Description | Gauge | Spacing | Height | Length | ASTM |
|---------|-------------|-------|---------|--------|--------|------|
| 348104T | 939-6 | 12.5 | 6" | 39" | 330' | A116 |
| 348106T | 1047-6 | 12.5 | 6" | 47" | 330' | A116 |
| 348122T | 1047-6 | 11 | 6" | 47" | 330' | A116 |
| | | | | | | |

WIRE AND FENCING

HEAVY-DUTY CLASS 3 ELECTRIC FENCE WIRE



RANGEMASTER

317732T

- High-tensile steel
- Class 3 galvanized
- 200,000 PSI
- 12.5 gauge wire
- 48% more electrical conductivity than standard 14.5 gauge wire
- 77% savings in posts allows posts to be placed every 65-1/2' without deformity
- 100 lbs. per roll, 4,000' per roll
- 20 rolls per pallet
- Sold in pallet quantities only

Class 3 Electric Fence Wire

| Item # | Gauge | Length | ASTM |
|---------|-------|--------|------|
| 317732T | 12.5 | 4,000' | A641 |

SMOOTH WIRE



RANGEMASTER

- Uniform diameter along the whole roll
- Heavy-duty galvanized finish resists rust
- Continuous rolls from start to end (without cuts)
- Class 3
- 10 rolls per bundle, 10 bundles per pallet
- Sold by the bundle

Galvanized Smooth Wire/Brace Wire

| Item # | Description | Gauge | ASTM |
|---------|-------------|-------|------|
| 317527A | 10# Coils | 9 | A641 |

* Minimum order of 1 bundle.



WIRE AND FENCING

| - | | - | - |
|---|------|-------|---|

STOCK 10 WIRE PANEL

- Sold in bundles of 25
- Stands 50" tall
- 16' length .
- Constructed of 4/5-gauge wire .

10 horizontal wires running the length of the panel

| Description | Item # | Height | Approx. Weight | Length |
|---------------------|--------|--------|----------------|--------|
| Stock 10 Wire Panel | CPS10 | 50" | 36 lbs. | 16' |

COMBO THRIFTY WIRE PANEL

•

•

- Sold in bundles of 50
- Stands 50" tall
- 16' length
- Constructed of 4/5-gauge wire
- 13 horizontal wires running the length of the panel

| Description | Item # | Height | Approx. Weight | Length |
|--------------------------|--------|--------|----------------|--------|
| Combo Thrifty Wire Panel | CPCT | 50" | 43 lbs. | 16' |

HOG WIRE PANEL

- Sold in bundles of 50 Stands 34" tall
- 16' length
- Constructed of 4/5-gauge wire
- 11 horizontal wires running the length of the panel

| Description | Item # | Height | Approx. Weight | Length |
|----------------|--------|--------|----------------|--------|
| Hog Wire Panel | CPH | 34" | 34 lbs. | 16' |

HORSE WIRE PANEL

Sold in bundles of 25 16' length 16 horizontal wires running . the length of the panel with Stands 60" tall Constructed of 6-gauge wire . . 2 x 4 spacing Description Item # Height Approx. Weight Length WPG16 16' Horse Wire Panel 60" 75 lbs.

| 4 X 4 UTILITY PANEL |
|------------------------|
| 4 A 4 U I ILI I FAINEL |

- Sold in bundles of 25 . Stands 48" and 60" tall
- 16 С
- norizontal wires running length of the panel

| Description | Item # | Height | Approx. Weight | Length |
|---------------------|-----------|--------|----------------|--------|
| 4 x 4 Utility Panel | WP4466416 | 48" | 40 lbs. | 16' |
| 4 x 4 Utility Panel | WP4466516 | 60" | 49 lbs. | 16' |


*All Panels can be lined up with T-posts to form fencing panels, or can be affixed to wooden posts with staples.

| | - | | | | |
|---|---|---|---|---|---|
| | | - | - | | - |
| | | | | | |
| _ | | | - | | |
| | _ | | | _ | |
| | - | | | | |



| 6' length | • | 13 h |
|----------------------------|---|-------|
| onstructed of 4-gauge wire | | the l |

WIRE AND FENCING



T-POST PULLER


- Used to pull T-post quickly and neatly from the ground
- Creates tight connection between pulling head and T-Post while the base functions as a fulcrum
- Folds for easy storage
- A must for every pickup and farm toolbox
- Features our superior E-Coat red finish to ensure longer life in the field



| Description | Item # | Approx. Weight | Length | Height |
|---------------|--------|----------------|--------|--------|
| T-Post Puller | TPP | 21 lbs. | 64" | 31" |
| | | | | |

RECTANGLE FIELD

FENCE & POST CALCULATION GUIDE & CHARTS



BARBED WIRE 80 Rods (1,320') Per Roll

SQUARE FIELD

1 Rod = 16-1/2' 1/4 Mile = 1,320' (80 Rods) 1/2 Mile = 2,640' (160 Rods) 1 Mile = 5,280' (320 Rods)

FIELD FENCE

20 Rods (330') Per Roll

| Acres | Fiel | d Length | | ence uired* | No. of Stee Line Posts Required |
|-------|------|------------|-------------|----------------|---------------------------------------|
| | Rods | Foot | Inchos | Doda | 4-Corner Field |
| 1 | 12 | Feet 10 | Inches 9 | Rods 51 | 47 |
| | | | 7 | | |
| 2 | 17 | 14 | 8 | 72 | 68 |
| 3 | 21 | 15 | | 88 | 84 |
| 4 | 25 | 4 | 11 | 101 | 97 |
| 5 | 28 | 4 | 8 | 113 | 109 |
| 6 | 30 | 16 | 3 | 124 | 120 |
| 7 | 33 | 7 | 8 | 134 | 130 |
| 8 | 35 | 12 | 10 | 143 | 139 |
| 9 | 37 | 15 | 8 | 152 | 148 |
| 10 | 40 | _ | _ | 160 | 156 |
| 20 | 56 | 9 | 5 | 227 | 223 |
| 30 | 69 | 4 | 8 | 277 | 273 |
| 40 | 80 | _ | _ | 320 | 316 |
| 50 | 89 | 7 | 4 | 358 | 354 |
| 60 | 97 | 16 | 2 | 392 | 388 |
| 70 | 105 | 13 | 8 | 424 | 420 |
| 80 | 113 | 2 | 3 | 453 | 449 |
| 100 | 126 | 8 | 1 | 506 | 502 |
| 120 | 138 | 9 | 4 | 554 | 550 |
| 140 | 149 | 11 | _ | 599 | 595 |
| 150 | 160 | _ | - | 640 | 636 |
| 320 | 226 | 4 | 7 | 905 | 901 |
| 640 | 320 | _ | _ | 1,280 | 1,276 |

| Acres | Field Length | Field Width | Fence Required* | No. of Steel Line Posts Required |
|-------|-----------------|----------------|--------------------|--|
| | | | | 4-Corner |
| | Rods | Rods | Rods | Field |
| 1 | 16 | 10 | 52 | 48 |
| 1 | 20 | 8 | 56 | 52 |
| 2.5 | 40 | 10 | 100 | 96 |
| 4 | 32 | 20 | 104 | 100 |
| 5 | 40 | 20 | 120 | 116 |
| 6 | 60 | 16 | 152 | 148 |
| 7 | 80 | 14 | 188 | 184 |
| 8 | 80 | 16 | 192 | 188 |
| 9 | 80 | 18 | 196 | 192 |
| 10 | 50 | 32 | 164 | 160 |
| 20 | 100 | 32 | 264 | 260 |
| 30 | 80 | 60 | 280 | 276 |
| 40 | 100 | 64 | 328 | 324 |
| 50 | 100 | 80 | 360 | 356 |
| 60 | 120 | 80 | 400 | 396 |
| 70 | 160 | 70 | 460 | 456 |
| 80 | 128 | 100 | 456 | 452 |
| 100 | 160 | 100 | 520 | 516 |
| 120 | 192 | 100 | 584 | 580 |
| 140 | 280 | 80 | 720 | 716 |
| 160 | 320 | 80 | 800 | 796 |
| 320 | 400 | 128 | 1,056 | 1,052 |
| 640 | 400 | 256 | 1,312 | 1,308 |

*Use ends and corner posts as required. Stretcher posts should be used at approximately 20-rod intervals for permanent farm fences. Subtract 1 line for every stretcher post to be used.

PACKAGED ACCESSORIES

PACKAGED GATE ACCESSORIES



CBGAP

Gate Wheel

GWHP



GL22P



GL21P



WL





RL

| Description | Item # | Height | Approx. Weight | Width | Diameter |
|---|--------|---------|----------------|--------|----------|
| Gate Wheel | GWHP | _ | 3-3/4 lbs. | — | 7" |
| Cane Bolt Gate Anchor | CBGAP | 19" | 4 lbs. | 3-3/4" | _ |
| HD Two-Way Lockable Gate Latch 1-5/8" – 2" O.D. | GL22P | 11" | 5 lbs. | 4-1/4" | _ |
| Two-Way Lockable Gate Latch 1-1/4" – 1-1/2" O.D. | GL21P | 6-3/4" | 2 lbs. | 4" | _ |
| Wrangler Latch | WL | 31-1/2" | 7-1/4 lbs. | 4-1/2" | - |
| Rancher Latch | RL | 14" | 19-1/2 lbs. | 37" | _ |



NON-PACKAGED HARDWARE

HINGE PINS FOR 1-3/4" GATES

| Description | Item # | Approx. Weight |
|------------------------------------|--------|----------------|
| 5/8" x 6" Galvanized Screw-in Pin | HPG6 | .5 lb. |
| 5/8" x 13" Galvanized Threaded Pin | HPG13 | 1.5 lbs. |

HINGE PINS FOR 2" GATES

| Description | Item # | Approx. Weight |
|-------------------------------------|---------|----------------|
| 3/4" x 12" Galvanized Threaded Pin* | HPHDG12 | 2.0 lbs. |

*We do not recommend using smaller pins for 2" Heavy-Duty Gates.

KIDDER PANEL PINS

| Description | Item # | Approx. Weight |
|--------------------------------|--------|----------------|
| 1/2" x 8-1/2" Galvanized L-Pin | LPP | 1 lb. |
| with hole | | |

MISCELLANEOUS ITEMS

| Description | Item # | Approx. Weight |
|------------------------------|--------|----------------|
| 36" HD Galvanized Snap Chain | HDGSC | .75 lb. |



| TUBE GATE HINGES | | | | |
|-------------------------|--------|----------------|--|--|
| Description | Item # | Approx. Weight | | |
| 1-3/4" Hinge Galvanized | CHG | .45 lb. | | |
| 2" HD Hinge Galvanized | CHHDG | .85 lb. | | |

HAY SPEAR REPLACEMENT PARTS

| Description | Item # | Approx. Weight |
|---------------------------------------|--------|----------------|
| Hay Spear – fits SST, BS, HF, QASS | NSBS | 20.0 lbs. |
| Spear Sleeve – fits SST, BS, HF, QASS | SNSBS | 4.25 lbs. |
| Spear Nut – fits SST, BS, HF, QASS | NUT2 | .25 lbs. |
| Stabalizer Bars – fits QASS | YSS | 6.0 lbs. |





AND WATERERS

TANKS AND WATERERS



Round Galvanized Stock Tanks

| Size | Approx. Capacity | Approx. Weight | Item # |
|---------|------------------|----------------|--------|
| 3' x 2' | 105 gallons | 36 lbs. | WTR32 |
| 4' x 2' | 165 gallons | 65 lbs. | WTR42 |
| 6' x 2' | 390 gallons | 115 lbs. | WTR62 |
| 8' x 2' | 700 gallons | 176 lbs. | WTR82 |

Oval Galvanized Stock Tanks w/Drinker

(Street

| Size | Approx. Capacity | Approx. Weight | Item # |
|--------------|------------------|----------------|--------|
| 2' x 2' x 4' | 96 gallons | 60 lbs. | WTD224 |

HEAVY-DUTY GALVANIZED STOCK TANKS

- 4-ply, double-lock bottom
- Deep sidewall corrugation for strength
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" top rim is permanently rolled for strong reinforcement
- 1" tube inside rim of tank for additional strength
- Most feature a 1" drain plug

Oval Galvanized Stock Tanks

- Unmatched quality and consistency in construction
- Sold in nests of 3

| Size | Approx. Capacity | Approx. Weight | Item # |
|---------------|------------------|----------------|--------|
| 2' x 1' x 4'* | 40 gallons | 30 lbs. | WT214 |
| 2' x 1' x 6'* | 70 gallons | 46 lbs. | WT216 |
| 2' x 2' x 3' | 70 gallons | 36 lbs. | WT223 |
| 2' x 2' x 4' | 100 gallons | 46 lbs. | WT224 |
| 2' x 2' x 5' | 125 gallons | 55 lbs. | WT225 |
| 2' x 2' x 6' | 170 gallons | 63 lbs. | WT226 |
| 2' x 2' x 8' | 220 gallons | 84 lbs. | WT228 |
| 3' x 2' x 8' | 300 gallons | 95 lbs. | WT328 |

*Drain plug not available

TART

TANKS AND WATERERS

HEAVY-DUTY GALVANIZED CANNING & UTILITY TANKS

- Small sizes and heavy-duty handles make tanks easy to manage and store
- Lightweight tanks for a variety of uses
- Useful for small gardens, planters, feed storage, and assisting with chores around the home or farm
- Great drink coolers at social gatherings
- 4-ply, double-lock bottom
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" top rim is permanently rolled for strong reinforcement
- 1" tube inside rim of tank for additional strength
- Unmatched quality and consistency in construction

Round Canning & Utility Tanks

| Size | Capacity | Approx. Weight | Item # |
|---------|------------|----------------|--------|
| 2' x 1' | 23 gallons | 18 lbs. | GCT21 |
| 2' x 2' | 46 gallons | 27 lbs. | GUT22 |



GCT21

SPIGOT TANKS & STANDS

- Great drink coolers, planters, and merchandise holders
- Spigots for easy dispensing of water
- Customized for our 2' x 1' canning tank and 2' x 1' x 4' stock tank
- Stands are constructed of 1-3/4" tubular steel
- Stands feature our durable, corrosionresistant powder coat red finish



Spigot allows easy water disposal. Threaded nozzle to accommodate water hoses.



| Description | Item # | Height | Approx.Weight | Width | Length |
|---|--------|--------|---------------|-------|---------|
| Water Tank Stand (fits tank GCT21S) | WTS | 28" | 20 lbs. | 22" | 22" |
| Galvanized Canning Tank 2x1 w/Spigot | GCT21S | 13" | 19 lbs. | 26" | - |
| Water Tank Stand Large (fits tank WT214S) | WTSL | 28" | 26 lbs. | 30" | 42-1/2" |
| Galvanized Water Tank 2x1x4 w/Spigot | WT214S | 13" | 30 lbs. | 23" | 53" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



3' FIRE RING

- Perfect for fire containment and safety at campsite
- Keeps embers hot extending fire burn time
- 12" tall design to accommodate more wood
- Constructed from galvanized metal for extended life
- Measures 3' diameter with smooth rolled top
- Great at campgrounds or personal sites
- Sold in nests of 3

| Description | Item # | Height | Approx. Weight | Diameter |
|--------------|--------|--------|----------------|----------|
| 3' Fire Ring | FR3 | 12" | 31 lbs. | 3' |



Oval Tuff Tanks

| Size | Capacity | Item # |
|-----------------|--------------|--------|
| 22" x 8" x 28" | 15 gallons | KMT103 |
| 25" x 12" x 35" | 30 gallons | KMT102 |
| 27" x 13" x 38" | 40 gallons | KMT101 |
| 36" x 20" x 53" | 110 gallons | KMT100 |
| 38" x 20" x 56" | 140 gallons* | KMT99 |
| 40" x 24" x 58" | 180 gallons* | KMT98 |

TUFF TANKS

- Constructed of 100% low-density polyethylene
- Impact-, heat-, cold-, and U.V.-resistant
- Tanks will withstand years of outdoor use
- Will not discolor over time
- Smooth edges to provide the greatest safety for humans and animals
- Paintable material
- Bulk head adapter plug available for smaller tanks if desired

| Round Tuff Tanks | | | Miscellaneous Capacity | Item # |
|------------------|------------|--------|----------------------------|--------------|
| Size | Capacity | Item # | Feed Drum w/ 37 gallons | KMW105 |
| 28" x 13" | 25 gallons | KMB103 | Lid 24" x 24" | 1(111111110) |
| 33" x 21" | 54 gallons | KMB101 | Bulk Head Adapter/Plug Kit | AD34 |

*Comes with built-in 1" drain plug.



8' ROUND TANK


- Constructed from tough polyethylene material
- Will never rust or corrode
- 2' tall/8' diameter
- Single molded piece holds 625 gallons
- Available in blue only

| Description | Item # | Height | Approx. Weight | Capacity |
|---------------|--------|--------|----------------|-------------|
| 8' Round Tank | WTP82 | 24" | 85 lbs. | 625 gallons |

TANKS AND WATERERS

ELECTRIC WATERERS

- Constant fresh, clean water; like pouring your animals a fresh glass of water, on demand, 24 hours a day
- Internal heater keeps water from freezing in cold weather
- Constructed of 100% polyethylene material for years of trouble-free operation
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic
- Rounded corners to handle abuse by livestock while ensuring livestock safety
- Corrosion-free products to provide many years of trouble-free operation
- Clean cool drinking water will lower respiration rates and body temperatures; increase feed intake and milk yield
- Time saver automatic water refill
- Algae growth reduced on water
- Year-round ease of usage
- Product will not crack or rust in extreme weather conditions
- Bolt-down method keeps the waterer in desired location
- Less everyday maintenance
- Meets "Grade A" Dairy recommendations
- Model WEE10 is both wall and floor mount





Double Bowl Electric Waterer 9.2-gallon capacity – WEE100

Recommended head: 100 beef, 50 dairy, and 50 horses



Single Bowl Electric Waterer 4.8-gallon capacity – WEE50

Recommended head: 60 beef, 25 dairy, and 30 horses



Low Profile Double Bowl Electric Waterer 5.3-gallon capacity – WEE20

Recommended head: 60 beef, 25 dairy, and 30 horses



Wall or Floor Mount Electric Horse Waterer 2.9-gallon capacity – WEE10

Recommended head: 5 beef, 3 dairy, and 10 horses

| Description | Item # | Height | Approx. Weight | Width | Length | Capacity | Heating Element |
|--|--------|---------|----------------|---------|--------|-------------|-----------------|
| Double Bowl Electric Waterer | WEE100 | 26" | 54 lbs. | 22" | 32" | 9.2 gallons | 500 watts |
| Single Bowl Electric Waterer | WEE50 | 26" | 40 lbs. | 22" | 27" | 4.8 gallons | 500 watts |
| Low Profile Double Bowl Electric Waterer | WEE20 | 16" | 32 lbs. | 21-3/4" | 28" | 5.3 gallons | 500 watts |
| Single Bowl Electric Horse Waterer | WEE10 | 13-1/2" | 26 lbs. | 17" | 17" | 2.9 gallons | 250 watts |





W351

Recommended head: 120 beef, 50 dairy, and 50 horses -Minimum 10 head

W352NG

Recommended head: 180 beef, 70 dairy, and 70 horses -Minimum 10 head

W44

Recommended head: 200 beef, 90 dairy, and 90 horses -Minimum 15 head

ENERGY-FREE WATERERS

- Constant fresh, clean water; like pouring your animals a fresh glass of water, on demand, 24 hours a day
- Constructed from 100% polyethylene material
- Rounded corners to handle abuse by livestock while ensuring livestock safety
- Corrosion-free products to provide many years of trouble-free operation
- As ground water is pulled into insulated vent, water temperature is raised to prevent freezing
- Clean cool drinking water will lower respiration rates and body temperatures; increase feed intake and milk yield
- Time saver automatic water refill
- Algae growth reduced on water
- Protection from the elements, eliminating stagnant water, which aids against West Nile Virus
- Year-round ease of usage
- Product will not crack or rust in extreme weather conditions
- Bolt-down method keeps the waterer in desired location
- Less everyday maintenance
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic

| Description | Item # | Height | Approx. Weight | Width | Length | Capacity |
|---------------------------------|--------|--------|----------------|-------|--------|------------|
| Single-Door Energy Free Waterer | W351 | 20" | 50 lbs. | 23" | 28" | 17 gallons |
| Dual-Door Energy Free Waterer | W352NG | 20" | 75 lbs. | 23" | 41" | 22 gallons |
| Four-Door Energy Free Waterer | W44 | 19" | 92 lbs. | 36" | 41" | 40 gallons |

MULTI-USE UTILITY DE-ICER

- Constructed of Cast Aluminum for ultimate efficiency and performance
- Thermostatically controlled to operate only when necessary
- Designed for multiple uses around home and farm
- Safe in plastic tanks
- Used in 25 and 50 gallon tanks, buckets of all sizes, small animal drinkers, hog waterers, surface heater, and bird baths depending on unit model
- Available in 250 watt and 500 watt units with 6' cord



UDI250 / UDI500

WATER TANK FLOAT VALVE

- Eliminates the need for manual water fills or expensive automatic livestock watering systems
- Attach to existing water tanks to allow automatic water fill when levels are low
- Operates with gravity flow or pressures up to 70 PSI
- Versatile for most any water tank
- Made of tough, high-density polyethylene
- Features replaceable water polyethylene shut-off orifice
- Attaches to standard garden hose
- 300 GPH capacity

| | - | |
|---|-----|---|
| 0 | 1 | |
| | 182 | 1 |
| | 1 | 1 |
| | | / |
| | | |

WTFV

| Description | Item # | Height | Approx. Weight | Width | Length |
|------------------------------------|--------|--------|----------------|--------|--------|
| Multi-Use Utility De-Icer 250 Watt | UDI250 | — | 1-1/2 lbs. | 4" | 7" |
| Multi-Use Utility De-Icer 500 Watt | UDI500 | _ | 1-1/2 lbs. | 4" | 7" |
| Water Tank Float Valve | WTFV | 3-3/4" | 1-1/3 lbs. | 3-3/4" | 7-1/2" |



TART

ER

TARTER

*

RT

日間同

6

14

TART

THE NEW STANDARD IN ROPING CHUTES

14 REASONS WHY YOU SHOULD SWITCH TO TARTER ROPING CHUTES

1

Tarter Roping Chutes are now the new standard in roping. These feature-packed units have innovations never before experienced on the market, with three models to choose from.

- 1. Lowest cost/ highest quality/ heaviest roping chute on the market today
- 2. All chute models manual and electric can be released manually at any time.

13

- 3. Electric chute can be operated by manual release, push-button release, and remote release.
- 4. Unique front/rear gate design opens rear gate as front gate closes.
- Easy one-handed operation for both tailgate release and opening/closing. Chute can be manually operated from either side of chute.
- Solar panels keep on-board battery charged with no need for 110V.
- 7. Door design allows for easy removal of door if necessary.
- 8. Slanted door design helps keep steer's head up.
- Lower front openings give steer greater visibility to encourage keeping their head up.
- 10. Fully covered and protected electronics feature our surerelease system, which guarantees release of headgate regardless if steer is putting pressure on door.
- 11. Greater ground clearance than any other roping chute on the market, allowing for easy access to cleaning out or building up if trenched out.
- 12. ERCRH has a single-button remote, which opens and closes headgate.
- 13. Rear doors pivot from top for easier operation, greater ground clearance in rear, and no components in the mud or manure.
- 14. Grease zerks on pivot points



10



MRCE



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



ECONOMY MANUAL CHUTE

- Most affordable full-featured roping chute on the market
- Operates from either side, from ground or saddle
- Easy fingertip front gate trigger ensures consistent animal release
- Large 2" square tube frame for years of durable service.
- Easy to operate rear scissor gates
- Ideal for releasing steers for personal or competition roping

NEW PRODUCT

- Reliable operation for any roping setup
- Grease zerks on pivot points

.

- Slanted door design with lower front openings keeps steer's head up while increasing visibility
- Features our durable, corrosion-resistant powder coat brown finish

| | | | Approx. | | |
|--------------------------------|--------|--------|----------|-------|--------|
| Description | Item # | Height | Weight | Width | Length |
| Manual Roping Chute Economy | MRCE | 64" | 445 lbs. | 32" | 89" |

HEAVY-DUTY MANUAL CHUTE

- Ideal for releasing steers for personal or competition ropings
- Lowest cost/ highest quality/ heaviest roping chute on the market today
- Coordinated front and rear door closing, which prevents any accidental animal loss
- Quietest operation of any chute
- Reliable operation for any roping setup
- Easy one-handed operation for both tailgate release and opening/closing chute can be operated from either side
- Fully covered and protected sure-release mechanism with covered springs and latches
- Grease zerks on pivot points
- Slanted door design with lower front openings keeps steer's head up while increasing visibility
- Features our durable, corrosion-resistant powder coat brown finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|------------------------|--------|--------|-------------------|-------|--------|
| Manual Roping Chute | MRC | 65" | 628 lbs. | 38" | 93" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



HEAVY-DUTY ELECTRIC CHUTE WITH REMOTE HEADGATE

- Offers the same great features as the Manual Chute but offers a single button remote headgate
- Features a 12V solar power system allowing it to be put anywhere without the need of an air compressor or electric (110V)
- Headgate can be operated via manual release lever, on-board push button, or from remote on horseback
- Features our durable, corrosion-resistant powder coat brown finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|--|--------|--------|-------------------|--------|--------|
| Electric Roping Chute w/Remote Headgate | ERCRH | 65" | 712 lbs. | 38" | 93" |
| Remote Holder Manual | RHM | 1-1/2" | 2-3/4" | 3-3/4" | |
| Single Button Remote | SBR | 1-5/8" | 2-3/4" | 3" | |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ROPING BOXES



| Description | Item # | Height | Approx. Weight | Width | Length |
|--------------------------|--------|--------|-------------------|-------|--------|
| Right Hand Roping Box | RHRB* | 42" | 240 lbs. | 80" | 153" |
| Left Hand Roping Box | LHRB* | 42" | 240 lbs. | 80" | 153" |

- Creates positive location for horse and rider creating consistent start time
- Boxes have large smooth contact surfaces for horse safety
- Angled legs away from the horse prevents hock injuries
- 14-gauge sheet metal for horse safety
- Equipped with plate and anchor holes for a secure hold
- Stands 3' 6" tall
- 12' 9" long
- Features our durable, corrosion-resistant powder coat brown finish



90° ALLEY CORNER

- Used in roping arenas for turning steers into alleys and • roping chutes
- Easily connects to Tarter Leadups and Chutes •
- Gradual turn provides an easy corner to facilitate smooth • effortless flow of livestock
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

_

| Description | Item # | Height | Approx. Weight | Overall Width | Alley Width | Length |
|------------------|--------|--------|----------------|---------------|-------------|--------|
| Alley Corner 90° | AC90* | 63" | 218 lbs. | 36" | 15" | 80" |

*Built to order - Additional lead-time may be required.



Optional Backstop - BO



STRIPPING CHUTE

- Used in roping arenas to contain steer while removing ropes
- Easy float headgates with high mount single hand release
- Built-in backstop and heavy-duty swing gate with ground pin
- Easy mount ramp to put steer within reach from horseback
- Mesh floor deck stands 14" from the ground
- Fully reversible swing gate allowing chute to be set up on either side of arena
- Features our durable, corrosion-resistant powder coat brown finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|---------------------------------------|--------|--------|----------------|-------|--------|
| Stripping Chute w/Swing Gate Elevated | SCSG* | 73" | 463 lbs. | 37" | 76" |
| Stripping Chute Optional Front Ramp | SCFR* | _ | 56 lbs. | 28" | 47" |


*Built to order - Additional lead-time may be required.



SCGBR12

| Length | Vertical Braces | Approx.Weight | Item # |
|--------|-----------------|---------------|----------|
| 6' | 0 | 50 lbs. | SCGBR6* |
| 8' | 1 | 64 lbs. | SCGBR8* |
| 10' | 1 | 74 lbs. | SCGBR10* |

*Built to order - Additional lead-time may be required.



2SCGBR12

| Length | Vertical Braces | Approx. Weight | Item # |
|--------|-----------------|----------------|-----------|
| 10' | 1 | 99 lbs. | 2SCGBR10* |
| 12' | 2 | 117 lbs. | 2SCGBR12* |
| 16' | 2 | 152 lbs. | 2SCGBR16* |

*Built to order - Additional lead-time may be required.

SQUARE CORNER GATE

- Used to provide an entrance for animals or equipment into arena
- Stands 51" tall with saddle welded square corners
- Laser cut brace technique provides a continuous and smooth interior surface for animal safety
- Constructed from 1-3/4" 16-gauge tubing
- Super-duty hinge pin on welded swivel-collared hinges and a chain latch
- Available in 6'-16' sizes
- Features our durable, corrosion-resistant powder coat brown finish


| Length | Vertical Braces | Approx. Weight | Item # |
|--------|-----------------|----------------|----------|
| 12' | 2 | 96 lbs. | SCGBR12* |
| 14' | 2 | 112 `lbs. | SCGBR14* |
| 16' | 2 | 125 lbs. | SCGBR16* |
| | | | |

2" SQUARE CORNER SUPER-DUTY GATE

- Used to provide an entrance for animals or equipment into arena
- Stands 60" tall with saddle welded square corners
- Laser cut brace technique provides a continuous and smooth interior surface for animal safety
- Constructed from 2" 16-gauge tubing
- Super-duty hinge pin on welded swivel-collared hinges
- Weld-on chain latch
- Available in 10', 12', & 16' sizes
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



AP512

5' Tall Arena Panels Economy

| Length | Vertical Braces | Approx. Weight | Item # |
|--------|-----------------|----------------|--------|
| 6' | 1 | 30 lbs. | AP56* |
| 8' | 1 | 39 lbs. | AP58* |
| 10' | 1 | 45 lbs. | AP510* |
| 12' | 2 | 55 lbs. | AP512* |
| 16' | 3 | 80 lbs. | AP516* |

5' Tall Arena Panels Heavy-Duty

| Vertical Braces | Approx. Weight | Item # |
|-----------------|---------------------------|--|
| 1 | 55 lbs. | APHD56* |
| 1 | 65 lbs. | APHD58* |
| 1 | 80 lbs. | APHD510* |
| 2 | 102 lbs. | APHD512* |
| 3 | 128 lbs. | APHD516* |
| | Vertical Braces 1 1 1 2 3 | 1 55 lbs. 1 65 lbs. 1 80 lbs. 2 102 lbs. |

6' Tall Arena Panels Heavy-Duty

| Length | Vertical Braces | Approx. Weight | Item # |
|--------|-----------------|----------------|----------|
| 6' | 1 | 70 lbs. | APHD66* |
| 8' | 1 | 85 lbs. | APHD68* |
| 10' | 1 | 100 lbs. | APHD610* |
| 12' | 2 | 125 lbs. | APHD612* |
| 16' | 3 | 165 lbs. | APHD616* |

*Built to order - Additional lead-time may be required.

ARENA PANELS

- Perfect for roping arenas and events
- Great for cattle handling setups
- Heavy-duty hookup for solid connections
- Comes in five different lengths and two heights for different arena needs
- Straight end posts with closed tops
- Bow Hook-up Adapter available for 3-way connections
- 2" 16-gauge precision cut laser braces

5' Arena panels - Economy

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 20-gauge steel
- 62" tall panels
- Use for rodeo arenas and other light confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish

5' Arena panels - Heavy-Duty

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 16-gauge steel
- 62" tall panels
- Use for cattle-handling systems, rodeos, or other heavy confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish

6' Arena panels - Heavy-Duty

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 16-gauge steel
- 73" tall panels
- Use for cattle-handling systems, rodeos, or other heavy confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



ARTHD6910



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ARENA WALK, RIDE, & DRIVE-THRUS

Tarter arena walk, ride, and drive-thrus come in a variety of sizes to accommodate all of your arena needs.

- Use for cattle-handling systems, rodeo/arena setups, or other heavy confinement
- Heavy-duty bullet style single latch
- 2" 16-gauge precision cut laser braces
- Walk-thrus stand 7' tall, ride-thrus stand 9' tall, and drive-thrus stand 12' tall
- Features our durable, corrosion-resistant powder coat brown finish

5' heavy-duty Bows and gates

- 1-3/4" 14-gauge gate and support bars
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 5' tall from ground

6' Heavy-duty Bows and gates

- 1-3/4" 14-gauge gate and support bars
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 6' tall from ground

5' Arena Walk-Thru Heavy-Duty

| Length | Height | Item # |
|--------|--------|------------|
| 4' | 84" | AWTHD574* |
| 6' | 84" | AWTHD576* |
| 10' | 84" | AWTHD5710* |
| 12' | 84" | AWTHD5712* |

5' Arena Ride-Thru Heavy-Duty

| Length | Height | Item # |
|--------|--------|---------------|
| 6' | 108" | ARTHD596* |
| 10' | 108"" | ARTHD5910* |
| 10'† | 108" | ARTHD59100MM* |
| 12' | 108" | ARTHD5912* |

†Bow only - Male connectors only

| 6' Arena Walk-Thru Heavy-Duty | | | | |
|-------------------------------|--------|------------|--|--|
| Length | Height | Item # | | |
| 4' | 84" | AWTHD674* | | |
| 6' | 84" | AWTHD676* | | |
| 10' | 84" | AWTHD6710* | | |
| 12' | 84" | AWTHD6712* | | |

6' Arena Ride-Thru Heavy-Duty Length Height Item # 108" ARTHD696* 6' 10' 108" ARTHD6910* 10'† 108" ARTHD69100MM* 108" 12 ARTHD6912*

†Bow only - Male connectors only

| Description | Item # | Height | Approx. Weight | Width | Length |
|---------------------|--------|--------|----------------|---------|---------|
| Bow Hook-up Adapter | BHA | 1-1/2" | 1 lb. | 1-7/16" | 5-1/16" |
| Panel Clip 1-3/4" | PC134 | 1-3/4" | 1/5 lb. | _ | 4" |
| Panel Clip 2" | PC2 | 2" | 1/5 lb. | _ | 4" |



| 6' Arena Drive-Thru Heavy-Duty | | | |
|--------------------------------|--------|-------------|--|
| Length | Height | Item # | |
| 12' | 144" | ADTHD61212* | |





SSP10



SSPWT710

SUPER STOCK PANELS -PANEL & WALK-THRUS

Use for all your rough stock needs.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- Panels are 62" tall
- Panels are designed to be used with connector posts or our Super Stock Alley Frame
- 2" 14-gauge panel and support bars
- 2-1/4" 14-gauge precision cut laser braces
- Use heavy-duty connector posts for strong hookup if 72" height is desired
- Walk-thru gate stands 72" tall with 48" wide walk-thru
- Heavy-duty 2-3/8" 10-gauge bow tube on walk- and ride-thrus for maximum strength
- Closed end loops and closed tops
- High mount latches for mounted operation
- Heavy-duty bullet style single latch
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

Super Stock Panel

| Length | Vertical Braces | Item # | |
|--------|-----------------|--------|--|
| 5' | 0 | SSP5* | |
| 10' | 1 | SSP10* | |
| 12' | 2 | SSP12* | |
| 16' | 3 | SSP16* | |
| | | | |

| & Walk-Thru | |
|-------------|-----------|
| Height | Item # |
| 84" | SSPWT710* |
| 84" | SSPWT712* |
| | 84" |



SSRT910

SUPER STOCK WALK, RIDE, & DRIVE-THRUS

Tarter Super Stock equipment offers the heaviest walk, ride, and drive-thrus on the market and are the ultimate choice for all your rough stock needs.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- Walk-thrus stand 7' tall, ride-thrus stand 9' tall, and drive-thrus stand 12' tall
- 2" 14-gauge gate and support bars
- 2-1/4" 14-gauge precision cut laser braces
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 6' tall from ground
- Heavy-duty pin connectors
- Bow Hook-up Adapter available for 3-way connections
- Features our durable, corrosion-resistant powder coat brown finish

| Super Stock Walk-Thru DOUBLE-LATCH | | |
|---------------------------------------|--------|----------|
| Length | Height | Item # |
| 4' | 84" | SSWT74* |
| 6' | 84" | SSWT76* |
| 10' | 84" | SSWT710* |
| 12' | 84" | SSWT712* |
| | | |

Connector Posts

| Super Stock Ride-Thru DOUBLE-LATCH | | |
|---------------------------------------|--------|-------------|
| Length | Height | Item # |
| 6' | 108" | SSRT96* |
| 7' | 108" | SSRT97* |
| 10' | 108" | SSRT910* |
| 10'† | 108" | SSRT910OFF* |
| 12' | 108" | SSRT912* |
| 16' | 108" | SSRT916* |
| | | |

†Bow only - Female connectors only


| Super Stock Drive-Thru DOUBLE-LATCH | | |
|--|------|-----------|
| Length Height | | Item # |
| 12' | 144" | SSDT1212* |





Connector Posts

| Description | Item # | Post Height | Panel Height | # of Hookups | Latch Type |
|--------------------|-----------|-------------|--------------|--------------|--------------------|
| 5x5 Connector Post | CP55MF* | 5' | 5' | 2 | Male-Female |
| 5x5 Connector Post | CP55MFF* | 5' | 5' | 3 | Male-Female-Female |
| 5x5 Connector Post | CP55FMM* | 5' | 5' | 3 | Female-Male-Male |
| 6x6 Connector Post | CP66MF* | 6' | 6' | 2 | Male-Female |
| 6x6 Connector Post | CP66MMM* | 6' | 6' | 3 | Male-Male-Male |
| 6x6 Connector Post | CP66MMMM* | 6' | 6' | 4 | Male-Male-Male |
| 8x5 Connector Post | CP85MF* | 8' | 5' | 2 | Male-Female |
| 8x5 Connector Post | CP85MFF* | 8' | 5' | 3 | Male-Female-Female |
| 8x5 Connector Post | CP85FMM* | 8' | 5' | 3 | Female-Male-Male |
| 9x6 Connector Post | CP96MF* | 9' | 6' | 2 | Male-Female |
| 9x6 Connector Post | CP96FF* | 9' | 6' | 2 | Female-Female |
| 9x6 Connector Post | CP96MMM* | 9' | 6' | 3 | Male-Male-Male |
| 9x6 Connector Post | CP96MMMM* | 9' | 6' | 4 | Male-Male-Male |







SSAPWT710



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

SUPER STOCK ARENA PANELS -PANELS & WALK-THRUS

Livestock management is made easy with our Super Stock Arena Panels and Walk-Thrus. Versatility and durability is done right with Tarter equipment.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- 2" 16-gauge panel, gate, and support bars
- 2-1/4" 14-gauge precision cut laser braces
- 73" tall panels with 3-way triple loop hookup
- Heavy-duty 2-3/8" 10-gauge bow tube on walk- and ride-thrus for maximum strength
- Heavy-duty pin connectors
- Closed end loops and closed tops
- High mount latches for mounted operation
- Heavy-duty bullet style single latch
- Bow Hook-up Adapter available for 3-way connections
- Features our durable, corrosion-resistant powder coat brown finish

Super Stock Arena Panel

| Length | Vertical Braces | Item # |
|--------|-----------------|---------|
| 10' | 1 | SSPA10* |
| 12' | 2 | SSPA12* |
| 16' | 3 | SSPA16* |

Super Stock Arena Panel & Walk-Thru

| Length | Height | Item # |
|--------|--------|------------|
| 10' | 84" | SSAPWT710* |
| 12' | 84" | SSAPWT712* |



SUPER STOCK ARENA WALK, RIDE, &

Large animals require durable equipment. Tarter offers everything you need to keep you and your livestock safe, contained, and secure with our

Use for cattle-handling systems, rodeos, or other

Walk-thrus stand 7' tall, ride-thrus stand 9' tall, and drive-thrus

Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength

Features our durable, corrosion-resistant powder coat brown finish

DRIVE-THRUS



SSART910

Item #

BHA

PC2

Height

1-1/2"

2"

Super Stock Arena Walk-Thru FEMALE-MALE CONNECTOR Length Height Item # 4' 84" SSAWT74* 6' 84" SSAWT76* 84" 10' SSAWT710* 84" 12' SSAWT712*

| Super Stock Arena Ride-Thru FEMALE-MALE CONNECTOR | | |
|--|--------|-----------|
| Length | Height | Item # |
| 6' | 108" | SSART96* |
| 10' | 108" | SSART910* |
| 12' | 108" | SSART912* |
| 16' | 108" | SSART916* |

Description

Panel Clip 2"

Bow Hook-up Adapter

Super Stock Arena Ride-Thru MALE-MALE CONNECTOR Length Height Item # 10' 108" SSART910MM* 10'† 108" SSART9100MM* 108" SSART912MM* 12'

[†]Bow only

Approx. Weight

1 lb.

1/5 lb.






| - | 200 |
|-----|-----|
| BHA | |

Super Stock Arena Drive-Thru FEMALE-MALE CONNECTOR Length Height Item # 12' 144" SSADT1212*

*Built to order - Additional lead-time may be required.



ROPING SWEEP SYSTEM

Used to keep livestock contained and flowing into the leadups

Length

5-1/16"

4"

Provides the best livestock flow for any arena

Width

1-7/16"

- Heavy-duty curved sweep panels and swinging gate
- 3 full bows for maximum strength and tub integrity
- Easily setup and requires no tools
- Features our durable, corrosion-resistant powder coat brown finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|------------------------|--------|--------|-------------------|-------|--------|
| Roping Sweep System | RSS* | 108" | 1,120 lbs. | 132" | 253" |

*Built to order - Additional lead-time may be required.



Heavy-duty pin connectors

Super Stock Arena equipment.

2" 14-gauge gate and support bars

2-1/4" 14-gauge precision cut laser braces Gate panel stands 6' tall from ground

heavy confinement

stand 12' tall

.

.

.







FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ARENA WORKER

- Used to groom arenas to reduce injuries and boost performance
- A must have for any arena whether for competition or personal use
- Adjustable S-tines rip tough soil leaving a smooth uniform look
- Breaks down hard dirt clumps with ease and the floating drag blade leaves a smooth uniform finish
- 2-stage quick-hitch Category I and Category II pin compatible hookups to fit both medium and larger size tractors (2-stage Cat. I & Cat. II pins included)
- Available in 6' and 8' sizes
- 6' model works efficiently for 40-70 HP on 540 RPM tractors
- 8' model works efficiently for 60-90 HP on 540 RPM tractors
- Features our durable, corrosion-resistant powder coat gray finish

| Description | Item # | Height | Approx. Weight | Width | Length |
|-----------------|--------|--------|-------------------|-------|--------|
| 6' Arena Worker | AWGR6* | 45" | 720 lbs. | 75" | 84" |
| 8' Arena Worker | AWGR8 | 45" | 878 lbs. | 99" | 84" |









LHABC

| Description | ltem # | Height | Approx. Weight | Width | Length |
|--------------------------------------|--------|--------|-------------------|-------|--------|
| Left Hand Bucking Chute | LHBC* | 90" | 1820 lbs. | 60" | 114" |
| Right Hand Bucking Chute | RHBC* | 90" | 1820 lbs. | 60" | 114" |
| Left Hand Add-On Bucking Chute | LHABC* | 90" | 1355 lbs. | 60" | 112" |
| Right Hand Add-On Buck- ing Chute | RHABC* | 90" | 1355 lbs. | 60" | 112" |
| 2 Left Hand Bucking Chute | 2LHBC* | 90" | 3175 lbs. | 60" | 217" |
| 2 Right Hand Bucking Chute | 2RHBC* | 90" | 3175 lbs. | 60" | 217" |
| 3 Left Hand Bucking Chute | 3LHBC* | 90" | 4530 lbs. | 60" | 320" |
| 3 Right Hand Bucking Chute | 3RHBC* | 90" | 4530 lbs. | 60" | 320" |
| 4 Left Hand Bucking Chute | 4LHBC* | 90" | 5885 lbs. | 60" | 423" |
| 4 Right Hand Bucking Chute | 4RHBC* | 90" | 5885 lbs. | 60" | 423" |

*Built to order - Additional lead-time may be required.

BUCKING CHUTES

- Used in arenas for rough stock events
- Constructed of virtually indestructible 8-gauge and 11-gauge materials
- Spring-loaded lever latches and roller guides loaded at the bottom of each chute creating an easy open walkway from chute to chute
- Roller latches allow the gate to open under any condition with maximum functionality providing a safer option
- Strategically placed tie-down bars to allow better control of animals once "tied-in"
- Gate door panels constructed of indestructible "Rumber"
- Each gate is quick and exchangeable
- More filler bars giving more spacing allows better access for hooking cinches and flank straps
- Attachments for sponsor ad billboards
- Available in left and right hand versions
- All chutes come equipped with a platform
- Stairs and handrails sold separately (pg. 98)
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!





Strategically placed tie-down bars



Indestructible "Rumber" panels in alley gate



Smooth roller ball for easy gate opening

Heavy-duty handle with roller latching system



Spring-loaded roller latch



Alley panel rolls below platform out of the way



BUCKING CHUTE ACCESSORIES


Tarter Bucking Chutes have been designed to withstand the toughest livestock environments. The accessories that attach to the bucking chutes are no exception. All accessories are recommended when purchasing a bucking chute. These will give you maximum safety while using your chute. The platform comes with each bucking chute purchased while the rails and stairs are sold separately.

| | | | Approx. | | |
|----------------------------------|--------|--------|----------|-------|--------|
| Description | Item # | Height | Weight | Width | Length |
| Bucking Chute Platform | BCFP* | 46" | 278 lbs. | 100" | 61" |
| Bucking Chute Platform Stairs | BCPS* | 43" | 122 lbs. | 17" | 59" |
| Handrail For Stairs | HFS* | 70" | 20 lbs. | 24" | _ |

*Built to order - Additional lead-time may be required.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



SUPER STOCK SHEETED ALLEY PANEL

- Used for alley creation in rough stock applications
- Provided slots allow access to animals for adding and removing gear
- Designed to be used with connector posts
- Features our durable, corrosion-resistant powder coat brown finish

| Description | ltem # | Length | Vertical Braces | Height | Approx. Weight |
|--|----------|--------|--------------------|--------|-------------------|
| 8' Super Stock Sheeted Alley Panel | SSSAP8* | 8' | 1 | 62" | 250 lbs. |
| 10' Super Stock Sheeted Alley Panel | SSSAP10* | 10' | 1 | 62" | 296 lbs. |



SSRAG3

SUPER STOCK ALLEY GATES

- Used to control flow on rough stock systems
- Available in Rolling Gate and Swinging Gate
- Smooth rolling and sliding operations offer the strength to handle the heaviest of stock
- Alleyway opening measures 3' wide
- Features our durable, corrosion-resistant powder coat brown finish

| Description | Item # | Height | Approx. Weight | Inside Width | Overall Width | Length |
|---------------------------------------|----------|--------|-------------------|-----------------|------------------|--------|
| Super Stock Rolling Alley Gate | SSRAG3* | 74" | 290 lbs. | 29" | 37-1/8" | 12" |
| Super Stock Swinging Alley Gate | SSASAG3* | 74" | 157 lbs. | 29" | 37-1/8" | 5-1/2" |

*Built to order - Additional lead-time may be required.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



SUPER STOCK ALLEY CORNER 90°

- Used in rough stock applications to turn livestock into bucking chute
- Sheeted panels facilitate smooth animal flow
- Unmatched strength to provide greater control for your animals
- Can be used for any alley configuration used with alley frames (Alley Frame sold separately)
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

| Description | Item # | Height | Approx. Weight | Inside Width | Overall Width | Length |
|------------------------------|---------|--------|----------------|--------------|---------------|--------|
| Super Stock Alley Frame | SSAF3* | 74" | 78 lbs. | 36" | 37-1/8" | 6" |
| Super Stock Alley Corner 90° | SSAC90* | 74" | 476 lbs. | _ | _ | _ |


ARENA PACKAGES

Our rodeo arena kits have been custom designed for various arena needs. Each arena has been carefully thought out so that you don't have to guess what is needed for your setup. We've taken all the guess work out and now your arena is waiting on you to decide. Each diagram can be found online at TarterUSA.com. Give us a call to discuss a fully customized arena package.

100' x 200' PERMANENT RIDING ARENA

| Quantity | Description | Item # | Symbol |
|----------|-----------------|---------|----------------|
| 1 | 6' Arena Panel | AP56 | <u> </u> |
| 40 | 12' Arena Panel | AP512 | · |
| 4 | 16' Arena Panel | AP516 | |
| 2 | Connector Post | CP85F | Ŷ |
| 2 | Connector Post | CP85M | r ^o |
| 43 | Connector Post | CP85MF | Þ |
| 1 | 6' Arena Gate | SCGBR6 | -4 |
| 1 | 12' Arena Gate | SCGBR12 | |
| | | | |

120' X 230' PERMANENT COMBINATION ARENA



| Quantity | Description | Item # | Symbol |
|----------|--------------------------|------------|----------|
| 1 | LH Double Bucking Chute | 2LHBC | |
| 1 | RH Double Bucking Chute | 2RHBC | |
| 2 | 12' Arena Gate | 2SCGBR12 | -7 |
| 2 | 16' Arena Gate | 2SCGBR16 | |
| 1 | 90° Alley Corner | AC90 | (|
| 2 | Bucking Chute Steps | BCPS | H |
| 5 | Backstop | BO | - |
| 3 | Connector Post | CP96F | <u>ه</u> |
| 1 | Connector Post | CP96FFM | ৬ |
| 4 | Connector Post | CP96FMF | s |
| 2 | Connector Post | CP96FMM | -5, |
| 4 | Connector Post | CP96M | 01 |
| 31 | Connector Post | CP96MF | ko |
| 2 | Connector Post | CP96MF90 | 4 |
| 4 | Connector Post | CP96MFF | \$ |
| 1 | Connector Post | CP96MFMF | \$ |
| 15 | Connector Post | CP96MM | 401 |
| 7 | Connector Post | CP96MM90 | ъ |
| 6 | Connector Post | CP96MMF | \$ |
| 12 | Connector Post | CP96MMM | 5 |
| 2 | Connector Post | CP96MMMM | \$ |
| 2 | Stair Handrail | HFS | П |
| 6 | 8' Leadup Alley | LAWOB8 | |
| 1 | Manual Roping Chute | MRC | |
| 1 | Stripping Chute | SCSG | |
| 2 | 90° Corner | SSAC90 | |
| 3 | 8' Arena Ride-Thru Gate | SSART98 | |
| 9 | 10' Arena Ride-Thru Gate | SSART910 | |
| 3 | 12' Arena Ride-Thru Gate | SSART912 | |
| 2 | 2'-4" Panel | SSP2.4 | |
| 7 | 8' Panel | SSP8 | |
| 24 | 10' Panel | SSP10 | |
| 1 | 8' Arena Panel | SSPA8 | |
| 21 | 10' Arena Panel | SSPA10 | |
| 62 | 12' Arena Panel | SSPA12 | |
| 1 | 14' Arena Panel | SSPA14 | |
| 3 | 16' Arena Panel | SSPA16 | · |
| 8 | Roller Alley Gate | SSRAG3 | |
| 9 | 8' Ride-Thru Gate | SSRT98 | |
| 12 | 10' Ride-Thru Gate | SSRT910 | |
| 2 | 10' Ride-Thru | SSRT910OFF | |
| 4 | 8' Sheeted Alley Panel | SSSAP8 | |
| | 10' Sheeted Alley Panel | SSSAP10 | |
| 4 | 4' Walk-Thru Gate | SSWT74 | |
| | i waa inid date | 5511/4 | · · · |

BUCKING CHUTES & PENS

Symbol

ю

p⁰


ъ

ð

\$

Farm Credit Se

1111



150' X 250' PERMANENT ROPING ARENA

| / | • • • | • • • • | • • • | • • • | |
|---|------------------|---------------------|---------|--------|---------------|
| | | | | | |
| | Quantity | Description | Item # | Symbol | • |
| | <u>Qualitity</u> | 90° Alley Corner | AC90 | | |
| | 4 | 6' Arena Panel | AP56 | | |
| | 4 | 10' Arena Panel | AP510 | | |
| | 82 | 12' Arena Panel | AP512 | | |
| | 4 | Backstop | BO | - | ł |
| | 9 | Connector Post | CP85F | • | |
| | 7 | Connector Post | CP85M | ø | • |
| | 79 | Connector Post | CP85MF | 6 | |
| | 1 | Connector Post | CP85MM | ø | |
| | 5 | 8' Leadup Alley | LAWOB8 | | Ī |
| | 1 | LH Roping Box | LHRB | | |
| | 1 | Manual Roping Chute | MRC | | • |
| | 1 | RH Roping Box | RHRB | | |
| | 3 | 6' Arena Gate | SCGBR6 | 4 | |
| | 2 | 10' Arena Gate | SCGBR10 | | |
| | 3 | 12' Arena Gate | SCGBR12 | | |
| | 1 | Stripping Chute | SCSG | | • |
| | | | | | |
| | | | | | \rightarrow |
| | | | | | •_ _ |
| | | | | | 1 |
| | | | | | ľ |
| | | | | | |
| | | | | | ··_· |
| A contract of the second se | | | | | Į. |
| ς Ι\ | | | | | |

150' X 250' PORTABLE ROPING ARENA WITH SWEEP SYSTEM

| | Quantity | Description | ltem # | Symbol | |
|----------------|----------|---------------------|--------------|-------------------------|--------------|
| | 1 | 90° Alley Corner | AC90 | | |
| | <u> </u> | 12' w/12' Bow Gate | ADTHD51212 | | |
| | 2 | 6' Arena Panel | AP56 | <u> </u> | |
| • | 3 | 10' Arena Panel | AP510 | | |
| | 82 | 12' Arena Panel | AP512 | · | |
| | 3 | 6' w/9' Bow Gate | ARTHD596 | 4 | |
| 7 | 2 | 10' w/9' Bow Gate | ARTHD5910 | -4 | |
| y . | 5 | 10' Bow Only | ARTHD59100MM | | |
| • | 2 | 12' w/9' Bow Gate | ARTHD5912 | | |
| | 4 | Backstop | BO | ~ | |
| • | 3 | Connector Post | CP55F | • | |
| | 7 | Connector Post | CP55FFM | 4 | |
| | 1 | Connector Post | CP55M | *0 | |
| t | 76 | Connector Post | CP55MF | 10- | |
| | 5 | Connector Post | CP55MFF | * | |
| | 2 | Connector Post | CP55MMF | 6 | |
| | 5 | 8' Leadup Alley | LAWOB8 | | |
| | 1 | LH Roping Box | LHRB | | |
| |]1 | Manual Roping Chute | MRC | | |
| H I | 1 | RH Roping Box | RHRB | | |
| - | 1 | 10' Roping Sweep | RSS | $\overline{\mathbf{A}}$ | |
| | 1 | Stripping Chute | SCSG | | |
| H | | ·· | | | |
| - | | | | | |
| | | | | | |
| | | | | | |
| | | • • • • | | | · · · / |
| X | li i | | İ | İ | i <u>l</u> í |

155' X 300' DAVID KEY SIGNATURE ARENA

| 1 90° Alley Corner AC90 1 12' w/12' Bow Gate ADTHD51212 10 10' HD Arena Panel APHD510 9 12' HD Arena Panel APHD516 66 16' HD Arena Panel APHD516 5 6' w/9' Bow Gate ARTHD596 2 10' w/9' Bow Gate ARTHD5910 3 12' w/9' Bow Gate ARTHD5910 3 12' w/9' Bow Gate ARTHD5910 10 Backstop BO 10 Backstop BO 10 Backstop BO 10 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85M 3 Connector Post CP85MF 1 Connector Post CP85MF 2 Connector Post CP85MF 1 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MFF< | Quantity | Description | Item # | Symbol | |
|--|--------------|-------------------------|------------|-----------------------|--------------|
| 10 10' HD Arena Panel APHD510 9 12' HD Arena Panel APHD512 66 16' HD Arena Panel APHD516 5 6' w/9' Bow Gate ARTHD596 2 10' w/9' Bow Gate ARTHD5910 3 12' w/9' Bow Gate ARTHD5910 10 Backstop BO 10 Backstop BO 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85M 3 Connector Post CP85MF 1 Connector Post CP85MF 2 Connector Post CP85MF 3 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MFF 1 Connector Post CP85MFF 2 Connector Post CP85MFF 1 Connector Post CP85MFF 1 Connector Post CP85MFF <td>1</td> <td>90° Alley Corner</td> <td>AC90</td> <td>\bigcirc</td> <td></td> | 1 | 90° Alley Corner | AC90 | \bigcirc | |
| 9 12' HD Arena Panel APHD512 66 16' HD Arena Panel APHD516 5 6' w/9' Bow Gate ARTHD596 2 10' w/9' Bow Gate ARTHD5910 3 12' w/9' Bow Gate ARTHD5910 10 Backstop BO 10 Backstop BO 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85FF 1 Connector Post CP85MF 3 Connector Post CP85MF 1 Connector Post CP85MF 2 Connector Post CP85MF 2 Connector Post CP85MFF 2 Connector Post CP85MMM< | 1 | 12' w/12' Bow Gate | ADTHD51212 | | |
| 66 16' HD Arena Panel APHD516 5 6' w/9' Bow Gate ARTHD596 2 10' w/9' Bow Gate ARTHD5910 3 12' w/9' Bow Gate ARTHD5912 10 Backstop BO 1 Connector Post CP85FF 3 Connector Post CP85MF 3 Connector Post CP85MF 3 Connector Post CP85MF 2 Connector Post CP85MF 2 Connector Post CP85MFF 2 Connector Post CP85MMF 1 Connector Post CP85MMF 2 Connector Post CP85MMF 1 Connector Post CP85MMF 1 Connector Post CP85MMF 1 Connector Post CP85MMM | 10 | 10' HD Arena Panel | APHD510 | <u> </u> | |
| 5 6' w/9' Bow Gate ARTHD596 | 9 | 12' HD Arena Panel | APHD512 | | • |
| 2 10' w/9' Bow Gate ARTHD5910 → 3 12' w/9' Bow Gate ARTHD5912 → 10 Backstop BO → 1 Connector Post CP85F ◆ 1 Connector Post CP85FF ◆ 1 Connector Post CP85MF ◆ 1 Connector Post CP85MF ◆ 2 Connector Post CP85MFF ◆ 1 Connector Post CP85MMF ◆ 1 Connector Post CP85MMF ● 1 Connector Post CP85MMF ● 1 | 66 | 16' HD Arena Panel | APHD516 | · | |
| 3 12' w/9' Bow Gate ARTHD5912 10 Backstop BO 1 Connector Post CP85F 1 Connector Post CP85FF 3 Connector Post CP85MF 80 Connector Post CP85MF 1 Connector Post CP85MF90 2 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MFF 2 Connector Post CP85MMF 2 Connector Post CP85MMF 1 Connector Post CP85MMF 2 Connector Post CP85MMF 1 Leadup Alley LAWOB8 | 5 | 6' w/9' Bow Gate | ARTHD596 | -4 | |
| 10 Backstop BO 1 Connector Post CP85FF • 1 Connector Post CP85FFF • 1 Connector Post CP85FFF • 1 Connector Post CP85FF • 1 Connector Post CP85FF • 3 Connector Post CP85MF • 80 Connector Post CP85MFF • 1 Connector Post CP85MFF • 2 Connector Post CP85MFF • 2 Connector Post CP85MFF • 2 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMF • 1 Connector Post CP85MMF • 1 Bladual Reging Box LHRB - 1 Manual Roping Box RHRB - 1 | 2 | 10' w/9' Bow Gate | ARTHD5910 | | |
| 1 Connector Post CP85F • 1 Connector Post CP85FF • 3 Connector Post CP85FF • 3 Connector Post CP85M • 80 Connector Post CP85MFF • 1 Connector Post CP85MFF • 2 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 B • • • 1 B • • • 1 | 3 | 12' w/9' Bow Gate | ARTHD5912 | | |
| 1 Connector Post CP85FFF • 1 Connector Post CP85FFF • 1 Connector Post CP85FFF • 3 Connector Post CP85FF • 3 Connector Post CP85FF • 80 Connector Post CP85MF • 1 Connector Post CP85MF90 • 2 Connector Post CP85MFF • 2 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMF • 2 Connector Post CP85MMF • 1 Cleadup Alley LAWOB8 • 1 LH Roping Box LHRB • 1 Manual Roping Chute MRC • 1 RH Roping Box RHRB • | 10 | Backstop | BO | - | |
| 1 Connector Post CP85FFF Connector Post CP85FFM Connector Post CP85MF Connector Post CP85MF90 Connector Post CP85MF90 Connector Post CP85MFF Connector Post CP85MF90 Connector Post CP85MFF Connector Post CP85MMF Connector Post | 1 | Connector Post | CP85F | • | |
| 1 Connector Post CP85FFM 4 3 Connector Post CP85M 6 80 Connector Post CP85MFF 6 1 Connector Post CP85MFF 6 2 Connector Post CP85MFF 6 2 Connector Post CP85MFF 6 2 Connector Post CP85MMF 6 1 Connector Post CP85MMF 6 1 Connector Post CP85MMM 6 1 Chadup Alley LAWOB8 7 1 HRoping Box LHRB 7 1 RH Roping Box RHRB 7 | 1 | Connector Post | CP85FF | * | + |
| 3 Connector Post CP85M • 80 Connector Post CP85MF90 • 1 Connector Post CP85MFF • 2 Connector Post CP85MFF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMF • 1 Connector Post CP85MMF • 1 Connector Post CP85MMM • 1 Below LAWOB8 • 1 Happing Box LHRB • 1 Manual Roping Chute MRC • 1 RH Roping Box RHRB • | 1 | Connector Post | CP85FFF | \$ | Į. |
| 80 Connector Post CP85MF • 1 Connector Post CP85MF90 • 2 Connector Post CP85MFF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMMF • 1 Connector Post CP85MMM • 1 Connector Post CP85MMM • 11 8' Leadup Alley LAWOB8 • 1 LH Roping Box LHRB • 1 RH Roping Box RHRB • | 1 | Connector Post | CP85FFM | 4 | |
| 1 Connector Post CP85MF90 * 2 Connector Post CP85MFF * 2 Connector Post CP85MMF * 1 Connector Post CP85MMM * 1 Connector Post CP85MMM * 1 Connector Post CP85MMM * 11 8' Leadup Alley LAWOB8 | 3 | Connector Post | CP85M | 6 | |
| 2 Connector Post CP85MFF • 2 Connector Post CP85MMF • 1 Connector Post CP85MMM • 11 8' Leadup Alley LAWOB8 • 1 Leadup Alley LHRB • 1 H Roping Box LHRB • 1 RH Roping Box RHRB • | 80 | Connector Post | CP85MF | 6 | |
| 2 Connector Post CP85MMF * 1 Connector Post CP85MMM * 11 8' Leadup Alley LAWOB8 | 1 | Connector Post | | 6 | |
| I Connector Post CP85MMM Image: CP85MMM 11 8' Leadup Alley LAWOB8 Image: CP85MMM Image: CP85MMM 1 LH Roping Box LHRB Image: CP85MMM Image: CP85MMM | 2 | Connector Post | CP85MFF | \$ | |
| 11 8' Leadup Alley LAWOB8 1 LH Roping Box LHRB 1 Manual Roping Chute MRC 1 RH Roping Box RHRB | 2 | | | 6 | |
| 1 LH Roping Box LHRB 1 Manual Roping Chute MRC 1 RH Roping Box RHRB | 1 | Connector Post | CP85MMM | 4 | 1 |
| 1 Manual Roping Chute MRC 1 RH Roping Box RHRB | 11 | | | | N N |
| 1 RH Roping Box RHRB | 1 | LH Roping Box | LHRB | | × 1 |
| | 1 | Manual Roping Chute | | | \downarrow |
| 1 10' Roning Sween System RSS | 1 | | | | |
| | 1 | 10' Roping Sweep System | RSS | $\overline{\bigcirc}$ | |


The David Key Arena was designed by David Key himself. This arena is a collection of features and ideas that he liked from all of the arenas he has roped in throughout his career. This arena will reduce wasted down time and allows the roper to manage all aspects of the arena from horseback.



150' X 250' PERMANENT ROPING ARENA WITH SWEEP SYSTEM

| Quantity | Description | Item # | Symbol | |
|----------|---------------------|---------|-----------|--|
| 1 | 90° Alley Corner | AC90 | 0 | |
| 2 | 6' Arena Panel | AP56 | _ | |
| 4 | 10' Arena Panel | AP510 | | |
| 82 | 12' Arena Panel | AP512 | | |
| 4 | Backstop | BO | - | |
| 9 | Connector Post | CP85F | | |
| 8 | Connector Post | CP85M | | |
| 78 | Connector Post | CP85MF | | |
| 5 | 8' Leadup Alley | LAWOB8 | | |
| 1 | LH Roping Box | LHRB | | |
| 1 | Manual Roping Chute | MRC | | |
| 1 | RH Roping Box | RHRB | | |
| 1 | 10' Roping Sweep | RSS | \square | |
| 3 | 6' Arena Gate | SCGBR6 | 1 | |
| 2 | 10' Arena Gate | SCGBR10 | -4 | |
| 3 | 12' Arena Gate | SCGBR12 | | |
| 1 | Stripping Chute | SCSG | ~ | |
| | | | | |

200' X 300' PERMANENT TEAM/CALF ROPING COMBINATION ARENA



TARTER EQUIPMENT

EQUINE EQUIPMENT



12' Elite Stall Front - HSFRF12



12' Stall Side - HSSV12



12' Stall Side Solid - HSSS12

Stall brackets sold separately



4-Way Stall

Bracket





3-V B


3-Way Stall Bracket

2-Way Stall

Bracket

Top & Bottom Wall-Mount





ELITE HORSE STALL

- Reversible stall door can be mounted on either side of stall to allow the door to open from right or left hand side
- 12 ft stall outside width 141-1/2", 10 ft stall width 117-5/8" , stands 7' tall
- Easy to use stall brackets allow for one or multiple side-by-side units
- 1" x 14 gauge round tubing are spaced 2-3/4" apart to ensure horse safety
- 4' wide sliding door with smooth-operating ball-bearing rollers
- Flat doorway threshold helps prevent catching or stumbling
- Self-Locking Door Latch
- Unique latches that eliminate all sharp protrusions
- Low maintenance, easily accessible, slide bar gossip gate allows airflow through stall and to give easy access to the horse
- Convenient small grain opening
- Stalls can be easily outfitted with 2x horizontal lumber to create a stylish look in any barn (sold separately)
- Comes standard with swing-out feed door optional Poly Corner Mount Hay Feeder can be installed
- Features our durable, corrosion-resistant powder coat brown finish

NOTE: Stalls do not include wood or other filler material.

| Elite Stall Description | Item # | Approx. Weight |
|--------------------------------|----------|----------------|
| 10' Stall Front w/Sliding Door | HSFRF10* | 255 lbs. |
| 10' Stall Side Vented | HSSV10* | 160 lbs. |
| 10' Stall Side Solid | HSSS10* | 120 lbs. |
| 12' Stall Front w/Sliding Door | HSFRF12* | 275 lbs. |
| 12' Stall Side Vented | HSSV12* | 190 lbs. |
| 12' Stall Side Solid | HSSS12* | 130 lbs. |

*Special order requiring additional lead time.

| Accessories Description | Standard & Expo Stall Bracket Item # | Select & Elite Stall Bracket Item # | Approx. Weight |
|--------------------------|--|--|-------------------|
| 2-Way Stall Bracket Pair | SB2P | SB2PSQ* | 3-1/2 lbs. |
| 3-Way Stall Bracket Pair | SB3P | SB3PSQ* | 6 lbs. |
| 4-Way Stall Bracket Pair | SB4P | SB4PSQ* | 8 lbs. |
| Wall-Mount Bracket Pair | SBWP | SBWPSQ* | 2 lbs. |
| Horse Stall Door Roller | HSR | SQHSRHD* | 1/2 lb. |

*Special order requiring additional lead time.



EQUINE EQUIPMENT



12' Select Stall Front - HSF12





12' Stall Side - HSSV12

12' Stall Side Solid - HSSS12

| Item # | Approx. Weight |
|---------|---|
| HSF10* | 210 lbs. |
| HSSV10* | 160 lbs. |
| HSSS10* | 120 lbs. |
| HSF12* | 230 lbs. |
| HSSV12* | 190 lbs. |
| HSSS12* | 130 lbs. |
| | HSF10* HSSV10* HSSS10* HSF12* HSSV12* |

*Special order requiring additional lead time.



- Tongue & Groove
- Cut to Length
- Beveled Front
- Ready to Install

| Standard Horse Stall | | | | | |
|-------------------------------|--------|--------|----------|-------|--------|
| Vertical Lumber | | | Approx. | | |
| Kit Description | Item # | Height | Weight | Width | Length |
| 10' Lumber Kit Front | LKF10 | 9" | 152 lbs. | 21" | 47" |
| 10' Lumber Kit Side Vented | LKSV10 | 9" | 164 lbs. | 21" | 47" |
| 10' Lumber Kit Side Solid | LKSS10 | 16" | 290 lbs. | 21" | 47" |
| 12' Lumber Kit Stall Front | LKF12 | 11" | 174 lbs. | 21" | 47" |
| 12' Lumber Kit Side Vented | LKSV12 | 11" | 196 lbs. | 21" | 47" |
| 12' Lumber Kit Side Solid | LKSS12 | 21" | 320 lbs. | 21" | 47" |

SELECT HORSE STALL

Our SELECT horse stalls have the same specifications and features as our ELITE horse stalls, except they do not contain the swing-out feed door, or the self-locking door latch.

- Reversible stall door can be mounted on either side of stall to allow the door to open from right or left hand side
- 12 ft stall outside width 141-1/2", 10 ft stall width 117-5/8" , 12' and 10' stalls stand 7' tall
- Order separate or as a complete unit
- Easy to use stall brackets allow for one or multiple side-by-side units
- 1" x 14 gauge round tubing are spaced 2-3/4" apart to ensure horse safety
- 4' wide sliding door with smooth-operating ball-bearing rollers
- Flat doorway threshold helps prevent catching or stumbling
- Unique latches that eliminate all sharp protrusions
- Low maintenance, easily accessible, slide bar gossip gate allows air-flow through stall and to give easy access to the horse
- Convenient small grain opening
- Stalls can be easily outfitted with 2x horizontal lumber to create a stylish look in any barn (sold separately)
- Features our durable, corrosion-resistant powder coat brown finish

NOTE: Stalls do not include wood or other filler material. Stall brackets sold separately.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!


HORIZONTAL AND VERTICAL HORSE STALL LUMBER KITS

| Elite and Select Horse Stall Horizontal Lumber Kit Description | Item # | Approx. Weight |
|---|-----------|-------------------|
| 10' Horizontal Lumber Kit Front (Select) | HLKF10* | 192 lbs. |
| 10' Horizontal Lumber Kit Side Vented (Elite or Select) | HLKSV10* | 181 lbs. |
| 10' Horizontal Lumber Kit Side Solid (Elite or Select) | HLKSS10* | 320 lbs. |
| 10' Horizontal Lumber Kit Front (Elite) | HLKFRF10* | 192 lbs. |
| 12' Horizontal Lumber Kit Front (Select) | HLKF12* | 218 lbs. |
| 12' Horizontal Lumber Kit Side Vented (Elite or Select) | HLKSV12* | 212 lbs. |
| 12' Horizontal Lumber Kit Side Solid (Elite or Select) | HLKSS12* | 343 lbs. |
| 12' Horizontal Lumber Kit Front (Elite) | HLKFRF12* | 218 lbs. |

*Special order requiring additional lead time.



10' Standard Stall Front - SF10



10' Standard Vented Stall Side - SS10



10' Standard Solid Stall Side - SSO10





- Ideal for open barn or shed applications
- 12 ft stall outside width 141-1/2", 10 ft stall width 117-5/8" , 12' and 10' stalls stand 7' tall
- Order separate or as a complete unit
- Easy to use stall brackets allow for one or multiple side-by-side units
- 4' wide sliding door with smooth-operating ball-bearing rollers
- Optional Corner Mount Poly Hay and Grain Feeders can be installed
- 1/2" solid steel stall bars
- Flat doorway threshold helps prevent catching or stumbling
- Unique latches that eliminate all sharp protrusions
- Stalls easily outfitted with 2x lumber
- Features our durable, corrosion-resistant powder coat gray finish

NOTE: Stalls do not include wood or other filler material. Stall brackets sold separately.

| Powder Coated | | |
|--------------------------------|--------|----------------|
| Description | Item # | Approx. Weight |
| 10' Stall Front w/Sliding Door | SF10 | 207 lbs. |
| 10' Stall Side Vented | SS10 | 145 lbs. |
| 10' Stall Side Solid | SSO10 | 121 lbs. |
| 12' Stall Front w/Sliding Door | SF12 | 234 lbs. |
| 12' Stall Side Vented | SS12 | 169 lbs. |
| 12' Stall Side Solid | SSO12 | 141 lbs. |
| | | |

EXPO HORSE STALL

- Available with sliding or swing-out door
- Available with heavy-duty drop-pin hookups or top-mount hookups
- Stall stands 7' tall
- Panels and door are set up to accommodate up to 3/4" thick filler, be it plywood or poly-panel material
- Can be assembled in minutes, as the panels are created to be easily maneuvered and portable
- Features our durable, corrosion-resistant powder coat green finish
- Options include: wood or puck board filler; brackets or pin connectors; rolling door or swinging door; and vertical or horizontal bars.

NOTE: Stall front and sides come with plywood filler.

| | | Approx. |
|----------------------------------|-----------|----------|
| 10' Expo Horse Stall Description | Item # | Weight |
| 10' Stall Front w/Sliding Door | ESFSD10* | 215 lbs. |
| 10' Stall Front w/Swing Out Door | ESFSOD10* | 215 lbs. |
| 10' Stall Vented | ESS10* | 200 lbs. |
| 10' Stall Side Solid | ESSO10* | 190 lbs. |

*Special order requiring additional lead time.



10' Expo Stall Front - ESFSOD10



10' Expo Stall Vented - ESS10



10' Expo Stall Side Solid - ESSO10

EQUINE EQUIPMENT




- 1. To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle).
- 2. Divide the circumference by the length of panels being used. This will equal the number of panels needed.

Diameter of Holding Area (Feet)

| Panel Length | 20' | 25' | 30' | 35' | 40' | 45' | 50' | 55' | 60' | 65' | 70' | 75' | 80' | 85' | 90' | 95' | 100' |
|--------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| 10' | 6 | 8 | 9 | 11 | 13 | 14 | 16 | 17 | 19 | 20 | 22 | 24 | 25 | 27 | 28 | 30 | 31 |
| 12' | 5 | 7 | 8 | 9 | 10 | 12 | 13 | 14 | 15 | 16 | 18 | 20 | 21 | 22 | 24 | 25 | 26 |
| 16' | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |

NOTE: Sizes of pens are approximate. Pen sizes will vary depending on the size of the Walk-Thru Arch Gate used. Walk-Thru Arch Gates are available in 6' lengths only for horse corral panels. We also have available a 6' panel welded to a 6' arched gate which makes for a more rigid entry into the corral or for building 12' x 12' square corrals with individual openings.



HCP512

| Description | ltem # | Approx. Weight | Color |
|---------------------------------|---------|-------------------|-------|
| 5' Tall x 10' Long Corral Panel | HCP510* | 48 lbs. | Gray |
| 5' Tall x 12' Long Corral Panel | HCP512 | 56 lbs. | Gray |
| 5' Tall x 16' Long Corral Panel | HCP516* | 73 lbs. | Gray |
| 6' Tall x 12' Long Corral Panel | HCP612 | 61 lbs. | Gray |


HORSE CORRAL PANEL

- Ideal for light confinement and portable for travel to overnight shows or trail rides
- Available in 5' and 6' tall configurations
- Features our revolutionary laser cut brace technique providing a continuous smooth interior surface
- Straight end posts with quick-pin latch for easy hookup
- Easily hooks to Walk-Thru Arch Gate
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

*Special order requiring additional lead time.



HWT566

HORSE WALK-THRU WITH PANEL

- Designed to complement our 5' and 6' horse corral panels
- Creates a sturdy entry point into round pen configurations
- Perfect for round pens or 12' x 12' square enclosures, each with their own entry
- Quick-pin latch for easy hookup
- High-mount latch for easy opening
- Provides a 6' wide opening with 9' tall arches
- Features our durable, corrosion-resistant powder coat gray finish

| | | | Approx. | | |
|-------------------|--------|--------|----------|--------|-------|
| Description | Item # | Height | Weight | Length | Color |
| Walk-Thru w/Panel | HWT566 | 5' | 100 lbs. | 12' | Gray |
| Walk-Thru w/Panel | HWT666 | 6' | 127 lbs. | 12' | Gray |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

HORSE WALK-THRU • Complements our 5' and 6' tall corral panels and used for entrance into round pen configurations Quick-pin latch for easy hookup • High mount latch for easy opening from ground or horseback . 9' arch with 6' wide opening . Features our durable, corrosion-resistant powder coat brown finish Gate Arch Approx. Description Item # Height Height Weight Color 6' Wide Walk-Thru HWT56 5' 9' 70 lbs. Gray 6' Wide Walk-Thru HWT66 9' 73 lbs. 6' Gray FEATURING OUR DURABLE, **POWDER** HWT66 CORROSION-RESISTANT COATED OUGH POWDER COAT FINISH!

EQUINE EQUIPMENT



PADDOCK MASTER HAY & GRAIN FEEDER

- Ideal for feeding grain and hay to horses
- Stands almost 6' tall and weighs 260 lbs.
- Heaviest hay and grain feeder in its class
- Handles large animals as well as large volumes of feed with ease
- Allows your horse to eat grain or hay in a lateral plane without looking up at the food
- All-steel constructed feeder can withstand the elements as well as the horses
- Features our durable, corrosion-resistant powder coat gray finish

| Description | Item # | Height | Length | Width | Approx. Weight |
|--------------------------------------|--------|---------|--------|-------|-------------------|
| Paddock Master Hay & Grain Feeder | HHGF | 69-1/2" | 60" | 36" | 260 lbs. |



GHF


Available Colors

3-PIECE HORSE HAY FEEDER

- Ideal for safe feeding of round bales to horses
- Open-top A-frame is 8' in diameter
- Round 1-3/4" tubing for extra-strength
- Open top helps minimize hay waste while feeding
- Loop legs that prevent sinking into the ground
- Available with optional 17" hay-saver panel
- Stands 50" high
- Available in our superior E-Coat and galvanized finish

NOTE: All feeders come complete with bolts and nuts





| Description | Item # | Height | Diameter | Approx. Weight |
|---|--------|--------|----------|----------------|
| 8' 3-Piece Horse Feeder w/Hay Saver& Loop Legs - Galvanized | GHF | 50" | 8' | 163 lbs. |
| 8' 3-Piece Horse Feeder w/Hay Saver & Loop Legs – Red | RHF | 50" | 8' | 163 lbs. |
| 8' 3-Piece Horse Feeder Open w/Loop Legs - Red | RHFO | 50" | 8' | 115 lbs. |

RHFO



Rated one of the top hay-savers for square bale feeders by University of Minnesota study.

EQUINE HAY BASKET

- Cuts down on respiratory problems for horses by eating hay in their natural feeding position
- Conserves hay by keeping it dry and off the ground
- Proven option for horse owners looking to save money on hay*
- Only 3% hay waste*
- Smooth-sided poly basket for horse safety
- Fully removable basket for easy cleaning
- Large vent holes keep moisture out and hay in
- Constructed of heavy-duty 1-3/4" round tubing with durable, corrosion-resistant powder coat gray finish

NOTE: Designed for square bales only

*Research data provided by University of Minnesota study on small square bale hay feeders.

| Description | Item # | Height | Approx. Weight | Diameter |
|-------------------|--------|--------|----------------|----------|
| Equine Hay Basket | EHB | 34" | 70 lbs. | 64" |







SCFG



GFP

日秋、甘油山の日日日

POLY HAY & GRAIN FEEDERS

- Mounts to wall and corners in stalls for feeding horses
- Holds 3 flakes of hay in the 3/8" galvanized manger
- Lower poly feeder holds up to 4-gallons of grain
- Easy to clean, fill, and maintain
- Works for a variety of feeding applications

| Description | Item # | Height | Approx. Weight | Width | Depth |
|--|--------|--------|----------------|---------|-------|
| Poly Hay & Grain Feeder – Wall Mount | GFP | 32" | 10 lbs. | 24" | 18" |
| Poly Hay & Grain Feeder – Corner Mount | SCF | 32" | 12 lbs. | 29-1/2" | 20" |
| Galvanized Hay & Grain Feeder – Corner Mount | SCFG | 32" | 34 lbs. | 29" | 20" |

EQUINE EQUIPMENT

POLY CORNER MOUNT HAY FEEDER



PCMHF

- Designed with yoke in front to allow any size horse access to feed
- Rounded, smooth lip polyethylene construction for strength and horse safety
- Removable drain hole for easy cleaning
- 1" ventilation strips to keep hay dry and give moisture a quick way out
- Holds 3 4 flakes of hay
- Simply bolts to any stall and works great with Tarter's Elite stall front with rotating feeder door

| | | | Approx. | | |
|------------------------------------|--------|---------|---------|-------|-------------|
| Description | Item # | Height | Weight | Width | Depth |
| Poly Corner Mount Hay Feeder | PCMHF | 28-1/2" | 13 lbs. | 32" | 22- 1/2" |

PORTABLE GATE FEEDER



SPGF

- Lightweight but sturdy feeder that hangs on most any size tube
- Hangs on gates, corrals, and fences at any height
- Constructed of heavy polyethylene for years of trouble free service
- Works perfect for calves and horses
- Available in 6- or 15-gallon capacities

| Description | Item # | Height | Approx. Weight | Capacity |
|---------------------------------|--------|--------|-------------------|------------|
| Portable Gate Feeder – Large | PGF | 15" | 6.75 lbs. | 15 Gallons |
| Portable Gate Feeder – Small | SPGF | 14" | 4 lbs. | 6 Gallons |



1PGHB5



5' 1-PIECE HEAVY-DUTY BUNK FEEDER

- Ideal for feeding horses
- Portable and easily cleaned
- Stands 33" high and 5' long
- Replaceable bunk liner, held securely with rivets
- Poly liner is made from 100% recycled materials
- Measures 9" deep x 27" wide with weep holes
- Optional 5' bolt-on galvanized hay rack for added versatility
- Galvanized finish with clear coating (for additional protection against white rust)

NOTE: Replacement liners available.

| Description | ltem # | Height | Approx. Weight |
|---|--------|--------|-------------------|
| 5' Hay Rack – Galvanized Only | HR5 | 35" | 48 lbs. |
| 5' 1-Piece Poly Horse Bunk Feeder – Galvanized Frame | 1PGHB5 | 33" | 38 lbs. |
| 5' 1-Piece Poly Bunk Feeder Liner | 1PBL5 | 9" | 8 lbs. |



GALVANIZED MANGER FEEDERS

- Mounts to walls and corners in stalls for feeding horses
- Holds 3 flakes of hay in the 3/8" galvanized manger
- Easy to clean, fill, and maintain
- Available in galvanized only

| Description | Item # | Height | Approx. Weight | Width | Depth |
|--|--------|---------|----------------|-------|-------------------------|
| Galvanized Rod Hay Feeder - Wall Mount | WMHF | 28-1/2" | 14 lbs. | 24" | 20" top - 7" bottom |
| Galvanized Rod Hay Feeder - Corner Mount | CMHF | 31" | 5.4 lbs. | 30" | 19-1/2" top - 1" bottom |




HORSE ELECTRIC WATERER

- Provides constant supply of fresh clean water to your horse
- Internal heater keeps water from freezing in cold weather
- Constructed from 100% polyethylene material for years of trouble-free operation
- FDA and HBP approved, food grade, recyclable plastic
- CSA certified
- Easy to mount to wall or floor
- Horse-safe rounded corners
- 2.9-gallon capacity with continuous on-demand replenishment
- Meets "Grade A" Dairy recommendation

NOTE: Recommended head: 10 horses

| Description | Item # | Height | Approx. Weight | Width | Length | Capacity | Heating Element |
|------------------|--------|---------|----------------|-------|--------|-------------|-----------------|
| Electric Waterer | WEE10 | 13-1/2" | 26 lbs. | 17" | 17" | 2.9 gallons | 250 watts |





SMALL ANIMAL EQUIPMENT

SMALL ANIMAL EQUIPMENT



GOAT TROUGH FEEDER

- Ideal for feeding goats and small animals
- Cannot be pushed around or turned over
- V-bottom and overhead guard prevents goats from standing in feeder
- Low to the ground allowing almost any size goat or other small animals to have easy access
- Available in 4' and 8' lengths
- Features our superior E-Coat red finish

| COAT | |
|-----------|--|
| PROTECTED | |

FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!

| Description | ltem # | Height | Approx. Weight | Width | Length |
|---------------------|--------|--------|-------------------|-------|--------|
| 4' Trough Feeder | TF4 | 17" | 60 lbs. | 32" | 48" |
| 8' Trough Feeder | TF8 | 17" | 118 lbs. | 32" | 96" |



GOAT MINERAL FEEDER

- Used for feeding goats mineral while protecting mineral from the wind, rain, and other weather elements
- 65"-diameter base with extra-long legs to prevent tipping
- Ideal height for small animals
- Thick poly tub with protective molded wind vane
- Features our durable, corrosion-resistant powder coat red finish

| | | | Approx. | |
|---------------------|--------|--------|---------|-------|
| Description | Item # | Height | Weight | Width |
| Goat Mineral Feeder | GMF | 31" | 29 lbs. | 65" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

SMALL ANIMAL EQUIPMENT

5' BUNK FEEDER AND HAY RACK



Shown with optional Goat Hay Rack.

• Lightweight and built low to the ground to accommodate feeding goats and small animals



- Poly liner is made from 100% recycled materials
- Galvanized finish with clear coating (for additional protection against white rust)
- Optional hay rack features 4" x 4" wire mesh for easy feeding and minimal waste

| Description | Item # | Height | Approx. Weight | Width |
|------------------|--------|--------|----------------|-------|
| Goat Bunk Feeder | GSBF | 14" | 36 lbs. | 27" |
| Goat Hay Rack | GH5 | 24" | 20 lbs. | 24" |

HAY RACK



- Ideal for feeding hay to goats and small animals
- Easy to set up, easy to store, and sized to place feed in wire mesh at the ideal height for goats or small animals
- Constructed of high-quality galvanized steel
- Folds completely flat for easy transport, 48" wide, 8" tall, and 51-1/2" long when folded.
- Constructed of high-quality galvanized steel

| Description | Item # | Height | Approx. Weight | Length |
|------------------|--------|--------|----------------|--------|
| 4' Goat Hay Rack | GH4 | 50" | 65 lbs. | 48" |



CREEP FEEDER

- Entryway features an adjustable height bar that can be moved up and down or completely removed so you can choose what size kids can enter the cage. This allows access to feeding without competition from adult animals.
- Sliding lid features dual handle for easy loading
- Feed control band regulating the flow of food is standard on all units
- Extra back bracing provides additional support, making this creep feeder the strongest on the market
- This product features our superior E-Coat protection the only E-Coated creep on the market

| Description | Item # | Capacity | Feed Trough Dimensions | Height | Approx. Weight | Width | Length | Cage Length | Depth |
|-------------------|--------|----------|------------------------|--------|----------------|-------|--------|-------------|-------|
| Goat Creep Feeder | GC65 | 650 lbs. | 9"w x 50"l x 6"d | 48" | 270 lbs. | 37" | 50" | 65" | 43" |



FEATURING OUR INDUSTRY EXCLUSIVE E-COAT FINISH!



SMALL ANIMAL TRANSPORTER

- Used to transport goats, hunting dogs, calves, sheep, or other small animals
- Fits easily into the back of a standard pickup truck, even with toolboxes
- High-quality galvanized steel ensures a virtually escape-proof move

| Description | Item # | Height | Approx. Weight | Width | Length |
|-----------------------------|--------|--------|-------------------|-------|--------|
| Small Animal Transporter | GGFS | 41" | 110 lbs. | 47" | 53" |



Multi-level corral hookups allow for easy 2-way, 3-way or 4-way connections.




• Used for containment for kids, calves, and small animals

- Create any size dimension by attaching multiple units
- Fully interchangeable 5' and 10' panels of high quality galvanized steel



KIDDER PANEL & WALK-THRU




| Description | Item # | Height | Approx. Weight |
|----------------------------------|--------|--------|----------------|
| 5' Kidding Pen Panel | KP5 | 52" | 27 lbs. |
| 10' Kidding Pen Panel | KP10 | 52" | 50 lbs. |
| 5' Kidding Pen Walk-Thru Gate | KPW5 | 7' | 60 lbs. |

LOW PROFILE ELECTRIC WATERER


- Provides constant supply of fresh clean water to your small animals
- Internal heater keeps water from freezing in cold weather
- Constructed of 100% polyethylene material for years of trouble-free operation
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic
- Easy to mount to floor
- Animal-safe rounded corners


| Description | Item # | Height | Approx. Weight | Width | Length | Capacity | Heating Element |
|------------------|--------|--------|----------------|---------|--------|-------------|-----------------|
| Electric Waterer | WEE20 | 16" | 32 lbs. | 21-3/4" | 28" | 5.3 gallons | 500 watts |

SMALL ANIMAL EQUIPMENT



10WK





10WKE

Dog Kennel Shade Cover – DKSC

GALVANIZED DOG KENNEL

- Strong galvanized welded kennels are superior in the canine and small animal containment market
- Heavy-duty 1-3/8" tubular frame and heavy-duty 11-1/2-gauge chain link wire
- Contains multiple animals whether they are large or small breeds
- Easily assembled and can be moved in minutes
- Stands 6' tall

| Description | Item # | Approx. Weight |
|--|--------|----------------|
| 6' x 10' x 10' Complete Welded Kennel w/Door | 10WK | 181 lbs. |
| 6' x 10' Welded Kennel Section | 10WKS | 42 lbs. |
| 6' x 10' Welded Kennel Section w/Door | 10WKD | 55 lbs. |
| 6' x 10' x 10' Complete Economy Welded Kennel w/ Door | 10WKE | 166 lbs. |
| 10' x 10' Dog Kennel Shade Cover | DKSC | 3-1/2 lbs. |



- Accommodates pets and animals of many sizes
- Kennel stands 6' tall, 4' wide and 8' long
- Frame constructed of 18-Gauge 3/4 in. square galvanized steel tubing


PRODUCT

- Side panels are 10-Gauge with 2 in. x 4 in. steel wire mesh
- All steel components are double powder coated for superior weather protection
- 1 in. leg extensions and 6 ft. height make cleaning kennel easy
- Pre-assembled panels offer quick and easy setup, no tools required
- Wing nut, bolt, and clamp assembly eliminates need for wrench or screwdriver
- Pre-assembled 22 in. wide opening gate included with lockable door latch (lock not included)
- Complete kit includes: kennel, a cover (roof) frame, and a water-resistant cover

| Description | Item # | Approx. Weight |
|--|--------|----------------|
| 6' x 4' x 8' Complete Welded Wire Kennel w/ Cover | WWDKWC | 124 lbs. |



WWDKWC




Complete Kennel with Single Access Door - DKHDG


ELITE SERIES DOG KENNEL

- Unit is designed for rugged outdoor use in difficult environments
- Panels are constructed of 1-3/4" galvanized tubing and filled with sturdy 8-gauge 2" x 4" wire
- Front panel features a door that creates a 2-1/2' x 5' 8" opening, complete with easy latch system
- Ideal for hunting dogs or as a secure enclosure for household pets, chickens, and small animals
- Complete kennel measures 6' tall x 10' wide x 10' long
- Weighs 273 lbs.
- Product frame starts with galvanized base tube, then it is coated with a rust inhibitor, then E-Coated, then powder coated, making it the most protected kennel on the market

| Description | Item # | Approx. Weight |
|--|---------------|-------------------|
| 6' x 10' x 10' Complete Heavy-Duty Dog Ken- nel | DKHDG | 273 lbs. |
| 6' x 10' Heavy-Duty Dog Kennel – Front - Gray | DKFHDG | 84 lbs. |
| 6' x 10' Heavy-Duty Dog Kennel – Side - Gray | DKSHDG | 63 lbs. |
| 6' x 10' Heavy-Duty Dog Kennel - Front w/2 Doors – Gray | DKF2D- HDG | 96 lbs. |
| 6' x 5' Heavy-Duty Dog Kennel – Side - Gray | DKSHDG5 | 42 lbs. |
| 6' x 5' Heavy-Duty Dog Kennel – Front - Gray | DKFHDG5 | 53 lbs. |
| Heavy-Duty Dog Kennel Clamp Set | DKCHD | 2 lbs. |
| Dog Kennel Easy Latch System | DKSL | 2 lbs. |



Kennel Side - DKSHDG



Kennel Front with 2 Front Doors - DKF2DHDG



Heavy-Duty Dog Kennel Clamp - DKCHD



IDEAL FOR HUNTING DOGS OR AS A SECURE ENCLOSURE FOR HOUSEHOLD PETS, CHICKENS, OR SMALL ANIMALS



FEATURING OUR INDUSTRY EXCLUSIVE POWDER OVER E-COAT FINSIH!



UTILITY TRAILERS



UTILITY TRAILERS

This full line of Tarter trailers are stylish, yet durable enough to handle payload capacities ranging from 1,550 lbs. to 2,250 lbs. Unlike most utility trailers on the market, all Tarter trailers feature our top of the line powder coat finish for corrosion-resistance. Whether for work or play, these trailers allow for ease of loading and unloading. Removable tongues and tailgates come standard on most models. Each trailer is fully lighted to D.O.T. specifications with pre-installed protective conduit tubing for wire protection. All Tarter utility trailers also include a 4-flat electrical plug for ease of hooking to vehicle.



Heavy-Duty Tires



Removable Tailgates



Topwind Jack & A-Frame Tongue



Fully Lighted to D.O.T. Specifications



Tarter trailers feature one of the industry's ONLY powder coat finishes.







All trailers made in the U.S.A.

UTILITY TRAILERS



| Description | ltem # | Height | | Overall Width | Inside Width | Length |
|----------------------------|--------|--------|----------|------------------|-----------------|--------|
| 4' x 7' Utility Trailer | TUT47 | 57" | 340 lbs. | 63" | 50" | 124" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

4' X 7' UTILITY TRAILER

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- 2,000 lb. GVWR
- 12" tires and wheels
- Removable tongue
- Fully lighted to D.O.T. specifications
- 1-7/8" coupler w/safety chains

.

- Wire mesh floor
- 1,000 lb. slipper spring assembly
- 2,000 lb. cambered axle with 1,650 lb. payload capacity



| Description | ltem # | Height | | Overall Width | | Length |
|----------------------------|--------|--------|----------|------------------|-----|--------|
| 5' x 8' Utility Trailer | TUT58 | 72" | 440 lbs. | 79" | 60" | 136" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

5' X 8' UTILITY TRAILER (MESH FLOOR)

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- 2,000 lb. GVWR
- 13" tires and wheels
- Removable tongue
- Fully lighted to D.O.T. specifications
- 1-7/8" coupler w/safety chains
- Wire mesh floor
- 1,750 lb. double eyelet spring assembly
- 2,000 lb. cambered axle with 1,550 lb. payload capacity



5' X 8' UTILITY TRAILER (WOOD FLOOR)

.

| Description | ltem # | Height | Approx. Weight | Overall Width | | Length |
|----------------------------|---------|--------|-------------------|------------------|-----|--------|
| 5' x 8' Utility Trailer | TUTWF58 | 66" | 520 lbs. | 78" | 60" | 139" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- 2,000 lb. GVWR
- 12" tires and wheels
- Non-removable tongueFully lighted to D.O.T.
 - specifications

- 2" coupler w/safety chains
- Pressure treated
 wood floor
- 1,750 lb. double eyelet spring assembly
- 2,000 lb. cambered axle with 1,550 lb. payload capacity



| Description | Item # | Height | Approx. Weight | | | Length |
|-----------------------------|-----------|--------|-------------------|-----|-----|--------|
| 5' x 10' Utility Trailer | TUTWF5102 | 65" | 740 lbs. | 79" | 60" | 170" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

5' X 10' UTILITY TRAILER

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- 2,990 lb. GVWR
- 14" tires and wheels
- 2,000 lb. top wind jack
- Fully lighted to D.O.T. specifications

- 2" A-Frame coupler w/ safety chains
- Pressure treated
 wood floor
- 1,750 lb. double eyelet spring assembly
- 3,500 lb. cambered axle with 2,250 lb. payload capacity

•

UTILITY TRAILERS



| Description | Item # | Height | Approx. Weight | | | Length |
|-----------------------------|-----------|--------|-------------------|-----|-----|--------|
| 6' x 12' Utility Trailer | TUTWF6122 | 67" | 920 lbs. | 94" | 72" | 200" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

6' X 12' UTILITY TRAILER

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- 2,990 lb. GVWR
- 14" tires and wheels
- 2,000 lb. top wind jack
- Fully lighted to D.O.T. specifications
- 2" A-Frame coupler w/ safety chains
- Pressure treated wood floor
- 1,750 lb. double eyelet spring assembly
- 3,500 lb. cambered axle with 1,850 lb. payload capacity



| Description | Item # | Height | Approx. Weight | | | Length |
|-----------------------------|----------|--------|-------------------|------|-------|--------|
| 7' x 12' Utility Trailer | TUTWF712 | 70" | 1140 lbs. | 100" | 82.5" | 200" |



TARTER TRAILERS FEATURE ONE OF THE INDUSTRY'S ONLY POWDER COAT FINISHES.

7' X 12' UTILITY TRAILER

- Powder coat finish ensures durability and corrosion-resistance
- Removable tailgate
- Features a 57" removable side gate
- 2,990 lb. GVWR
- 15" tires and wheels
- 2,000 lb. top wind jack
- Fully lighted to D.O.T. specifications

- 2" A-Frame coupler w/ safety chains
- Pressure treated
 wood floor

•

.

- 1,750 lb. double eyelet spring assembly
 - 3,500 lb. cambered axle with 1,850 lb. payload capacity





DISC/CULTI-PACKER COMBO

- Ideal for tilling soil to create game plots and gardens
- Attaches to ATVs, UTVs, and small tractors
- Combines deep cutting of the eight-blade tillage disc with soil preparation and compaction of the adjustable culti-packer
- Easily raise and lower culti-packer with heavy-duty front mounted winch
- Adjustable 16" blades provide deep cutting even in compacted soil or sod
- Blades adjust from 0°- 20° and provides a 48" cutting width
- Two-way ratchet raises and lowers wheels to control pulling weight of load as well as providing easy transport
- 13" 4-ply tubeless tires used for complete ground clearance or to reduce drag depending on surface
- Super heavy-duty 711 lb. steel frame and sealed bearings
- Requires 2" ball for hookup
- Features our durable, corrosion-resistant powder coat gray finish



| Description | Item # | Height | Approx. Weight | Length | Width |
|-----------------------------|---------|--------|----------------|--------|-------|
| Disc/Culti- Packer Combo | ATVCPDC | 34" | 711 lbs. | 90" | 76" |

ATV EQUIPMENT

ATV EQUIPMENT



| Description | Item # | Height | Weight | Length | Width |
|----------------------------|--------|--------|----------|--------|-------|
| ATV 8-Blade Disc Harrow | ATVTD8 | 30" | 430 lbs. | 61" | 76" |

8-BLADE DISC HARROW

- Ideal for tilling soil to create game plots and gardens
- Attaches to ATVs, UTVs, and small tractors
- Adjustable 16" blades provide deep cutting even in compacted soil or sod
- Blades adjust from 0° through 20° and provide a 48" cutting width
- Two-way ratchet raises and lowers wheels to control pulling weight of load as well as providing easy transport
- 13" 4-ply tubeless tires used for complete ground clearance or to reduce drag depending on surface
- Super heavy-duty steel frame and sealed bearings
- Requires 2" ball for hookup
- Features our durable, corrosion-resistant powder coat finish



COMPACT DISC

- Ideal for tilling game plots and gardens quickly and efficiently
- Adjustable tongue with 2" ball hitch for easy pulling behind 4-wheelers
- 10 notched blades for deep and maximum cutting
- Heavy-duty 2" square tube frame
- Transport disc on 11" wheels using the easy center mount crank jack
- 36" operating width
- Features our durable, corrosion-resistant powder coat yellow finish


| Description | Item # | Height | Approx. Weight | Length | Width |
|--------------|--------|--------|----------------|--------|-------|
| Compact Disc | ATVCD | 28" | 300 lbs. | 75" | 36" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ATV EQUIPMENT





WIRE UNROLLER


- Holds various size rolls of wire for easier fencing
- Perfect for fencing jobs in tight places
- Allows ATV, tractor, or truck to do the work of a crew
- Attaches to ATV or any 2" receiver
- Features our durable, corrosion-resistant powder coat yellow finish

SEE PAGES 68-73 FOR OUR COMPLETE WIRE AND FENCING OFFERING.

| Description | Yellow Item # | Height | Approx. Weight | Length | Width |
|---------------------------|---------------|--------|----------------|--------|-------|
| ATV Wire Unroller | ATVWU | 12" | 32 lbs. | 25" | 24" |
| 2" Receiver Wire Unroller | 2RWU | 12" | 26 lbs. | 23" | 24" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



CHAIN HARROWS

- Ideal for smoothing yards or garden soil, and dragging driveways, riding tracks, or arena footing
- Attaches to garden tractors and ATVs
- Metal teeth for grabbing soil or grading surface
- $\bullet \qquad 4'x4' \text{ in size and can be assembled in two different configurations}$
- Features our durable, corrosion-resistant powder coat black finish

| Description | Item # | Approx. Weight | Width | Length | Rod Size |
|---|--------|-------------------|-------|--------|-------------|
| ATV 4' x 4' Chain Harrow w/4' Drawbar | ATVH44 | 73 lbs. | 4' | 4' | 7/16" |
| ATV 4' x 8' Chain Harrow w/4' Drawbar | ATVH48 | 126 lbs. | 4' | 8' | 7/16" |



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



5-BUSHEL PULL-BEHIND SPREADER/ TRAIL FEEDER

- ATV or garden tractor-drawn spreader for fertilizing or seeding
- All steel gear drive complete with grease fittings
- 5-bushel capacity
- Approx. 300 lb. capacity covering approx. 65,000 sq. ft.
- Spread up to 20' wide
- Distribution pattern reduces over-fertilizing or under-fertilizing
- Wheel driven spreader requires no outside power and features pneumatic tires
- Requires 2" ball for hookup
- Available in black only

| | | | Approx. | | |
|---|--------|--------|----------|-------------------------|-------|
| Description | Item # | Height | Weight | Length | Width |
| ATV 5-Bushel Pull-Behind Spreader | ATVS | 48" | 136 lbs. | 6' including drawbar | 40" |



P.O. Box 10 10739 South Hwy. 127 Dunnville, KY 42528 800-733-4283 • 606-787-8913 (fax) www.tarterusa.com



©2016, Tarter Company, LLC. This catalog is protected by copyright and may not be reproduced in whole or in part without Tarter's express, written permission. Although every precaution is taken, errors in specifications do occur. We reserve the right to correct any such errors. All photographs of products are the best representation of product at time of catalog publication. All products and subsequently, their photographs, are subject to change without notice as product updates and modifications occur between catalog publication dates. For the most current representation of our products, refer to our web site. Printed in U.S.A.