

TARTER[®]

FARM AND RANCH EQUIPMENT



PRODUCT CATALOG

WESTERN REGION

FARM AND RANCH EQUIPMENT

Gates.....	6-9
Gate Stands & Racks.....	9
Corral Panels.....	10-13
Walk-Thrus.....	11-13
Fence Line Feeder Panel.....	14
Large Bale Hay Feeders.....	14-16
Mineral Feeders.....	17
Bunk Feeders.....	18
Metal Grain Feeder.....	19
Hay Rack.....	19

CATTLE HANDLING EQUIPMENT

Squeeze Chutes.....	22-25
Headgates.....	26
Wheel Kit & Accessories.....	27
Sweep & Alley Systems.....	28-30
Alley Panel w/Cutgate.....	31
Universal Hookup Bar.....	32
Maternity Pen.....	33

JOHN DEERE EQUIPMENT

Gates.....	35-36
Corral Panels.....	36
Walk-Thrus.....	37
Metal Grain Feeder.....	37
Post Driver.....	38
Bull Hay Feeder.....	38
Mineral Feeder.....	39
Horse Hay Feeder.....	39
Equine Hay Basket.....	39
Stock Tanks.....	40
Spigot Tanks & Stands.....	40
Canning & Utility Tanks.....	40
Fire Ring.....	41
Gate Stands & Racks.....	41

3-POINT EQUIPMENT

Rotary Cutter.....	44
Box Blade.....	44
Land Grader.....	45
Rear Grader Blade.....	45
Tillage Equipment.....	46-47
Subsoiler.....	47
One-Row Cultivator.....	48
Wire Fence Stretcher/Unroller.....	48
Carry All.....	49
Fertilizer Spreaders & Seeders.....	50
Boom Poles.....	50
Landscape Rake.....	51
Trailer Mover.....	51
Hay Spears.....	52-53

WIRE AND FENCING

Wire and Fencing.....	54-57
T-Posts.....	55
Wire Panels.....	58
Fence & Post Calculator.....	59
Post Driver.....	60
T-Post Puller.....	60
Packaged Accessories.....	60
Hardware.....	61

TANKS AND WATERERS

Stock Tanks.....	63
Canning & Utility Tanks.....	64
Spigot Tanks & Stands.....	64
Fire Ring.....	65
Tuff Tanks.....	65
8' Round Tank.....	65
Waterers.....	66-67
De-Icer.....	67
Water Tank Float Valve.....	67

RODEO AND ARENA EQUIPMENT

Roping Chutes.....	70-71
Remote & Holder.....	71
Roping Boxes.....	71
90° Alley Corner.....	72
Lead Up Alley.....	72
Square Corner Gates.....	73
Stripping Chute.....	73
Arena Panels.....	74
Arena Walk, Ride & Drive-Thrus.....	75
Super Stock Panel & Walk-Thrus.....	76-77
Super Stock Arena Panel & Walk-Thrus.....	78-79
Roping Sweep System.....	79
Arena Worker.....	80
Bucking Chutes & Accessories.....	81-82
Super Stock Sheeted Alley Panel.....	82
Super Stock Alley Gates.....	83
Super Stock Alley Corner.....	83
Arena Packages.....	84-91

EQUINE EQUIPMENT

Elite Horse Stalls.....	93
Select Horse Stalls.....	94
Expo Horse Stalls.....	95
Corral Pen Calculator.....	96
Horse Corral Panel.....	96
Horse Walk-Thrus.....	97
Equine Feeders.....	98-103
Hay Basket.....	99
Waterer.....	103
Stall Mat.....	103

SMALL ANIMAL EQUIPMENT

Trough Feeder.....	105
Hay Racks and Feeders.....	105
Economy Pipe Panel.....	106
Waterer.....	106
Small Animal Transporter.....	107
Kidder Panels & Walk-Thrus.....	107
Canine Equipment.....	108-109

ATV EQUIPMENT

Chain Harrows.....	110
5-Bushel Spreader/Feeder.....	111
Wire Unroller.....	111

TARTER®

FARM AND RANCH EQUIPMENT

Tarter Gate, founded in 1945, is still managed and owned by the Tarter family.

C.V. Tarter founded the Tarter Gate Company, located in Dunnville, Kentucky in 1945. He made wooden farm gates by hand and sold them throughout the local area. He sold the business to his son and daughter-in-law, Roger and Vivian Tarter. They, along with their sons, Donald and David Tarter, expanded the business to include tubular and galvanized-steel gates along with other livestock-related products.

In 2008, the company changed its name from Tarter Gate Company to Tarter Farm and Ranch Equipment. Currently, the 4th generation of the Tarter family oversees what has become the largest manufacturer of farm gates and animal management equipment in North America.

Today Tarter has almost 1,000,000 square feet of production facilities in two Kentucky communities and a full manufacturing and distribution center in Corinne, Utah.

MADE IN THE U.S.A. SINCE 1945

Tarter Farm and Ranch Equipment headquarters are located in South Central Kentucky, a day's drive from 2/3 of the nation's population, while the Utah plant is strategically located to serve the western United States. Each plant works as its own entity, but together they form the company that has been working harder for you since 1945.





EC

BRING TARTER PRODUCTS INTO YOUR STORE TODAY!

- Serves as an end-cap attached to a standard gondola or can be used as a freestanding display. Digitally printed graphics show actual Tarter products in use in a variety of traditional farming and hobbyist applications.
- Made by Tarter from the same Powder Coated steel tubing you'll find on actual products.
- Washable, laminate tabletop with binder rings holds page after page of our full-color catalog that includes over 700 Tarter products.
- Assembles in minutes using only a 9/16" wrench (easy-to-follow instructions and parts list included with every end-cap).
- Compare this sturdy, attractive display to other units costing hundreds of dollars more.
- Tarter's fast service and low minimums let you place orders for the products you need when you need them.

DEDICATED TO SERVING YOU

Tarter has long been the leading national manufacturer of farm gates and animal management equipment in North America. Our product lines for goat, equine, ATV, 3-point, and all other farm and ranch needs are sought after in more than 7,000 farm and ranch stores nationwide. Tarter maintains state-of-the-art facilities in Dunnville, Kentucky and in Box Elder County, Utah. Both facilities manufacture a full line of corral panels, gates, feeders, and associated farm and ranch equipment. In addition to these facilities we also have two facilities in Liberty, Kentucky – Liberty Water Tanks and Tarter Industries. These facilities manufacture a wide spectrum of stock tanks, 3-point equipment, rotary cutters, cattle-handling, and other equipment for the goat, equestrian, cattle, and hobby farm markets. Tarter is committed to serving all of its farm supply dealers with cutting-edge equipment and unparalleled service.

RETAILER FOCUSED

Tarter sells all of its branded lines to the nation's finest farm and ranch stores and does not sell to the public. We're retailer friendly with the service we provide and the marketing support that comes with every product we manufacture or sell. We know how to help our retailers buy the products that customers want at the value-driven prices that allow them to make profitable and competitive sales to the end-user.

Tarter has committed to and continues to be known for industry-leading lead times. Whether your order is fulfilled from our Utah or Kentucky facilities, you will receive the best product at the best prices with unparalleled service and support. Tarter is continuing its heritage of moving forward to meet the needs of its customers.



6ER12

Available Colors



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

6-BAR ECONOMY TUBE GATE

- Perfect gate between pastures and entries
- 1-3/4" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Stands 50" high with Vertical "Z" braces
- Ready to hang with hinge pins, snap chain and welded chain latch
- Available sizes from 4' - 20' in green and red finish
- Available sizes from 4' - 16' in brown and galvanized finish
- Features our durable, corrosion-resistant powder coat finish

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

Length	Vertical "Z" Braces	Approx. Weight	Green Item #	Red Item #	Brown Item #	Galvanized Item #
4'	0	17 lbs.	6EG4	6ER4	6EBR4	6GG4
6'	1	26 lbs.	6EG6	6ER6	6EBR6	6GG6
8'	1	34 lbs.	6EG8	6ER8	6EBR8	6GG8
10'	1	42 lbs.	6EG10	6ER10	6EBR10	6GG10
12'	2	51 lbs.	6EG12	6ER12	6EBR12	6GG12
14'	2	60 lbs.	6EG14	6ER14	6EBR14	6GG14
16'	3	69 lbs.	6EG16	6ER16	6EBR16	6GG16
18 ^{**}	3	78 lbs.	6EG18	6ER18	—	—
20 ^{**}	4	87 lbs.	6EG20	6ER20	—	—

^{**}Has 3 hinges and 3 hinge pins.

FARM AND RANCH EQUIPMENT

FARM AND RANCH EQUIPMENT



2GG12

Available Colors



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

2" 6-BAR EXTRA HEAVY-DUTY BULL GATE

- Designed for feedlots, large herd containment, and strenuous confinement situations
- 2" rounded high-tensile strength tubing
- Continuous-welded saddle joints
- Ready to hang with hinge pins, snap chain and welded chain latch
- Stands 52" high with vertical "Z" braces
- Available sizes from 4' - 20' in red and green finish, and 4' - 16' in brown finish
- Features our durable, corrosion-resistant powder coat finish

NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.

Length	Vertical "Z" Braces	Approx. Weight	Red Item #	Green Item #	Brown Item #
4'	0	43 lbs.	2RG4	2GG4	2BRG4
6'	1	58 lbs.	2RG6	2GG6	2BRG6
8'	1	75 lbs.	2RG8	2GG8	2BRG8
10'	1	88 lbs.	2RG10	2GG10	2BRG10
12'	2	105 lbs.	2RG12	2GG12	2BRG12
14'	2	120 lbs.	2RG14	2GG14	2BRG14
16'	3	136 lbs.	2RG16	2GG16	2BRG16
18**	3	157 lbs.	2RG18	2GG18	—
20**	4	184 lbs.	2RG20	2GG20	—

**Has 3 hinges and 3 hinge pins.





2SCGG12



Available Colors



SUPER-DUTY 2" SQUARE CORNER GATE

- Designed for the heaviest applications
- Can be used to provide an entrance for animals or equipment into arena
- 2" rounded high-tensile strength tubing
- Stands 62" tall with saddle welded square corners
- Laser cut brace technique provides a continuous and smooth interior surface for animal safety
- Super-duty hinge pin on welded swivel-collared hinges with welded chain latch
- Features our durable, corrosion-resistant powder coat finish

NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance.


Length	Vertical Braces	Approx. Weight	Green Item #	Brown Item #
4'	0	43 lbs.	2SCGG4	2SCGBR4
10'	1	99 lbs.	2SCGG10	2SCGBR10
12'	2	117 lbs.	2SCGG12	2SCGBR12
16'	2	152 lbs.	2SCGG16	2SCGBR16
18'	3	194 lbs.	2SCGG18*	2SCGBR18*
20'	3	213 lbs.	2SCGG20*	2SCGBR20*

*Special order requiring additional lead time.

Individually Saddle-Welded Braces



Super-Duty Hinge Pin



WG12


GALVANIZED WIRE-FILLED TUBE GATE

- Designed for confinement of hogs, sheep, or any small animal
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Ready to hang with hinge pins, snap chain and welded chain latch
- Available sizes from 4' – 16'
- Available in galvanized finish only

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for small livestock confinement only.

Length	Vertical Braces	Approx. Weight	Item #
4'	0	20 lbs.	WG4
6'	0	28 lbs.	WG6
8'	1	39 lbs.	WG8
10'	1	47 lbs.	WG10

Length	Vertical Braces	Approx. Weight	Item #
12'	1	55 lbs.	WG12
14'	2	65 lbs.	WG14
16'	2	72 lbs.	WG16



WFGG12

Available Colors




Length	Vertical Braces	Approx. Weight	Green Item #	Gray Item #	Brown Item #
4'	0	26 lbs.	WFGG4	WFGGR4	WFGBR4
6'	0	35 lbs.	WFGG6	WFGGR6	WFGBR6
8'	1	44 lbs.	WFGG8	WFGGR8	WFGBR8
10'	1	53 lbs.	WFGG10	WFGGR10	WFGBR10

2 X 4 WIRE-FILLED GATE

- Gate keeps horses and small livestock safely inside while allowing no catch points
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Ready to hang with hinge pins, snap chain and welded chain latch
- Available sizes from 4' - 16'
- Available in green, gray, and brown finishes
- Features our durable, corrosion-resistant powder coat finish

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.

Length	Vertical Braces	Approx. Weight	Green Item #	Gray Item #	Brown Item #
12'	1	61 lbs.	WFGG12	WFGGR12	WFGBR12
14'	2	72 lbs.	WFGG14	WFGGR14	WFGBR14
16'	2	83 lbs.	WFGG16	WFGGR16	WFGBR16



14BGS

10BGS

6BGS



GATE STANDS

- Easy-to-use stand puts the product upright and in position so the customer can easily visualize several gates in use
- Available in three configurations of 6-, 10-, and 14-peg stands
- Holds double the number of gates when placing gate between the steel pegs
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Height	Approx. Weight	Length	Width
6 Peg	6BGS	8-1/4"	21 lbs.	27"	6"
10 Peg	10BGS	8-1/4"	36 lbs.	43"	6"
14 Peg	14BGS	8-1/4"	50 lbs.	59"	6"



GR

SGR


GATE RACKS

- Designed for farm supply dealers as well as the large herdsman who need off-the-ground storage of gates and corral panels
- Single and double-deck design allows for easy storage of more gates in a small space
- Loads or unloads by hand or forklift
- Constructed from 3" steel channel
- Features our durable, corrosion-resistant powder coat gray finish



Description	Item #	Approx. Weight	Height	Length	Width	Arm Length (4 Arms)	1-3/4" Gate Capacity	2" Gate Capacity
Gate Rack	GR	260 lbs.	115"	80"	50"	28"	56	48
Short Gate Rack	SGR*	175 lbs.	67"	80"	50"	28"	28	24

*Special order requiring additional lead time.



- 1 Tarter uses innovative vertical "Z" bracing for added rigidity, vertical strength, and safety.
- 2 Tarter has ready-to-use, pre-installed hinge/drop pins with heavy links. This allows the customer to get the complete view of the product before purchase without extra installation by dealer or the customer.
- 3 Continuous braces welded on top, bottom, and on every bar providing extra strength to the product. No skip welding.
- 4 Tarter gates and corrals are manufactured of high tensile 1-3/4" diameter tubing and filler bars for durability and safety. The standard size for most companies is 1-5/8". (Gates and corral panels also available in 2" diameter)
- 5 Tarter uses premium, durable, automotive quality, corrosion-resistant powder coat finish on all products.
- 6 With Tarter, most products are in stock with a minimum delivery time.

CORRAL PEN CALCULATOR


- 1. To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle).
- 2. Divide the circumference by the length of panels being used. This will equal the number of panels needed.

NOTES: Sizes of pens are approximate. Pen sizes will vary depending on the size of the Walk-Thru Arch Gate used. Walk-Thru Arch Gates are available in 4' and 6' lengths. Walk-Thru Arch Gates with Panels are available in 10' and 12' lengths for a more rigid entry.

Diameter of Holding Area (Feet)


Panel Length	20'	25'	30'	35'	40'	45'	50'	55'	60'	65'	70'	75'	80'	85'	90'	95'	100'
10'	6	8	9	11	13	14	16	17	19	20	22	24	25	27	30	30	31
12'	5	7	8	9	10	12	13	14	15	16	18	20	21	22	25	25	26
16'	4	5	6	7	8	9	10	11	12	13	14	15	16	17	19	19	20






UPBR12

Length	Vertical "Z" Braces	Approx. Weight	Brown Item #
12'	2	50 lbs.	UPBR12



UWTBR66

Length	Brown Item #	Approx. Weight
6'	UWTBR66	72 lbs.



UWTBR6

Length	Brown Item #	Approx. Weight
6'	UWTBR6	57 lbs.

UTILITY CORRAL PANELS & WALK-THRUS

6-Bar Utility Corral Panel

- Ideal for livestock confinement and portable for travel to overnight shows or trail rides
- 1-1/2" round high-tensile strength steel tubing
- Stands 62" high with vertical "Z" braces
- Unique drop-pin hookup for quick and easy setup
- Custom loop legs prevent sinking
- Available in 12' only
- Features our durable, corrosion-resistant powder coat brown finish

Utility Walk-Thru Arch Gate With Panel

- Built to stand rigid for ease of opening and closing when handling livestock
- All panel-attached Walk-Thru Arch Gates stand 8' high for easy clearance
- 1-1/2" round high-tensile steel
- Superior continuous-welded saddle joints
- Walk-Thru Gates stand 8' high and available 6' width only
- Panel attachments are available in 6' length only
- Panel stands 62" high
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Features our durable, corrosion-resistant powder coat brown finish

Utility Walk-Thru Arch Gate

- Provides ease of use for both livestock and herdsman into round pens
- 1-1/2" round high-tensile steel tubing
- Superior continuous-welded saddle joints
- Available in 6' width only
- 8-foot tall arch
- Quick-pin latch system makes for easy hookup
- Features our durable, corrosion-resistant powder coat brown finish

NOTE: Recommended for light confinement.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



Available Colors



ECR12

Length	Vertical "Z" Braces	Approx. Weight	Red Item #	Green Item #	Brown Item #	Galvanized Item #
8'	1	40 lbs.	ECR8	ECG8T	—	—
10'	1	52 lbs.	ECR10	ECG10T	ECBR10	—
12'	2	58 lbs.	ECR12	ECG12T	ECBR12	6GC12
14'	2	65 lbs.	ECR14	ECG14T	ECBR14	—
16'	3	72 lbs.	ECR16	ECG16T	ECBR16	6GC16

ECONOMY CORRAL PANELS & WALK-THRUS

6-Bar Economy Corral Panel

- Ideal for confinement of livestock in round pens and working areas
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Easily hook up to our Walk-Thru Arch Gate
- Available sizes from 8' - 16'
- Available in red, green, brown, and galvanized
- Features our durable, corrosion-resistant powder coat finish

Economy Walk-Thru Arch Gate With Panel

- Built to stand rigid for ease of opening and closing when handling livestock
- All panel-attached Walk-Thru Arch Gates stand 8' high for easy clearance
- 1-3/4" round high-tensile steel
- Superior continuous-welded saddle joints
- Walk-Thru Gates stand 8' high and available in 4' or 6' widths
- Panel attachments are available in 6' or 8' lengths
- Panel stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Available in red, green, and brown
- Features our durable, corrosion-resistant powder coat finish



Available Colors



EWR66

Length	Red Item #	Green Item #	Brown Item #	Approx. Weight
6' Panel w/4' Gate	EWR64	EWG64T	—	71 lbs.
8' Panel w/4' Gate	EWR84	EWG84T	—	86 lbs.
6' Panel w/6' Gate	EWR66	EWG66T	EWBR66	90 lbs.

Economy Walk-Thru Arch Gate

- Provides ease of use for both livestock and herdsman into round pens
- 1-3/4" round high-tensile steel tubing
- Superior continuous-welded saddle joints
- Available in 4' and 6' widths
- 8-foot tall arch
- Quick-pin latch system makes for easy hookup
- Available in red, green brown, and galvanized
- Features our durable, corrosion-resistant powder coat finish

NOTE: Recommended for light-to-medium confinement.



Available Colors



EWBR4

Length	Red Item #	Green Item #	Approx. Weight
4'	EWR4	EWG4T	45 lbs.
6'	EWR6	EWG6T	68 lbs.

Length	Brown Item #	Galvanized Item #	Approx. Weight
4'	EWBR4	—	45 lbs.
6'	EWBR6	6GW6	68 lbs.



Available Colors




2GC12

Length	Vertical "Z" Braces	Approx. Weight	Red Item #	Green Item #	Brown Item #
10'	1	100 lbs.	2RC10	2GC10	2BRC10
12'	2	118 lbs.	2RC12	2GC12	2BRC12
14'	2	141 lbs.	2RC14	2GC14	2BRC14
16'	3	153 lbs.	2RC16	2GC16	2BRC16

2" HEAVY-DUTY CORRAL PANELS & HEAVY-DUTY WALK-THRUS

2" Heavy-Duty Corral Panels

- Designed for containment in crowding areas such as feedlots and working pens
- 2" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
- Available sizes from 10' – 16'
- Available in red, green, and brown
- Features our durable, corrosion-resistant powder coat finish



Available Colors



2WG66

Length	Red Item #	Green Item #	Brown Item #	Approx. Weight
6' Panel w/6' Gate	2WR66	2WG66	2WBR66	162 lbs.

Heavy-Duty Walk-Thru Arch Gate With Panel

- Built to stand rigid for ease of opening and closing when handling livestock
- 2" round high-tensile steel
- Superior continuous-welded saddle joints
- Walk-Thru Gates stand 8' high and available in 6' width
- Panel attachments are available in 6' length only
- Panel stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Quick-pin latch system makes for easy hookup
- Available in red, green, and brown
- Features our durable, corrosion-resistant powder coat finish



2WG6

Available Colors



Length	Red Item #	Green Item #	Brown Item #	Approx. Weight
6'	2WR6	2WG6	2WBR6	114 lbs.

Heavy-Duty Walk-Thru Arch Gate

- Provides ease of use for both livestock and herdsman into round pens
- 2" round high-tensile steel tubing
- Superior continuous-welded saddle joints
- Available in 6' width only
- 8' tall arch
- Quick-pin latch system makes for easy hookup
- Available in red, green, and brown
- Features our durable, corrosion-resistant powder coat finish

NOTE: Recommended for heavy confinement.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



2FSWG10



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

FENCE LINE FEEDER PANEL

- Designed for feeding square-bale, loose hay, or silage in the pasture fence line or corner
- Also used in barns or sheds for easy feeding
- Great for constructing your own square bale feeders
- 2" round high-tensile strength steel tubing
- Metal hay saver panels reduces waste
- Stands 50" high
- S-bar openings to prevent calves from getting inside
- Available sizes 10', 12', & 16'
- Features our durable, corrosion-resistant powder coat green finish.

NOTE: All panels come with quick pin hookup

Description	Item #	Length	Height	Approx. Weight
10' Feeder Panel	2FSWG10	10'	50"	97 lbs.
12' Feeder Panel	2FSWG12	12'	50"	114 lbs.
16' Feeder Panel	2FSWG16	16'	50"	152 lbs.



FFCT

FLEX FEEDER CLOSED TOP

- Feeder collapses allowing for entire bale consumption
- Complete with drop pins with loop connections
- 4-pieces create a natural hexagon shape and collapses into a 12-sided pattern
- Constructed of 1-3/4" high tensile steel tubing with metal hay-saver panel
- Features our durable, corrosion-resistant powder coat green finish

NOTE: Not recommended for horses.

Description	Item #	Approx. Weight	Height	Width	Flexed Length
Flex Feeder Closed Top	FFCT	265 lbs.	53"	96"	144"



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



RFM

3-PIECE S-BAR HAY FEEDER

- Ideal for feeding round bales to cattle
- 1-3/4" round high-tensile strength steel tubing
- S-bar design helps prevent calves from getting inside feeder
- Heavy-duty end post brace provides superior strength and easy assembly
- 8' in diameter to accommodate large bales
- Available with 17" metal hay saver
- Features our durable, corrosion-resistant powder coat red finish

NOTE: All hay feeders come complete with bolts and nuts. Recommended for tough situations. Not to be used for horses.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

Description	Item #	Height	Diameter	Approx. Weight
8' 3-Piece S-Bar Hay Feeder w/Metal	RFM	45"	8'	168 lbs.



14G20

2-PIECE HEAVY-DUTY SLANT-BAR HAY FEEDER


- Ideal for feeding round bales to cattle
- 1-7/8" flat oval rails and 1-1/4" round slats
- Slats are welded on the outside for extra strength
- Heavy-duty round end post brace with 3 bolt connections for superior strength and rock-solid assembly
- 8' in diameter to accommodate large bales
- Features our durable, corrosion-resistant powder coat red finish

NOTE: Recommended for toughest situations. Not to be used for horses.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

Description	Item #	Height	Diameter	Approx. Weight
2-Piece HD Slant-Bar Hay Feeder	14G20	45"	8'	185 lbs.





HDBHF



**POWDER
COATED
TOUGH®**

FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

3-PIECE HEAVY-DUTY BULL HAY FEEDER

- Ideal for feeding round bales to large cattle in tough situations
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Super-duty round end post brace with 3 bolt connections for superior strength and rock-solid assembly
- 17" metal hay saver to reduce waste
- Features our durable, corrosion-resistant powder coat red finish

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.

Description	Item #	Height	Diameter	Approx. Weight
3-Piece HD Bull Hay Feeder	HDBHF	45"	8'	225 lbs.



TBF



**POWDER
COATED
TOUGH®**

FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

3-PIECE SUPER ROUND BALE FEEDER

**NEW
PRODUCT**

- Ideal for feeding round bales to large cattle in tough situations
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Larger metal hay-saver bottom (19" high). Deeper than standard hay feeders – reduces waste
- Stands 51" high (6" taller than standard hay feeders)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.

Description	Item #	Height	Diameter	Approx. Weight
3-Piece Super Bale Feeder	TBF	51"	8'	224 lbs.

**FOR OUR COMPLETE LINE OF EQUINE
ROUND BALE HAY FEEDERS, SEE PAGE 98**



MF

HEAVY-DUTY MINERAL FEEDER

- Our best selling mineral feeder on the market due to its superior design and workmanship
- Used to feed mineral to livestock
- Rotating 15" poly wind vane
- 15-gallon rotating poly tub
- Dual ball bearings
- 46"-diameter base constructed from 1-3/4" steel legs to prevent tipping
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Assembled Height	Approx. Weight
Heavy-Duty Mineral Feeder	MF	59"	58 lbs.



SDMF
shown with optional Face Fly Kit.



SUPER-DUTY MINERAL FEEDER

- One of the heaviest mineral feeders on the market and a proven leader
- Used for feeding livestock while protecting minerals from the weather
- Low center of gravity and 48" wide square base constructed from 2" heavy-duty gauge steel tubing for long lasting durability
- Large 28" x 24" hood opening provides easy access for horned cattle
- 18-gallon capacity rotates 360° with beveled opening to aid in tub access
- Heavy-duty bearing in feeder base allows for long life and easy movement
- Available with an optional Face Fly Applicator Kit
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Assembled Height	Approx. Weight
Super-Duty Mineral Feeder	SDMF	56"	76 lbs.
Face Fly Kit	FFAK	—	4 lbs.



GLMF

GROUND LEVEL MINERAL FEEDER

- Ideal for feeding minerals to livestock in all weather conditions
- Low profile helps prevent tipping or spilling of valuable minerals
- Convenient anchoring holes make it easy to secure feeder to the ground, keeping animals from moving
- Weatherproof poly lid protects the contents of the entire feeder
- Resistant to impact as well as heat and cold
- Rugged polyethylene material is safe for both people and animals

Description	Item #	Height	Approx. Weight	Diameter	Capacity
Ground Level Mineral Feeder	GLMF	15"	54 lbs.	37" inside; 40-3/4" lid	18-gallons



1PEB10

10' 1-PIECE ECONOMY BUNK FEEDER

- Lightweight easy-to-move bunk feeder
- Ideal for feeding smaller livestock under 600 lbs.
- Welded frame is 1-3/4" diameter round tubular steel
- Durable poly liner is held securely with rivets
- Available in 10' length only
- Fully replaceable bunk liner is a single piece formed from 100% recycled materials with no seams or inserts
- Galvanized finish only

Description	Item #	Approx. Weight	Height	Width
10' 1-Piece Economy Bunk Feeder	1PEB10	52 lbs.	19"	34"
10' 1-Piece Poly Bunk Feeder Liner	1PBL10	15 lbs.	9"	34"



1PGB10



1PB10

5' OR 10' 1-PIECE HEAVY-DUTY BUNK FEEDER

- Industry leader in design and quality
- Lightweight easy-to-move bunk feeder
- Ideal for feeding large or small herds of livestock
- Fully replaceable bunk liner is a single piece formed from 100% recycled materials with no seams or inserts
- Durable poly liner is held securely with rivets
- Welded frame is 1-3/4" diameter round tubular steel
- Optional galvanized hay rack for more feeding versatility (pg. 19, available in 5' only)
- Available in 5' and 10' lengths
- Galvanized finish or durable, corrosion-resistant powder coat finish

Available Colors



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

Description	Red Item #	Galvanized Item #	Approx. Weight	Liner Item #	Approx. Weight	Height	Width
5' 1-Piece Poly Bunk Feeder	1PB5	1PGB5	40 lbs.	—	—	19"	34"
5' 1-Piece Poly Bunk Feeder Liner	—	—	—	1PBL5	8 lbs.	9"	34"
10' 1-Piece Poly Bunk Feeder	1PB10	1PGB10	62 lbs.	—	—	19"	34"
10' 1-Piece Poly Bunk Feeder Liner	—	—	—	1PBL10	15 lbs.	9"	34"



MGF

Description	Item #	Height	Approx. Weight	Width	Bunk Depth
10' Metal Grain Feeder	MGF	21"	110 lbs.	28"	6-3/4"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

10' METAL GRAIN FEEDER

- Ideal for easily feeding large or small herds of livestock
- All steel construction
- One of the heaviest bunks on the market constructed of 14-gauge steel with heavy-duty legs
- Features our durable, corrosion-resistant powder coat red finish



1PGB5 feeder shown with HR5 Hay Rack

5' HAY RACK

- Heavy-duty galvanized steel
- V-style for easy loading and animal access
- Bolts easily onto your feeder for quick assembly
- Keeps hay accessible and clean
- Galvanized finish only

Description	Galv. Item #	Approx. Weight
5' Hay Rack	HR5	48 lbs.



CATTLE HANDLING EQUIPMENT

CATTLEMASTER®

SERIES SQUEEZE CHUTES



CATTLEMASTER SERIES 12




CATTLEMASTER SERIES 9




CATTLEMASTER SERIES 6



CATTLEMASTER SERIES 3



CATTLE HANDLING EQUIPMENT



Side exit for sorting or exiting larger animals



Removable kick pan gives great low animal access



Three hinged, removable side access panels on both sides of chute

CATTLEMASTER SERIES 12 - HYDRAULIC SQUEEZE CHUTE

- Features 3 lever hydraulic control for headgate, tailgate, and squeeze
- Powerful 2 hp, 110 volt, fully-enclosed motor.
- Easy to remove, drop-down kick-pan gives full access to lower portion of animal
- Easy-flap neck access
- Adjustable neck extenders
- Hinged, removable top-side access panels
- Side exit door for sorting and exiting larger animals
- Easy float adjustable sides allows for quick change from calves to bulls
- Ratcheting backup bar allows you to move animals forward safely
- Durable, corrosion-resistant powder coat red finish

NOTE: Series 12 Squeeze Chute is recommended for cattle up to 1,600 lbs.

SHIPPING DIMENSIONS (dimensions include shipping blocks)

Description	Item #	Height	Approx. Weight	Width	Length
CattleMaster Series 12 Hydraulic Squeeze Chute	CMHC12	96"	1,900 lbs.	53"	113"

INSIDE MAXIMUM WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 12 Hydraulic Squeeze Chute	CMHC12	66"	31"	95"

*Width measurement is measured 40" from the floor of the chute.


WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 12 Hydraulic Squeeze Chute	CMHC12	93"	133"	113"

*Minimum amount of space required to properly operate chute effectively.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



Side exit for sorting or exiting larger animals



Removable kick pan gives great low animal access



Three hinged, removable side access panels on both sides of chute

CATTLEMASTER SERIES 9 - HEAVY-DUTY SQUEEZE CHUTE

- Heavy-Duty, spring-cushioned, self-catching auto headgate with auto reset
- Easy-to-use, single-handle mechanism opens and closes split-tailgate with minimal effort
- Easy-flap neck access
- Easy to remove, drop-down kick-pan gives full access to lower portion of animal
- Hinged, removable top-side access panels
- Horizontal easy-pull squeeze mechanism makes it easier to squeeze animal proportionately
- Easy float adjustable sides allows for quick change from calves to bulls
- Side exit door for sorting and exiting larger animals
- Ratcheting backup bar allows you to move animals forward safely
- Available with automatic headgate only
- Durable, corrosion-resistant powder coat red finish

NOTE: Series 9 Squeeze Chute is recommended for cattle up to 1,600 lbs.

SHIPPING DIMENSIONS (dimensions include shipping blocks)

Description	Item #	Height	Approx. Weight	Width	Length
CattleMaster Series 9 Squeeze Chute	CMSCA9	88"	1,650 lbs.	52"	111"

WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 9 Squeeze Chute	CMSCA9	87"	126"	123"

*Minimum amount of space required to properly operate chute effectively.

INSIDE MAXIMUM WORKING DIMENSIONS


Description	Item #	Height	Width	Length
CattleMaster Series 9 Squeeze Chute	CMSCA9	62"	39"	98"

*Width measurement is measured 40" from the floor of the chute.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

CATTLE HANDLING EQUIPMENT



CATTLEMASTER SERIES 6 – HEAVY-DUTY SQUEEZE CHUTE

- Features a high-mount, single-lever, double-sided squeeze mechanism with heavy-duty linkage to keep animals firmly in place
- Available with either manual or automatic headgate
- Easy-to-use, single-handle mechanism opens and closes split-tailgate with little effort
- Drop-down horseshoes for easy top-side access, as well as the fold-down and fully-removable bottom panels
- Spring-loaded side exit door for sorting and exiting larger animals
- Side door release features durable triangular pull handle hooked to pulleys at pivot points for ease of operation and durability
- Constructed of 2-3/8" tubular steel with grease fittings at critical points
- Bottom side adjustments with multiple settings for various size animals
- Optional Nose Bar available for CattleMaster Manual Headgates Only
- Features our durable, corrosion-resistant powder coat red finish

NOTE: Series 6 Squeeze Chute is recommended for cattle up to 1,400 lbs.

SHIPPING DIMENSIONS (dimensions include shipping blocks)

Description	Item #	Height	Approx. Weight	Width	Length
CattleMaster Series 6 w/ Auto Headgate	CMSCA6	93"	1,605 lbs.	48"	105"
CattleMaster Series 6 w/ Manual Headgate	CMSCM6	93"	1,503 lbs.	53"	105"

INSIDE MAXIMUM WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 6 w/ Auto Headgate	CMSCA6	62"	25"	89"
CattleMaster Series 6 w/ Manual Headgate	CMSCM6	67"	25"	87"

*Width measurement is measured 40" from the floor of the chute.


WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 6 w/ Auto Headgate	CMSCA6	94"	101"	113"
CattleMaster Series 6 w/ Manual Headgate	CMSCM6	94"	106"	113"

*Minimum amount of space required to properly operate chute effectively.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



**CattleMaster Series 3 with
Auto Headgate - CCA**

High-mount, single-lever, double-sided squeeze mechanism with heavy-duty linkage

Drop-down horseshoes for easy top-side access

Triangular pull handles hooked to pulleys at pivot points for ease of operation and durability

Removable kick pan gives great low animal access



Vertical tailgate features a durable triangular pull handles for ease of operation and durability



**CattleMaster Series 3 with
Manual Headgate - CCM**

CATTLEMASTER SERIES 3 - STANDARD SQUEEZE CHUTE

- Features a high-mount, single-lever, double-sided squeeze mechanism with heavy-duty linkage to keep animals firmly in place
- Available with either manual or automatic headgate
- Drop-down horseshoes for easy top-side access, as well as the fold-down and fully-removable bottom panels
- Spring-loaded side exit door for sorting and exiting larger animals
- Rear vertical sliding tailgate with automatic locking that locks it in both the closed and fully open positions with safety stop at top
- Vertical tailgate and side door release feature durable triangular pull handles hooked to pulleys at pivot points for ease of operation and durability

- Features our durable, corrosion-resistant powder coat red finish

NOTE: Series 3 Squeeze Chute is recommended for cattle up to 1,200 lbs.

SHIPPING DIMENSIONS

Description	Item #	Height	Approx. Weight	Width	Length
CattleMaster Series 3 w/ Auto Headgate	CCA	79"	1035 lbs.	42"	107"
CattleMaster Series 3 w/ Manual Headgate	CCM	79"	985 lbs.	61"	96"

WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 3 w/ Auto Headgate	CCA	112"	95"	109"
CattleMaster Series 3 w/ Manual Headgate	CCM	112"	105"	109"

*Minimum amount of space required to properly operate chute effectively.

INSIDE MAXIMUM WORKING DIMENSIONS

Description	Item #	Height	Width	Length
CattleMaster Series 3 w/ Auto Headgate	CCA	55"	26"	89"
CattleMaster Series 3 w/ Manual Headgate	CCM	57"	31"	87"

*Width measurement is measured 40" from the floor of the chute.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

SERIES 6 AUTOMATIC HEADGATE

- Perfect for medium-to-large herds
- Operated smoothly by a single operator
- Adjusts from calves to bulls
- Grease fittings at critical points
- Positive latching with in/out rotating door
- Reversible controls allow it to be operated from either side
- Adjustable bottom to accommodate various animal sizes
- Constructed of quality heavy-duty 2-3/8" tubular steel
- Overhead bar prevents accidental release of automatic headgate
- Headgate is recommended for cattle up to 1,400 lbs.
- Sold separately or with CattleMaster Series 6 Chute
- Features our durable, corrosion-resistant powder coat red finish



CMAH6

SERIES 6 MANUAL HEADGATE

- Perfect for medium-to-large herds
- Superior "catch-ability" of a manual chute
- Heaviest and most proven for any size animal
- Constructed of quality heavy-duty 2-3/8" tubular steel
- Headgate is recommended for cattle up to 1,400 lbs.
- Sold separately or with CattleMaster Series 6 Chute
- Optional Nose Bar
- Features our durable, corrosion-resistant powder coat red finish



CMMH6



ALL HEADGATES FEATURE OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

SERIES 3 AUTOMATIC HEADGATE

- Ideal for small herds
- Single-person operated
- Can be bolted to wooden alley posts if desired
- Grease fittings at critical points
- Single-piece top linkage for smooth operation
- Quality constructed of heavy-duty 2-3/8" tubular steel
- Headgate is recommended for cattle up to 1,200 lbs.
- Sold separately or with CattleMaster Series 3 Chute
- Features our durable, corrosion-resistant powder coat red finish



CAH

SERIES 3 MANUAL HEADGATE

- Ideal for small herds
- Superior "catch-ability" of a manual chute
- Can be bolted to wooden alley posts if desired
- Headgate is recommended for cattle up to 1,200 lbs.
- Sold separately or with CattleMaster Series 3 Chute
- Features our durable, corrosion-resistant powder coat red finish



CMH

Description	Item #	Height	Approx. Weight	Mounting Bolt Width	Total Width	Length
Series 6 Auto Headgate	CMAH6	81-1/2"	343 lbs.	42-1/2"	46"	15"
Series 6 Manual Headgate	CMMH6	79"	262 lbs.	37-1/2"	51"	10"
Series 3 Auto Headgate	CAH	72"	223 lbs.	37-1/2"	41"	19-1/2"
Series 3 Manual Headgate	CMH	76"	169 lbs.	37-1/2"	60-1/2"	8"



WK



Shown with CMSCA6 loaded on
Wheel Kit

WHEEL KIT

- Provides easy loading of all CattleMaster Chutes for transport to multiple locations
- Fully assembled including new tires, rims, and heavy-duty, 2-way winch
- Adjustable to accommodate all CattleMaster chutes
- Durable powder coat red finish

Description	Item #	Height	Approx. Weight	Width	Length
Wheel Kit Only	WK	38-1/2"	400 lbs.	56-1/4"	158"

PALPATION CAGE



SPC



- Optional unit configured to fit all of our CattleMaster Chutes
- High-sheeted doors with heavy square tubing to block animal views
- Features dual-access doors from each side with heavy-duty, spring-loaded slam latches
- Both doors open into alley and latch, forming a protective barrier from the animals in the alley
- Easy-adjusting, movable hookups for ease of attachment to different chutes and alleys
- Grease fittings on all pivot points
- Durable powder coat red finish

Description	Item #	Height	Approx. Weight	Width	Length
Standard Palpation Cage	SPC	78"	185 lbs.	32"	32"

NOSE BAR



NB

- Cattle Nose Bar for Manual CattleMaster 6 Headgate Only
- Nose Bar assists in keeping the cow's head restrained while in the chute
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Height	Approx. Weight	Length
Cattle Nose Bar for Manual CattleMaster Headgate Only	NB*	5-1 1/2"	7 lbs.	45"

*Special order requiring additional lead time.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

A SUPERIOR SYSTEM!

FIVE REASONS WHY TARTER'S CATTLE-HANDLING EQUIPMENT IS ALL YOU NEED TO GET THE JOB DONE.

ONE

A fully adjustable alleyway on all units allows working animals of any size. These are versatile systems, designed for a wide range of species, sizes, and ages. The alleyway rolls on a smooth but tough roller system. Large alley adjustment handles make adjustment easy in 3" increments from 13" to 31". Interchangeable first bow at chute connection points make for clean and easy connections to all CattleMaster Chutes.



TWO

Tubs feature full bows to hold the sweep tub in place – this means no shifting or moving of any tub panels regardless of the load.

FOUR

Value pricing offers a heavy-duty system at a lightweight price. All sweep and alley systems are 14-gauge or heavier. The 7-bar design on both the open and sheeted unit is heavier and more rigid than any on the market. You simply get more cattle-handling capacity, versatility, and simplicity for less money. The durable, corrosion-resistant powder coat finish will still be bright and rust-free long after dip-painted models are covered in rust. Expect these heavy-duty, rugged units to be your working partners for a long, long time.



THREE

No tools required for assembly, unless sweep gate latch is reversed. Assembly is simple. The complete unit can be set up in 6 different configurations, putting the controls where you want them, in less than an hour.

FIVE

Both open and sheeted units ship complete on a single pallet that includes all components and easy-to-use, picture-based assembly instructions. This means easy shipping to the store and easy transport to the farm after purchase.



The entire system ships complete on a single pallet, whether sheeted or open-sided, and assembles quickly and easily, with no tools required (unless sweep gate latch is reversed).

SHEETED & OPEN SWEEP SYSTEM

When Tarter designers set out to make the best and most versatile system on the market, they started with several clear objectives. Make it rugged, make it versatile, make it easy to assemble and use, make it affordable, and make it work every single time. The result? An alley and sweep system like no other on the market. And now these units dominate the market!




FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



SSS



OSS



Both the open and sheeted systems are fully reversible and can be configured in 6 different setups. Straight lead-in setups include a 10' alley. For a 20' alley on a straight lead-in configuration, one additional alley panel (SAP10 or SSAP10) and one additional bow (AAA2) must be purchased.

**Area required for setups
1, 2, 5, and 6: 21' x 31' 6"**

**Area required for setups
3 and 4: 11' 3" x 31' 10"**


COMPLETE ALLEY & SWEEP SYSTEM KITS

Description	Item #	Height	Approx. Weight	Width	Length
180 x 20 Sheeted Sweep System	SSS	86"	2,750 lbs.	48"	132"
180 x 20 Open-Sided Sweep System	OSS	86"	1,900 lbs.	48"	132"

ALLEY & SWEEP SYSTEM COMPONENTS & OPTIONS

Description	Item #	Height	Approx. Weight	Width	Length
Adjustable Alley Arch – One Way	AAA1	74-1/2"	95 lbs.	38"	4"
Straight 10' Alley Panel	SAP10	62"	136 lbs.	2-1/2"	121"
Straight 10' Alley Panel – Sheeted	SSAP10	62"	223 lbs.	2-1/2"	121"
Adjustable Alley Arch – Two-Way	AAA2	74-1/2"	95 lbs.	38"	4"
Straight 10' Alley Entry Panel w/Arch	SAPA10	74-1/2"	153 lbs.	2-1/2"	126"
Straight 10' Alley Entry Panel w/Arch – Sheeted	SSAPA10	74-1/2"	287 lbs.	2-1/2"	126"
Center Arch Assembly	CAA	80-1/2"	165 lbs.	12"	132"
Secondary Arch Assembly	SAA	79"	85 lbs.	6"	126"
Curved Sweep Panel	CSP	62"	136 lbs.	16"	117"
Curved Sweep Panel – Sheeted	CSSP	62"	236 lbs.	16"	117"
Sweep Pen Gate	SPG	62"	136 lbs.	2-1/2"	121"
Sweep Pen Gate – Sheeted	SSPG	62"	223 lbs.	2-1/2"	121"
Sweep Gate Latch	SGL	12-1/2"	35 lbs.	6-1/2"	21"
Sweep Gate Latch – Sheeted	SSGL	12-1/2"	37 lbs.	6-1/2"	21"
Attachment Rods	AR	—	5 lbs.	—	63"





APWCGR

ALLEY PANEL WITH CUT GATE

- 10' gate and panel combo
- Interchangeable with any panel in the alley
- Escape gate features a spring-loaded latch
- Gate will open in either direction
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Height	Approx. Weight	Length
Alley Panel w/Cut Gate	APWCGR	76"	175 lbs.	121"
Sheeted Alley Panel w/Cut Gate	SAPWCGR	76"	306 lbs.	121"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



SCG

OPTIONAL SLIDING ALLEY GATE

- Heavy-duty square tube construction and sheeted door to block animal view
- Door slides easily on top-mounted rollers with self-cleaning bottom
- Door features heavy-duty handle and spring-loaded auto latch
- Can be used as alleyway entry gate or mid-alley for scales or other uses
- Features our durable, corrosion-resistant powder coat red finish

NOTE: Requires an additional adjustable alley arch (AAA1) and two attachment rods (AR) to install in sweep system.

Description	Item #	Height	Approx. Weight	Width	Length
Sliding Alley Gate	SCG	80"	196 lbs.	74"	8"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

UNIVERSAL HOOKUP BAR



- The ideal connection between most any brand of equipment to the Tarter line
- Allows for easy hookup to many different types of panels and systems
- Includes one attachment rod for easy hookup
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Height	Approx. Weight
Universal Hookup Bar	UHUB	63"	13 lbs.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

NO BACK ALLEY STOP



- Universal hookup to fit any system
- Prevents animals from backing up in the alley
- Spring-loaded to allow for easy animal passage
- Adjusts to accommodate any size animal and moves with adjustable alleyway
- Features our durable, corrosion-resistant powder coat red finish

Description	Item #	Height	Approx. Weight	Width	Length
No Back Alley Stop	NBAS	6"	42 lbs.	27"	50"




FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!





MP



Split-nursing panel on both sides of pen



Spring-loaded latching system



Welded drop-pin hook-ups

MATERNITY PEN

NEW
PRODUCT

- Great for birthing and nursing animals
- Circular design with sweep gate provides safe handling of animals
- Heavy-duty auto headgate
- Split sweep gate with ratchet stop
- Split nursing panel on both sides of pen
- Rear access door
- Ribbed floor plate in birthing area
- Can also be used as a confinement or squeeze pen
- Completely reversible to fit your facilities
- Heavy-duty, all-welded 2 ½" square tube frame
- No tools required for assembly
- Features our durable, corrosion-resistant powder coat red finish



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

Description	Item #	Height	Approximate Weight	Width	Length
Maternity Pen	MP	85"	1,005 lbs.	167-1/2"	129-1/4"
Left Hand Short Panel	LHSP	30-1/2"	60 lbs.	4-3/4"	118"
Right Hand Short Panel	RHSP	30-1/2"	60 lbs.	4-3/4"	118"
Left Hand Tall Panel	LHTP	37"	78 lbs.	4-3/4"	118"
Right Hand Tall Panel	RHTP	37"	78 lbs.	4-3/4"	118"
Overhead Arch Assembly	OAA	85-3/8"	63 lbs.	6"	123"
Overhead Arch Assembly with Latch	OAAWL	85-3/8"	64 lbs.	6"	123"
Spring Latch Assembly	SLA	13-1/2"	3 lbs.	2"	2"
Arch Panel	APMP	68"	77 lbs.	10-1/2"	93"
Sweep Gate Latch	SGL	12-1/2"	35 lbs.	6-1/2"	21"



Donald Tarter
Owner



Tarter Farm and Ranch Equipment is a 71-year-old family-owned national leader in farm and ranch equipment and is pleased to announce an exclusive line of licensed John Deere products.

It is our mission to provide high quality equipment for the John Deere lifestyle to farms and ranches throughout the nation. The quality and service that has made Tarter the industry leader is now available in this exclusive John Deere offering.

LIVESTOCK MANAGEMENT EQUIPMENT



JD6EG12

Length	Vertical "Z" Braces	Approx. Weight	Item #
4'	0	17 lbs.	JD6EG4
10'	1	42 lbs.	JD6EG10
12'	2	51 lbs.	JD6EG12
16'	3	69 lbs.	JD6EG16

6-BAR ECONOMY TUBE GATE

- Perfect gate between pastures and entries
- 1-3/4" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Stands 50" high with Vertical "Z" braces
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes 4', 10', 12', & 16'
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.



JD2GG12

Length	Vertical "Z" Braces	Approx. Weight	Item #
4'	0	43 lbs.	JD2GG4
10'	1	88 lbs.	JD2GG10
12'	2	105 lbs.	JD2GG12
16'	3	136 lbs.	JD2GG16

2" HEAVY-DUTY BULL GATE

- Designed for feedlots, and large herd containment situations
- 2" round high-tensile strength tubing
- Continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Stands 52" high with vertical "Z" braces
- Available sizes 4', 10', 12', & 16'
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: All 2" tube gates are 2-1/2" shorter than listed length to allow for gate hardware and proper clearance. Recommended for heavy confinement.



ALL JOHN DEERE PRODUCTS FEATURE OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



JDWFGG12

Length	Vertical "Z" Braces	Approx. Weight	Item #
4'	0	26 lbs.	JDWFGG4
10'	1	53 lbs.	JDWFGG10
12'	1	61 lbs.	JDWFGG12
16'	2	83 lbs.	JDWFGG16

2 X 4 WIRE-FILLED GATE

- Gate keeps horses and small livestock safely inside while allowing no catch points
- 1-3/4" round high-tensile strength tubing
- Stands 50" tall
- Double-sided sign plates means gates can be setup in either direction
- Ready to hang with hinge pins, snap chain, and welded chain latch
- Available sizes 4', 10' 12', & 16'
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: All 1-3/4" tube gates are 3" shorter than listed length to allow for gate hardware and proper clearance. Recommended for light confinement only.




JDECG12T

Length	Vertical "Z" Braces	Approx. Weight	Item #
10'	1	52 lbs.	JDECG10T
12'	2	58 lbs.	JDECG12T
16'	3	72 lbs.	JDECG16T

6-BAR ECONOMY CORRAL PANEL

- Ideal for light confinement of livestock and are portable for travel to overnight shows or trail rides
- Quick-pin latch system makes for easy hookup
- Easy hookup to Walk-Thru Arch Gate
- 1-3/4" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Stands 62" high with vertical "Z" Braces
- Custom loop legs prevent sinking
- Available sizes 10', 12', & 16'
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: Recommended for light confinement.



JD2GC12

Length	Vertical "Z" Braces	Approx. Weight	Item #
10'	1	100 lbs.	JD2GC10
12'	2	118 lbs.	JD2GC12

2" 6-BAR EXTRA-HEAVY-DUTY CORRAL PANEL

- Designed for containment in crowding areas such as feedlots and working pens
- 2" round high-tensile strength steel tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means gates can be setup in either direction
- Stands 62" high with vertical "Z" Braces
- Quick-pin latch system makes for easy hookup
- Custom loop legs prevent sinking
- Available sizes 10' & 12'
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: Recommended for heavy confinement.

4' ECONOMY WALK-THRU ARCH GATE

- Provides ease of access for both livestock and herdsman into round pens
- 1-3/4" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means walk-thru gates can be setup in either direction
- Available in 4' width only
- 8' tall arch
- Single hand sliding lockable gate latch
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green



JDEWG4T

Length	Vertical "Z" Braces	Approx. Weight	Item #
4'	0	45 lbs.	JDEWG4T

4' EXTRA HEAVY-DUTY WALK-THRU ARCH GATE

- Provides ease of access for both livestock and herdsman into round pens
- 2" round high-tensile strength tubing
- Superior continuous-welded saddle joints
- Double-sided sign plates means walk-thru gates can be setup in either direction
- Available in 4' width only
- 8' tall arch
- Single hand sliding lockable gate latch
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green



JD2WG4

Length	Vertical "Z" Braces	Approx. Weight	Item #
4'	0	76 lbs.	JD2WG4



JDMGF

10' METAL GRAIN FEEDER

- Ideal for easily feeding large or small herds of livestock
- One of the heaviest bunks on the market constructed of 14-gauge steel with heavy-duty legs
- All steel construction
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Height	Approx. Weight	Width	Bunk Depth
10' Metal Grain Feeder	JDMGF	21"	110 lbs.	28"	6-3/4"



ALL JOHN DEERE PRODUCTS FEATURE OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



JDHDBHF

Description	Item #	Height	Diameter	Approx. Weight
3-Piece HD Bull Hay Feeder	JDHDBHF	45"	8'	225 lbs.

3-PIECE HEAVY-DUTY BULL HAY FEEDER

- Ideal for feeding of round bales to large cattle in tough situations
- 2" round high-tensile strength steel tubing
- S-Bar design prevents calves from getting inside
- 8' diameter to accommodate large bales
- Heavy-duty end post brace provides superior strength and easy assembly
- 17" metal hay saver to reduce waste
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

NOTE: All hay feeders come complete with bolts and nuts. Recommended for toughest situations. Not to be used for horses.



JDPD

POST DRIVER

- Used to drive T-posts and smaller metal posts into ground
- Fashioned from 2-3/8" heavy-wall pipe
- Sturdy 1/2" thick rod handles to make post driving easier
- 14 lb. drive weight
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Approx. Weight	Length	Width
Post Driver	JDPD	14 lbs.	28-1/4"	7-3/4"



JDSDMF
shown with optional
Face Fly Kit.

SUPER-DUTY MINERAL FEEDER

- One of the heaviest mineral feeders on the market
- Feeds livestock while protecting minerals from the weather
- Low center of gravity and 48" wide square base constructed from 2" heavy-duty gauge steel tubing for long lasting durability
- Large 28" x 24" hood opening for horned cattle to easily feed
- 18-gallon capacity rotates 360° with beveled opening to aid in tub access
- Heavy-duty bearing in feeder base allows for long life and easy movement
- Available with an optional Face Fly Applicator Kit
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Assembled Height	Approx. Weight
Super-Duty Mineral Feeder	JDSDMF	56"	76 lbs.
Face Fly Kit	FFAK	—	4 lbs.



JDEHB

EQUINE HAY BASKET

- Perfect for feeding square bales to horses in their natural feeding position
- Keeps the hay dry and off the ground
- Smooth-sided poly basket for horse safety
- Tarter exclusive fully removable basket for easy cleaning
- Large vent holes keep moisture out and hay in
- Constructed of 1-3/4" round tubing
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Height	Approx. Weight	Diameter
Equine Hay Basket	JDEHB	34"	70 lbs.	64"



JDRHF

3-PIECE HORSE HAY FEEDER

- Ideal for safe feeding of round bales to horses
- Round 1-3/4" tubing for extra-strength
- Open top helps minimize hay waste while feeding
- Loop legs prevent sinking into the ground
- 17" metal hay saver to reduce waste
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Height	Diameter	Approx. Weight
8' 3-Piece Horse Hay Feeder w/Hay Saver & Loop Legs	JDRHF	50"	8'	163 lbs.

GALVANIZED OVAL STOCK TANKS



JDWT224

JDWT214

Size	Approx. Capacity	Approx. Weight	Item #
2' x 1' x 4'	40 gallons	30 lbs.	JDWT214
2' x 2' x 4'	100 gallons	46 lbs.	JDWT224

*Drain plug not available

- The preferred watering method for all types of livestock
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" rolled top rim with 1" tube insert for additional strength and rigidity
- 4-ply, double-lock bottom and deep sidewall corrugation for strength
- Larger tanks feature a 1" drain plug
- Unmatched quality and consistency in construction
- Sold in nests of 3

GALVANIZED CANNING & UTILITY TANKS



JDGCT21



JDGUT22

Size	Capacity	Approx. Weight	Item #
2' x 1'	23 gallons	18 lbs.	JDGCT21
2' x 2'	46 gallons	27 lbs.	JDGUT22

- Small sizes and heavy-duty handles make tanks easy to manage and store
- Useful for small gardens, planters, feed storage, and assisting with chores around the home or farm
- Great drink coolers at social gatherings
- 4-ply, double-lock bottom and deep sidewall corrugation for strength
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" rolled top rim with 1" tube insert for additional strength and rigidity
- Unmatched quality and consistency in construction

SPIGOT TANKS & STANDS

- Great drink coolers, planters, and merchandise holders
- Spigots for easy dispensing of water
- Customized for our 2' x 1' canning tank and 2' x 1' x 4' stock tank
- Stands are constructed of 1-3/4" tubular steel
- Stands feature our durable, corrosion-resistant powder coat finish in John Deere's signature green
- Tank and stand sold separately

JDWT214S



JDWTSL

JDGCT21S



JDWTS

Description	Item #	Height	Approx. Weight	Width	Length
Water Tank Stand (fits tank JDGCT21S)	JDWTS	28"	20 lbs.	22"	22"
Galvanized Canning Tank 2x1 w/Spigot	JDGCT21S	13"	19 lbs.	26"	—
Water Tank Stand Large (fits tank JDWT214S)	JDWTSL	28"	26 lbs.	30"	42-1/2"
Galvanized Water Tank 2x1x4 w/Spigot	JDWT214S	13"	30 lbs.	23"	53"



Spigot allows easy water disposal. Threaded nozzle to accommodate water hoses.




JDFR3

3' FIRE RING

- Perfect for fire containment and safety at campsite
- Keeps embers hot extending fire burn time
- 12" tall design to accommodate more wood
- Constructed from galvanized metal for extended life
- Measures 3' diameter with smooth rolled top
- Sold in nests of 3

Description	Item #	Height	Approx. Weight	Diameter
3' Fire Ring	JDFR3	12"	31 lbs.	3'



JD14BGS

JD10BGS

JD6BGS

GATE STANDS

- Easy-to-use stand puts the product upright and in position so the customer can easily visualize several gates in use
- Available in three configurations of 6-, 10-, and 14-peg stands
- Holds twice the gates when placing gate between the pegs
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Height	Approx. Weight	Length	Width
6 Peg	JD6BGS	8-1/4"	21 lbs.	27"	6"
10 Peg	JD10BGS	8-1/4"	36 lbs.	43"	6"
14 Peg	JD14BGS	8-1/4"	50 lbs.	59"	6"



JDGR

JDSGR

GATE RACKS

- Designed for farm supply dealers as well as the large herdsman who need off-the-ground storage of gates and corral panels
- Single and double-deck design allows for easy storage of more gates in a small space
- Loads or unloads by hand or forklift
- Constructed from 3" steel channel
- Hardware and assembly instructions included
- Features our durable, corrosion-resistant powder coat finish in John Deere's signature green

Description	Item #	Approx. Weight	Height	Length	Width	Arm Length (4 Arms)	1-3/4" Gate Capacity	2" Gate Capacity
Gate Rack	JDGR	260 lbs.	115"	80"	50"	28"	56	48
Short Gate Rack	JDSGR	175 lbs.	67"	80"	50"	28"	28	24



3-POINT EQUIPMENT

ENGINEERED TO PERFORM

Tarter 3-Point equipment is engineered to perform day in and day out. Whether it's plowing, mowing, moving, digging or leveling, Tarter has it covered. Tarter's team of Engineers have the capability to design and build a wide range of agricultural equipment. Our Engineering Team is equipped with the latest and greatest in conceptual and 3D modeling software and equipment.

Tarter products are not only designed to last, but they're tested to ensure they last! Our state of the art Research and Development Department builds prototypes that are put to the test in the field by our team of actual farmers. Each prototype is pushed to the limits to ensure the utmost quality and functionality.

When it comes to manufacturing, Tarter is a step above as well. Utilizing cutting edge manufacturing technology allows us to be one of the most lean and cost effective suppliers in the industry. Manufacturing Engineers understand how to put the entire manufacturing process together, providing the most competitive pricing and meeting our customer's tight delivery schedules. From product development to manufacturing, Tarter outperforms the competition.





RC5



Optional Rotary Cutter Rubber Guards
Note: Guards may be required in some states.



ROTARY CUTTER (SQUARE BACK)

- 3-Point rear attach cutter is ideal for grass, stalks, and light brush
- Available in 4', 5', and 6' sizes
- Units work efficiently from 25-45 HP on 540 RPM tractors
- 45 HP heavy-duty cast iron 540 RPM gearbox
- 14-gauge deck, 11-gauge sides
- Series 4 shielded PTO shaft with shear pin
- Balanced stump jumper/blade pan with heavy-duty, 3 inch heat-treated forged blades
- Adjustable, laminated, puncture-resistant rear wheel
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Rotary Cutter Gearboxes ship without oil and must be filled with 90 wt. gear oil before first use. See manual for all grease points before use.

Description	Item #	Unit Height	Approx. Weight	Width	Length
4' Rotary Cutter Square Back	RC4	24"	345 lbs.	50"	69"
5' Rotary Cutter Square Back	RC5	24"	450 lbs.	63"	81"
6' Rotary Cutter Square Back	RC6	24"	529 lbs.	76"	95"

4' Rubber Guard Item #	Weight
RCGRD4 - Front	8 lbs.
RCRGRD4 - Back	5 lbs.
RCGRDK4 - Both	13 lbs.

5' Rubber Guard Item #	Weight
RCGRD5 - Front	9 lbs.
RCRGRD5 - Back	5 lbs.
RCGRDK5 - Both	14 lbs.

6' Rubber Guard Item #	Weight
RCGRD6 - Front	10 lbs.
RCRGRD6 - Back	6 lbs.
RCGRDK6 - Both	16 lbs.



BB5

BOX BLADE

- Ideal for working gravel, topsoil, mulch, manure, and more
- Available in 5' and 6' models
- Heavy-duty steel rear-mount box blades help retain product being worked
- Equipped with a fixed front and rear replaceable/reversible steel cutting edges
- Adjustable ripper shanks
- Ideal for tractors from 25 to 35 horsepower (depending on box blade size)
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish



Description	Item #	Height	Approx. Weight	Width	Length	Replacement Blade Item #
5' Box Blade	BB5	33"	395 lbs.	62"	31"	RB5
6' Box Blade	BB6	33"	445 lbs.	74"	31"	RB6



LG6

LAND GRADER

- Ideal for grading driveways, leveling land, filling potholes and ditches, or reconditioning gravel roads
- Extra length for improved leveling
- Two cutting edges for maximum grading
- 72" grading width
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Ideal for tractors from 18 to 55 horsepower
- Features our durable, corrosion-resistant powder coat yellow finish



Description	Item #	Height	Approx. Weight	Width	Cutting Edges
6' Land Grader	LG6	36"	475 lbs.	76"	(2) 1/4" x 3" x 72"



GB5



REAR GRADER BLADE

- Ideal for grading or scraping needs, such as sand, snow, or gravel
- Units work efficiently on tractors rated between 25-45 HP (depending on blade size)
- Pull-pin design with 5 reversible blade angle adjustments
- 1/4" blade with 1/2" thick hardened steel replaceable cutting edge
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Unit Height	Blade Height	Approx. Weight	Width	Length	Replacement Blade Item #
5' Rear Grader Blade	GB5	38"	15"	197 lbs.	60"	40"	RB5
6' Rear Grader Blade	GB6	38"	15"	213 lbs.	72"	40"	RB6
7' Rear Grader Blade	GB7	38"	15"	232 lbs.	84"	40"	RB7





RT5

• REVERSIBLE •



ROTARY TILLER

- Perfect for cultivating, aerating, and stirring up soil for gardens, food plots, and other tillage needs
- Available in 4', 5', 6', and 7' sizes
- Unit can be switched between forward or reverse rotation
- Units work efficiently on 25-50 HP tractors (depending on tiller size)
- Oil bath lubrication with all gear driven driveline
- Self-sharpening heat-treated cutting tines
- Adjustable runners for variable working depths
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Comes with heavy-duty PTO shaft and slip clutch
- 7' model (RT7) features 2-stage Category I and Category II hookup (2-stage Cat. I & Cat. II pins included)
- Heavy-Duty steel construction with 3/8" solid steel gearbox plate
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Height	Approx. Weight	Overall Width	Length
4' Rotary Tiller	RT4	38"	591 lbs.	55"	28"
5' Rotary Tiller	RT5	38"	638 lbs.	64"	28"
6' Rotary Tiller	RT6	38"	718 lbs.	79"	28"
7' Rotary Tiller	RT7	38"	800 lbs.	89"	28"





HDD7

HEAVY-DUTY 20-BLADE 7' TILLAGE DISC

- 3-point rear attach tillage disc used to prepare soil for planting
- Heavy-duty box frame with 10-18" x 3mm notched blades, 10-18" x 3mm smooth blades, and heavy-duty sealed bearings
- Front and rear disc gangs have adjustable angles and together they cut a 7' swath with each pass
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Scalloped blades are available on rear gangs with an additional factory lead-time and up-charge. See your authorized Tarter dealer for more details.



Description	Item #	Height	Approx. Weight	Width	Length
Heavy-Duty 7' Disc, 18" Blades	HDD7	41"	846 lbs.	84"	53-1/2"



MDD6

MEDIUM-DUTY 20-BLADE 6' TILLAGE DISC

- 3-point rear attach tillage disc used to prepare soil for planting
- Heavy-duty angle-iron frame with 10-18" x 3mm notched blades, 10-18" x 3mm smooth blades, and heavy-duty sealed bearings
- 6-1/2' cutting swath with each pass
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Scalloped blades are available on rear gangs with an additional factory lead-time and up-charge. See your authorized Tarter dealer for more details.



Description	Item #	Height	Approx. Weight	Width	Length
Medium-Duty 6' Disc, 18" Blades	MDD6	41"	553 lbs.	73"	50"



MB



MIDDLE BUSTER

- 3-Point rear attach plow is handy for planting or plowing up potatoes
- Not to exceed 35 HP rated tractors
- 15" double-wing cutting blade for single rows
- Cuts through even compacted soil with ease
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Height	Approx. Weight	Overall Width	Blade Width	Blade Length
Middle Buster	MB	38-1/2"	69 lbs.	31"	19"	11"



SUB



SUBSOILER

- Designed for deep breakage of hard, low ground where water accumulates
- Water will drain easily with one pass
- Not to exceed 35 HP rated tractors
- Features a 3/4" x 4" solid steel shank with reversible, rectangular, sloped point (2-9/16" x 12")
- Usable depth of 22"
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Height	Approx. Weight	Width	Length	Usable Depth
Subsoiler	SUB	49"	95 lbs.	32-1/2"	16"	22"





CUL



ONE ROW CULTIVATOR

- 3-Point rear attach cultivator designed for family gardens and smaller farming operations
- Useful when preparing garden soil, planting beds, and cultivating for weed control
- Not to exceed 35 HP rated tractors
- 6 cultivator tines with 1-3/4" x 10" long reversible curved points
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Height	Approx. Weight	Width	Length
One Row Cultivator	CUL	36"	102 lbs.	50-1/2"	37"



WFS



WIRE FENCE STRETCHER/UNROLLER

- 3-point rear attach stretcher lets one person handle the wire and fencing work of a crew
- Stretcher holds spools of heavy wire fencing and unrolls as well as stretches
- Handles field fence rolls up to 65" tall and a diameter of 24"
- Stretch field fence without kinking or tangling
- Fence can be stretched to desired tightness and held in place for nailing
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Opening Height	Overall Height	Rod Height	Approx. Weight	Length
Wire Fence Stretcher/Unroller	WFS	65"	71"	75"	200 lbs.	45"



TM



TRAILER MOVER

- 3-point rear attach trailer mover that is handy for easy movement of gooseneck trailers, regular trailers, or farm wagons
- Move trailers without raising the landing gear
- 2" receiver accepts hitch for pin drop wagons or ball mount trailers
- 2-5/16" ball is included with purchase
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Rated for 3,000 lbs. or less
- Features our durable, corrosion-resistant powder coat yellow finish

Description	Item #	Height	Approx. Weight	Width	Depth
Trailer Mover	TM	32"	47 lbs.	36"	12"

* For moving unloaded trailers only.



TARTER FERTILIZER SPREADERS AND SEEDERS

- Seamless, 1-piece, 850-lb. and 500-lb. capacity hoppers
- Reversible lift arm pins to accommodate different size tractors (FS)
- PTO-driven spin broadcast with super treated spreading disc and galvanized fins
- Side discharge hopper guarantees greater accuracy and more even spreading
- Spreading width up to 46'
- Can broadcast to each side for directional spreading when needed
- Fully splined gearbox shaft
- Super-duty epoxy painting throughout the complete frame
- Category I quick-hitch compatible hookup (Cat. I pins included)

NOTE: Spreading volume coverage and rate will vary with the material being spread, spreader aperture settings, machine speed, and terrain. Consult the spreader rate chart for precise indications. Unit performs optimally at ground speed of 6-8 MPH and PTO speed of 540 RPM.

Description	Item #	Color	Height	Approx. Weight	Tub Diameter	Spreading Capacity	Spreading Width
Fertilizer Spreader – Metal Tub	FS	Red	42"	135 lbs.	40"	850 lbs.	46'
Poly Tub Fertilizer Spreader	PFS	Red	36"	75 lbs.	37"	500 lbs.	46'



BOOM POLES

- Ideal for loading items onto trailers, pulling up old fence posts, or other lifting chores
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Multiple lifting loops for extra capacity and heights
- Available in standard and heavy-duty model
- Features our durable, corrosion-resistant powder coat yellow finish




Description	Item #	Height	Empty Weight	Width	Length	Front Loop Lift Capacity	Rear Loop Lift Capacity
Boom Pole	BP	25-1/2"	66 lbs.	32"	85-1/2"	500 lbs.	1,000 lbs.
Heavy-Duty Boom Pole	HDBP	24-1/2"	150 lbs.	40"	95"	1,000 lbs.	2,000 lbs.

LANDSCAPE RAKE WITH OPTIONAL WHEEL KIT



LR6 with optional
Landscape Rake Wheel Kit



Landscape Rake
Wheel Kit - LRWK
(fits all sizes)

- Rake used for smoothing, raking, or contouring soil surfaces
- Rotates a full 360° with 5 forward and 5 reverse settings to be pulled or pushed
- Ideal for tractors from 25 to 35 horsepower (depending on box blade size)
- Replaceable high-carbon curved tines
- Use with or without optional wheel kit
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Wheels allow several points of adjustment for varying heights above grade
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: This unit can be fitted with optional wheel kit.



Description	Item #	Height	Approx. Weight	Width	Length
5' Landscape Rake	LR5	39"	195 lbs.	60"	42"
6' Landscape Rake	LR6	39"	215 lbs.	72"	42"
7' Landscape Rake	LR7	39"	238 lbs.	84"	42"
Landscape Rake Wheel Kit	LRWK	12"	62 lbs.	10"	25"



STANDARD HAY SPEAR



HF

- 3-point rear attach hay mover for moving and lifting round bales
- Spear lifts up to 1,500 lb. bales
- Category I quick-hitch compatible hookup (Cat. I pins included)
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales. Only the spear is replaceable – stabilizer bars are welded to frame.

Description	Item #	Height	Approx. Empty Spear Weight	Width	Overall Length	Center Spear Length	Stabilizer Spike Length	Max. Bale Capacity
Standard Hay Spear	HF	26-1/4"	95 lbs.	36"	51"	45"	14-1/2"	1,500 lbs.

HEAVY-DUTY SUPER SPEAR



SST

- 3-point rear attach hay mover for lifting and moving heavier round bales
- Spear lifts up to 2,000 lb. bales
- 2-stage quick-hitch Category I and Category II pin hookups to fit both medium and larger size tractors (2-stage Cat. I & Cat. II pins included)
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales. Spear is only replaceable – stabilizer bars are welded to frame.

Description	Item #	Height	Approx. Empty Spear Weight	Width	Overall Length	Center Spear Length	Stabilizer Spike Length	Max. Bale Capacity
Heavy-Duty Super Spear	SST	26-1/4"	75 lbs.	36"	51-1/2"	45"	14-1/2"	2,000 lbs.



BS



BUCKET-MOUNT SUPER SPEAR

- Front bucket mounted unit designed for round bale lifting and moving
- Easily mounts and dismounts with a single bolt without removing the bucket (bolt and nut included)
- Spear lifts up to 2,000 lb. bales
- Heavy-duty replaceable heat-treated upper spear and two lower welded stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Spear must be securely mounted to bucket with provided nut and bolt for extra strength. Bale must be fully seated against frame of spear before attempting to move bales. Only the spear is replaceable – stabilizer bars are welded to frame.

Description	Item #	Height	Approx. Empty Spear Weight	Width	Overall Length	Center Spear Length	Stabilizer Spike Length	Max. Bale Capacity
Bucket-Mount Super Spear	BS	8-3/4"	65 lbs.	30-1/4"	61-1/2"	45"	15"	2,000 lbs.



QASS

QUICK ATTACH SUPER SPEAR

- Universal front mount round bale spear
- Mounts in place of the bucket on a front end loader using the universal mounting system (not for use on skid steer units)
- Spear lifts up to 2,000 lb. bales
- Designed for easy mounting and lifting of heavier round bales
- Heavy-duty replaceable heat-treated upper spear and two lower (bolted on) replaceable stabilizer bars for extra hold and stability
- Features our durable, corrosion-resistant powder coat yellow finish

NOTE: Bale must be fully seated against frame of spear before attempting to move bales.




Description	Item #	Height	Approx. Empty Spear Weight	Width	Overall Length	Center Spear Length	Stabilizer Spike Length	Max. Bale Capacity
Quick Attach Super Spear	QASS	22"	192 lbs.	48"	47-1/2"	44"	13"	2,200 lbs.



TRADITIONAL BARBED WIRE



317831TD



4 Point



2 Point

- Available in Class 1 wrapped
- 2 & 4-point barbs
- 5" barb spacing
- Each spool contains 1/4 mile of product
- Palletized and shrink-
- 27 spools per pallet (barbed)
- 32 spools per pallet (barbless)
- 1,320' rolls
- Sold in pallet quantities only

Barbed Wire - Class 1

Item #	Description	Barbs	Spacing	Gauge	ASTM
317801TD	Barbless Wire Class 1	-	-	12.5	A121
317831TD	Barbed Wire Class 1	4PT	5"	12.5	A121
317821AD	Barbed Wire Class 1	2PT	5"	12.5	A121

WELDED WIRE

- Heavy-duty galvanized wire
- 4" x 2" spacing
- High-tech welding process results in stronger welds and longer life
- Ideal for animal enclosures or plant protection
- Product comes in 100' rolls
- 9 rolls per pallet
- Sold in pallet quantities only



308312TD



Item #	Gauge	Height	Length
308312TD	14.0	48"	100'

WIRE AND FENCING

T-POSTS




- Stocked in our warehouse for your convenience
- Available with the same great lead times as all other Tarter products
- No truckload or 1/2 truckload minimums required
- Add 1 skid, 2 skids, or any quantity you need for fill-in or special order
- Sold in bundles of 200
- Available in green only

Description	1.25 lbs./ft. Item #	Approx. Weight	1.33 lbs./ft. Item #	Approx. Weight
5'	TP5125	6.69 lbs.	—	—
5.5'	TP512125	7.32 lbs.	—	—
6'	TP6125	7.95 lbs.	TP6133	8.65 lbs.
6.5'	TP612125	8.57 lbs.	—	—
7'	TP7125	9.20 lbs.	—	—
8'	TP8125	10.45 lbs.	—	—



HORSE FENCE

- Class 1 galvanized for corrosion-resistance
- Continuous vertical and horizontal wires
- Squares connected with horse-safe knot
- Strong, rigid, and designed for horse safety
- 4" x 2" spacing
- 9 rolls per pallet
- Sold in pallet quantities only



348310T



Galvanized - Class 1

Item #	Gauge	Height	Length	Rolls Per Pallet	ASTM
348308T	12.5	48"	100'	9	A641
348310T	12.5	60"	100'	9	A641
348312A	12.5	72"	100'	9	A641

WELDED WIRE

- Heavy-duty galvanized wire
- High-tech welding process results in stronger welds and longer life
- Ideal for animal enclosures or plant protection
- Product comes in 100' rolls
- 4" x 2" spacing
- 9 rolls per pallet
- Sold in pallet quantities only



308312T




Item #	Gauge	Height	Length	ASTM
308312T	14.0	48"	100'	A641
308313T	14.0	60"	100'	A641
308314A	14.0	72"	100'	A641

FIELD FENCE

- Class 1 galvanized for corrosion-resistance
- Heavy-duty galvanized coating
- Palletized and shrink-wrapped
- 9 rolls per pallet
- Sold in pallet quantities only




Tension curve helps maintain fence uniformity despite extremes of temperature



Hinge joint construction provides flexibility and shape retention



348104T



Galvanized - Class 1

Item #	Description	Gauge	Spacing	Height	Length	ASTM
348104T	939-6	12.5	6"	39"	330'	A116
348106T	1047-6	12.5	6"	47"	330'	A116

TRADITIONAL BARBED WIRE

- Available in Class 1
- 2-point barbs
- 5" barb spacing
- Each spool contains 1/4 mile of product
- Palletized and shrink-wrapped
- 27 spools per pallet (Barbed)
- 32 spools per pallet (Barbless)
- Sold in pallet quantities only



317821A



Barbed Wire - Class 1

Item #	Description	Barbs	Spacing	Gauge	ASTM
317821A	Barbed Wire Class 1	2PT	5"	12.5	A121
317801T	Barbless Cable Class 1	—	—	12.5	A641

SMOOTH WIRE



317527A




- Uniform diameter along the whole roll
- Heavy-duty galvanized finish resists rust
- Continuous rolls from start to end (without cuts)
- Class 3
- 10 rolls per bundle, 10 bundles per pallet
- Sold by the bundle

Galvanized Smooth Wire/Brace Wire

Item #	Description	Gauge	ASTM
317527A	10# Coils	9	A641

* Minimum order of 1 bundle.






STOCK 10 WIRE PANEL

- Sold in bundles of 25
- Stands 50" tall
- 16' length
- Constructed of 4/5-gauge wire
- 10 horizontal wires running the length of the panel


Description	Item #	Height	Approx. Weight	Length
Stock 10 Wire Panel	CPS10	50"	36 lbs.	16'



COMBO THRIFTY WIRE PANEL

- Sold in bundles of 50
- Stands 50" tall
- 16' length
- Constructed of 4/5-gauge wire
- 13 horizontal wires running the length of the panel


Description	Item #	Height	Approx. Weight	Length
Combo Thrifty Wire Panel	CPCT	50"	43 lbs.	16'



HOG WIRE PANEL

- Sold in bundles of 50
- Stands 34" tall
- 16' length
- Constructed of 4/5-gauge wire
- 11 horizontal wires running the length of the panel


Description	Item #	Height	Approx. Weight	Length
Hog Wire Panel	CPH	34"	34 lbs.	16'



HORSE WIRE PANEL

- Sold in bundles of 25
- Stands 60" tall
- 16' length
- Constructed of 6-gauge wire
- 16 horizontal wires running the length of the panel with 2 x 4 spacing

Description	Item #	Height	Approx. Weight	Length
Horse Wire Panel	WPG16	60"	75 lbs.	16'



4 X 4 UTILITY PANEL

- Sold in bundles of 25
- Stands 48" tall
- 16' length
- Constructed of 4-gauge wire
- 13 horizontal wires running the length of the panel

Description	Item #	Height	Approx. Weight	Length
4 x 4 Utility Panel	WP4466416	48"	40 lbs.	16'

*All Panels can be lined up with T-posts to form fencing panels, or can be affixed to wooden posts with staples.

FENCE & POST CALCULATION GUIDE & CHARTS

BARBED WIRE

80 Rods (1,320') Per Roll

1 Rod = 16-1/2'


1/4 Mile = 1,320' (80 Rods)

FIELD FENCE

20 Rods (330') Per Roll

1/2 Mile = 2,640' (160 Rods)

1 Mile = 5,280' (320 Rods)



*Use ends and corner posts as required. Stretcher posts should be used at approximately 20-rod intervals for permanent farm fences. Subtract 1 line for every stretcher post to be used.

RECTANGLE FIELD

Acres	Field Length	Field Width	Fence Required*	No. of Steel Line Posts Required
	Rods	Rods	Rods	4-Corner Field
1	16	10	52	48
1	20	8	56	52
2.5	40	10	100	96
4	32	20	104	100
5	40	20	120	116
6	60	16	152	148
7	80	14	188	184
8	80	16	192	188
9	80	18	196	192
10	50	32	164	160
20	100	32	264	260
30	80	60	280	276
40	100	64	328	324
50	100	80	360	356
60	120	80	400	396
70	160	70	460	456
80	128	100	456	452
100	160	100	520	516
120	192	100	584	580
140	280	80	720	716
160	320	80	800	796
320	400	128	1,056	1,052
640	400	256	1,312	1,308

SQUARE FIELD

Acres	Field Length		Fence Required*	No. of Steel Line Posts Required
	Rods	Feet	Inches	4-Corner Field
1	12	10	9	51
2	17	14	8	72
3	21	15	—	88
4	25	4	11	101
5	28	4	8	113
6	30	16	3	124
7	33	7	8	134
8	35	12	10	143
9	37	15	8	152
10	40	—	—	160
20	56	9	5	227
30	69	4	8	277
40	80	—	—	320
50	89	7	4	358
60	97	16	2	392
70	105	13	8	424
80	113	2	3	453
100	126	8	1	506
120	138	9	4	554
140	149	11	—	599
150	160	—	—	640
320	226	4	7	905
640	320	—	—	1,280

POST DRIVER

- Used to drive T-posts and smaller metal posts into ground
- Fashioned from 2-3/8" heavy-wall pipe
- Sturdy 1/2" thick rod handles to make post driving easier
- 14 lb. drive weight
- Features our durable, corrosion-resistant powder coat red finish



PD



T-POST PULLER

- Used to pull T-post quickly and neatly from the ground
- Creates tight connection between pulling head and T-Post while the base functions as a fulcrum
- Folds for easy storage
- A must for every pickup and farm toolbox
- Features our durable, corrosion-resistant powder coat red finish



TPP



Description	Item #	Approx. Weight	Length	Width
Post Driver	PD	14 lbs.	28-1/4"	7-3/4"

Description	Item #	Approx. Weight	Length	Height
T-Post Puller	TPP	21 lbs.	64"	31"



GWHP



GL22P

PACKAGED GATE ACCESSORIES

Description	Item #	Height	Approx. Weight	Width	Diameter
Gate Wheel	GWHP	—	3-3/4 lbs.	—	7"
HD Two-Way Lockable Gate Latch 1-5/8" - 2" O.D.	GL22P	11"	5 lbs.	4-1/4"	—



HINGE PINS FOR 1-3/4" GATES

Description	Item #	Approx. Weight
5/8" x 6" Galvanized Screw-in Pin	HPG6	.5 lb.
5/8" x 13" Galvanized Threaded Pin	HPG13	1.5 lbs.

HINGE PINS FOR 2" GATES

Description	Item #	Approx. Weight
3/4" x 12" Galvanized Threaded Pin*	HPHDG12	2.0 lbs.

*We do not recommend using smaller pins for 2" Heavy-Duty Gates.

KIDDER PANEL PINS

Description	Item #	Approx. Weight
1/2" x 8-1/2" Galvanized L-Pin with hole	LPP	1 lb.

MISCELLANEOUS ITEMS

Description	Item #	Approx. Weight
36" HD Galvanized Snap Chain	HDGSC	.75 lb.



TUBE GATE HINGES

Description	Item #	Approx. Weight
1-3/4" Hinge Galvanized	CHG	.45 lb.
2" HD Hinge Galvanized	CHHDG	.85 lb.

NON-PACKAGED HARDWARE



HAY SPEAR REPLACEMENT PARTS

Description	Item #	Approx. Weight
Hay Spear – fits SST, BS, HF, QASS	NSBS	20.0 lbs.
Spear Sleeve – fits SST, BS, HF, QASS	SNSBS	4.25 lbs.
Spear Nut – fits SST, BS, HF, QASS	NUT2	.25 lbs.
Stabalizer Bars – fits QASS	YSS	6.0 lbs.



TANKS AND WATERERS

TANKS AND WATERERS



WTR32

WT224

Round Galvanized Stock Tanks

Size	Approx. Capacity	Approx. Weight	Item #
3' x 2'	105 gallons	36 lbs.	WTR32
4' x 2'	165 gallons	65 lbs.	WTR42
6' x 2'	390 gallons	115 lbs.	WTR62
8' x 2'	700 gallons	176 lbs.	WTR82

HEAVY-DUTY GALVANIZED STOCK TANKS

- 4-ply, double-lock bottom
- Deep sidewall corrugation for strength
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" top rim is permanently rolled for strong reinforcement
- 1" tube inside rim of tank for additional strength
- Most feature a 1" drain plug
- Unmatched quality and consistency in construction
- Sold in nests of 3

Oval Galvanized Stock Tanks

Size	Approx. Capacity	Approx. Weight	Item #
2' x 1' x 4'*	40 gallons	30 lbs.	WT214
2' x 1' x 6'*	70 gallons	46 lbs.	WT216
2' x 2' x 3'	70 gallons	36 lbs.	WT223
2' x 2' x 4'	100 gallons	46 lbs.	WT224
2' x 2' x 5'	125 gallons	55 lbs.	WT225
2' x 2' x 6'	170 gallons	63 lbs.	WT226
2' x 2' x 8'	220 gallons	84 lbs.	WT228
3' x 2' x 8'	300 gallons	95 lbs.	WT328

*Drain plug not available



TANKS AND WATERERS

HEAVY-DUTY GALVANIZED CANNING & UTILITY TANKS

- Small sizes and heavy-duty handles make tanks easy to manage and store
- Lightweight tanks for a variety of uses
- Useful for small gardens, planters, feed storage, and assisting with chores around the home or farm
- Great drink coolers at social gatherings
- 4-ply, double-lock bottom
- Heavy-duty zinc G90 coating withstands harsh weather conditions
- 1-1/8" top rim is permanently rolled for strong reinforcement
- 1" tube inside rim of tank for additional strength
- Unmatched quality and consistency in construction



GCT21

GUT22

Round Canning & Utility Tanks

Size	Capacity	Approx. Weight	Item #
2' x 1'	23 gallons	18 lbs.	GCT21
2' x 2'	46 gallons	27 lbs.	GUT22

SPIGOT TANKS & STANDS

- Great drink coolers, planters, and merchandise holders
- Spigots for easy dispensing of water
- Customized for our 2' x 1' canning tank and 2' x 1' x 4' stock tank
- Stands are constructed of 1-3/4" tubular steel
- Stands feature our durable, corrosion-resistant powder coat red finish



Spigot allows easy water disposal. Threaded nozzle to accommodate water hoses.



WT214S

WTS



GCT21S

WTS

Description	Item #	Height	Approx. Weight	Width	Length
Water Tank Stand (fits tank GCT21S)	WTS	28"	20 lbs.	22"	22"
Galvanized Canning Tank 2x1 w/Spigot	GCT21S	13"	19 lbs.	26"	—
Water Tank Stand Large (fits tank WT214S)	WTSL	28"	26 lbs.	30"	42-1/2"
Galvanized Water Tank 2x1x4 w/Spigot	WT214S	13"	30 lbs.	23"	53"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



FR3

3' FIRE RING

- Perfect for fire containment and safety at campsite
- Keeps embers hot extending fire burn time
- 12" tall design to accommodate more wood
- Constructed from galvanized metal for extended life
- Measures 3' diameter with smooth rolled top
- Great at campgrounds or personal sites
- Sold in nests of 3

Description	Item #	Height	Approx. Weight	Diameter
3' Fire Ring	FR3	12"	31 lbs.	3'



AD34

TUFF TANKS

- Constructed of 100% low-density polyethylene
- Impact-, heat-, cold-, and U.V.-resistant
- Tanks will withstand years of outdoor use
- Will not discolor over time
- Smooth edges to provide the greatest safety for humans and animals
- Paintable material
- Bulk head adapter plug available for smaller tanks if desired

Oval Tuff Tanks

Size	Capacity	Item #
22" x 8" x 28"	15 gallons	KMT103
25" x 12" x 35"	30 gallons	KMT102
27" x 13" x 38"	40 gallons	KMT101
36" x 20" x 53"	110 gallons	KMT100
38" x 20" x 56"	140 gallons*	KMT99
40" x 24" x 58"	180 gallons*	KMT98

Round Tuff Tanks

Size	Capacity	Item #
28" x 13"	25 gallons	KMB103
33" x 21"	54 gallons	KMB101

Miscellaneous	Capacity	Item #
Feed Drum w/ Lid 24" x 24"	37 gallons	KMW105
Bulk Head Adapter/Plug Kit		AD34

*Comes with built-in 1" drain plug.



WTP82

8' ROUND TANK

- Constructed from tough polyethylene material
- Will never rust or corrode
- 2' tall/8' diameter
- Single molded piece holds 625 gallons
- Available in blue only

Description	Item #	Height	Approx. Weight	Capacity
8' Round Tank	WTP82	24"	85 lbs.	625 gallons

ELECTRIC WATERERS

- Constant fresh, clean water; like pouring your animals a fresh glass of water, on demand, 24 hours a day
- Internal heater keeps water from freezing in cold weather
- Constructed of 100% polyethylene material for years of trouble-free operation
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic
- Rounded corners to handle abuse by livestock while ensuring livestock safety
- Corrosion-free products to provide many years of trouble-free operation
- Clean cool drinking water will lower respiration rates and body temperatures; increase feed intake and milk yield
- Time saver – automatic water refill
- Algae growth reduced on water
- Year-round ease of usage
- Product will not crack or rust in extreme weather conditions
- Bolt-down method keeps the waterer in desired location
- Less everyday maintenance
- Meets "Grade A" Dairy recommendations
- Model WEE10 is both wall and floor mount



Double Bowl Electric Waterer
9.2-gallon capacity – WEE100

Recommended head:
100 beef, 50 dairy, and 50 horses



Single Bowl Electric Waterer
4.8-gallon capacity – WEE50

Recommended head:
60 beef, 25 dairy, and 30 horses




Low Profile Double Bowl
Electric Waterer
5.3-gallon capacity – WEE20

Recommended head:
60 beef, 25 dairy, and 30 horses



Wall or Floor Mount
Electric Horse Waterer
2.9-gallon capacity – WEE10

Recommended head:
5 beef, 3 dairy, and 10 horses



Description	Item #	Height	Approx. Weight	Width	Length	Capacity	Heating Element
Double Bowl Electric Waterer	WEE100	26"	54 lbs.	22"	32"	9.2 gallons	500 watts
Single Bowl Electric Waterer	WEE50	26"	40 lbs.	22"	27"	4.8 gallons	500 watts
Low Profile Double Bowl Electric Waterer	WEE20	16"	32 lbs.	21-3/4"	28"	5.3 gallons	500 watts
Single Bowl Electric Horse Waterer	WEE10	13-1/2"	26 lbs.	17"	17"	2.9 gallons	250 watts

**W351**

Recommended head: 120
beef, 50 dairy, and 50 horses -
Minimum 10 head

**W352NG**

Recommended head: 180
beef, 70 dairy, and 70 horses -
Minimum 10 head

**W44**

Recommended head: 200
beef, 90 dairy, and 90 horses -
Minimum 15 head

ENERGY-FREE WATERERS

- Constant fresh, clean water; like pouring your animals a fresh glass of water, on demand, 24 hours a day
- Constructed from 100% polyethylene material
- Rounded corners to handle abuse by livestock while ensuring livestock safety
- Corrosion-free products to provide many years of trouble-free operation
- As ground water is pulled into insulated vent, water temperature is raised to prevent freezing
- Clean cool drinking water will lower respiration rates and body temperatures; increase feed intake and milk yield
- Time saver – automatic water refill
- Algae growth reduced on water
- Protection from the elements, eliminating stagnant water, which aids against West Nile Virus
- Year-round ease of usage
- Product will not crack or rust in extreme weather conditions
- Bolt-down method keeps the waterer in desired location
- Less everyday maintenance
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic

Description	Item #	Height	Approx. Weight	Width	Length	Capacity
Single-Door Energy Free Waterer	W351	20"	50 lbs.	23"	28"	17 gallons
Dual-Door Energy Free Waterer	W352NG	20"	75 lbs.	23"	41"	22 gallons
Four-Door Energy Free Waterer	W44	19"	92 lbs.	36"	41"	40 gallons

MULTI-USE UTILITY DE-ICER

- Constructed of Cast Aluminum for ultimate efficiency and performance
- Thermostatically controlled to operate only when necessary
- Designed for multiple uses around home and farm
- Safe in plastic tanks
- Used in 25 and 50 gallon tanks, buckets of all sizes, small animal drinkers, hog waterers, surface heater, and bird baths depending on unit model
- Available in 250 watt and 500 watt units with 6' cord



UDI250 / UDI500

WATER TANK FLOAT VALVE

- Eliminates the need for manual water fills or expensive automatic livestock watering systems
- Attach to existing water tanks to allow automatic water fill when levels are low
- Operates with gravity flow or pressures up to 70 PSI
- Versatile for most any water tank
- Made of tough, high-density polyethylene
- Features replaceable water polyethylene shut-off orifice
- Attaches to standard garden hose
- 300 GPH capacity



WTFV

Description	Item #	Height	Approx. Weight	Width	Length
Multi-Use Utility De-Icer 250 Watt	UDI250	—	1-1/2 lbs.	4"	7"
Multi-Use Utility De-Icer 500 Watt	UDI500	—	1-1/2 lbs.	4"	7"
Water Tank Float Valve	WTFV	3-3/4"	1-1/3 lbs.	3-3/4"	7-1/2"



RODEO AND ARENA

THE NEW STANDARD IN ROPING CHUTES

14 REASONS WHY YOU SHOULD SWITCH TO TARTER ROPING CHUTES

Tarter Roping Chutes are now the new standard in roping. These feature-packed units have innovations never before experienced on the market, with three models to choose from.

1. Lowest cost/ highest quality/ heaviest roping chute on the market today
2. All chute models - manual and electric - can be released manually at any time.
3. Electric chute can be operated by manual release, push-button release, and remote release.
4. Unique front/rear gate design opens rear gate as front gate closes.
5. Easy one-handed operation for both tailgate release and opening/closing. Chute can be manually operated from either side of chute.
6. Solar panels keep on-board battery charged with no need for 110V.
7. Door design allows for easy removal of door if necessary.
8. Slanted door design helps keep steer's head up.
9. Lower front openings give steer greater visibility to encourage keeping their head up.
10. Fully covered and protected electronics feature our sure-release system, which guarantees release of headgate regardless if steer is putting pressure on door.
11. Greater ground clearance than any other roping chute on the market, allowing for easy access to cleaning out or building up if trenched out.
12. ERCRH has a single-button remote, which opens and closes headgate.
13. Rear doors pivot from top for easier operation, greater ground clearance in rear, and no components in the mud or manure.
14. Grease zerks on pivot points





MRCE



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

MANUAL ECONOMY CHUTE

NEW
PRODUCT

- Most affordable full-featured roping chute on the market
- Operates from either side, from ground or saddle
- Easy fingertip front gate trigger ensures consistent animal release
- Large 2" square tube frame for years of durable service.
- Easy to operate rear scissor gates
- Ideal for releasing steers for personal or competition roping
- Reliable operation for any roping setup
- Grease zerks on pivot points
- Slanted door design with lower front openings keeps steer's head up while increasing visibility
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
Manual Roping Chute Economy	MRCE	65"	445 lbs.	38"	93"



MRC



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

MANUAL CHUTE

- Ideal for releasing steers for personal or competition ropings
- Lowest cost/ highest quality/ heaviest roping chute on the market today
- Coordinated front and rear door closing, which prevents any accidental animal loss
- Quietest operation of any chute
- Reliable operation for any roping setup
- Easy one-handed operation for both tailgate release and opening/closing - chute can be operated from either side
- Fully covered and protected sure-release mechanism with covered springs and latches
- Grease zerks on pivot points
- Slanted door design with lower front openings keeps steer's head up while increasing visibility
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
Manual Roping Chute	MRC	65"	628 lbs.	38"	93"



ELECTRIC CHUTE WITH REMOTE HEADGATE

- Offers the same great features as the Manual Chute but offers a single button remote headgate
- Features a 12V solar power system allowing it to be put anywhere without the need of an air compressor or electric (110V)
- Headgate can be operated via manual release lever, on-board push button, or from remote on horseback
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
Electric Roping Chute w/Remote Headgate	ERCRH	65"	712 lbs.	38"	93"
Remote Holder Manual	RHM	1-1/2"	2-3/4"	3-3/4"	
Single Button Remote	SBR	1-5/8"	2-3/4"	3"	

SBR

RHM



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ROPING BOXES



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

LHRB

RHRB

Description	Item #	Height	Approx. Weight	Width	Length
Right Hand Roping Box	RHRB	42"	240 lbs.	80"	153"
Left Hand Roping Box	LHRB	42"	240 lbs.	80"	153"

- Creates positive location for horse and rider creating consistent start time
- Boxes have large smooth contact surfaces for horse safety
- Angled legs away from the horse prevents hock injuries
- 14-gauge sheet metal for horse safety
- Equipped with plate and anchor holes for a secure hold
- Stands 3' 6" tall
- 12' 9" long
- Features our durable, corrosion-resistant powder coat brown finish



AC90

90° ALLEY CORNER

- Used in roping arenas for turning steers into alleys and roping chutes
- Easily connects to Tarter Leadups and Chutes
- Gradual turn provides an easy corner to facilitate smooth effortless flow of livestock
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

Description	Item #	Height	Approx. Weight	Overall Width	Alley Width	Length
Alley Corner 90°	AC90	63"	218 lbs.	36"	15"	80"



LAWOB8

LEADUP ALLEY

- Used to guide steers to the roping chute
- Heavy drop pin hookups to allow easy hook-up to other leadups or chute
- Slanted bottoms prevent animal turnaround
- Optional gravity-activated backstop allows animals to advance in the alley while not letting them back up
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



Optional Backstop - BO

Description	Item #	Height	Approx. Weight	Overall Width	Alley Width	Length
8' Leadup Alley	LAWOB8	58"	340 lbs.	36"	15"	99"
Backstop Only	BO	6"	14 lbs.	12"	—	24"



SCSG

STRIPPING CHUTE

- Used in roping arenas to contain steer while removing ropes
- Easy float headgates with high mount single hand release
- Built-in backstop and heavy-duty swing gate with ground pin
- Easy mount ramp to put steer within reach from horseback
- Mesh floor deck stands 14" from the ground
- Fully reversible swing gate allowing chute to be set up on either side of arena
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
Stripping Chute w/Swing Gate Elevated	SCSG	73"	463 lbs.	37"	76"
Stripping Chute Optional Front Ramp	SCFR*	—	56 lbs.	28"	47"

*Built to order – Additional lead-time may be required.



SCGBR12



SQUARE CORNER GATE

- Used to provide an entrance for animals or equipment into arena
- Stands 51" tall with saddle welded square corners
- Laser cut brace technique provides a continuous and smooth interior surface for animal safety
- Constructed from 1-3/4" 16-gauge tubing
- Super-duty hinge pin on welded swivel-collared hinges and a chain latch
- Available in 6'-16' sizes
- Features our durable, corrosion-resistant powder coat brown finish

Length	Vertical Braces	Approx. Weight	Item #
6'	0	50 lbs.	SCGBR6
8'	1	64 lbs.	SCGBR8
10'	1	74 lbs.	SCGBR10

Length	Vertical Braces	Approx. Weight	Item #
12'	2	96 lbs.	SCGBR12
14'	2	112 lbs.	SCGBR14
16'	2	125 lbs.	SCGBR16



2SCGBR12

2" SQUARE CORNER SUPER-DUTY GATE


- Used to provide an entrance for animals or equipment into arena
- Stands 62" tall with saddle welded square corners
- Laser cut brace technique provides a continuous and smooth interior surface for animal safety
- Constructed from 2" 16-gauge tubing
- Super-duty hinge pin on welded swivel-collared hinges
- Weld-on chain latch
- Available in 10', 12' & 16' sizes
- Features our durable, corrosion-resistant powder coat brown finish

Length	Vertical Braces	Approx. Weight	Item #
10'	1	99 lbs.	2SCGBR10
12'	2	117 lbs.	2SCGBR12
16'	2	152 lbs.	2SCGBR16
18'	3	194 lbs.	2SCGBR18*
20'	3	213 lbs.	2SCGBR20*

*Built to order – Additional lead-time may be required.



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



AP512



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

5' Tall Arena Panels Economy

Length	Vertical Braces	Approx. Weight	Item #
6'	1	30 lbs.	AP56
8'	1	39 lbs.	AP58
10'	1	45 lbs.	AP510
12'	2	55 lbs.	AP512
16'	3	80 lbs.	AP516

5' Tall Arena Panels Heavy-Duty

Length	Vertical Braces	Approx. Weight	Item #
6'	1	55 lbs.	APHD56
8'	1	65 lbs.	APHD58
10'	1	80 lbs.	APHD510
12'	2	102 lbs.	APHD512
16'	3	128 lbs.	APHD516

6' Tall Arena Panels Heavy-Duty

Length	Vertical Braces	Approx. Weight	Item #
6'	1	70 lbs.	APHD66
8'	1	85 lbs.	APHD68
10'	1	100 lbs.	APHD610
12'	2	125 lbs.	APHD612
16'	3	165 lbs.	APHD616

ARENA PANELS

- Perfect for roping arenas and events
- Great for cattle handling setups
- Heavy-duty hookup for solid connections
- Comes in five different lengths and two heights for different arena needs
- Straight end posts with closed tops
- Bow Hook-up Adapter available for 3-way connections
- 2" 16-gauge precision cut laser braces

5' Arena panels - Economy

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 20-gauge steel
- 62" tall panels
- Use for rodeo arenas and other light confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish


5' Arena panels - Heavy-Duty

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 16-gauge steel
- 62" tall panels
- Use for cattle-handling systems, rodeos, or other heavy confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish

6' Arena panels - Heavy-Duty

- Available in lengths 6', 8', 10', 12', and 16'
- 1-3/4" 16-gauge steel
- 73" tall panels
- Use for cattle-handling systems, rodeos, or other heavy confinement
- Heavy-duty pin connectors
- Features our durable, corrosion-resistant powder coat brown finish





ARTHD6910



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

ARENA WALK, RIDE & DRIVE-THRUS

Tarter arena walk, ride, and drive-thrus come in a variety of sizes to accommodate all of your arena needs.

- Use for cattle-handling systems, rodeo/arena setups, or other heavy confinement
- Heavy-duty bullet style single latch
- 2" 16-gauge precision cut laser braces
- Walk-thrus stand 7' tall, ride-thrus stand 9' tall, and drive-thrus stand 12' tall
- Features our durable, corrosion-resistant powder coat brown finish

5' heavy-duty Bows and gates

- 1-3/4" 14-gauge gate and support bars
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 5' tall from ground

6' Heavy-duty Bows and gates

- 1-3/4" 14-gauge gate and support bars
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 6' tall from ground

5' Arena Walk-Thru Heavy-Duty

Length	Height	Item #
4'	84"	AWTHD574*
6'	84"	AWTHD576*
10'	84"	AWTHD5710*
12'	84"	AWTHD5712*

5' Arena Ride-Thru Heavy-Duty

Length	Height	Item #
6'	108"	ARTHD596*
10'	108"	ARTHD5910*
10'†	108"	ARTHD5910OMM*
12'	108"	ARTHD5912*

†Bow only - Male connectors only

5' Arena Drive-Thru Heavy-Duty

Length	Height	Item #
12'	144"	ADTHD51212*

6' Arena Walk-Thru Heavy-Duty

Length	Height	Item #
4'	84"	AWTHD674*
6'	84"	AWTHD676*
10'	84"	AWTHD6710*
12'	84"	AWTHD6712*

6' Arena Ride-Thru Heavy-Duty

Length	Height	Item #
6'	108"	ARTHD696*
10'	108"	ARTHD6910*
10'†	108"	ARTHD6910OMM*
12'	108"	ARTHD6912*

†Bow only - Male connectors only

6' Arena Drive-Thru Heavy-Duty

Length	Height	Item #
12'	144"	ADTHD61212*


Description	Item #	Height	Approx. Weight	Width	Length
Bow Hook-up Adapter	BHA	1-1/2"	1 lb.	1-7/16"	5-1/16"
Panel Clip 1-3/4"	PC134	1-3/4"	1/5 lb.	—	4"
Panel Clip 2"	PC2	2"	1/5 lb.	—	4"

*Built to order - Additional lead-time may be required.





SSP10



SSPWT710

SUPER STOCK PANELS - PANEL & WALK-THRU

Use for all your rough stock needs.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- Panels are 62" tall
- Panels are designed to be used with connector posts or our Super Stock Alley Frame
- 2" 14-gauge panel and support bars
- 2-1/4" 14-gauge precision cut laser braces
- Use heavy-duty connector posts for strong hookup if 72" height is desired
- Walk-thru gate stands 72" tall with 48" wide walk-thru
- Heavy-duty 2-3/8" 10-gauge bow tube on walk- and ride-thrus for maximum strength
- Closed end loops and closed tops
- High mount latches for mounted operation
- Heavy-duty bullet style single latch
- Features our durable, corrosion-resistant powder coat brown finish

Super Stock Panel & Walk-Thru

Length	Height	Item #
10'	84"	SSPWT710*
12'	84"	SSPWT712*

*Built to order – Additional lead-time may be required.


Super Stock Panel

Length	Vertical Braces	Item #
5'	0	SSP5
10'	1	SSP10
12'	2	SSP12
16'	3	SSP16



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!





SSRT910

SUPER STOCK WALK, RIDE, & DRIVE-THRUS

Tarter Super Stock equipment offers the heaviest walk, ride, and drive-thrus on the market and are the ultimate choice for all your rough stock needs.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- Walk-thrus stand 7' tall, ride-thrus stand 9' tall, and drive-thrus stand 12' tall
- 2" 14-gauge gate and support bars
- 2-1/4" 14-gauge precision cut laser braces
- Heavy-duty 2-3/8" 10-gauge bow tube for maximum strength
- Gate panel stands 6' tall from ground
- Heavy-duty pin connectors
- Bow Hook-up Adapter available for 3-way connections
- Features our durable, corrosion-resistant powder coat brown finish

Super Stock Walk-Thru DOUBLE-LATCH

Length	Height	Item #
4'	84"	SSWT74*
6'	84"	SSWT76*
10'	84"	SSWT710*
12'	84"	SSWT712*

Super Stock Ride-Thru DOUBLE-LATCH

Length	Height	Item #
6'	108"	SSRT96*
7'	108"	SSRT97*
10'	108"	SSRT910*
10'†	108"	SSRT910OFF*
12'	108"	SSRT912*
16'	108"	SSRT916*

†Bow only - Female connectors only

Super Stock Drive-Thru DOUBLE-LATCH

Length	Height	Item #
12'	144"	SSTD1212*



Connector Posts


Connector Posts

Description	Item #	Post Height	Panel Height	# of Hookups	Latch Type
5x5 Connector Post	CP55MF*	5'	5'	2	Male-Female
5x5 Connector Post	CP55MFF*	5'	5'	3	Male-Female-Female
5x5 Connector Post	CP55FMM*	5'	5'	3	Female-Male-Male
6x6 Connector Post	CP66MF*	6'	6'	2	Male-Female
6x6 Connector Post	CP66MMM*	6'	6'	3	Male-Male-Male
6x6 Connector Post	CP66MMMM*	6'	6'	4	Male-Male-Male-Male
8x5 Connector Post	CP85MF*	8'	5'	2	Male-Female
8x5 Connector Post	CP85MFF*	8'	5'	3	Male-Female-Female
8x5 Connector Post	CP85FMM*	8'	5'	3	Female-Male-Male
9x6 Connector Post	CP96MF*	9'	6'	2	Male-Female
9x6 Connector Post	CP96FF*	9'	6'	2	Female-Female
9x6 Connector Post	CP96MMM*	9'	6'	3	Male-Male-Male
9x6 Connector Post	CP96MMMM*	9'	6'	4	Male-Male-Male-Male

*Built to order - Additional lead-time may be required.



SSPA10



SSAPWT710



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

SUPER STOCK ARENA PANELS - PANELS & WALK-THRUS

Livestock management is made easy with our Super Stock Arena Panels and Walk-Thrus. Versatility and durability is done right with Tarter equipment.

- Use for cattle-handling systems, rodeos, or other heavy confinement
- 2" 16-gauge panel, gate, and support bars
- 2-1/4" 14-gauge precision cut laser braces
- 73" tall panels with 3-way triple loop hookup
- Heavy-duty 2-3/8" 10-gauge bow tube on walk- and ride-thrus for maximum strength
- Heavy-duty pin connectors
- Closed end loops and closed tops
- High mount latches for mounted operation
- Heavy-duty bullet style single latch
- Bow Hook-up Adapter available for 3-way connections
- Features our durable, corrosion-resistant powder coat brown finish

Super Stock Arena Panel


Length	Vertical Braces	Item #
10'	1	SSPA10
12'	2	SSPA12
16'	3	SSPA16

Super Stock Arena Panel & Walk-Thru

Length	Height	Item #
10'	84"	SSAPWT710*
12'	84"	SSAPWT712*

*Built to order – Additional lead-time may be required.





SSART910

Super Stock Arena Walk-Thru FEMALE-MALE CONNECTOR

Length	Height	Item #
4'	84"	SSAWT74*
6'	84"	SSAWT76*
10'	84"	SSAWT710*
12'	84"	SSAWT712*

Super Stock Arena Drive-Thru FEMALE-MALE CONNECTOR

Length	Height	Item #
12'	144"	SSADT1212*

Super Stock Arena Ride-Thru FEMALE-MALE CONNECTOR

Length	Height	Item #
6'	108"	SSART96*
10'	108"	SSART910*
12'	108"	SSART912*
16'	108"	SSART916*


Super Stock Arena Ride-Thru MALE-MALE CONNECTOR

Length	Height	Item #
10'	108"	SSART910MM*
10'†	108"	SSART910OMM*
12'	108"	SSART912MM*

†Bow only



*Built to order – Additional lead-time may be required.



RSS

ROPING SWEEP SYSTEM

- Used to keep livestock contained and flowing into the leadups
- Provides the best livestock flow for any arena
- Heavy-duty curved sweep panels and swinging gate
- 3 full bows for maximum strength and tub integrity
- Easily setup and requires no tools
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
Roping Sweep System	RSS*	108"	1,120 lbs.	132"	253"

*Built to order – Additional lead-time may be required.



AWGR8



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

ARENA WORKER

- Used to groom arenas to reduce injuries and boost performance
- A must have for any arena whether for competition or personal use
- Adjustable S-tines rip tough soil leaving a smooth uniform look
- Breaks down hard dirt clumps with ease and the floating drag blade leaves a smooth uniform finish
- 2-stage quick-hitch Category I and Category II pin hookups to fit both medium and larger size tractors (2-stage Cat. I & Cat. II pins included)
- Available in 6' and 8' sizes
- 6' model works efficiently for 40-70 HP on 540 RPM tractors
- 8' model works efficiently for 60-90 HP on 540 RPM tractors
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Width	Length
6' Arena Worker	AWGR6*	45"	720 lbs.	75"	84"
8' Arena Worker	AWGR8*	45"	878 lbs.	99"	84"

*Built to order – Additional lead-time may be required.





LHBC



LHABC

BUCKING CHUTES

- Used in arenas for rough stock events
- Constructed of virtually indestructible 8-gauge and 11-gauge materials
- Spring-loaded lever latches and roller guides loaded at the bottom of each chute creating an easy open walkway from chute to chute
- Roller latches allow the gate to open under any condition with maximum functionality providing a safer option
- Strategically placed tie-down bars to allow better control of animals once "tied-in"
- Gate door panels constructed of indestructible "Rumber"
- Each gate is quick and exchangeable
- More filler bars giving more spacing allows better access for hooking cinches and flank straps
- Attachments for sponsor ad billboards
- Available in left and right hand versions
- All chutes come equipped with a platform
- Stairs and handrails sold separately (pg. 82)
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!


Strategically placed
tie-down bars

Heavy-duty handle with
roller latching system

Indestructible "Rumber"
panels in alley gate


Spring-loaded roller latch


Smooth roller ball for easy
gate opening

Alley panel rolls below
platform out of the way

Description	Item #	Height	Approx. Weight	Width	Length
Left Hand Bucking Chute	LHBC*	90"	1820 lbs.	60"	114"
Right Hand Bucking Chute	RHBC*	90"	1820 lbs.	60"	114"
Left Hand Add-On Bucking Chute	LHABC*	90"	1355 lbs.	60"	112"
Right Hand Add-On Bucking Chute	RHABC*	90"	1355 lbs.	60"	112"
2 Left Hand Bucking Chute	2LHBC*	90"	3175 lbs.	60"	217"
2 Right Hand Bucking Chute	2RHBC*	90"	3175 lbs.	60"	217"
3 Left Hand Bucking Chute	3LHBC*	90"	4530 lbs.	60"	320"
3 Right Hand Bucking Chute	3RHBC*	90"	4530 lbs.	60"	320"
4 Left Hand Bucking Chute	4LHBC*	90"	5885 lbs.	60"	423"
4 Right Hand Bucking Chute	4RHBC*	90"	5885 lbs.	60"	423"

*Built to order – Additional lead-time may be required.



BUCKING CHUTE ACCESSORIES

Tarter Bucking Chutes have been designed to withstand the toughest livestock environments. The accessories that attach to the bucking chutes are no exception. All accessories are recommended when purchasing a bucking chute. These will give you maximum safety while using your chute. The platform comes with each bucking chute purchased while the rails and stairs are sold separately.

Description	Item #	Height	Approx. Weight	Width	Length
Bucking Chute Platform	BCFP*	46"	278 lbs.	100"	61"
Bucking Chute Platform Stairs	BCPS*	43"	122 lbs.	17"	59"
Handrail For Stairs	HFS*	70"	20 lbs.	24"	—

*Built to order – Additional lead-time may be required.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



SSSAP8

SUPER STOCK SHEETED ALLEY PANEL

- Used for alley creation in rough stock applications
- Provided slots allow access to animals for adding and removing gear
- Designed to be used with connector posts
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Length	Vertical Braces	Height	Approx. Weight
8' Super Stock Sheeted Alley Panel	SSSAP8	8'	1	62"	250 lbs.
10' Super Stock Sheeted Alley Panel	SSSAP10	10'	1	62"	296 lbs.



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!





SSRAG3



SUPER STOCK ALLEY GATES

- Used to control flow on rough stock systems
- Available in Rolling Gate and Swinging Gate
- Smooth rolling and sliding operations offer the strength to handle the heaviest of stock
- Alleyway opening measures 3' wide
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Inside Width	Overall Width	Length
Super Stock Rolling Alley Gate	SSRAG3	74"	290 lbs.	29"	37-1/8"	12"
Super Stock Swinging Alley Gate	SSASAG3	74"	157 lbs.	29"	37-1/8"	5-1/2"



SSAF3



SSAF3

SSAC90

SUPER STOCK ALLEY CORNER 90°

- Used in rough stock applications to turn livestock into bucking chute
- Sheeted panels facilitate smooth animal flow
- Unmatched strength to provide greater control for your animals
- Can be used for any alley configuration used with alley frames (Alley Frame sold separately)
- Features our durable, corrosion-resistant powder coat brown finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

Description	Item #	Height	Approx. Weight	Inside Width	Overall Width	Length
Super Stock Alley Frame	SSAF3	74"	78 lbs.	29"	36"	6"
Super Stock Alley Corner 90°	SSAC90	74"	476 lbs.	—	—	—

ARENA PACKAGES

Our rodeo arena kits have been custom designed for various arena needs. Each arena has been carefully thought out so that you don't have to guess what is needed for your setup. We've taken all the guess work out and now your arena is waiting on you to decide. Each diagram can be found online at TarterUSA.com. Give us a call to discuss a fully customized arena package.




100' x 200' PERMANENT RIDING ARENA

Quantity	Description	Item #	Symbol
1	6' Arena Panel	AP56	—
40	12' Arena Panel	AP512	—
4	16' Arena Panel	AP516	—
2	Connector Post	CP85F	o
2	Connector Post	CP85M	o
43	Connector Post	CP85MF	o
1	6' Arena Gate	SCGBR6	—
1	12' Arena Gate	SCGBR12	—


120' X 230'

PERMANENT COMBINATION ARENA



Quantity	Description	Item #	Symbol
1	LH Double Bucking Chute	2LHBC	
1	RH Double Bucking Chute	2RHBC	
2	12' Arena Gate	2SCGBR12	
2	16' Arena Gate	2SCGBR16	
1	90° Alley Corner	AC90	
2	Bucking Chute Steps	BCPS	
5	Backstop	BO	
3	Connector Post	CP96F	
1	Connector Post	CP96FFM	
4	Connector Post	CP96FMF	
2	Connector Post	CP96FMM	
4	Connector Post	CP96M	
31	Connector Post	CP96MF	
2	Connector Post	CP96MF90	
4	Connector Post	CP96MFF	
1	Connector Post	CP96MFMF	
15	Connector Post	CP96MM	
7	Connector Post	CP96MM90	
6	Connector Post	CP96MMF	
12	Connector Post	CP96MMM	
2	Connector Post	CP96MMMM	
2	Stair Handrail	HFS	
6	8' Leadup Alley	LAWOB8	
1	Manual Roping Chute	MRC	
1	Stripping Chute	SCSG	
2	90° Corner	SSAC90	
3	8' Arena Ride-Thru Gate	SSART98	
9	10' Arena Ride-Thru Gate	SSART910	
3	12' Arena Ride-Thru Gate	SSART912	
2	2'-4" Panel	SSP2.4	
7	8' Panel	SSP8	
24	10' Panel	SSP10	
1	8' Arena Panel	SSPA8	
21	10' Arena Panel	SSPA10	
62	12' Arena Panel	SSPA12	
1	14' Arena Panel	SSPA14	
3	16' Arena Panel	SSPA16	
8	Roller Alley Gate	SSRAG3	
9	8' Ride-Thru Gate	SSRT98	
12	10' Ride-Thru Gate	SSRT910	
2	10' Ride-Thru	SSRT910OFF	
4	8' Sheeted Alley Panel	SSSAP8	
7	10' Sheeted Alley Panel	SSSAP10	
4	4' Walk-Thru Gate	SSWT74	


BUCKING CHUTES & PENS



Quantity	Description	Item #	Symbol
1	LH Quad Bucking Chute	4LHBC	
1	RH Quad Bucking Chute	4RHBC	
2	Bucking Chute Steps	BCPS	
2	Connector Post	CP66MF	
38	Connector Post	CP66MM	
6	Connector Post	CP66MM90	
24	Connector Post	CP66MMM	
8	Connector Post	CP66MMMM	
2	Stair Handrail	HFS	
2	90° Alley Corner	SSAC90	
2	5' Panel	SSP5	
34	10' Panel	SSP10	
40	12' Panel	SSP12	
6	Roller Alley Gate	SSRAG3	
2	7' Ride-Thru Gate	SSRT97	
25	10' Ride-Thru Gate	SSRT910	
2	10' Bow Only	SSRT910OFF	
2	12' Ride-Thru Gate	SSRT912	
4	10' Sheeted Panel	SSSAP10	
2	4' Walk-Thru Gate	SSWT74	




150' X 250'
PERMANENT ROPING ARENA




Quantity	Description	Item #	Symbol
1	90° Alley Corner	AC90	
4	6' Arena Panel	AP56	
4	10' Arena Panel	AP510	
82	12' Arena Panel	AP512	
4	Backstop	BO	
9	Connector Post	CP85F	
7	Connector Post	CP85M	
79	Connector Post	CP85MF	
1	Connector Post	CP85MM	
5	8' Leadup Alley	LAWOB8	
1	LH Roping Box	LHRB	
1	Manual Roping Chute	MRC	
1	RH Roping Box	RHRB	
3	6' Arena Gate	SCGBR6	
2	10' Arena Gate	SCGBR10	
3	12' Arena Gate	SCGBR12	
1	Stripping Chute	SCSG	

150' X 250'
PORTABLE ROPING ARENA WITH SWEEP SYSTEM




150' X 250'

PERMANENT ROPING ARENA WITH SWEEP SYSTEM




155' X 300'
DAVID KEY SIGNATURE ARENA



The David Key Arena was designed by David Key himself. This arena is a collection of features and ideas that he liked from all of the arenas he has roped in throughout his career. This arena will reduce wasted down time and allows the roper to manage all aspects of the arena from horseback.



200' X 300' PERMANENT TEAM/CALF ROPING COMBINATION ARENA





EQUINE EQUIPMENT



12' Elite Stall Front - HSFRF12



12' Stall Side - HSSV12



12' Stall Side Solid - HSSS12

Stall brackets sold separately



4-Way Stall Bracket



3-Way Stall Bracket



2-Way Stall Bracket



Top & Bottom Wall-Mount



Comes with swing-out feed door. Shown with optional Poly Corner Mount Hay Feeder. See Page 98.



ELITE HORSE STALL

- Reversible stall door can be mounted on either side of stall to allow the door to open from right or left hand side
- 12 ft stall outside width 141-1/2", 10 ft stall width 117-5/8", stands 7' tall
- Easy to use stall brackets allow for one or multiple side-by-side units
- 1" x 14 gauge round tubing are spaced 2-3/4" apart to ensure horse safety
- 4' wide sliding door with smooth-operating ball-bearing rollers
- Flat doorway threshold helps prevent catching or stumbling
- Self-Locking Door Latch
- Unique latches that eliminate all sharp protrusions
- Low maintenance, easily accessible, slide bar gossip gate allows air-flow through stall and to give easy access to the horse
- Convenient small grain opening
- Stalls can be easily outfitted with 2x horizontal lumber to create a stylish look in any barn (sold separately)
- Comes standard with swing-out feed door - optional Poly Corner Mount Hay Feeder can be installed
- Features our durable, corrosion-resistant powder coat brown finish

NOTE: Stalls do not include wood or other filler material

Elite Stall Description	Item #	Approx. Weight
10' Stall Front w/Sliding Door	HSFRF10*	255 lbs.
10' Stall Side Vented	HSSV10*	160 lbs.
10' Stall Side Solid	HSSS10*	120 lbs.
12' Stall Front w/Sliding Door	HSFRF12	275 lbs.
12' Stall Side Vented	HSSV12	190 lbs.
12' Stall Side Solid	HSSS12	130 lbs.

*Special order requiring additional lead time.

Select & Elite Stall		
Accessories Description	Bracket Item #	Approx. Weight
2-Way Stall Bracket Pair	SB2PSQ*	3-1/2 lbs.
3-Way Stall Bracket Pair	SB3PSQ*	6 lbs.
4-Way Stall Bracket Pair	SB4PSQ*	8 lbs.
Wall-Mount Bracket Pair	SBWPSQ*	2 lbs.
Horse Stall Door Roller	SQHSRHD*	1/2 lb.

*Special order requiring additional lead time.

SELECT HORSE STALL

Our SELECT horse stalls have the same specifications and features as our ELITE horse stalls, except they do not contain the swing-out feed door.

- Reversible stall door can be mounted on either side of stall to allow the door to open from right or left hand side
- 12 ft stall outside width 141-1/2", 10 ft stall width 117-5/8", 12' and 10' stalls stand 7' tall
- Order separate or as a complete unit
- Easy to use stall brackets allow for one or multiple side-by-side units
- 1" x 14 gauge round tubing are spaced 2-3/4" apart to ensure horse safety
- 4' wide sliding door with smooth-operating ball-bearing rollers
- Flat doorway threshold helps prevent catching or stumbling
- Unique latches that eliminate all sharp protrusions
- Low maintenance, easily accessible, slide bar gossip gate allows air-flow through stall and to give easy access to the horse
- Convenient small grain opening
- Stalls can be easily outfitted with 2x horizontal lumber to create a stylish look in any barn (sold separately)
- Features our durable, corrosion-resistant powder coat brown finish

NOTE: Stalls do not include wood or other filler material



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



12' Select Stall Front - HSF12



12' Stall Side - HSSV12



12' Stall Side Solid - HSSS12

Select Horse Stall Description	Item #	Approx. Weight
10' Stall Front w/Sliding Door	HSF10*	210 lbs.
10' Stall Side Vented	HSSV10*	160 lbs.
10' Stall Side Solid	HSSS10*	120 lbs.
12' Stall Front w/Sliding Door	HSF12	230 lbs.
12' Stall Side Vented	HSSV12	190 lbs.
12' Stall Side Solid	HSSS12	130 lbs.

*Special order requiring additional lead time.

Accessories Description	Select & Elite Stall Bracket Item #	Approx. Weight
2-Way Stall Bracket Pair	SB2PSQ*	3-1/2 lbs.
3-Way Stall Bracket Pair	SB3PSQ*	6 lbs.
4-Way Stall Bracket Pair	SB4PSQ*	8 lbs.
Wall-Mount Bracket Pair	SBWPSQ*	2 lbs.
Horse Stall Door Roller	SQHSRHD*	1/2 lb.

*Special order requiring additional lead time.

Stall brackets sold separately





10' Expo Stall Front - ESFSOD10

10' Expo Stall
Vented - ESS1010' Expo Stall Side
Solid - ESSO10

FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

EXPO HORSE STALL

- Available with sliding or swing-out door
- Available with heavy-duty drop-pin hookups or top-mount hookups
- Stands 7' tall
- Panels and door are set up to accommodate up to 3/4" thick filler, be it plywood or poly-panel material
- Can be assembled in minutes, as the panels are created to be easily maneuvered and portable
- Features our durable, corrosion-resistant powder coat green finish
- Options include: wood or puck board filler; brackets or pin connectors; rolling door or swinging door; and vertical or horizontal bars.

NOTE: Stall front and sides come with plywood filler.

10' Expo Horse Stall Description	Item #	Approx. Weight
10' Stall Front w/Sliding Door	ESFSOD10*	215 lbs.
10' Stall Front w/Swing Out Door	ESFSOD10*	215 lbs.
10' Stall Vented	ESS10*	200 lbs.
10' Stall Side Solid	ESSO10*	190 lbs.

*Special order requiring additional lead time.

Accessories Description	Expo Stall Bracket Item #	Approx. Weight
2-Way Stall Bracket Pair	SB2P	3-1/2 lbs.
3-Way Stall Bracket Pair	SB3P	6 lbs.
4-Way Stall Bracket Pair	SB4P	8 lbs.
Wall-Mount Bracket Pair	SBWP	2 lbs.
Horse Stall Door Roller	HSR	1/2 lb.



LKSV10

- Tongue & Groove
- Cut to Length
- Beveled Front
- Ready to Install

Standard Horse Stall Vertical Lumber Kit Description

Kit Description	Item #	Height	Approx. Weight	Width	Length
10' Lumber Kit Front	LKF10	9"	152 lbs.	21"	47"
10' Lumber Kit Side Vented	LKSV10	9"	164 lbs.	21"	47"
10' Lumber Kit Side Solid	LKSS10	16"	290 lbs.	21"	47"
12' Lumber Kit Stall Front	LKF12	11"	174 lbs.	21"	47"
12' Lumber Kit Side Vented	LKSV12	11"	196 lbs.	21"	47"
12' Lumber Kit Side Solid	LKSS12	21"	320 lbs.	21"	47"

HORIZONTAL AND VERTICAL HORSE STALL LUMBER KITS

Elite and Select Horse Stall Horizontal Lumber Kit Description	Item #	Approx. Weight
10' Horizontal Lumber Kit Front (Select)	HLKF10*	192 lbs.
10' Horizontal Lumber Kit Side Vented (Elite or Select)	HLKSV10*	181 lbs.
10' Horizontal Lumber Kit Side Solid (Elite or Select)	HLKSS10*	320 lbs.
10' Horizontal Lumber Kit Front (Elite)	HLKFRF10*	192 lbs.
12' Horizontal Lumber Kit Front (Select)	HLKF12*	218 lbs.
12' Horizontal Lumber Kit Side Vented (Elite or Select)	HLKSV12*	212 lbs.
12' Horizontal Lumber Kit Side Solid (Elite or Select)	HLKSS12*	343 lbs.
12' Horizontal Lumber Kit Front (Elite)	HLKFRF12*	218 lbs.

*Special order requiring additional lead time.




CORRAL PEN CALCULATOR

1. To find the number of panels needed, multiply the desired diameter (straight line passing through the center of the circle) by 3.14. This will determine the circumference (the distance around the circle).
2. Divide the circumference by the length of panels being used. This will equal the number of panels needed.

Diameter of Holding Area (Feet)

Panel Length	20'	25'	30'	35'	40'	45'	50'	55'	60'	65'	70'	75'	80'	85'	90'	95'	100'
10'	6	8	9	11	13	14	16	17	19	20	22	24	25	27	30	30	31
12'	5	7	8	9	10	12	13	14	15	16	18	20	21	22	25	25	26
16'	4	5	6	7	8	9	10	11	12	13	14	15	16	17	19	19	20

NOTE: Sizes of pens are approximate. Pen sizes will vary depending on the size of the Walk-Thru Arch Gate used. Walk-Thru Arch Gates are available in 6' lengths only for horse corral panels. We also have available a 6' panel welded to a 6' arched gate which makes for a more rigid entry into the corral or for building 12' x 12' square corrals with individual openings.



HCPBR512

HORSE CORRAL PANEL


- Ideal for light confinement and portable for travel to overnight shows or trail rides
- Available in 5' and 6' tall configurations
- Features our revolutionary laser cut brace technique providing a continuous smooth interior surface
- Straight end posts with quick-pin latch for easy hookup
- Easily hooks to Walk-Thru Arch Gate
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Approx. Weight	Color
5' Tall x 10' Long Corral Panel	HCPBR510	48 lbs.	Brown
5' Tall x 12' Long Corral Panel	HCPBR512	56 lbs.	Brown
5' Tall x 16' Long Corral Panel	HCPBR516	73 lbs.	Brown
6' Tall x 12' Long Corral Panel	HCPBR612*	61 lbs.	Brown

*Special order requiring additional lead time.



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



HWTBR566

HORSE WALK-THRU WITH PANEL

- Designed to complement our 5' and 6' horse corral panels
- Creates a sturdy entry point into round pen configurations
- Perfect for round pens or 12' x 12' square enclosures, each with their own entry
- Quick-pin latch for easy hookup
- High-mount latch for easy opening
- Provides a 6' wide opening with 9' tall arches
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Height	Approx. Weight	Length	Color
Walk-Thru w/ Panel	HWTBR566	5'	100 lbs.	12'	Brown



HWTBR66

HORSE WALK-THRU


- Complements our 5' and 6' tall corral panels and used for entrance into round pen configurations
- Quick-pin latch for easy hookup
- High mount latch for easy opening from ground or horseback
- 9' arch with 6' wide opening
- Features our durable, corrosion-resistant powder coat brown finish

Description	Item #	Gate Height	Arch Height	Approx. Weight	Color
6' Wide Walk-Thru	HWTBR56	5'	9'	70 lbs.	Brown
6' Wide Walk-Thru	HWTBR66*	6'	9'	73 lbs.	Brown

*Special order requiring additional lead time.



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!





RHF

3-PIECE HORSE HAY FEEDER

- Ideal for safe feeding of round bales to horses
- Open-top A-frame is 8' in diameter
- Round 1-3/4" tubing for extra-strength
- Open top helps minimize hay waste while feeding
- Loop legs that prevent sinking into the ground
- 17" metal hay saver to reduce waste
- Stands 50" high
- Features our durable, corrosion-resistant powder coat red finish

NOTE: All feeders come complete with bolts and nuts



POWDER
COATED
TOUGH

FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

Description	Item #	Approx. Weight
8' 3-Piece Horse Feeder w/Hay Saver & Loop Legs – Red	RHF	163 lbs.



HHGF

Paddock Master Hay & Grain Feeder

- Ideal for feeding grain and hay to horses
- Stands almost 6' tall and weighs 260 lbs.
- Heaviest hay and grain feeder in its class
- Handles large animals as well as large volumes of feed with ease
- Allows your horse to eat grain or hay in a lateral plane without looking up at the food
- All-steel constructed feeder can withstand the elements as well as the horses
- Features our durable, corrosion-resistant powder coat gray finish

Description	Item #	Height	Length	Width	Approx. Weight
Paddock Master Hay & Grain Feeder	HHGF	69-1/2"	60"	36"	260 lbs.



POWDER
COATED
TOUGH

FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!



EHB

***Rated one of the top hay-savers
for square bale feeders by
University of Minnesota study.***

EQUINE HAY BASKET

- Cuts down on respiratory problems for horses by eating hay in their natural feeding position
- Conserves hay by keeping it dry and off the ground
- Proven option for horse owners looking to save money on hay*
- Only 3% hay waste*
- Smooth-sided poly basket for horse safety
- Fully removable basket for easy cleaning
- Large vent holes keep moisture out and hay in
- Constructed of heavy-duty 1-3/4" round tubing
- Features our durable, corrosion-resistant powder coat gray finish

NOTE: Designed for square bales only

*Research data provided by University of Minnesota study on small square bale hay feeders.

Description	Item #	Height	Approx. Weight	Diameter
Equine Hay Basket	EHB	34"	70 lbs.	64"



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!





AFBF



A-FRAME LARGE BALE FEEDER

- Designed for feeding large bales to horses
- Constructed of 2" tubing. Stands 49" tall
- Easily connects with attached horse-safe drop pins
- Unit comes in kits of 4 pieces (2-6' panels and 2-10' panels or individual panels)
- Features our durable, corrosion-resistant powder coat green finish

Description	Item #	Approx. Weight	Height	Width	Length
A-Frame Large Bale Feeder	AFBF	276 lbs.	49"	72"	120"
10' A-Frame Panel	AFHP10	84 lbs.	—	2"	120"
6' A-Frame Panel	AFHP6	54 lbs.	—	2"	72"



FF



FLEX FEEDER OPEN TOP

- Feeder collapses as the hay is consumed
- Allows for entire bale consumption
- Easy access for horses and other livestock
- Complete with horse safe drop pins with loop connections
- 4-pieces and measures 8' in diameter when open and 12' long when fully flexed
- Constructed of 1-3/4" high tensile steel tubing with metal hay-saver panel
- Features our durable, corrosion-resistant powder coat green finish

Description	Item #	Approx. Weight	Height	Width	Flexed Length
Flex Feeder	FF	294 lbs.	59"	96"	144"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!





1PGHB5

5' 1-PIECE HEAVY-DUTY BUNK FEEDER

- Ideal for feeding horses
- Portable and easily cleaned
- Stands 33" high and 5' long
- Replaceable bunk liner, held securely with rivets
- Poly liner is made from 100% recycled materials
- Measures 9" deep x 27" wide with weep holes
- Optional 5' bolt-on galvanized hay rack for added versatility
- Available in galvanized only

NOTE: Replacement liners available.

Description	Item #	Height	Approx. Weight
5' Hay Rack – Galvanized Only	HR5	35"	48 lbs.
5' 1-Piece Poly Horse Bunk Feeder – Galvanized Frame	1PGHB5	33"	38 lbs.
5' 1-Piece Poly Bunk Feeder Liner	1PBL5	9"	8 lbs.



GFP



SCF



SCFG

POLY HAY & GRAIN FEEDERS

- Mounts to wall and corners in stalls for feeding horses
- Holds 3 flakes of hay in the 3/8" galvanized manger
- Lower poly feeder holds up to 4-gallons of grain
- Easy to clean, fill, and maintain
- Works for a variety of feeding applications

Description	Item #	Height	Approx. Weight	Width	Depth
Poly Hay & Grain Feeder – Wall Mount	GFP	32"	10 lbs.	24"	18"
Poly Hay & Grain Feeder – Corner Mount	SCF	32"	12 lbs.	29-1/2"	20"
Galvanized Hay & Grain Feeder – Corner Mount	SCFG	32"	34 lbs.	29"	20"

POLY CORNER MOUNT HAY FEEDER

- Designed with yoke in front to allow any size horse access to feed
- Rounded, smooth lip polyethylene construction for strength and horse safety
- Removable drain hole for easy cleaning
- 1" ventilation strips to keep hay dry and give moisture a quick way out
- Holds 3 - 4 flakes of hay
- Simply bolts to any stall and works great with Tarter's Elite stall front with rotating feeder door

Description	Item #	Height	Approx. Weight	Width	Depth
Poly Corner Mount Hay Feeder	PCMHF	28-1/2"	13 lbs.	32"	22-1/2"



PCMHF

PORTABLE GATE FEEDER

- Lightweight but sturdy feeder that hangs on most any size tube
- Hangs on gates, corrals, and fences at any height
- Constructed of heavy polyethylene for years of trouble free service
- Works perfect for calves and horses
- Available in 6- or 15-gallon capacities

Description	Item #	Height	Approx. Weight	Capacity
Portable Gate Feeder - Large	PGF	15"	6.75 lbs.	15 Gallons
Portable Gate Feeder - Small	SPGF	14"	4 lbs.	6 Gallons



SPGF



WMHF

GALVANIZED MANGER FEEDER

- Mounts to walls in stalls for feeding horses
- Holds 3 flakes of hay in the 3/8" galvanized manger
- Easy to clean, fill, and maintain
- Available in galvanized only

Description	Item #	Height	Approx. Weight	Width	Depth
Galvanized Rod Hay Feeder – Wall Mount	WMHF	28-1/2"	14 lbs.	24"	20" top - 7" bottom




WEE10

HORSE ELECTRIC WATERER

- Provides constant supply of fresh clean water to your horse
- Internal heater keeps water from freezing in cold weather
- Constructed from 100% polyethylene material for years of trouble-free operation
- FDA and HBP approved, food grade, recyclable plastic
- CSA certified
- Easy to mount to wall or floor
- Horse-safe rounded corners
- 2.9-gallon capacity with continuous on-demand replenishment
- Meets "Grade A" Dairy recommendation

NOTE: Recommended head: 10 horses

Description	Item #	Height	Approx. Weight	Width	Length	Capacity	Heating Element
Electric Waterer	WEE10	13-1/2"	26 lbs.	17"	17"	2.9 gallons	250 watts




HSM

STALL MAT

- Provides comfort in stalls for horses as well as people
- Reduces fatigue and muscle soreness on hard surfaces
- Perfect for concrete stall surfaces or in trailers
- Constructed of thick, pliant rubber
- Mat dimensions measure 4' x 6' x 3/4"
- Available in black in pallets of 25 only

NOTE: Mat surface pattern may vary

Description	Item #	Approx. Weight	Width	Length	Thickness	Color
Horse Stall Mat	HSM	90 lbs.	4'	6'	3/4"	Black



SMALL ANIMAL EQUIPMENT

SMALL ANIMAL EQUIPMENT



GOAT TROUGH FEEDER

- Ideal for feeding goats and small animals
- Cannot be pushed around or turned over
- V-bottom and overhead guard prevents goats from standing in feeder
- Low to the ground allowing almost any size goat or other small animals to have easy access
- Features our durable, corrosion-resistant powder coat red finish



FEATURING OUR DURABLE,
CORROSION-RESISTANT
POWDER COAT FINISH!

Description	Item #	Height	Approx. Weight	Width	Length
4' Trough Feeder	TF4	17"	60 lbs.	32"	48"



GSBF


Shown with optional Goat Hay Rack.

5' BUNK FEEDER AND HAY RACK

- Lightweight and built low to the ground to accommodate feeding goats and small animals
- Poly liner is made from 100% recycled materials
- Optional galvanized hay rack available
- Optional hay rack features 4" x 4" wire mesh for easy feeding and minimal waste
- Available in galvanized only

Description	Item #	Height	Approx. Weight	Width
Goat Bunk Feeder	GSBF	14"	36 lbs.	27"
Goat Hay Rack	GH5	24"	20 lbs.	24"

ECONOMY PIPE PANEL & WALK-THRU



PPWTR4



PPWR8

Description	Item #	Height	Approx. Weight
4' Pipe Panel w/Hardware	PPWR4	36"	15 lbs.
8' Pipe Panel w/Hardware	PPWR8	36"	24 lbs.
4' Pipe Panel Walk-Thru Arch Gate	PPWTR4	74"	23 lbs.

- Designed to enclose small animals including goats or sheep
- Quickly and easily attach to form round or square pens, runways, or other configurations
- Available in 4' and 8' lengths
- Constructed of 1" steel tubing
- Matching walk-thru arch gate is available
- Walk-thru arch gate offers even more versatility
- Lightweight and is recommended for small animal confinement only
- Features our durable, corrosion-resistant powder coat red finish



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



WEE20

LOW PROFILE ELECTRIC WATERER

- Provides constant supply of fresh clean water to your small animals
- Internal heater keeps water from freezing in cold weather
- Constructed of 100% polyethylene material for years of trouble-free operation
- CSA certified
- FDA and HBP approved, food grade, recyclable plastic
- Easy to mount to floor
- Animal-safe rounded corners

Description	Item #	Height	Approx. Weight	Width	Length	Capacity	Heating Element
Electric Waterer	WEE20	16"	32 lbs.	21-3/4"	28"	5.3 gallons	500 watts



GGFS

SMALL ANIMAL TRANSPORTER

- Used to transport goats, hunting dogs, calves, sheep, or other small animals
- Fits easily into the back of a standard pickup truck, even with toolboxes
- High-quality galvanized steel ensures a virtually escape-proof move
- Available in galvanized only


Description	Item #	Height	Approx. Weight	Width	Length
Small Animal Transporter	GGFS	41"	110 lbs.	47"	53"



Multi-level corral hookups allow for easy 2-way, 3-way or 4-way connections.



KPW5




KP10

KIDDER PANEL & WALK-THRU


Description	Item #	Height	Approx. Weight
5' Kidding Pen Panel	KP5	52"	27 lbs.
10' Kidding Pen Panel	KP10	52"	50 lbs.
5' Kidding Pen Walk-Thru Gate	KPW5	7'	60 lbs.

- Used for containment for kids, calves, and small animals
- Create any size dimension by attaching multiple units
- Fully interchangeable 5' and 10' panels of high quality galvanized steel





10WK



Dog Kennel Shade Cover – DKSC

GALVANIZED DOG KENNEL

- Strong galvanized welded kennels are superior in the canine and small animal containment market
- Heavy-duty 1-3/8" tubular frame and heavy-duty 11-1/2-gauge chain link wire
- Contains multiple animals whether they are large or small breeds
- Easily assembled and can be moved in minutes
- Stands 6' tall

Description	Item #	Approx. Weight
6' x 10' x 10' Complete Welded Kennel w/Door	10WK	181 lbs.
6' x 10' Welded Kennel Section	10WKS	42 lbs.
6' x 10' Welded Kennel Section w/Door	10WKD	55 lbs.
10' x 10' Dog Kennel Shade Cover	DKSC	3-1/2 lbs.




WWDKWC

WELDED WIRE DOG KENNEL W/ COVER


NEW
PRODUCT

- Accommodates pets and animals of many sizes
- Kennel stands 6' tall, 4' wide and 8' long
- Frame constructed of 18-Gauge 3/4 in. square galvanized steel tubing
- Side panels are 10-Gauge with 2 in. x 4 in. steel wire mesh
- All steel components are double powder coated for superior weather protection
- 1 in. leg extensions and 6 ft. height make cleaning kennel easy
- Pre-assembled panels offer quick and easy setup, no tools required
- Wing nut, bolt, and clamp assembly eliminates need for wrench or screwdriver
- Pre-assembled 22 in. wide opening gate included with lockable door latch (lock not included)
- Complete kit includes: kennel, a cover (roof) frame, and a water-resistant cover


Description	Item #	Approx. Weight
6' x 4' x 8' Complete Welded Wire Kennel w/ Cover	WWDKWC	124 lbs.



Complete Kennel with Single Access Door - DKHDG



Kennel Side - DKSHDG



Kennel Front with 2 Front Doors - DKF2DHDG



Heavy-Duty Dog Kennel Clamp - DKCHD

ELITE SERIES DOG KENNEL

- Unit is designed for rugged outdoor use in difficult environments
- Panels are constructed of 1-3/4" galvanized tubing and filled with sturdy 8-gauge 2" x 4" wire
- Front panel features a door that creates a 2-1/2' x 5' 8" opening, complete with easy latch system
- Ideal for hunting dogs or as a secure enclosure for household pets, chickens, and small animals
- Complete kennel measures 6' tall x 10' wide x 10' long
- Weighs 273 lbs.
- A dual approach to aesthetics and long corrosion-free life
- Product frame starts with galvanized base tube, then it is coated with our durable, corrosion-resistant powder coat finish


Description	Item #	Approx. Weight
6' x 10' x 10' Complete Heavy-Duty Dog Kennel	DKHDG	273 lbs.
6' x 10' Heavy-Duty Dog Kennel - Front - Gray	DKFHGDG	84 lbs.
6' x 10' Heavy-Duty Dog Kennel - Side - Gray	DKSHDG	63 lbs.
6' x 10' Heavy-Duty Dog Kennel - Front w/2 Doors - Gray	DKF2D-HDG	96 lbs.
6' x 5' Heavy-Duty Dog Kennel - Side - Gray	DKSHDG5	42 lbs.
6' x 5' Heavy-Duty Dog Kennel - Front - Gray	DKFHGDG5	53 lbs.
Heavy-Duty Dog Kennel Clamp Set	DKCHD	2 lbs.
Dog Kennel Easy Latch System	DKSL	2 lbs.



IDEAL FOR HUNTING DOGS OR AS A SECURE ENCLOSURE FOR HOUSEHOLD PETS, CHICKENS, OR SMALL ANIMALS



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!



CHAIN HARROWS

- Ideal for smoothing yards or garden soil, and dragging driveways, riding tracks, or arena footing
- Attaches to garden tractors and ATVs
- Metal teeth for grabbing soil or grading surface
- 4'x4' in size and can be assembled in two different configurations
- Features our durable, corrosion-resistant powder coat black finish

Description	Item #	Approx. Weight	Width	Length	Rod Size
ATV 4' x 4' Chain Harrow w/4' Drawbar	ATVH44	73 lbs.	4'	4'	7/16"
ATV 4' x 8' Chain Harrow w/4' Drawbar	ATVH48	126 lbs.	4'	8'	7/16"



FEATURING OUR DURABLE, CORROSION-RESISTANT POWDER COAT FINISH!

ATV EQUIPMENT




ATVS

5-BUSHEL PULL-BEHIND SPREADER/ TRAIL FEEDER

- ATV or garden tractor-drawn spreader for fertilizing or seeding
- All steel gear drive complete with grease fittings
- 5-bushel capacity
- Approx. 300 lb. capacity covering approx. 65,000 sq. ft.
- Spread up to 20' wide
- Distribution pattern reduces over-fertilizing or under-fertilizing
- Wheel driven spreader requires no outside power and features pneumatic tires
- Requires 2" ball for hookup
- Available in black only

Description	Item #	Height	Approx. Weight	Length	Width
ATV 5-Bushel Pull-Behind Spreader	ATVS	48"	136 lbs.	6' including drawbar	40"



2RWU

Multi-Receiver Hitch for
ATV Unroller

WIRE UNROLLER

- Holds various size rolls of wire for easier fencing
- Perfect for fencing jobs in tight places
- Allows ATV, tractor, or truck to do the work of a crew
- Attaches to ATV or any 2" receiver
- Features our durable, corrosion-resistant powder coat yellow finish

**SEE PAGES 54-57 FOR OUR COMPLETE
WIRE AND FENCING OFFERING.**

Description	Yellow Item #	Height	Approx. Weight	Length	Width
ATV Wire Unroller	ATVWU	12"	32 lbs.	25"	24"
2" Receiver Wire Unroller	2RWU	12"	26 lbs.	23"	24"



TARTER®

FARM AND RANCH EQUIPMENT

P.O. Box 10
10739 South Hwy. 127
Dunnville, KY 42528
888-4TG-WEST (888-484-9378) • 606-787-0633 (fax)
www.tarterusa.com



©2016, Tarter Company, LLC. This catalog is protected by copyright and may not be reproduced in whole or in part without Tarter's express, written permission. Although every precaution is taken, errors in specifications do occur. We reserve the right to correct any such errors. All photographs of products are the best representation of product at time of catalog publication. All products and subsequently, their photographs, are subject to change without notice as product updates and modifications occur between catalog publication dates. For the most current representation of our products, refer to our web site. Printed in U.S.A.

N-08-2016