



Common stocking items.

Individual branch stock may vary.

- 1 Adhesive Selector Guide
- 2 Adhesive: T&A Label & Signature
- 4 Adhesive: branded
- 24 Backerboard & plywood
- 12 Blades: knife
- 19 Blades: scraper
- 32 Brooms
- 32 Builder Board
- 13 Carpet cutting
- 14 Carpet seam products & tools
- 10 Carpet seam tape
- 9 Carpet seam irons
- 7 Carpet stretchers
- 15 Caulk
- 39 Ceramic tile care products
- 34 Ceramic tile sound reduction
- 33 Ceramic tile membranes
- 35 Ceramic setting mortar - Laticrete
- 36 Ceramic setting mortar - Uzin-Custom
- 44 Ceramic spacers
- 41 Ceramic cutting tools
- 43 Ceramic tile tools & trowels
- 22 Contact adhesive
- 18 Cutters
- 19 Floating floor tools
- 46 Floor cleaner
- 31 Floor primer: moisture mitigation
- 32 Floor protection
- 47 Floor warming
 - 8 Glue guns & glue sticks
- 37 Grout: Laticrete
- 38 Grout: Custom building products
- 44 Grout floats
- 48 Hand scrapers, blades & clamps
- 45 Heat welding tools
 - 7 Kickers
- 17 Knee pads
- 11 Knives
- 19 Laminate flooring tools
- 16 Linoleum rollers
- 48 Mixers
- 31 Moisture control
- 49 Moisture testing
- 17 Moving equipment
 - 6 Nails
- 46 Odor removal

- 21 Paint rollers & trays
- 30 Patch: general purpose
- 21 Plastic laminate tools & trim
- 24 Plywood
- 12 Pouches
- 16 Rollers
- 16 Resilient hand tools
- 17 Safety products
- 27 Sandpaper disks
- 46 Saws & saw blades
- 29 Self leveling
 - 8 Shears - scissors
- 27 Scraper: blades
- 17 Scrapers: hand
- 17 Scrapers: power
- 16 Scribe paper
- 46 Scratch concealer
- 22 Shims & levelers
- 42 Shower pan & enclosures
- 22 Solvent & cleaners
- 44 Spacers: ceramic
- 44 Sponges
 - 6 Staples-staplers carpet
- 20 Staplers-staple wood flooring
- 14 Straight edges
 - 7 Stretchers
- 5 Tackstrip
- 15 Tackstrip adhesive
- 15 Tape: general purpose
- 35 Thinset (36)
- 48 Tools: general purpose
- 40 Trim: ceramic tile
- 40 Trim: luxury vinyl LVT-LVP
- 23 Trim: flooring
 - 3 Trowel notch guide
 - 4 Trowels
- 47 Under floor warming
- 24 Underlayment
- 27 Vacuums
- 23 Vinyl cove & cap
- 25 Vinyl trim & base Roppe
- 26 Vinyl trim & base Johnsonite
- 22 Wall base tools
- 34 Waterproofing
 - 16 Wax rings
- 41 Wet saws


Approximate adhesive & ceramic setting coverage chart page 50

Trowel selector page 3

TRAXSHIELD100-DS

100% RH Underlayment

- Moisture Suppression 100% RH
- Crack Isolation Up To 1/8"
- Sound Reduction - IIC Delta 20
- Pre-Applied Adhesive Bottom
- Pre-Applied Adhesive Top
- No Job site Applied Adhesive



**Luxury Vinyl
VCT-VET
Carpet Tile
Ceramic**

page 31

Odor Remover Bio-Enzymatic Clinical Strength



- Zero Dry Time
- Penetrates Into Substrates
- Ready To Use - No Mixing
- Spray Or Roll On



page 46

GoBoard Lightweight backerboard



- 1/2" & 1/4" 3'x5'
- Light weight
- Waterproof core
- Standard fasteners
- Score & snap

GoBoard is a lightweight ceramic backerboard that provides high performance at an economical price. Produced by Johns Manville a leader in the building products industry. page 24

UZUN CX-20 Ceramic Setting Mortar

- LFT Large Format
- Anti-Sag
- Budget Pricing
- White & Gray
- 40lb Bag
- High Yield
- Creamy Smooth



page 46

Adhesive Selector Guide

CATEGORY	Style	T&A Supply	WF Taylor	SprayLock	Other
Carpet	Double glue	9680 Yellow Lid	2055 (best)		Shaw 1000
	Premium fast grab	9680 Yellow Lid	Agile		
	Action back economy	960 Blue Lid			
	Outdoor (non-urethane)		757		
	Outdoor (urethane)		Resolute		
	Carpet tile (PVC)			Versatile - Dynamic	6500
Carpet Pad Adhesive	Solvent based		720		
	Acrylic based		722		
Multi-Purpose (Felt back vinyl - Action Bac carpet)	Premium	9600 Red Lid			
	Contractor	960 Blue Lid	2072		
Felt Back Sheet Vinyl	Commercial-residential		2087 - Dynamic	3100	Uzin 2000S
Solid Vinyl Sheet	Homo-hetrogeneous		Pinnacle - 2091	3500	Uzin 2000S
Luxury Vinyl LVP-LVT	Heavy commercial		Pinnacle - 2091	6500	Uzin 2000S
	Multi-family		Dynamic - 2098	6500	* Uzin KE-66
VCT Vinyl Composition	VCT	9633 Green Lid	2033 - Steadfast	9500	
Glass Back Sheet Vinyl	Fiberglass back vinyl		Dynamic - 2037		Uzin 2000S
Linoleum	Linoleum		2084		Uzin 2000S
Ceramic Mastic	Floor and wall	9601 Black Lid		WTA	
Wall Base	Rubber & vinyl	9640 Purple Lid	Finale - 2040		
Wood-Bamboo-Cork	100% RH solid-engineered		Ridgeline		
	90% RH solid-engineered		Ironwood		
Carpet Seam Sealer	Glue down solvent base		775		
	Acrylic sol-free		2075		Traxx Fusion
	100% pure latex		710		
	Hot melt adhesive				KoolSticks
Epoxy	Sol-free general purpose		501		
Extreme Resilient	Extreme performance		Resolute		
Contact Adhesive	Flammable brush grade		1-N		3M FB-10
	Water base brush grade				3M FB-30
	Aerosol spray		725		
Rubber Flooring	Sheet, tile and Crumb rubber		Pinnacle - 2091 Resolute		* Uzin KE-66
Stair Treads	Rubber & vinyl		Pinnacle - 2091		

----- GENERAL GUIDELINES -----

*Porous only

Always read and follow manufacturers complete installation instructions.

T&A Professional Adhesive

Premium Carpet Adhesive

TA9680 4 Gallon "Yellow Lid"

Fast grab, solvent free, low odor perfect for all Action Bac, Enhancer back, and Unitary back carpet and Double Glue Action back carpet 1/8 x 1/8 x 1/16 V .. 12 s/y gal avg
Double glue cpt to pad ... 1/8 x 1/8 x 1/8 U 8 s/y gal avg
WFTA96804 4 gallon

Premium Multi-Purpose Adhesive

TA9600 4 Gallon "Red Lid"

Felt back sheet vinyl & action back carpet. A combination of aggressive for carpet with enough work time for sheet vinyl.
Action back carpet 1/8 x 1/8 x 1/16 FV 12 s/y gal avg
Unitary back carpet 1/8 x 1/8 x 1/16 U 8 s/y gal avg
Sheet vinyl (non-porous) ... 1/16x1/32x5/64 U 22 s/y gal avg
Sheet vinyl (porous) 1/16x1/16x1/16 SQ 20 s/y gal avg
WFTA96004 4 gallon WFTA96001 1 gallon

Premium Ceramic Tile Mastic

TA9601 3.5 Gal & 1 Gal "Black Lid"

For the interior application of ceramic wall and floor tile on vertical or horizontal surfaces. Offers no tile slippage, easy spreading and strong bond. Type-1
Mosaics 1/8 x 1/8 x 1/8 V up to 60 s/f gal
Glazed wall tile 3/16 x 5/32 V up to 50 s/f gal
Pavers 1/4 x 1/4 x 3/8 sq up to 30 s/f gal
Quarry tile 1/4 x 1/4 x 1/4 sq up to 40 s/f gal
WFTA96013 3.5 gallon WFTA96011 1 gal

Contract Multi-Purpose Adhesive

TA960 4 Gallon "Blue Lid"

Use where economy is important but dependability is demanded. Great for moderate commercial traffic, Action Bac carpet & felt back sheet vinyl. Sol-free, low odor.
Action back carpet 1/8 x 1/8 x 1/16 FV 12 s/y gal avg
Sheet vinyl (non-porous) .. 1/16 x 1/32 x 5/64 U 22 s/y gal avg
Sheet vinyl (porous) 1/16 x 1/16 x 1/16 SQ .. 20 s/y gal avg
WFTA9604 4 gallon

VCT Clear Thin Spread

TA9633 4 Gallon "Green Lid"

Great open time (up to 24 hours), dries clear.
High strength, fast dry formula.
For commercial VCT tile. Sol-free, low odor.
Non-porous surface ... 1/16 x 1/32 x 5/64 U 350 s/f per gal
Porous surface 1/16 x 1/32 x 1/32 U 300 s/f per gal
WFTA96334 4 gallon

Wall Base Adhesive

TA9640 4 Gal & 30oz "Purple Lid"

For rubber & vinyl wall base.
Excellent aggressive grab holds base in place.
Easy to clean off surface. Sol-free, low odor.
Average coverage on 4" base:
60 lin/ft per 30oz tube 250 lin/ft per gallon
WFTA964030 ... 30 oz tube WFTA96404 4 gallon



WF Taylor Signature Series High Performance - High Value

Ridgeline Wood Adhesive

- * 100% RH No Moisture Testing Required
 - * Excellent Bond Strength
 - * Excellent Sound Reduction
 - * For All Wood Flooring, Cork & Bamboo
- Coverage with sound and moisture:
Greater than 9/16" thick 20 sf gal
Less than 9/16" thick 30 sf gal
Coverage as an adhesive only: 50-60 sf gal

Ironwood Wood Adhesive

- * 90% RH Protection
 - * Excellent Bond Strength
 - * Good Sound Reduction
 - * For all Wood Flooring, Cork & Bamboo
- Coverage with sound and moisture:
Greater than 9/16" thick 20 sf gal
Less than 9/16" thick 30 sf gal
Coverage as an adhesive only:
50-60 square feet per gallon

Dynamic Resilient PS

- * Transitional Pressure Sensitive
 - * Residential Light-Commercial
 - * LVP-LVT, Glassback Sheet, Carpet Tile
 - * Fast Set Quick Dry Formula
- LVP-LVT over porous 150-180 sf gal
LVP-LVT over non-porous 220-260 sf gal
Carpet Tile 300-350 sf gal
Sheet Vinyl 220-260 sf gal

Pinnacle Transitional PS

- * Premium Transitional Pressure Sensitive
 - * Extreme Heavy Commercial
 - * Rubber & Vinyl - Sheet & Tile
 - * Firm Set for Heavy Rolling Loads
- Porous:
Rubber/Vinyl Tile & Sheet up to 250 sf gal
Non-Porous:
Rubber/Vinyl Sheet up to 250 sf gal
Rubber/Vinyl Tile-Plank up to 350 sf gal

VersaTile Carpet Tile Adhesive

- * Pressure Sensitive
 - * For All Carpet Tile
 - * Fast Dry - Long Open Time
 - * High Strength Moisture Resistant
- Coverage:
Roller up to 350 sf gal
Trowel up to 250 sf gal

Finale Wall Base

















- * Fast Grab
 - * For Rubber & Vinyl
 - * Extra White Formula
 - * High Bond Strength
 - * Easy To Spread
- Coverage:
4" base 60 lin/feet per 30oz tube

Trowel Notch Guide



General Guidelines - always refer to manufacturer's requirements.

Width x Depth x Space Apart

<p>T1T 1/16 x 1/32 x 5/64 U Sheet vinyl - non-porous</p>  <p>Rubber handle FU20044 Versablade GU680WHA</p> <p>(approx 22-24 s/y gallon)</p>	<p>T2T 1/16 x 1/32 x 1/32 U Solid vinyl tile non-porous</p>  <p>Rubber handle FU20051 CR422 wood handle 14" XL FU20047 Versablade GU680FFA</p> <p>(approx 20-22 s/y gallon)</p>	<p>T3T 1/16 x 1/16 x 3/32 U Sheet vinyl</p>  <p>Rubber handle FU20052</p> <p>(approx 18-20 s/y gallon)</p>
<p>T9T 1/16 x 1/16 x 1/16 V Sheet vinyl</p>  <p>CR431 wood handle Versablade GU680ACT</p> <p>(approx 18-20 s/y gallon)</p>	<p>T4T 1/16 x 1/16 x 1/16 sq 1/8" VCT sheet vinyl</p>  <p>Rubber handle FU20056 CR420 wood handle 14" XL FU20048 Versablade GU680FCA</p> <p>(approx 16-18 s/y gallon)</p>	<p>T8T Double glue carpet 1/8 x 3/16 x 1/8 U</p>  <p>Rubber handle FU20054</p> <p>(approx 6-8 s/y gallon)</p> <p>T5T Double glue carpet 1/8 x 1/8 x 1/16 U</p>  <p>Wood handle CR430</p> <p>(approx 6-8 s/y gallon)</p>
<p>T6T 3/32 x 3/32 x 3/32 V Smooth back carpet</p>  <p>Rubber handle FU20060 CR424 wood handle Versablade GU680RCA</p> <p>(approx 12-14 s/y gallon)</p>	<p>T7T 1/8 x 1/8 x 1/16 V Action-unitary back carpet</p>  <p>Rubber handle FU20061 CR423 wood handle 14" XL FU20049 Versablade GU680FOW</p> <p>(approx 10-12 s/y gallon)</p>	<p>T10T 3/16 x 5/32 V Ceramic</p>  <p>Rubber handle FU20059</p> <p>(approx 50-60 sq/ft gallon)</p>
<p>T11T 1/4 x 3/16 V Ceramic</p>  <p>Rubber handle FU49116 CR425 wood handle Versablade GU680CWM</p> <p>(approx 40-50 sq/ft gallon)</p>	<p>T13T 1/4 x 1/4 x 1/4 sq Ceramic floor-wall</p>  <p>Rubber handle FU49110 CR426 wood handle Versablade GU680CTB</p> <p>(approx 80-90 sq/ft 50lb bag)</p>	<p>T14T 1/4 x 3/8 x 1/4 sq Quarry tile</p>  <p>Rubber handle FU49112 CR428 wood handle Versablade GU680QT</p> <p>(approx 60-65 sq/ft 50lb bag)</p>
<p>T15T 1/2 x 1/2 x 1/2 sq Stone-granite-medium bed</p>  <p>Rubber handle FU49038 CR429 wood handle</p> <p>(approx 40-45 sq/ft 50lb bag)</p>	<p>T19T 3/16 x 1/4 x 1/2 Flat V Wood flooring</p>  <p>Handle FU20046</p> <p>(approx 60 sq/ft gallon)</p>	<p>T20T 3/16 x 1/4 x 5/16 Flat V Wood flooring</p>  <p>Rubber handle FU30000</p> <p>(approx 50 sq/ft gallon)</p>

Brand Adhesive



1000 Carpet Adhesive
3600 EcoWorks broadloom
5000 Pressure Sensitive



S-599 Premium resilient adhesive
S-761 Seam seal kit
S-235 Sheet flooring adhesive
S-288 Residential LVP, LVT & Fiberglass Sheet
S-515 VCT clear thinspread
S-289 Releasable sheet adhesive



Flex-Tech sheet vinyl adhesive
Flex-Seam seam sealer
Flex-Prim floor primer / sealer
I-Grip adhesive
InFuze Seam Sealer



All Mannington adhesives & sealers



- * 22oz spray can
- * Fast dry formula
- * Immediate occupancy

NEW- Residential:

IT# SLRES22 For residential & multi-family
LVT-LVP-VCT-Carpet Tile-vinyl sheet

95% RH:

3500 Vinyl Sheet (150-180 sf/can)
6500 LVP-LVT Carpet Tile (160-190 sf/can)
9500 VCT (170-200 sf/can)
ESD ESD Tile (100 sf/can)

98% RH Platinum:

6500P LVP-LVT (120-125 sf/can)
9500P VCT (170-190 sf/can)



Residential

LVP-LVT
VCT
Carpet Tile
Vinyl Sheet

Notched Trowels

Futura Rubber Handle

Aluminum alloy mounting
Soft-Grip rubber handle
hard tempered steel blade

4.5" x 11"



Futura XL Rubber Handle

Aluminum alloy mounting
Soft-Grip rubber handle
Hard tempered steel blade

4.5" x 14" XL



Crain Wood Handle

Aluminum alloy mounting
Contoured wood handle
Hard tempered steel blade

4.5" x 11"



Gundlach VersaBlade



4.5" x 11.5" blade



#682-TH
Red



#683-TH
Blue



#684-TH
Open handle

Spreader
3" ... CR040



Finished Trowels

14" finish trowel

Rubber handle
Spring steel riveted
FU20062



14" finish trowel

Wood handle
Spring steel riveted
CR434



16" & 18" finish trowel

Rubber handle
High carbon spring steel
GUCF416 16"
GUCF418 18"













Tackstrip









Standard = E Pin












TRAXX Maxximus - Premium Birch (Residential-Commercial)

<p>Standard 7/8" wide</p> 		 <p>MXS-4248 1-1/4" Acoustical 400 lin/ft</p>	
<p>Extra-Wide Premium 1" wide</p> 	 <p>MXS-4421 1" wood nail 400 lin/ft</p>	 <p>MXS-4442 5/8" 10ga Concrete nail 400 lin/ft</p>	<p>MXS-4410 No-nail 400 lin/ft</p> <p>MXS-4410-S No-nail 400 lin/ft D-PIN</p> <p>MXS-4410-XS No-nail 400 lin/ft J-PIN</p>
<p>Tri-Grip 1.25" wide</p> 	 <p>MXS-4620 3/4" wood nail 280 lin/ft</p>	 <p>MXS-4642 5/8" 10ga Concrete nail 280 lin/ft</p>	<p>MXS-4610 No-nail 280 lin/ft</p>
<p>Commercial 1.75" wide</p> 		 <p>MXS-4842 5/8" 10ga Concrete nail 200 lin/ft</p>	<p>MXS-4810 No-nail 200 lin/ft</p>

TRAXX Certified - Premium Poplar (Residential)

<p>Extra-Wide 1" wide</p> 	 <p>CTS-4421 1" wood nail 400 lin/ft</p>  <p>CTS-4421-S 1" wood nail 400 lin/ft D-Pin</p>	 <p>CTS-4442 5/8" 10ga Concrete nail 400 lin/ft</p>	
<p>Tri-Grip 1-1/4" wide</p> 		 <p>CTS-4642 5/8" 10ga Concrete nail 280 lin/ft</p>	

Nails - Staples - Staplers

Concrete		1/2"	TXN13585	12 ga	5#
Concrete		11/16"	TXN13611	12 ga	1#
Concrete		1/2"	TXN14585	10 ga	5#
Concrete		5/8"	TXN14605	10 ga	5#
Concrete		3/4"	TXN14621	10 ga	1#
Concrete		1"	TXN14665	10 ga	5#
Acoustical		1-1/4"	TXN18705	Drive	5#
Ringshank		1-1/4"	TXN11705	Drive	5#
Ringshank		1-1/2"	TXN11745	Drive	5#
Blue lathe		1-1/2"	TXN12705	Small head	5#
Blue lathe		1-1/4"	TXN12365	Large head	5#

Decorative Drive Nails:

Silver:

Large headTXN1726S1 1#
Counter sunkTXN1722S1 1#



Gold:

Large headTXN1728G1 1#
Counter sunkTXN1724G1 1#



Nickel:

Large headTXN1734N1 1#



Aluminum Drive Nails:

Drill a 1/8" hole, when the aluminum Nail is driven in, the nail expands and holds Tight, excellent for tackstrip & metal trim

5/8" length ... CR580 1lb

7/8" length ... CR780 1lb

Solid carbide bit CR223C

Bit adapter CR225



Nail Bags:



Heavy duty canvas bags with Velcro closure for nail storage

HN-711B Blue

HN-711G Green

HN-711R Red

HN-711Y Yellow

HN-711W White

Flooring Staplers & Staples

Traxx A11 Pad Stapler

Rapid-11 Style Ergo Handle
A11 3/8" staples
Pad-Pro Plus
TRTXPPPA11



Traxx A11 staples

Divergent point 3/8"
5,000 per box
TRTXFA1110D



Traxx A11 staples 7"

Divergent point 3/8"
5,000 per box
TRTXFA1110D7 7" sleeve



Traxx 7512 Pad Stapler

7512 Style stapler
7512 3/8" staples
TRTXPP7500



Traxx 7512 staples

Divergent point 3/8"
5,000 per box
TRF7512D



Staple Box 7512

CR618



DuoFast Stapler

5418 staples
SOEN5418



Traxx Stapler

5418 Electric
TTX-PP5418



Traxx 5418 Staples

Narrow crown
Divergent point
5,000 per box
TRTXF5418D



Staple Box 5418

CR617



Kickers & Stretchers

Crain 445

Fast adjust, lightweight,
Dependable (Red)

1601B ... pin plate
1505D ... bumper
1505K ... gripper insert



Crain 505 Economy

Thick bumper, button adjust,
high neck (Blue)


1601B ... pin plate
1505D ... bumper
1505K ... gripper insert



Crain 605 Deluxe

Thick bumper, recess button adjust,
high neck (Silver)

1601B ... pin plate
1600C ... bumper
1505K ... gripper insert



Crain 525 "wide head"

5.25" wide, 4 rows of grippers
1525-12 pin plate
1525-14 gripper inserts
1600-C deluxe bumper



Shark Teeth

Fits Crain kickers
3 pack
TA80015



Taylor Tools 825

Large head and bumper
Needle Plate TA82505
Tooth Plate (2pk) TA8250901
TA825



Crain CR520 Deluxe Swivel Loc

Power lock handle
Double case
Roller wheel
Tail block & 3 poles
and 1 Auto-Loc



Double case
w/wheels



Mini-Stretcher

With seam repair unit
Includes case
CR514



Crain CR499 Standard Fixed Head

Power lock handle
Double case
Roller wheel
Tail block & 3 poles
and 1 Auto-Loc



Double case
with wheels

Kicker pick
Row finder
TA80016



Stretcher
Head Unit
(Head only)
CR1500U



Stretcher Spike

Single prong unit GU737
Double prong unit GU747
Replacement spike ... GU73702
Silver spike NA178A



Spreader
GU486



Adjustable Tube
3' Crain Auto-Loc
CR501



Stretcher Tubes
3' steel CR502
3' alum CR516 5' alum CR517



Glue Guns & Glue Sticks

Carpet Sealing Tip

GU4RS right hand
 GU4LS left hand
 GU3630 adapter

Seals carpet edges with hot melt glue, increases seam strength and reduces seam peaking



Traxx Premium Seam Seal Glue Gun

- Heats up fast-to 380°
 - Holds heat longer for extended work time
 - Fast feed trigger system
 - Designed for seam sealing and general use
- TRTTX6100

TRAXX Fusion carpet seam seal sticks

Glue sticks with tracers for sealing carpet edges low melt glue
 SEKOOLSTICK 10" sticks 10 / pk



TRAXX TX-300

300 Watt Glue Applicator System
 High Output, 30% More Adhesive
 • Adjustable temperature
 • Drip free nozzle
 Average 1 stick per 4' tackstrip



STIXX-Tite Glue Sticks

- 45 second open time
 - 5 minute cure time
 - Bond to porous & non-porous substrates
- TTX-6560-1 10" sticks / 18 per pack



- Tackstrip
- Metal trim
- Vinyl trim
- Wood moldings

STRETCH IN 5 MINUTES



Micro-Nozzle
 Piercing tip
 TTX-6584



Double barrel nozzle
 TTX-6582

Shears & Scissors

Crain CR496
 8" curved shears



Crain CR190
 Small duckbill



Crain CR187
 Large duckbill



Carpet Seaming Tools

TRAXX Blue-Fin "Fusion"

Premium seam iron - dual indicator lights

- Even heat over entire base
- Cooler heat shield
- Dual light indicators
- Large control knob
- 15' heavy duty cord
- Extended tail groove
- Reinforced handle



Evenly spreads heat over the entire iron base. High-quality thermostat reduces high/low temperature swings! Heat shield stays cooler to protect today's softer, temperature sensitive carpets! Heat shield temperature has been "tuned" to perfectly re-activate TRAXX seam welding sticks.

4" wide ... TRTTX6250 6" wide ... TRTTX6251

Crain #945 Electronic Heat Control

- Dual indicator lights
- "EASY READ" heat control
- Electronic heat control
- Very even heat
- Grooved base
- Low profile



Crain CR905 Premium Seam Iron

Dual indicator lights

Low profile and narrow handle of this iron make it easier to get the seam together near the back of the iron. Dual indicator lights show both power-on and heating status. 12' long cord standard.



Seam Iron Case CR898

Holds 3" or 6" irons plus a roll of seam tape.



Seam Board SEBOARD

- Flexible - pulls out at wall
- Teflon coated
- Tape guide centers tape



KoolGlide "Pro" Seam Tool

The KoolGlide system is a new and completely unique method of making carpet seams. The KoolGlide tool is run **ON TOP OF THE CARPET**. The glue on the seam tape is heated from the bottom up, keeping the carpet cool and preventing distortion!

- Reduces distortion
- Eliminates smoke-odor
- Fast and easy to use
- Instant ready use
- No messy clean up
- Bonds on demand
- Reconstruct seams



KoolGlide technology uses a lightweight hand-held electronic tool that melts the adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. KoolGlide creates a powerful bond that can be stopped and started anywhere along the seam, and can easily be removed later for easy repairs.

SEKGP	KoolGlide "Wave" Seaming Tool
SESUPERDBLTAPE	... double glue tape	66'
SEUTILITYTAPE utility tape	66'
SEKGS	Residential (non-silicone back).....	66'
SEKGP	Commercial.....	66'
SEKGT	tape for vinyl plank board replacement	66'

Seamer Down Pro






Powerful vacuum pulls heat and moisture up and out of the carpet while it draws the adhesive up into the carpet backing. The results are a flat cool seam that can be stretched in minutes.

Powerful 2hp motor.
TRSDPRO



Carpet Seam Tape





Heavy Commercial - Heavy Residential

<p>TA-50 Gold Adhesive</p>	<p>4"</p> <p>66' roll, Amber adhesive Wide center bead Low smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute Woven Soft-Bac LifeGuard</p>	
<p>Traxx STIXX S50W-BOX White</p>	<p>4"</p> <p>Box - 2 individual 100 lin/ft rolls Wide center bead - White Low smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute Woven Soft-Bac LifeGuard</p>	
<p>Traxx STIXX S-60W White</p>	<p>6"</p> <p>66' roll, 6" width Wide center bead - Amber Low smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute Woven Soft-Bac LifeGuard</p>	

Universal EVA Adhesive

<p>TA-One Clear Adhesive Universal Formula Clear</p>	<p>4"</p> <p>66' roll - UNIVERSAL ADHESIVE Universal for all backings Wide center bead - Clear adhesive 11 bead construction EVA Universal Formula HEAVY COMMERCIAL HEAVY RESIDENTIAL</p>		<p>Action Jute Soft-Bac Woven Life-Guard UPS UPS-Flex</p>	
---	--	---	---	---


Light Commercial - Heavy Residential

<p>TA-40 Gold Adhesive</p>	<p>3"</p> <p>66' roll - 9 bead construction Wide center bead - Gold Adhesive Smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute Soft-Bac LifeGuard</p>	
<p>Traxx STIXX S40W-BOX White</p>	<p>3"</p> <p>200 lf Box - 2 individual 100 lin/ft rolls Wide center bead - White Low smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute Soft-Bac LifeGuard</p>	

Standard Residential

<p>TA-20 Gold Adhesive</p>	<p>3"</p> <p>66' roll - Gold adhesive Low smoke - low odor Moderate melt iron setting 2.5</p>		<p>Action Jute</p>	
---	---	---	------------------------	---

Double Glue

<p>DSPS</p>	<p>66' roll. PS adhesive bottom side, Universal EVA adhesive.</p>	
--------------------	---	---

Knives

Push Button Slotted Blade Knife
GU230



Action Knife Slotted Blade Knife
Chrome OR1363
Blue OR13322



Crain 217 Slotted Blade Knife



Crain 726 Slotted Blade Knife



Shark Knife
GU101SK



Includes
Plastic holder



Crain 189 Utility Knife
CR189



Orcon Action Utility Knife
Chrome OR13222
Blue OR13284



Thumb Screw Utility Knife
CR730



Wolff Dolphin Knife
WO48221 w/case



Crain Combo
CR102



Dexter
Fixed blade
CR060



Dexter Custom
Gold handle
CR070



Carpet Knife
CR170



Knife Blades

Slotted - Round



Personna Armor-Edge
61-0017 100pk Round Corner
 Individually wrapped blade

Traxx True-Edge
TRTXB0017 100pk Round Corner
 10 plastic packs of 10 blades



Better Tools BE20101
100pk Box
 100 blades in a safety dispenser box



Slotted - Square



Personna Armor-Edge
61-0023 100pk
 Individually wrapped blade

Better Tools
100pk, BE20102N
 Dispenser pack



Utility

Personna, 100pk, 61-0003
 Individually wrapped blade



Tru-Edge 10/10pk TXB0203
 10 each, 10 pack tubes (100 total)



LVT Platinum Blade 10/10pk
 10 each 10 pack tubes (100 total)
 Designed for cutting Luxury Vinyl
PSB-0109



Medium Hook

Crain 996X
 15 pack in plastic case



Large Hook

BE20303R
German Technology
 10 pack plastic case



Trimmer

Personna 61-0021
100pk
 Individually wrapped blade



Knife Pouches

Single Pocket
 AL84408



Single Pocket
 with tape holder
 GU408TH



5 Pocket
 AL84007



Flat Pocket
 AL84354



5 Pocket
 with tape clip
 GU701



Single Knife
 GU67



Carpet Cutting Tools

Crain CR301

Cushion back cutter

Slender guide stays in row
30° angle blade



Crain CR303

Loop pile cutter

Stainless steel construction
30° angle blade
Adjustable throat



Crain CR302

Cushion back cutter

Slender guide stays in row
30° angle blade trims close to edge



Crain CR265

“Jus-Push”

Stand up cutter

Rough cuts carpet or
cuts existing carpet into
strips for removal.

Uses a hook
Style or utility
blade.



CR266
Replacement
Point

3-N-1 Cutter CR290

Works great as carpet edge
seam trimmer. Also works as
a trimmer for Z-bar or vinyl
molding.

- Carpet seams
- Vinyl reducer
- Z-Bar



Loop Pile Row Finder

Crain CR366

Deluxe row separator
Unique action helps to separate rows
even in difficult cross stitch carpet



Wall Trimmer CR246

- Quick change blade
- Adjustable shims
- Adjustable handle



Cut Pile Row Finder

Crain CR367

Deluxe row separator
Unique action helps to separate rows
even in difficult cross stitch carpet.



Carpet Seaming Products & Tools

100% Latex:

Used for carpet seam sealing or carpet repair

WF Taylor #710
quart
WF710QT




TRAXX Fusion

Acrylic sol-free
Fast dry formula
TRTTX885008 8oz
TRTTX885032 32oz



Glue Down Carpet Seam Adhesive

WF Taylor #775
Solvent base
WF775QT..... quart
WF775PT pint



Star Roller
Orcon 1361
Rubber Grip
Handle



Smooth Roller
Orcon 1374
Rubber Grip
Handle



Box Roller
CR476



Seam Bottle

With special tip
for application 8oz
TRHT745



Crain Thread

Natural color waxed linen
CR771



Needles:

3" straight CR762 25pk
4" curved CR765 12pk

Crain Econo

Red powder coated to
Prevent rust CR113 -6'




Crain Pro (spring steel)

Blue powder coated to prevent rust
CR334 -6'



Seam Weight

For flatter seams
TRTTX6220



Crain 180

Seam squeezers (pair)



Crain Combination Serpentine

CR119 -75"



Crain Aluminum

CR536 -6' CR535 -3'



Caulk

100% RTV Silicone Caulk

Long lasting & excellent adhesion

10.3 oz with resealable cap

White GP70SWHI10

Clear GP70SCLE10

Translucent GP70STRA10

A superior performance 100% RTV silicone sealant that provides a flexible, water-resistant seal against moisture and mildew. Ideal for caulking and sealing bathtubs, sinks, cabinets, counter tops, shower stalls, backsplashes, plumbing fixtures, etc.



DAP Kwik Seal Tub & Tile Caulk

5oz squeeze tube

White 18001

Almond 18013



100% Silicone Color Caulk

Matches Laticrete caulk colors. 100% Silicone.

10.3 ounce tube

General Purpose Tape

Masking

2" x 180'

Tan

SHCP101



Silver Duct

2" x 180'

SHPC600



Paper Pad Tape

2" x 165'

SHFP96



Blue Tape Premium

2" x 180'

SHCP027



"GUMMY"

Double Sided

3/4" x 98' 1/64" thick


BRBT9374



Strapping

3/4" x 180'

SHGS501



Double Sided

Professional cloth

2" X 75'

MB2



Blue Tape Economy

2" x 180'

SSBT2180



Tackstrip Adhesive

TRAXX TX-300 / 300 watt power

Fast and easy, ready to use in 5 minutes

1 stick per 4' length of tackstrip

TX-300 glue gun

STIXX-Tite Glue Sticks

- Tackstrip
- Molding (wood & vinyl)
- Porous & non-porous substrates
- 45 second open time

TTX65601 10" sticks / 18pk

TTX6560B Bulk 22lb (390-400 pack)



Chemrex Masterweld

One part moisture cure polyurethane

Firm set 1-2 hours

CH94810 ... 10 oz CH94830 ... 30 oz



Parabond 363

Seam Sealer/Tackstrip Adhesive (Non-flammable)

- High Strength
- Fast Dry
- Quick Grab

PAM363QT ... Quart



Jet-Tac

Quick set epoxy.

10oz cartridge

Fits standard caulking gun

SO650651 Cartridge

SO650650 Nozzle (3 pack)



Resilient Hand Tools

Lino-Cut

Wolff #WO40262
Quality seam cutter for linoleum & commercial PVC sheet goods scribes & cuts in 1 pass

Blades 10pk
WO13429



Green-Cut #63998

Strip & Salvage Edge Cutter
Cuts selvage edge off prior to seaming and cuts strips

Straight Blades
100 pk #13419

Hook Blades
100 pk # 13421



Heat Gun CR995

Up to 1000°



**Comes with case*

CR460

Applicator
bottle



Crain #340

Armstrong style edge trimmer
Quickly trim the factory edge of non-patterned commercial sheet vinyl

CR341 S-32
blades (each)



Dividers

CR380

1380F Tip
1380G Body
1380P Pen tip



CR333

3-wheel hand roller
Extendable handle
17" to 27"



"J" roller

CR346




Wax Rings

With flange ... PA90220

W/o flange PA90210

Bolts PABOLT

Bolt covers ... PAFLUI7115



36" Vinyl

Dolly CR016
36" vinyl dolly



Steel Hand Roller Round head:

9" handle CR349



Scribe Paper

Black Fortifiber
36" x 150'
FOA522040

White Fortifiber
FOSCRIBE 36" x 100'

USG Scribe Paper

USGP ... 3' x 167' (500 s/f)
(Same paper that is on sheetrock)



Lino Roller

Comes with carry
Case with wheels

CR075 #75

CR076 #100



Scribes

CR111 6"

CR188

Hinge scribe

CR194

Corner scribe



Knee Pads

TRAXX 400-PRO

Full Knee & Shin Support
Comfortable for all day use.
Lightweight durable outer layer.
Wide flat base for maximum support.
Washable replacement components.
Knee Pad: TTX-6440
Replacement inserts: TTX-6441



TRAXX 200-PRO

Standard Knee & Shin Support
Comfortable for all day use.
Lightweight durable outer layer.
Wide flat base for maximum support.
Washable replacement components.
Knee Pad: TTX-6420
Replacement inserts:
TTX-6421 (pair)
Replacement Straps:
TTX-6422 (each)



Platinum Knee Pad

Dense foam protection.
Adjustable straps for comfort.
Shin support relieves pressure
at knee and toes.
CUP1KP1



Alta 50423

NoMar long cap dual
AltaLoc Buckle Strap
allows traction resists
marring vinyl floors



Alta 50903

PROLINE round hard
white cap dual AltaLoc
Buckle Strap 1/2" high
density cushion
allows user to swivel



Alta 30903

Leather Knee Pad
Top grain leather
thick felt lining



Gundlach GU209-XLL

Super-Soft
leather cover
velcro straps



Alta 50703

Cordura nylon face
dual AltaLoc
Buckle Strap
ideal for delicate
surfaces



Ultra-Lite

Maximum comfort and
flexibility, non-skid
BA20010



Alta 50403

hard plastic cap
buckle strap



Crain CR197

Neoprene comfort, wide dual
velcro strap comfortable
protection protects when
kneeling protect from knee
kicking



Crain CR199

Polyurethane skin "Comfort"
knee pads. Provides protection
when kneeling or when using
a knee kicker. Wide velcro
straps.



Safety & Moving Products

CR280 Air Sled

lifts up to 800 lbs
on a cushion of air



Carpet Cart

compact
GU427



Carpet Cart

large GU847
(special order)



Ear plugs

1 pair per pkg
BA70712



Safety glasses

elastic strap
BA70708



2-strap mask N95

particulate mask
with respirator valve
MED-10008N 10 pk



Latex gloves

large 100pk
BA71911



Rubber gloves

solvent resistant
large CU5880L
XL CU5880XL




Cutters

BULLET MAGNUM SHEAR

- * Heavy Duty Cutting
- * Laminate-Hardwood
- * Vinyl-LVP-LVT-VCT
- * Carpet Tile

26" BU526 Blade: BU526B
 20" BU520 Blade: BU520B
 Special order



BULLET EZ-CUT

- * Standard Duty Cutting
- * Laminate
- * Vinyl-LVP-LVT-VCT
- * Carpet Tile

26" BU126FLR Blade: BU126B
 20" BU120FLR Blade: BU120B
 13" BU113FLR Blade: BU113B
 9" BU009 Blade: BU109B



Bullet Shear Heavy Duty

Quickly cut luxury vinyl tile, carpet tile, resilient, cork, and rubber tile, and more for your soft flooring installation projects.

MAGNUM SHEAR HD

20" BU920
 26" BU926
 40" BU940

- Laminate floor
- Rubber tile
- LVT-LVP

Special Order



Bullet Vinyl Cutter

Quick accurate cuts on vinyl plank up to 9.5" wide. BT92-2195

The Bullet Vinyl Cutter makes quick, accurate cuts on vinyl plank flooring up to 9.5" wide and 7/16" thick. Achieve faster and easier installation of vinyl flooring while maintaining professional results. Our specialty bi-metal blade cuts through thick Luxury Vinyl Planks with ease and lasts up to 5000 square feet installed.



Bullet Vinyl Rip Cutter

Quickly and accurately rip cuts vinyl plank up to 9.5" wide. BT9-22095

The Bullet Vinyl Glider gives the professional an easy solution to rip-cuts. Make straight, clean, score-and-snap cuts on luxury vinyl planks or luxury vinyl tile up to 9.5" wide. Achieve faster and easier installation of vinyl flooring while maintaining professional results.



VCT Tile Cutter

Crain CR001

Cuts: 12"x12" straight with roller case



Crain CR008

Cuts: 18"x18" straight
 12"x12" diagonal
 Heavy duty

SPECIAL ORDER




D-CUT RC-230 9"

Contour Wall Base Cutter

- * Rubber-Vinyl Contour Base
- * Bevel Cuts Outside Corners

RC200 Cutter
 DCRC200B Replacement Blade



Hand Scrapers - Scraper Blades - Carpet Clamps



CR390

5" blade
CR391 blade only



Crain CR375

Stand up 8" blade



CR360

18" handle
4" blade



CR350

12" handle
4" blade



Carpet Clamp CR844

Extends from 39" to 59"

8"



Personna ArmorEdge 61-0032 (10pk)

TRAXX Tru-Edge TRTXB0032 (10pk)

5"



Same thickness as 8" blades CR391 (10pk)

4"



Personna *ArmorEdge* 61-0027 (10pk)
TRAXX Tru-Edge TRTXB0027 (10pk)

Floating Floor Tools

AquaBar Barrier Paper

Asphalt laminated duplex type kraft paper
3' x 167' (500 s/f approx) FOAQUABAR
AquaBar is an extremely effective
moisture vapor retarder for use under
hardwood flooring. AquaBar slows
moisture migration and is a superior
vapor retarder. It is not a waterproof
membrane.



Tongue & Groove Adhesive

Universal tongue & groove adhesive
for wood and bamboo flooring
WF204916 ... 16oz



CR565 18' strap

CR560 Pro Pull Bar



Tapping Block

Mannington MA801926 White
Crain CR563 Black with handle



GUAV2 spacers

Quick adjust with turn of knob,
holds position until reversed
4 spacers per box



CR562 spacers

U-shaped will not tip over
3/16" one side
1/4" one side (10pk)




6mil Poly

6mil polyethylene film for
moisture protection
FOPOLY
120 sf (10'x12')



Waterproof Tape

For underlay and carpet pad
FOTAPE ... 2" x 165'



RO1026

Installation Kit
30 spacers, 1 tapping
block, 1 pull bar



ENGINEERED HARDWOOD

#461-A 18 gauge

- Adjustable shoe base
- Two adjustments fine tune the staple position
- Includes Carrying Case and Safety Goggles
- Safety is built into the shoe base
- Uses 7/8" - 1 1/2" 18ga 1/4" crown staples
- 5,000 per box

TXF1828CGR 18ga 1/4" crown ... 7/8"

TXF1832CGR 18ga 1/4" crown ... 1"

TXF1836CGR 18ga 1/4" crown ... 1-1/8"

TXF1840CGR 18ga 1/4" crown ... 1-1/4"

TXF1848CGR 18ga 1/4" crown ... 1-1/2"



SOLID HARDWOOD

#RO465-SLT 15-16 gauge 3-IN-1

- Accepts 16ga T-nails, L-nails
- Accepts 15ga and 16ga 1/2" crown staples
- Includes Carrying Case and Safety Goggles
- 70-115 PSI
- Self leveling front plate
- Lightweight design
- No-mar pad
- Comes with mallet
- Fastener capacity: 100



#4702 1,000 pk L-nail ... 2"
 #4703 1,000 pk L-nail ... 1-3/4"
 #4704 1,000 pk L-nail ... 1-1/2"

#42640 1,000 pk T-nail ... 1-1/2"
 #42629 1,000 pk T-nail ... 2"

#47271 1,000 pk staple ... 1-1/2"
 #47261 1,000 pk staple ... 2"

BAMBOO

#RO418-A 18 gauge

- Unique ram design, hit at any angle
- Gets closer to the wall
- Can operated height adjustment
- Quick access valve & main piston
- Safety mechanism built-in
- Fastener capacity: 110
- 18 gauge "L" cleats

#41801 2,000 pk 18ga L-nail ... 1-1/4"
 #41802 1,200 pk 18ga L-nail ... 1-1/2"
 #41803 1,200 pk 18ga L-nail ... 1-3/4"



Paint Rollers - Roller Covers - Roller Trays - Brushes

18" Roller Frame
Angle Adjusts WF92114



18" Roller Tray
HD Plastic WF92113



18" Micro-Fiber Cover
3/8" Nap - Primers
WF91813



18" Fabric Cover
3/8" - Adhesive
WF91809



Roller Frame
9" ... MC799



60" Wood Handle
With metal threads
GU0162



Roller Tray
MC744



Chip Brush
1" MC891
2" MC893
3" MC895



Nubby Style Covers
9" ... 99C GU99C



Mohair Nap #MC735
9" ... 3/8" nap plastic core




Plastic Laminate Installation Tools

10' all purpose file
GU10AP



Laminate Slitter T78
From 1/2" to 4.25" for self edge
& back splash
GUAT109



Crain Metal Miter
Cuts metal trim edge
Handle CR845
Die set w/blade CR850



CR344 Score All
344G



Laminate Shears
GU11LS



Plastic Laminate Countertop Metal Trim

#91
Convex cove 12'
91S Silver



#92
Narrow Cove 12'
92S Silver



#90
Wide Cove 12'
90S Silver



#80
Cap w/Flange 12'
80S Silver




#81
Flatback Cap 12'
81S Silver



#94
Divider 12'
94S Silver



#93
Out Corner 12'
93S Silver



Contact Adhesives - Solvents - Cleaners

WF Taylor Touchdown #1-N Natural Color Brush grade multi-purpose solvent based contact

Pint flammable WF1NPT
 Quart flammable WF1NQT
 Gallon flammable WF1N1
 4 gallon flammable WF1N4



#9 Safety Solvent

WF09PT ... pint
 WF09QT ... quart



3M Fastbond 30

Water based contact green color
 3MFB30QTGRE ... quart
 3MFB301GRE gallon



Smell Zapper ERASE

Carpet & Upholstery Cleaner

ERASE is specially designed to be effective against all types of stains including oils, ink, food stains and many other difficult spots on carpets, rugs and upholstery. Additionally, it's deodorizing properties destroy malodors at their source.
 Pint..... #WFEP12x108



3M Fastbond 10

Solvent based contact
 Highly flammable - very strong
 Great for vinyl-rubber trim
 3MFB101 gallon



CS-22 Solvent Cleaner

- Non-flam
- Fast dry
- Grease-oil
- Dissipates
- Adhesive



Oil-Flo #141 Solvent Cleaner

- Urethane
- Adhesive
- Grease
- Gum



Aerosol Spray

WF Taylor 725
 17 oz total
 Contact adhesive
 Adjustable tip



TAOILFLOPT ... pint

Wall Base Installation



Snozzles

CR236 (Black 3-hole)
 CR235 (Blue 6")
 GU186 (Yellow 11-hole)

CR 532

Cove
 Base
 Gouge



CA40 S-5

Cyanoacrylate
 (super glue)
 Specially formulated
 for rubber & vinyl
 CAS51OZ ... 1 oz



Subfloor Leveler & Shims



Roppe Vinyl (West)

304-100 ... 1/8" x 12" x 4'
 302-100 ... 1/4" x 12" x 4'
 301-100 ... 3/8" x 12" x 4'
 303-100 ... 1/2" x 18" x 4'

Johnsonite Vinyl (East)

LS40F ... 1/8" x 12" x 4'
 LS40 ... 1/4" x 12" x 4'
 LS40D ... 3/8" x 12" x 4'
 LS40E ... 1/2" x 12" x 4'

Particle Board Shims

BNP20832 ... 1/4" x 8" x 32"
 BNP30832 ... 3/8" x 8" x 32"
 BNP50832 ... 1/2" x 8" x 32"

Metal Floor Trim (12' length unless otherwise labeled)

Pinned Clampdown



Premium

102S Silver
102G Gold
102N Nickel

Standard

104S Silver
104G Gold
104B Bronze
104N Nickel

Economy

114S Silver

Pinless Clampdown



Premium

201S Silver
201G Gold
201N Nickel

Flat Bar



2" Premium

304S Silver
304G Gold
304N Nickel

1.5" Premium

302S Silver
302G Gold
302N Nickel

1.5" Standard

312S Silver
313G Gold
312B Bronze
312N Nickel

1" Premium

303S Silver
303G Gold
303N Nickel

Standard Stairnose



Premium

601S Silver
601G Gold

Economy

611N Nickel
611B Bronze

1/4" Carpet Cap




401S Hammered Silver
401M Satin Silver

Binder Bar 3/4"



702S ... Silver

Longface Stairnose



Premium

605S Silver
605N Nickel

Plain Facing

1/2" facing

19S ... Silver
19N ... Nickel




Z-Bar 501S

(25cs per carton)
5' length



2.6" Commercial



Premium

603S Silver


1/8" Bevel Cap 12'

406S Etched Silver



1/8" Cove Cap 8'&12'

901S Silver mill finish



3/32" Cove Cap 12'

82S Silver mill finish

Cove Stick 5' length

FUVT051BLA5 ... 1-1/4"
FUVT052BLA5 ... 1-1/2"



Corners

CR270 Outside
CR271 Inside
silver / 25 per tube



Hatch-Tee 12'

7395S 1" Silver
7365S 3/4" ... Silver



Backerboard & Underlayment

GoBoard



- **Strong Bond Surface**
- **1/2" & 1/4" 3'x5'**
- **Lightweight**
- **Waterproof**
- **Standard Fasteners**

GoBoard is an alternative ultra-lightweight yet durable waterproof alternative to cement and other heavy tile backer boards. GoBoard helps you complete the job faster and more cost effectively.

1/2" 3' x 5' ... JMGB12 ... walls (60/pal)
 1/4" 3' x 5' ... JMGB14 ... floors-counters (70/pal)
 Sealant DAP 11814 Gray (10oz/tube)



Matrixx Birch Plywood

Birch Plywood Underlay

5 ply Birch plywood 1/4" 7 ply Birch plywood 3/8", printed nailing pattern - dense birch construction, exterior adhesive - commercial rating - equal ply 1/4" thick 5 ply / 3/8" thick 7ply

- 1/4" thick ... 4' x 4' ... B4X4
- 1/4" thick ... 4' x 5' ... B4X5
- 1/4" thick ... 4' x 8' ... B4X8
- 3/8" thick 4' x 4' ... B4x438
- 3/8" thick ... 4' x 5' ... B4X538
- 3/8" thick ... 4' x 8' ... B4X838



Certiply Birch-Poplar Plywood

Plywood Underlay

Certiply is an economy grade plywood underlayment. The top and bottom layers are veneer thickness. The top veneer layer is premium Birch. The bottom veneer layer has a resin impregnated film for added stability and moisture resistance, certiply is rated for residential use.

- 4' x 4' (80pal) TRCTU2516
- 4' x 8' (80pal) TRCTU2532



FlorCore Extreme Underlayment

Manufactured with hardwood fibers. Bonded together with moisture resistant binders. Edge Sealed technology helps reduce moisture from entering the panels. The core is void free and a true 1/4" thick. Moisture resistant bottom and side edges.

TRFGU2824 4' x 6' 1/4" thick

Glue - Staple - Nail



USG DuRock CementBoard

DUROCK® cement board Next Gen is a water-durable, mold-resistant panel for use under tile and in a variety of interior and exterior applications. Weighs 25% less.

Floors 1/4" thick 3' x 5' MSDRCNG143X5
 Walls 1/2" thick 3' x 5' MSDRC123X5



* Ceramic tile

USG Fiberock Fiber Board

FIBEROCK AQUA-TOUGH Tile Backerboard is a unique fiber-reinforced gypsum product that represents a new era in substrate performance for wet or dry areas. Water-resistant core.

Floors 1/4" thick 3' x 5' MSFROCK3X5
 Walls 1/2" thick 3' x 5' MSFRO123X5




* Ceramic tile * Carpet * Vinyl

USG Glass-Mat Board

USG Durock™ Glass-Mat Tile Backerboard consists of a treated water-resistant gypsum core that is covered with a coated fiberglass mat facer and back and has a proprietary cementitious surface. The panels are square edge.

US84943 4'x5' 1/2" thick



Backerboard Screws 1-1/4"

US170189 200 pc jar
 BA70811 1000 pc box




Mesh Joint Tape

2" x 250' MSDROCKTAPE
 2" x 50' CU163F50



Ringshank Nails

1-1/4" 5 lb #11705
 1-1/2" 5 lb #11745



Roppe Trim & Base

ROPPE.

700 Series TP

Kent Bellevue Everett
Tacoma Yakima Anchorage
Portland Eugene Medford

● Branch Stock

6" cove

100 Black
110 Brown
● 140 Fawn
178 Pewter
191 Camel
● 193 Black-Brown
194 Burnt Umber

2.5" cove

122 Natural
● 140 Fawn
170 White
184 Almond
● 191 Camel
198 Ivory

4.5" cove

100 Black
110 Brown
150 Dark Gray
● 193 Black-Brown
198 Ivory

4" cove


● 100 Black
● 110 Brown
● 114 Lunar Dust
122 Natural
● 123 Charcoal
● 125 Fig
129 Dolphin
130 Buckskin
139 Deep Navy
● 140 Fawn
147 Light Brown
● 150 Dark Gray
● 170 White
174 Smoke
● 175 Slate
177 Steel Blue
● 178 Pewter
182 Toffee
184 Almond
● 191 Camel
● 193 Black-Brown
● 194 Burnt Umber
195 Light Gray
● 198 Ivory
624 Chameleon
631 Sahara
632 Flax
639 Beigewood
640 Creekbed
641 Moonrise

4" no-toe

100 Black
110 Brown
150 Dark Gray
● 193 Black-Brown
198 Ivory

● 100 Black
● 110 Brown
● 140 Fawn
● 150 Dark Gray
178 Pewter

178 Pewter
191 Camel
● 193 Black-Brown
185 Light gray
198 Ivory






● 100 Black
110 Brown
● 140 Fawn
● 150 Dark Gray
178 Pewter
193 Black Brown



● 100 Black
150 Dark Gray
193 Black-Brown



100 Black



Johnsonite Trim & Base

Johnsonite

Branches

Billings	Spokane - All Colors
Boise	● Branch Colors
Great Falls	
Kalispell	2.5" toe
Missoula	49 Beige
Richland	80 Fawn
Spokane	50 White

4" toe

- 34 Almond
- 49 Beige
- 40 Black
- 47 Brown
- 63 Burnt Umber
- 11 Canvas
- 121 Cement
- 20 Charcoal
- 76 Cinnamon
- 9 Clay
- 44 Dark Brown
- 66 Either Ore
- 80 Fawn
- 167 Fudge
- 04 Gateway Gray
- 48 Grey
- 281 Grizzly
- 8 Icicle
- 28 Medium Gray
- 29 Moon Rock
- 18 Navy Blue
- 22 Pearl
- 32 Pebble
- 38 Pewter
- 45 Sandalwood
- 71 Storm
- 283 Toast
- 150 Wetlands
- 50 White
- 31 Zephyr
- 31 Zephyr

6" toe

- 20 Charcoal
- 48 Gray
- 40 Black
- 44 Dark Brown

4.5" Toe

- 20 Charcoal
- 48 Gray
- 40 Black
- 44 Dark Brown




4" no-toe

- 20 Charcoal
- 48 Gray
- 40 Black
- 44 Dark Brown





.080 Vinyl Kent Stock

4" toe 22 Pearl	4" toe 22 Pearl
4" toe 49 Beige	4" toe 49 Beige
2.5" toe 22 Pearl	4" toe 40 Black
2.5" toe 49 Beige	4" toe 80 Fawn
2.5" toe 50 White	4" toe 47 Brown









- 20 Charcoal
- 40 Black
- 45 Sandalwood
- 47 Beige
- 48 Gray
- 49 Beige



- 40 Black
- 47 Brown
- 48 Gray
- 49 Beige



- 40 Black
- 47 Brown





Vacuums

Large Hepa Vacuum Dual Filter HEPA Vacuum Wolff #81706 206 CFM

- Dual motor
- Dust collection basket
- Zip tie storage bags
- Reverse pulse
- Includes floor wand and hose
- Includes floor brush



Small Hepa Vacuum Dual Filter HEPA Vacuum Wolff #81153 103 CFM

- Single motor
- Dust collection basket
- Zip tie storage bags
- Reverse pulse
- Includes floor wand and hose
- Includes floor brush



HD Pre-Separator

Cyclonic Action

Wolff #82215

Capture 99% of Dust




Sandpaper

Mercer Professional Grade
Resin Construction
"E" Weight Longer Life
Paper Reinforced Backing
Lasts Longer

- 16" 12 GRIT ME426012
- 16" 16 GRIT ME426016
- 16" 20 GRIT ME426020
- 16" 36 GRIT ME426036
- 16" 60 GRIT ME426060



Carbide Disk



- 15" 14 Grit #50849
- 15" 16 Grit #13510
- 15" 24 Grit #13517

- Scarifies concrete
- Removes adhesive
- Lasts 15X longer
- Double-sided
- Change disk less often
- Effective - better results
- Fits 15" and 16" buffers





Power Strippers & Grinders

Wolff Neo #75382

The Neo is new and unique to surface preparation. The compact 9" head delivers concentrated grinding power that rivals machines 3X its size.

- **Powerful**
- **110 Plug In**
- **Compact**
- **Close to Edge**
- **Requires 4 Segments**

Adjustable guard, zero clearance, 3 position head
Variable handle
9" grinding area
115V, 2.75hp,
1500 rpm
100 lbs



SEGMENTS:

#68388 PCD
Thick adhesive mortar
#68390 K20 Gold
Hard concrete profiling

Grinds close to wall



Wolff Samba #63047WS

Powerful machine for grinding substrates or leveling compounds.
115 V, 2.25 HP motor,
160 RPM, 97 lbs, 15-16"

Powerful 2.25 HP motor,
heavy duty reinforced hand,
durable steel drive gears,
full range of grinding discs & plates available.




INCLUDES:

WO14038 hose kit
With T-adapter

WO14039 shroud
Suction ring with sealing shell

WO84750 sandpaper driver
15" drive plate for
sandpaper & grinding disk



Wolff Ninja Plate

- Fits Mambo & Samba
- Easy to change
- Extremely effective
- For concrete substrates

#WO73767
Plate only



Segments:

Segments fit Ninja Plate, Samba, and Neo
#68388 PCD thick adhesive & mortar removal
#68390 K20 Gold for hard concrete profiling



Wolff Turbo Stripper #39086

Self propelled - heavy duty

Heavy duty stripper for removal of all bonded flooring. 5,000 strokes per minute with heavy duty impact and propulsion. Three weight positions for adjusting aggressiveness. Hand operated clutch. Detachable weight and handle for ease of transport.

- 115 V, 60 Hz, 3 HP motor, 350lbs
- Stripping capacity approximately 650-1000 sq/feet per hour.



- #13978 14" x 2-3/8" 1mm
- #13979 14" x 2-3/8" 1.5mm
- #13980 8" x 2-3/8" 1.5mm
- #13981 6" x 2-3/8" 1.5mm
- #13982 14" x 5" 1.5mm

#13983 U-shape bevel up (concrete)

Wolff Duro Portable Stripper #15022

Stand up or hand held

Stand up operation, or remove handle for storage and use as a hand stripper. Unit fits into metal carry case. 115v, 60Hz, 2.74hp motor, width 8".

Stripping capacity approximately
300 to 500 sq/feet per hour
Carry case item #13349

- #15536 razor blade attachment
- #48402 serrated blade 8" x 2-3/8"
- #13344 8" x 2-3/8" .07mm
- #13345 8" x 2-3/8" 1.00mm
- #13346 8" x 2-3/8" 1.5mm (rubber/linoleum)





SELF LEVELING

UZIN #157



- feather to 2"
- extremely smooth
- reduced floor prep
- 4000 PSI
- resilient flooring 24 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# 77347 50lb bag

UZIN #150



- feather to 1"
- extremely smooth
- reduced floor prep
- 4100 PSI
- resilient flooring 24-36 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# 77346 50lb bag

UZIN #170



- feather to UNLIMITED DEPTH
- extremely smooth
- 5300 PSI
- walkable wear surface covered
- resilient floors 16 hours
- working time 20-40 minutes
- walkable wear surface 5300 PSI
- high-yield 60 sf @ 1/8"
- item# 77348 50lb bag

UZIN #172 Turbo



- feather to UNLIMITED DEPTH
- extremely smooth
- reduced floor prep
- 7500 PSI
- **TURBO-FAST**
- item# 77349 50lb bag

- Install in 2 hours
- working time 15 minutes
- industrial wear surface
- high-yield formulation
- high-yield 60 sf @ 1/8"

UZIN #110 Gypsum



- feather to 2"
- extremely smooth
- walk on 2 hours
- install flooring 16-24 hours
- 5200 PSI
- coverage 60 sf@1/8"
- item# 83246 50lb

UZIN Self Leveling Primer

PE-260: versatile, 2-3 hour dry time, diluted for multiple applications

2.6 gal unit 1200 sf per unit
 1.0 gallon "CUBE-IT" box with spout 500 sf per unit



PE280: ready to use, carbon fiber, fast dry, 1 hour dry time, grit surface for maximum adhesion

2.6 gal unit 1200-1800 sf



Reinforcing Fiber:

add to leveler to reduce cracking. One bag per 50lb bag of leveler.

UZ11725



UZIN RR-201 Reinforcing Fiber

A fiberglass reinforcing mesh with extremely high tensile strength and a tremendous reinforcing effect when used in conjunction with UZIN primers and leveling compounds. For reinforcing all types of substrates which are weak, cracked, or wood substrates which are prone to vibration. **3X increase in flexural strength.**

UZRR201280
 280 sq/feet



TOOLS:

- UZ59973 ... mixing drum kit
- UZ59267 ... 16 gallon drum only
- UZ9191 8 gal mixing bucket
- UZ10412 ... 2.4 gal water bucket
- WO51549 .. spike shoes
- UZ13606 ... flat cage paddle
- UZ59597 ... oval mix paddle

- UZPIN20 leveling pins (20pk)
- UZ52298 ... leveling rake
- UZ59771 ... 24" gauge rake
- UZ59361 ... smoother
- UZ12503 ... spike roller handle
- UZ13637 ... 10" spike roller
- UZ13638 ... 29" spike roller
- UZ12494 ... 10" roller frame



Slip On Spike Shoes



- Medium ... size 9 & under
- Large size 10 to 11.5
- X-Large ... size 12 & up

Extreme Skim Coat Patch (emboss no additive)

UZIN 888 "Extreme"



"sticks to glass!"

- Feather to 1" thick
- Emboss with no additive
- Adheres to non-porous substrates
- Fast drying - cover 15-20 min
- Premium performance
- Creamy & extremely smooth
- For wood & concrete substrates
- Interior applications

UZIN 888 is a fast drying, highly versatile smoothing compound for repair, filling and patching. It can be used on wide range of substrates prior to installation of most flooring products. UZIN 888 has very fine aggregates enabling it to be applied by trowel from a true feather, edge up to 1" depth in a single application. It has superior bonding properties to plywood, concrete, ceramic tile, terrazzo, and old non-water soluble adhesive residues including properly prepared cutback adhesive residues without the use of a primer. It is quick drying cement which allows for most floor coverings to be installed within 15 minutes on absorbent substrates.

UZ77351 ... 10lb bag (airtight plastic) 30 sf @ 1/8" thick

Premium Skim Coat Feather Patch

UZIN 886



- Feather to 1/2" thick
- Fast drying - self hydrating
- Premium performance
- Creamy & extremely smooth
- For wood & concrete substrates
- Interior applications

UZIN 886 is a rapid setting, quick drying smoothing compound for repair, filling and patching. It can be used on a variety of substrates to repair subfloor imperfections prior to the installation of most flooring products. UZIN 886 has very fine aggregates enabling it to be applied by trowel from a true feather edge up to 1/2" depth in a single application. The quick drying formulation allows most floor coverings to be installed within 15 – 20 minutes on absorbent substrates. 886 is an ideal material for skim coating and covering/smoothing minor imperfections.

UZ77352 ... 10lb bag (airtight plastic) 33 sf @ 1/8" thick

General Purpose Patch

Webcrete 95



Webcrete 95 is a fast-setting, latex-fortified Portland cement patch for interior use. Webcrete 95 may be used to skim coat or feather edge finish up to 1/2" deep in one application. Floor covering can be installed in as little as an hour. Webcrete 95 is extremely flexible and resilient for use to patch and smooth floors. Webcrete 95 can be used as an embossing leveler when used with DL-16 additive.

DA9525 ... 25lb bag 30 sf @ 1/8" thick

DA4251 ... 1 gal additive DA4255 ... 5 gal additive

Deep Fill Ramping - Repair Mortar

UZIN 182



- Unlimited Thickness
- Feather Edge
- Walk on in 20 minutes
- Cover in 60 minutes (3/8")
- High PSI
- Creamy & smooth

A universal, trowelable, fast setting, low slump patching and repair compound for any depth. This fine, cement-based material is suitable for filling holes, cracks and making general surface repairs to concrete substrates. It is also recommended for smoothing and repair work on concrete stairs and for ramping transition areas. It is a fast drying, high strength, easy to sand compound suitable for most floor coverings including wood products in areas with heavy wear demands. **Prime porous substrates prior to application.**

UZ77350 ... 20lb bag 22.5 sf @ 1/8"

Crack Reinforcement

UZIN RR-203 Crack Bridging

Fiberglass crack reinforcement strands used for bridging substrate cracks and joints up to 1/4" wide and with 3/16" maximum movement. Suitable for/on: Control joints and trenches in concrete / Joints in plywood and between different substrate types / Wood plank substrates and OSB / Existing substrates subject to slight vibration Patch with Uzin 888

UZ79682

2' wide x 2.6 lin/feet



Floor Primer PH Reducer

WF Taylor #2025 Primer

An acrylic latex solution made for use as a primer coat on floor patch, acoustical concrete and other porous surfaces to prevent over absorption of adhesive and to ensure a better bond. Also use to neutralize excess alkali.

WF20254 4 gallon

WF20251 1 gallon

Approximate coverage: 500 s/f per gallon



Moisture Mitigation

TRAXXSHIELD 100 Moisture Membrane Underlay

TraxxShield-100


100% RF protection, Peel&Stick bottom side.
Fabric bonding surface top side.

- No moisture testing required
 - Moisture reduction to 100% RH
 - Sound reduction to Delta IIC 21
 - Up to 14 pH
 - Bridge cracks up to 1/8"
 - Carpet - VVP - LVT - VCT - Ceramic
 - Approved Commercial Sheet Vinyl
- TRTSU40100 200 sf/roll

TraxxShield-DS

100% RF protection, Peel&Stick bottom side.
Pre-Applied Peel&Stick adhesive top side

- No jobsite applied adhesive
 - No moisture testing required
 - Moisture reduction to 100% RH
 - Sound reduction to Delta IIC 21
 - Up to 14 pH
 - Bridge cracks up to 1/8"
 - Carpet - LVP - LVT - VCT
- TRTSU40100PS 200 sf/roll



Tape 165 lin feet


TRTSU40200T



Primer

TRTSU40200P4 1 gallon

TRTSU40200P5 5 gallon



Uzin RR-185 100% Moisture Membrane

Uzin RR-185 is a loose lay moisture membrane, providing 100% RH protection over multiple substrates. Fast and easy to install, roll out over smooth concrete. RR-185 minimal thickness adds little to height elevation. There is no tape required at the seams.

Item# UZRR185 538 sq/ft roll (6.56' x 82')

- * Resilient Sheet, Tile & Plank
- * Carpet Tile & Broadloom
- * Ceramic Tile



UZIN PE-460 2-component Epoxy Moisture Mitigation - fast dry - NO LIMIT

- NO LIMIT ON MOISTURE
- UNAFFECTED BY HIGH PH
- EASY ROLL ON APPLICATION
- COVER READY IN 4 HR*
- SOLIDIFIES SURFACE
- 2.5 GALLON UNIT
- WATER & SOLVENT FREE
- CHEMICAL RESISTANT
- 270 SQ/FT PER UNIT

* When used with accelerator / use (2) 7oz bottles per unit ... UZPE4602.5 ... 2.5 gallon 250 sq/ft per unit per coat

A two component epoxy resin moisture vapor retarder for concrete substrates with high residual moisture. UZIN PE 460 can also be used as a surface hardener for absorbent substrates and as a bonding agent. For interior and exterior use.

*Sold to approved applicators only (UZACC7 7oz accelerator, 4 hour dry time, use two accelerators per unit)



Sahara - liquid trowel on moisture reduction 1 coat system

Sahara™ was developed to tackle the most challenging moisture mitigation issues by offering premium protection in a 1-part, 1-coat system. Sahara™ forms a clear, water repelling moisture vapor barrier that can handle up to 99% (RH), making it one of the most aggressive moisture mitigation products on the market. Designed to be used in conjunction with approved patch & leveler and Taylor Engineered Adhesives.

WFSAHARA2 ... 2 gallon unit Up to 240 sq/ft per unit * **MUST USE ENHANCER WHEN GLUING TO SAHARA**



WF Taylor Enhancer: Apply WF Taylor Enhancer over Sahara for adhesive bonding purposes. Enhancer allows adhesive to bond to the extremely non-porous Sahara surface. WFENHANCER1 1 gallon



Zephyr - liquid roll on 2-coat reduces RH up to 95% RH

Moisture mitigation doesn't always have to come at a price. Zephyr gives protection up to 95% (RH) at a pricepoint that is much more attractive than competing systems. With quick and easy application, Zephyr is sure to be a favorite for customers with common moisture issues.

WFZEPHYR4 4 gallon bucket Approximate coverage: 500 sq/ft per 4 gallon unit



Surface Strengthening Primer - solidifies Gypcrete - 1 component fast dry

Uzin PE-414 is a one component polyurethane (PU) fast drying primer. PE-414 acts as a strengthener and barrier coat on absorbent and non-absorbent surfaces. Used as a moisture vapor retarder on concrete substrates with residual moisture up to 7 lbs. MVER or 90% RH (ASTM F2170). A two coat application is required when used for mitigating moisture.

UZ79281 1200 sq/ft per unit Dry time: porous 40-90 min Non-porous 60-150 min

Brooms & Sweeping

Split Tip Premium Broom

Orange bristles
* Handle sold separately

- GU3609109 ... 24"
- GU3609110 ... 36"
- GU3609111 ... handle (Gator Grip tip)



Duster Brushes

Fiber handle 9" brush 14" overall

- GU3609106 ... Horsehair (brown)
- GU3609108 ... flagged soft poly (gray)



Economy Broom

24" soft bristle
with handle ... TA314 ... 24"



Broom Handle 60"

Metal threaded tip
Fits economy broom
GU0162



Metal Dust Pan

CR666



Brace

GU0002



Sweeping Compound

Wax Based 40 lb.

HASRWA40

Oil Based 50 lb

HASRST50



Floor Protection

Floor Film

Clear, self-adhering protective film, uniquely formulated adhesive system lightly adheres to all surfaces. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. Temporary use only.



- Carpet SSCS2450 24" x 50'
- Carpet SSCS24200 24" x 200'
- Carpet SSCS36500 36" x 500'
- Hard Surface SSFS24200 24" x 200'

Floorotex Multi Surface Protection

Innovative surface protection suitable for all types of flooring and counter tops. Made of a strong polyester fiber that is waterproof and breathable. A light tack adhesive holds Floorotex in place. The polyester cushion helps protect from dropped objects and foot traffic.



- Hardwood
- Laminate
- Carpet
- Vinyl
- Ceramic
- Reusable



WATERPROOF



FOFLOOROTEX150 ... 150 sf/roll

Builder Board

- Heavy Duty - Reusable 45 mil
- 100% recyclable 33% post consumer
- Tough enough to be driven on
- Less expensive than Masonite
- 1/3 the weight of 1/8" Masonite
- Easy to install - lays fast and flat
- Can be seamed together for large areas
- Allows moisture, vapors etc. to escape
- Non-staining

SSBLD38100 ... 38" x 100'



WATER-SHIELD

Reinforced Kraft Paper

Thicker than standard builder paper and moisture resistant. Made from 2 Kraft Papers bonded together. 2 mil Fiberglass Reinforced

SSWS36300 36" x 300'




Ceramic Tile Membrane - Fabric

Traxx TraxxShield100 moisture & anti-fracture membrane

TraxxShield100™ has been designed and developed to solve the problem of moisture vapor emission damage from concrete slabs into the finished flooring at relative humidity levels up to 100%. Its special formulation of rubberized copolymers not only provides this moisture suppression quality, but the adhesion properties allow the contractor to adhere this underlayment to the concrete slab. The flooring contractor now has the confidence that he has installed a fully integrated flooring system. The proprietary fabric design of the top layer is unique in both blocking moisture vapor emission from the slab upward and blocking plasticizer migration from the floor covering downward. This top fabric layer also provides an excellent bonding surface for applying the floor covering adhesives.

- Moisture RH 100%
- Bridges cracks to 1/8"
- 3/8" Anti-Fracture
- Sound: IIC Delta 21
- TSU-40100 - 200 sf roll
- TSU-40200T - Tape
- TSU-40200p4 - Primer 1 gal
- TSU-40200P5 - Primer 5 gal



- Ceramic & Stone
- Carpet
- Vinyl Tile
- VCT


STRATA-MAT Strata-Mat uncoupling membrane

STRATA-MAT is a next generation high performance uncoupling mat for use under ceramic tile and stone installations, for both residential and commercial applications. Designed to replace traditional underlayment materials. The unique patent pending design of STRATA-MAT provides for an enhanced mechanical bond of the adhesive mortar and provides for faster drying of the mortar, allowing for shorter time to grout. Specifically designed for use with both modified and unmodified mortars, STRATA-MAT allows for the proper adhesive mortar to be used with porcelain or large format tiles and stone.

- Mortar Hydration Vents - creates a mechanical bond
- Provides vapor management
- Eliminates transmission of in-plane substrate cracks of up to 1/8"
- Instant coverage verification
- Rated Extra Heavy per ASTM C627
- Lightweight, easy to carry and fast to install with standard tools
- Can be used under moisture sensitive stone

LASTRATAMAT150 ... 150 sf

LASTRATAMAT323 ... 323 sf



EasyMat with SoundGard 5mm IIC Delta 20

A versatile mat underlayment for setting tile and stone over any acceptable subfloor. EasyMat is up to 25 times lighter than 1/4" backerboard, cuts easily with a utility knife, doesn't require any nails or screws, and comes in a peel & stick version. The mat was specially designed so that the mortar locks in. Crack-prevention system for subfloor movement up to 1/4". It is a superior alternative to cork underlayments because it will not rot, shrink, or absorb water. EasyMat has SoundGard Technology and therefore offers high and credible impact sound reduction. Standard grade is applied to substrate with thinset.

3mm ... 4' x 100' standard CUSGL3
 5mm ... 4' x 75' standard CUSGL5
 5mm ... 4' x 75' peel & stick CUSGL5P
 Primer CUPSAP1 1 gallon approx 150 s/f



- Faster to install than 1/4" backerboard
- Up to 25 times lighter than 1/4" backerboard
- Cuts easily with a utility knife
- No mechanical fasteners or tape needed
- High and reliable-impact sound reduction

Crack Buster Custom Crack Buster

A self-bonding, 40mil, fabric-reinforced asphaltic mat that reduces crack transmission in tile and stone floors. For both full and partial floor applications, Crack Buster Pro is an anti-fracture membrane for horizontal cracks up to 3/8". Its strong self-adhesive backing and uniquely designed surface provide secure bonding for all types of ceramic tile, natural stone and terrazzo.

- Extra heavy-duty rating
- Exceeds ANSI for crack isolation material
- Eliminates crack transmission

225 sq/ft roll CUCBMP36
 Peel & Stick Primer ... CUPSAP1 1 gallon (400 sf)

Crack isolation up to 3/8"



Ceramic Waterproofing

LATICRETE

Hydro Ban



Hydro Ban® is a liquid applied, thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity. Hydro Ban is rapid drying allowing for a faster time to tile and flood testing, as well as faster flood testing in cold temperatures and over mortar beds. Hydro Ban does not require the use of fabric in the field, coves or corners and bonds directly to metal and plastic plumbing fixtures.

LAHYDROBAN1 ... 1 gallon LAHYDROBAN5 ... 5 gallons

- * Flexible Liquid Rubber
- * No Mesh Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours

LATICRETE

Hydro Barrier



Hydro Barrier is a thin, load bearing, self-curing liquid rubber polymer which can be easily applied to form a flexible seamless waterproof/anti-fracture membrane. Hydro Barrier can be used on interior and exterior, horizontal or vertical surfaces and is approved by IAPMO for use as shower pan liner.

LAHYDROBARRIER3 ... 3.5 gallon

- * Flexible Liquid Rubber
- * Mesh Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours



Custom Speedcoat



RedGuard SpeedCoat is a revolutionary new formula. Its cross-linking, moisture-cure technology allows for fast cure times even in cold and damp conditions. Suited for both commercial and residential shower installations, RedGuard SpeedCoat creates a continuous waterproofing barrier with outstanding adhesion in tile and stone floors.

CURGSC1 1 gallon



- * Flexible Acrylic
- * No Mesh Required
- * 46 sq/ft per gallons W/P
- * Fast Dry (1 hour)
- * Mesh In Corners



Custom RedGard



A ready-to-use elastomeric waterproofing membrane for both commercial and residential tile and stone application. Suited for interior and exterior substrates, RedGuard® creates a continuous waterproof membrane barrier with outstanding adhesion and reduces crack transmission in tile and stone floors.

CULQWAF1 ... 1 gallon CULQWAF3 ... 3.5 gallon

- * Roll On Application
- * 55 sq/ft per gallon (W/P)
- * Fast Dry (1-1/2 Hour)
- * Mesh In Corners



UZIN HS-100



Ready-to-use, waterproofing and anti-fracture membrane for commercial and residential tile and stone installations. Ready to use, roller application. Meets IAPMO specifications for use as a shower pan liner. No mesh required. Light Green color.

UZHS1001 ... 1 gallon UZHS1002... 2.5 gallon

- * Flexible Acrylic
- * No Mesh Required
- * 45-47 sq/ft per gallon
- * Fast Dry (2 hours)
- * Flood Test 24 Hours

Sound & Crack Reduction Mortar

LATICRETE

Laticrete #125 Sound & Crack Isolation Thinset



LATICRETE® 125 Sound and Crack Adhesive Comprised of a special latex, and Kevlar® reinforced rubber fibers, LATICRETE® Sound & Crack Adhesive reduces impact sound transmission and provides exceptional anti-fracture protection – all in one simple step! Just mix with water, spread and set! IIC Rating 60

LA12525 25# bag coverage: 80-95 sq/ft 25# bag 1/4" x 1/4" x 1/4" trowel

Modified - Economy Grade

#252 Silver

- 50 lb Gray and White
- Interior - exterior
- Up to 13" tile

Silver is an economical polymer modified, bagged, cementitious thin-set powder to be mixed only with water using the thin-set method. For interior - exterior floor and wall installations of all types of ceramic & porcelain tile. Coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag

Entry level, meets ANSI 118.4

Modified - Premium Grade

#253 Gold

- 50 lb Gray and White
- Interior - exterior
- Excellent for porcelain
- Up to 13" tile

Gold is a superior polymer fortified bagged cementitious thin-set powder to be mixed with water to install ceramic tile and natural stone using the thin-set method of installation. The professional installers choice. Coverage: 1/4" x 3/8" x 1/4" trowel, 60-70 sf/bag
PSI: porcelain 350-450 PSI

Premium thinsets offer great bond strength, shear strength and better for outdoor applications Exceeds ANSI A118.4 and A118.11

Large Format 3-N-1 Multi-Use

#4-XLT

- 50 lb White & Gray
- Medium bed or thinset
- Anti-sag for large format
- Ultimate porcelain & stone
- Large format tile & stone

4-XLT is a multi-use, polymer fortified adhesive mortar. 4-XLT offers tremendous utility including non-sag wall installations, medium bed build up of up to 3/4" and thin-set applications of floors. Interior & Exterior "Extra Heavy" rating. Coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag
PSI: porcelain 460-500 PSI

3-in-1 thinsets have higher bond strengths for hard to hold products, up to 3/4" medium bed Ceramic - porcelain - stone Medium bed / anti-sag / thinset Exceeds ANSI A118.15, A118.4 and A118.11

Lightweight Multi-Use

TriLite

- 30 lb White & Gray
- Medium bed or thinset
- Anti-sag for large format
- Ultimate porcelain & stone
- Large format tile & stone

TriLite is a multi-use, polymer fortified adhesive mortar. Tri-Lite offers tremendous utility including non-sag wall installations, medium bed build up of up to 3/4" and thin-set applications of floors. Interior & Exterior. Not for immersion applications. Lightweight 30lb bag same coverage as conventional 50lb bags. coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag
PSI: porcelain 400-425 PSI

Coverage of 30lb bag is equal to conventional 50lb bags. Ceramic - porcelain - stone Medium bed / anti-sag / thinset Exceeds ANSI A118.15, A118.4 and A118.11 ISO C2TES1P1
*Can be mixed with Permacolor Select colorant.

Rapid Set

#253-R Gold

- Grout 2-4 hours
- Interior - exterior
- 25 lb bag Gray

253R Gold Rapid is a fast setting, bagged cementitious powder to be mixed only with water to install ceramic tile, porcelain tile and stone using the thin-set method of installation. Tile up to 13" Coverage: 1/4" x 3/8" x 1/4" trowel, 30-35 sf/per 25lb bag

Fast setting, excellent for cold weather Grout in 2-4 hours

High Performance

#254 Platinum

- 50lb Gray and White
- Ultimate porcelain & stone
- Maximum strength
- Excellent for glass tile
- Submersion

The ultimate one-step, polymer fortified, thin-set mortar for interior and exterior installation of ceramic, porcelain, thin porcelain, stone, quarry tile, pavers and brick. Designed to just mix with water, has a long open time with unsurpassed adhesion and workability. Excellent for exterior and underwater applications. The ultimate thin-set for porcelain, thin porcelain, and glass tiles. Coverage: 1/4" x 3/8" x 1/4" trowel 50-60 sf/per 50lb bag
PSI: porcelain 475-520 PSI

For submersible applications Ultimate bond strength and flexibility ASTM C627 Extra Heavy Rating Exceeds ANSI A118.4, A118.11 and A118.15 Excellent for glass tile Submersible applications

Moisture Sensitive Stone

300 Epoxy

- Water cleanable
- Moisture sensitive stone
- Permanent bond 1 hour
- Non-staining

A chemical resistant, epoxy adhesive that will bond to most sound, clean surfaces. Adhesive spreads easily and cleans with water while fresh. Consists of epoxy resin, hardener and chemical resistant silica filler. Can be used on interior and exterior (see limitations) walls and floors, wet and dry areas. Coverage: 1/4" x 1/4" x 1/4" trowel, 30-35 sf/kit

For moisture sensitive stone Interior - exterior applications Fabricating marble & stone 2-part epoxy

Crack & Sound Reduction

#125

- Sound reduction
- Crack isolation
- Kevlar reinforced

125 Sound & Crack Adhesive is a superior crack prevention for crack isolation for ceramic tile and stone installations. 125 is a single component adhesive mortar which takes the place of costly time consuming membrane or mat systems. Coverage: 1/4" x 3/8" x 1/4" trowel, 60-70 sf/bag per 25lb bag

Reduces sound transmission Crack isolation up to 1/8" Sound reduction ASTM E2179 and E492 sound isolation



UZIN Setting Mortar

Standard: CX-20 PowerFlex

For most tile and stone installations. CX-20 provides long working time with fast cure time. Great for everyday use.

40lb Bag Gray CX2040G White CX2040W
Coverage: 1/4 x 1/4 x 1/4 SQ 80-85 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 60-65 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 16 Hours
- Interior-Exterior

Premium: CX-30 PowerFlex Plus

For most tile and stone installations. CX-30 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible.

40lb Bag Gray CX3040G White CX3040W
Coverage: 1/4 x 1/4 x 1/4 SQ 114-125 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 66-77 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 16 Hours
- Interior -Exterior
- Submersible
- Flexible

Moderate Set: CX-40 PowerFlex Advanced

For most tile and stone installations. CX-40 provides long working time with fast cure time. Great for everyday use. Moderate setting for extreme large tile. Excellent working properties

40lb Bag Gray CX4040G White CX4040W
Coverage: 1/4 x 1/4 x 1/4 SQ 105-115 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 80-85 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 4.5 Hours
- Interior -Exterior
- Submersible
- Flexible

Rapid Set: CX-33 PowerFlex Rapid

For most tile and stone installations. CX-30 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible.

27.5lb Bag Gray CX3327G White CX3327W
Coverage: 1/4 x 1/4 x 1/4 SQ 57-63 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 33-39 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 2.5 Hours
- Interior -Exterior
- Submersible
- Flexible

TR-400: Moisture Sensitive Stone

2-part reactive resin for moisture sensitive stone and extreme harsh conditions. Highly Flexible. 2 gallon Kit: UZTR4002

1/4 x 3/8 x 1/4 SQ 40-50 sq/ft
1/2 x 1/2 x 1/2 SQ 25-30 sq/ft

2-Part



- Reactive Resin Non-Sag
- Grout In 12 Hours
- Interior -Exterior
- Use For FRP Panels
- Use on Exterior Decks

Custom Building Products Setting Mortar

Versabond Standard Thinset

For most tile and stone installations up to 13", provides long working time with fast cure time. Great for everyday use. Strong bonding.

50lb Bag, Gray CUMTSG50, White CUMTSW50
1/4 x 1/4 x 1/4 SQ 85-95 sq/ft 1/4 x 3/8 x 1/4 SQ 60-67 sq/ft



ProLite 3-IN-1 Lightweight Medium Bed Thinset

For large format medium bed and thinset applications. High strength, lightweight formula. A 30lb bag covers the same as a conventional 50lb bag.

30lb Bag, Gray CUPLMG30, White CUPLMW30
1/4 x 1/4 x 1/4 SQ 90-100 sq/ft 1/4 x 3/8 x 1/4 SQ 63-70 sq/ft





LATICRETE GROUT

SpectraLock Pro Premium *Modified Epoxy*



- Modified Epoxy
- Anti-Sag
- Easy Application
- Commercial
- Residential
- High Performance

SPECTRALOCK PRO Premium Grout is a patented, high performance epoxy grout which offers excellent color uniformity, durability, stain protection, and beautiful, full grout joints in an easy-to-use, non-sag formula. Interior and exterior on floors and walls. Ideal for re-grouting applications.

Liquid Base ... Commercial (4 units), Regular (1 unit), Mini (1 mini unit)
 Colorant 9lb (4 per commercial unit - 1 per full unit)
 2.5lb (1 per mini unit)

Stock: Kent all colors / Branch core colors

Ready-To-Use *Single Component PreMixed Grout*



PRE-MIX

- Easy to spread & clean
- Stain & Crack Resistant
- Color Consistent
- Interior Applications
- Joints 1/16" to 1/2"
- No Sealing Required
- Ready To Use

READY-TO-USE Grout is an advanced professional-grade, ready-to-use premixed grout that delivers superior color consistency combined with excellent stain resistance.

Residential-Commercial Limited Colors
 1 gallon unit Translucent Available

Stock: Kent all colors / Branch core colors

Permacolor Select *premium cement grout (25lb & 12.5lb)*



base



color

- Never Seal
- Color Consistent
- No Efflorescence
- Joints 1/16" to 1/2"
- Interior-Exterior
- Base Powder
- Color Packets

PERMACOLOR Select is an advanced high performance cement grout that offers the industry's first dispensable dry pigment solution. PERMACOLOR Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications. Easy to mix, grout and clean, PERMACOLOR Select is fast setting and suitable for joints 1/16" to 1/2".

Stock: Kent all colors / Branch core colors



Latisil Caulk *100% Silicone (10.3oz cartridge)*

Commercial grade 100% silicone caulk color matched to Laticrete colors

Stock: all colors stocked Kent DC; core colors stocked at branches

Sanded Caulk *Acrylic (10.3oz squeeze tube)*

Sanded caulk color matched to Laticrete colors

Stock: all colors stocked Kent DC; core colors stocked at branches

Core Colors

- #17 Marble Beige
- #23 Antique White
- #24 Natural Gray
- #35 Mocha
- #39 Mushroom
- #40 Latte
- #44 Bright White
- #45 Raven
- #56 Desert Khaki
- #60 Dusty Gray
- #78 Sterling Silver
- #88 Silver Shadow
- #89 Smoke Gray
- #90 Light Pewter

Standard

- # 3 Silk
- #16 Siltstone
- #18 Sauterne
- #22 Midnight Black
- #27 Hemp
- #30 Sand Beige
- #34 Sandstone
- #38 River Rock
- #41 Kashmir
- #42 Platinum
- #43 Chocolate Truffle
- #46 Quarry Red
- #50 Sea Glass
- #52 Toasted Almond
- #53 Twilight Blue
- #55 Tawny
- #57 Hot Cocoa
- #58 Terra Cotta
- #59 Espresso
- #61 Parchment
- #66 Chestnut Brown
- #67 Autumn Green
- #81 Butter Cream
- #85 Almond
- #91 Slate Grey
- #92 Saltlilo



FUSION Single Component PreMixed Grout Epoxy Performance

A professional grade, single component sanded grout that requires no mixing and is ready to use on ceramic, porcelain, glass tiles and polished natural stone for exterior and interior wall and floor use. Fusion provides superior color consistency and features built-in Microban® antimicrobial product protection to inhibit the growth of stain causing mold and mildew on dried grout.

- Pre-Mixed Single Component
- Easy to Spread & Clean
- Stain & Crack Resistant
- Color Consistent
- Interior & Exterior
- Grout Joints 1/16" TO 1/2"
- Exposure To Water in 3 Days



Pre-Mixed Ready-To-Use

New Designer Colors

- #549 Smoked Quartz
- #550 Starlight
- #551 Moonshadow
- #552 Ice Crystal
- #553 Glitter
- #554 Raw Sugar
- #555 Starry Night
- #556 Gold

Stock: Kent DC - All colors: Branch - Core colors

PRISM premium cement grout



- Stain Resistant
- Color Consistent
- No Efflorescence
- Joints 1/16" to 1/2"
- Interior-Exterior

A fast-setting, lightweight, polymer-modified, cement-based grout that offers consistent color without mottling or shading, regardless of tile type, temperature or humidity. Creates dense joints that provide more stain resistance than standard cement grouts. Cures quickly and develops high early-strength, grout joints from 1/16" to 1/2". For interior or exterior installations.

Stock: Kent DC - Core colors

Custom Caulk 100% Silicone Caulk (10.3oz)

Commercial 100% Silicone Caulk is permanently flexible and is designed for use in plane and expansion joints associated with exterior or interiors applications of tile and stone. For pools and other wet applications. 10.3 ounce cartridge

Stock: Kent DC - All colors: Branch - Core colors



Color Caulk Acrylic Sanded (10.3oz)

Siliconized Acrylic Caulk is flexible and is designed for use in coves, corners, changes in plane and expansion joints associated with exterior or interiors applications of tile and stone. Sanded consistency. 10.3 ounce cartridge

Stock: Kent DC - Core colors



Core Colors

- # 9 Natural Gray
- # 10 Antique White
- # 19 Pewter
- #122 Linen
- #145 Light Smoke
- #183 Chateau
- #185 New Taupe
- #165 Delorean Gray
- #380 Haystack
- #381 Bright white
- #382 Bone
- #386 Oyster Gray

Standard Colors

- # 10 Antique White
- # 11 Snow
- # 19 Pewter
- # 22 Sahara Tan
- # 45 Summer Wheat
- # 50 Nutmeg
- # 52 Tobacco Brown
- # 60 Charcoal
- # 59 Saddle Brown
- # 95 Sable Brown
- #101 Quartz
- #105 Earth
- #115 Platinum
- #135 Mushroom
- #156 Fawn
- #172 Urban Putty
- #180 Sandstone
- #186 Khaki
- #333 Alabaster
- #335 Winter Gray
- #370 Dove Gray
- #380 Haystack
- #540 Truffle
- #541 Walnut
- #542 Graystone
- #543 Driftwood
- #544 Rolling Fog
- #545 Bleached Wood
- #546 Cape Gray
- #547 Ice Blue
- #548 Surf Green

BulletProof - Sealer

Advanced sealer, no equal on the market. Maximum protection on natural stone against the toughest oil and water based stains. Best suited for the most porous stone surfaces. Advanced penetrating microbond protection. Will not change appearance of stone.

- Maximum stain protection
- Highest solids content
- Water based formula
- Interior and exterior use



Recommended surfaces- Natural stone and masonry surfaces, such as: Honed and Textured Marble; Textured or Veined Granite; Limestone, Bluestone, Travertine and Sandstone; Flagstone, Quartzite and Siltillio

Pint STBPSPT *112 sf Quart ... STBPSQT *225 sf

Quartz & Porcelain - Sealer

Designed to protect quartz, porcelain tile and medium to dense surfaces from oil, water and most stains. Will not change appearance of stone. Penetrates dense surfaces, especially Quartz counter tops, like no other sealer on the market. Suitable for food service areas.

- Best sealer for dense surfaces
- Also use as pre-grout sealer
- Water based formula
- Interior and exterior use



Recommended surfaces- Engineered stone, natural stone, tile and grout, such as: Quartz, Polished Marble, Polished Granite, Porcelain Tile, Ceramic Tile

Quart STQPTSQT coverage *225 sf

Epoxy Grout Haze & Coating Stripper

Specifically formulated to safely break down epoxy grout haze and various coatings such as varnish, lacquer, sealers, wax, paint, polyurethane and acrylic from natural stone and tile. Water-based, no harsh solvents. Fast acting, non-runny gel formulation. Cleans in ten minutes or less.

Quart STEGHCSQT Gallon ... STEGHCS1

Grout Release

Pre-apply Grout Release on stone surfaces to easily remove grout residue. Makes grout installation cleanup easier. Prevents grout from staining stone. Makes grout installation cleanup easier. Not for use on Porcelain tile. Water based formula.

Gallon STGR1 coverage *1700 sf

Gundlach Spray-On Grout Sealer

A solvent based formula sealer designed for immediate application and deep penetration on grout. Allows the sealed grout to breathe. The inverted 'anyway' valve spray tip allows for application to grout on floors, walls and counter top surfaces from a standing position.

GUGS02 15oz can 50-100 SFfeet



Heavy Duty - Sealer

Protects against most stains on a variety of stones. Lower solids content than Bulletproof, but equal to competitors' best sealers. Advanced penetrating microbond protection. Will not change appearance of stone.

- High solids content
- Excellent stain protection
- Water based formula
- Interior and exterior use



Recommended surfaces- Natural stone and masonry surfaces, such as: Marble, Granite, Limestone, Slate, Bluestone, Quartzite, Travertine, Sandstone, Flagstone, Siltillio.

Pint STHDSPT *112 sf Quart STHDSQT *225 sf
Gallon ... STHDS1 *900 sf

Heavy Duty Grout Sealer

Designed for cement-based grout. Protects against oil and water-based stains.

- Excellent stain protection for grout
- Water based formula
- Interior and exterior use



Recommended for use on cement based grout.

Pint STHDGSPT *125 linear feet

Enhancer Pro Sealer

Heavy duty sealer that seals and enhances the surface of stone to a deep rich color. Changes the appearance by deepening and bringing out the colors of stone. Weather and UV-resistant for exterior use.

- Deepens & enhances color of stone
- Excellent stain protection
- Solvent based formula
- Interior and exterior use



Recommended surfaces- Natural stone, such as: Limestone, Slate, Bluestone, Travertine, Sandstone, Flagstone, Textured Stone, Flamed Stone, Tumbled Stone

Quart STEPSQT coverage *115 sf

DeepKlenz Cleaner

Formulated to easily power through and remove deep and stubborn grease, dirt and food stains. Safe on stone. Water based alkaline formula - 10.5 pH. Professional strength, no dilution. Cleans organic and inorganic matter. Must reseal tile/grout after use.

24oz spray STDKCRU240Z



KlenzAll Cleaner

Heavy duty concentrated cleaner made to clean the toughest soils on natural stone and tile. Water-based alkaline formula - 12 pH. Safe on stone. Cleans inorganic matter. Also cleans standard cement grout haze. Must reseal tile/grout after use. Concentrated formula: dilute with warm water for various strengths/applications.

Quart STKACCONQT

Aluminum Ceramic Tile Trim



98.5" length
12 per tube
Unique Design



Tile Edge
98.5" length

- 415313 1/4" Silver
- 415314 1/4" Nickel
- 415244 5/16" Silver
- 415245 5/16" Nickel
- 415247 3/8" Silver
- 145248 3/8" Nickel
- 415250 1/2" Silver
- 415135 1/2" Nickel




Tile Reducer
98.5" length

- 415253 5/16" Silver
- 415254 5/16" Nickel
- 415255 3/8" Silver
- 415256 3/8" Nickel



Carpet Tuck
98.5" length

- 415353 3/8" Silver
- 415354 3/8" Nickel
- 415355 5/16" Silver
- 415356 5/16" Nickel



Stair Nose
98.5" length

- 415350 Silver 3/8"
- 415334 Nickel 3/8"



LVP-LVT Aluminum Trim

Stock:

Nickel Etched Nickel

12' length 12 per tube

Special Order (2 weeks)

Silver Etched Aluminum
Bronze .. Satin Bronze



End Square Cap

- 925 2.5mm
- 906 3.0mm
- 904 4.0mm
- 905 5.0mm
- 907 7.0mm



Ceramic to LV

- 230 3.0mm 5/16" Ceramic
- 235 3.0mm 3/8" Ceramic



Reducer


- 160 5.0mm



Carpet to Tile

- 130 3.0mm
- 150 5.0mm

Stairnose




- 625 2.5mm
- 630 3.0mm
- 606 4.0mm
- 608 5.0mm
- 604 6.0mm
- 612 7.0mm

T-Mold



Place 2 end caps together

Stair Edge



Outside
340 3.0mm

Inside
330 3.0mm


Stairnose Wide Cap






- 610 5.0mm
- Wide Top
- Covers floating



LV to Carpet Tile 12'



125 mill silver finish



Ceramic Cutting Tools



Montolit Tile Cutter 36"

This professional tile cutter can cut all types of tile, with thickness of 0 - 7/8" (0-22mm), quickly and precisely. Thanks to the large protractor square, even diagonal cutting is safe and simple. Ergonomic gripped handle and die-cast aluminium and nickel-plated steel for maximum strength and weather-resistance; cut-off device made of special non-scratch plastic. Titanium wheel as standard (special for porcelain tile); protractor square and extension close away without protruding beyond the profile of the machine. Sprung tables for safe tile splitting and extendable support rod for large-format tiles. Cutting dimensions are 36" Straight Cut & 26" Diagonal Cut. Cutter weighs 29 lbs

GU93P3

GU245T ... Titanium carbide cutting wheel

GU58RM rubber mat used when cutting Glass Mosaic tile



DeWalt D-24000 Wet Saw

- 10" blade
- 1.5 AMP 1.5 HP
- 24" straight cut
- 18" diagonal cut
- 45° & 22° degree cut
- Stainless steel rail
- Plunge cut
- Lightweight 70lbs
- Dual water nozzles



DeWalt D24001
Stand for wet saw, sold separately

Small Core Bits

- GUFAJ05 3/16" 5mm
 - GUFAJ06 1/4" 6mm
 - GUFAJ08 5/16" 8mm
 - GUFAJ10 3/8" 10mm
 - GUFAJ12 1/2" 12mm
- (Fits standard drills)



Large Core Bits

- GUFS25 1"
 - GUFS27 1-1/16"
 - GUFS30 1-3/16"
 - GUFS35 1-3/8"
 - GUFS40 1-1/2"
- (Fits standard grinder)




DeWalt 10" XP4 4764

- Extended performance
- XP4-4X the cutting life
- Continuous rim - wet cutting
- Quick low heat cutting
- Premium cutting matrix
- Extra life blade



DeWalt 10" 4762

- Standard performance
- Continuous rim - wet cutting



DeWalt 7" 4766

- Extended performance
- Continuous rim
- Quick low heat cutting
- Premium cutting matrix
- Wet cutting



DeWalt 4" 4729

- Wet or dry cutting
- Continuous rim
- Smooth finish



DeWalt 10" XP4 A4769 Glass Tile Blade

- Extended performance
- XP4 - 4X the cutting life
- Continuous rim
- No vibration core
- Minimal chipping
- Wet cutting



Shower Pan

HYDRO BAN Pre-Sloped Shower Pans come with a factory installed drain to connect directly to the domestic waste line and insure the highest quality installation available! Pre-sloped, waterproof and ready to tile!

Center Drain:

- 9351-3660-ABS 36" x 60"
- 9361-4860-ABS 48" x 60"
- 9363-4848-ABS 48" x 48"
- 9350-3660-PVC 36" x 60"
- 9360-4860-PVC 48" x 60"
- 9362-4848-PVC 48" x 48"



Off Center Drain:

- 9371-3866-ABS 36" x 66"
- 9370-3866-PVC 38" x 66"

Lineal Pans

- 9349-3466-LDP 34" x 66"
- 9349-3866-LDP 38" x 66"



Drains

Drains provide the option for virtually any type of installation. Linear Drains are available in five stock lengths. Drain Grates a designed for use with the Pre-Sloped Shower Pan to speed your installation saving time and money.

Tile-In Drain:

- 9390-6532-TI 32" "Tile-In"
- 9391-6536-TI 36" "Tile-In"



Linear Drains:

- 9385-6532-BS 32" Brushed Stainless
- 9386-6536-BS 36" Brushed Stainless
- 9385-6532-PS 32" Polished Stainless
- 9386-6536-PS 36" Polished Stainless



Drain Grates:


- 9396-0505-BS Brushed Stainless
- 9416-0505-PS Polished Stainless

Extension

HYDRO BAN Pre-Sloped Extension will let you increase the footprint of any center drain HYDRO BAN Pre-Sloped Shower installation.

Easy to cut and size to fit larger showers


9372-2448-EXT 24"x48"



Bench

HYDRO BAN Preformed Benches are constructed with the same top quality as the other HYDRO BAN preformed products and available in two sizes to match any installation.


9301-1616T Triangle 16" x 16"



Seats

HYDRO BAN Preformed Seat are available in three sizes; two triangular and one convex front. Made from high density polystyrene waterproof and ready to tile for high quality rapid shower installation.

9302-2323-T Triangle 23" x 23"



Ramp

HYDRO BAN Pre-Sloped Ramps are designed for the perfect slope when used with the HYDRO BAN Pre-Sloped Showers.

9372-1360-RMP 13.5" 60" Ramp

Niches

HYDRO BAN Preformed Niche is lightweight, durable, easy to transport, handle and adjust during installation with a factory installed, code approved waterproof coating.

9311-1212-S 12" x 12" Square

9312-1212-WC 12" x 12" & 12" x 6" Combo

9314-1220-M 12" x 20" Mega



Curbs

Preformed Curb Overlay is designed to be used in any shower with 2"x4" curb construction to give a solid base for glass doors with pinned hinges. Preformed Curb is designed to be used in any installation requiring a full foam curb.

9372-0004-OVL Overlay 4'

9372-0008-OVL Overlay 8'



Board

Lightweight easy to handle and ready to tile wall board designed to be used in bonded tile or stone installations. It is made with a high-density, waterproof extruded polystyrene core and a reinforced, waterproof membrane on both sides.

LAHBB12 1/2" 3'x5'

LAHBB2 2" 3'x5'



Accessories

9450-0158-S 1-5/8" Screws 250pk

9450-0300-S 3" Screws 250pk

9450-0114-TW Tab Washers 250pk

9455-0034-PC 3/4" Pipe Collar

9455-0412-MC 4-1/2" Valve Collar

Better-Bench

- BB24 24" triangle
- BB30 30" triangle
- BB17 17" triangle
- BBADJ ... rectangle 14.5" x 33.5" x 60"



Noble RichPan - Shower Pan Liner

Shower pan liner made of PVC 1mm, 5 year warranty.

Available cut order by linear ft

6' x 50' NORICH1P6

5' x 50' NORICH1P5

Outside corner: NORICHPCORNR

NobleSeal #150 Sealant ... 10oz NOSEAL150



Kit includes:

- Sloped ProBase Shower Base available in 3 sizes
- Positive Weep Protector
- NobleSealant 150 - 10.3 oz tube
- NobleSeal® membrane for flashing at perimeter
- Preformed corners (4 inside, 4 dam)

Features & Benefits

- Presloped, waterproof shower base - ready to tile
- Polypropylene honeycomb - extra strength and durability
- Adaptable to many shower layouts and sizes
- Saves time and labor
- Available in 3 sizes

48" x 48" center drain

#4203

32" x 60" center drain

#4202

32" x 60" end drain

#4200

ProBase



Tile Ready

Ceramic Tile Hand Tools

Pro-GT Nipper

Carbide tip - offset drop forged steel curved handle center spring return 5/8" straight jaw. BA70312



Microfiber Towel

18" x 18" 6 pack CUGTCT6



Screws

Box of 1,000 screws BA70811



Carbide Scoring Cutter

CR344G



Gloves

Solvent resistant CU5880L Large CU5880XL XL



Grout Mixer

28" shaft BA73500



Mosaic Adjustable Trowel

Adjusts setting material thickness to bring flush mosaic tile to field tile. GUME3332



Bucket Heater

Heats one gallon to 90° in 10 minutes UL approved. GU742G



Glass Mosaic Nippers

Excellent for glazed tile and glass mosaic tile. GU55W



Margin Trowel
BA70900 2" x 5"



1/4" x 1/4" x 1/4" SQ notch
BA70921



1/4" x 1/4" V notch
BA70920


European Notch Trowels

Sticks better with less pressure. The unique design reduces trapped air for better coverage than traditional trowels.

CU85P88G SMALL 1/4"x1/4"x1/4"


CU85P51G MEDIUM ... 1/4"x3/8"x1/4"

CU85P99G LARGE..... 1/2"x1/2"x1/2"



PRS LEVELING SYSTEM

Dual purpose, spaces tile and levels tile. Fast consistent installation.




Cross



Linear



'T'



PRST
Tension cap



PRSSV
Removal cap

- GUPRSC1 1MM CROSS LEVELER 100/BAG
- GUPRSC2 2MM CROSS LEVELER 100/BAG
- GUPRSC3 3MM CROSS LEVELER 100/BAG
- GUPRSL1 1MM LINEAR LEVELER 100/BAG
- GUPRSL2 2MM LINEAR LEVELER 100/BAG
- GUPRSL3 3MM LINEAR LEVELER 100/BAG
- GUPRSSV RED REMOVAL CAP 2/BAG
- GUPRST BLUE LEVELER CAP 50/BAG
- GUPRST1 1MM "T" LEVELER 100/BAG
- GUPRST2 2MM "T" LEVELER 100/BAG
- GUPRST3 3MM "T" LEVELER 100/BAG

Ceramic Tile Hand Tools

Pro Float - Floor

3.5" x 9.5"

Polypropylene base

Soft grip handle

CU15153P



Epoxy Float

3-7/8" x 10-7/16"

BA81300



Margin Float

2" x 5.5"

BA70922



Wall Float

4" x 12"

1/8" gum rubber

5/8" foam base

BA81420



X-Large Sponge

7.5" x 5.25" x 2.5"

CU482XL



Barwalt 81584 Grouting System

Cut grouting time by as much as 30%.

Includes: large bucket, 2 comfort grip handles sponges and scrub pads.



81530 Non-abrasive pad wall

81521 Floor sponge

81511 Wall sponge

81520 Floor handle

MicroFiber Sponge

7.5" x 5.25" x 2.5"

CU482XLMF



X-Large Scrub Sponge

7.5" x 5.25" x 2.5"







CU48GS10



Economy Scrubber Set

BA71191



						
SPACERS	Cross	Long	Tavy	Tee	Thin	Hollow
1/16" bag	10000 (300)					
1/8" bag			TTS-18 (100)	10120 (200)	10021 (200)	
1/8" box	11020 (1600)	11023 (1000)				16020 (500)
3/16" bag			TTS-316 (150)	10130 (150)	10031 (150)	
3/16" box	11030 (850)	11033 (600)				16030 (500)
1/4" bag			TTS-14 (100)	10140 (100)	10041 (100)	

Wedges

Regular

#12370 (450)



Large

#12380 (75)



Horseshoe Spacer

BA12020 ... 1/8" 160pk

BA12030 ... 3/16" .. 120pk

BA12040 ... 1/4" 95pk





Heat Welding

Wolff 50159

Master Groover
Includes:
12 tooth blade
Dust bag & tool kit
Carry case



Wolff 50160

Junior Groover
Includes:
12 tooth blade
Dust bag & tool kit
Carry case



Wolff 56260

Automatic Welder
Precise welding
automatically
Includes case
**Special order*



Wolff 70287

Leister heat welding kit
Includes:
Triac-S heat gun
5mm standard nozzle
5mm quick weld nozzle
Joint planer & moon knife
Pressure roller
Cleaning brush
Carry case



Wolff 79710

Leister Triac-W Welder

Wolff 13459

12 Tooth carbide
Grooving blade



Wolff 13460

Diamond
Grooving Blade



Crain 971

12 tooth carbide
Grooving Blade



Crain 972

Diamond
Grooving Blade



Wolff 13424

Adjustable groover
WO13425 blade



Wolff 13842

Rubber pull groover
WO13843 blade



Wolff 13426

Adjustable groover
WO13427 blade



Wolff 13465

Pencil tip



Wolff 13466

4mm speed tip

Wolff 41213

5mm speed tip



Wolff 47049

PUR weld tip



Wolff 40262

LINOCUT vinyl seam cutter
Great seams every time
WO13429 blades (10pk)



Wolff 15605

Salvage edge trimmer
WO13358 blade (5pk)



Wolff 72934

Hot tip weld kit
with spoon tip
Separate spoon tip
WO72952



Wolff 13485

Seam trim tool
with 6mm round blade
WO13813 ... round blade 6mm
WO13868 ... round blade 12mm
WO13869 ... pointed blade
WO13870 ... flat blade



Wolff 13453

Moon knife
Bent



Wolff 13451

Moon knife
Flat



Wolff 13452

Moon knife
angled



Crain CR965

Mozart skiving knife
Crain CR966 blade each



Wolff 13450

Guide plate



Wolff 60078

Leather protector
for moon knives

Saws & Saw Blades

Crain CR835 Heavy Duty Undercut Saw

This saw has a larger 6-1/2" diameter blade that can undercut and comes with a masonry blade for undercutting hearths. A diamond blade (No. 822) is available for undercutting tile and stone. Other enhanced features include a more powerful, lower RPM motor that throws less dust, dust control port, threaded rod height adjustment that will not slip, and rugged aluminum ratchet handle. Undercuts most everywhere including inside corners. Includes case, blade wrench, and instructions.



Crain 775 Toe-Kick Saw

The latest model No. 775 Toe-Kick Saw cuts flush to the inner wall of a toe space in a cabinet or counter to remove old underlayment. Comes with #787 3-3/8" Carbide-Tipped Blade ONLY for cutting wood. 775 includes a clutch mechanism that may disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backwards with the saw.



CR787
Carbide Blade



Crain CR575 Standard Undercut Saw



CR821 Carbide
Fits 825 & 812



CR805 Masonry
Fits 825 & 812



CR836 Carbide
Fits 835 saw



CR804 Carbide
Old model
810 Jamb Saw

Crain CR368 Hack Saw

CR369 blades 2pk



Crain CR336 Jamb Saw

CR335 blade only



Crain CR176 Miter Box



Scratch Concealer



WEARMAX for wood flooring
Single Part UV Cured Polyurethane

WearMax is a unique floor finish that becomes an integral part of your floor finish. WearMax hides white lines making the scratch less visible. It cures under ambient lighting to a hard finish that will not wash off. **FR01134 ... 2oz bottle**



Dr. Schutz Scratch Concealer For Resilient Vinyl Flooring

Easy to use Spray can for general scratches and repair pen for deeper scratches. Fast and easy to use conceals most vinyl flooring scratches. Approximately 50 uses per can.

EALERKIT Kit



Multi-Surface Cleaner

FRESHFLOORS

Multi-Surface Cleaner
Removes Odor
Streak Free

- * Carpet & Fabric
- * Vinyl Flooring
- * Laminate Flooring
- * Hardwood Flooring
- * Upholstery
- * Pet Areas



Fresh Floors is a multi-surface cleaner providing a "single-source" product. FreshFloors uses "living technology" to remove organic and pet odors. **WFFRESHFLOORS ... 32oz spray bottle**

Odor Removal

ZSMELL ZAPPER BioEnzymatic Odor Removal

Bio Enzymatic is a live enzyme engineered odor remover. It's clinical strength, designed to consume any biological based odor molecule.

- * 100% Biodegradable
- * Safe to use around pets
- * 100% non-hazardous
- * Concentrated Formula

BG-4X1-01 gallon ... 400-600 sf
BQ-12X1-04 quart 150-200 sf
WFPUMPSPRAYER



SunTouch Warm Wire Kits

Warm Wire is an affordable alternative to mat systems. It is an economical way to warm floors and provide years of lasting comfort.

Kits contain all Warm Wire materials needed for a complete installation:

- Wire
- Strap
- Thermostat
- Loud Mouth
- Installation kit
- Instructions



120 volt

10 sq/feet WA9480	80 sq/feet WA9491
20 sq/feet WA9482	90 sq/feet WA9492
30 sq/feet WA9484	100 sq/feet ... WA9493
40 sq/feet WA9486	120 sq/feet ... WA9495
50 sq/feet WA9488	140 sq/feet ... WA9497
60 sq/feet WA9489	150 sq/feet ... WA9498
70 sq/feet WA9490	

SunTouch Mat Kits

Ease of installation, thin weave mesh only 1/8" thick, high quality wire with Aramid reinforcing, ETFE high-temp insulation, twin wire construction, 10' power lead.

Kits contain all SunTouch materials needed for a complete installation:

- Mat
- Thermostat
- Loud Mouth
- Installation kit
- Instructions



120 volt

10 sq/feet WA9684	50 sq/feet WA9692
20 sq/feet WA9686	60 sq/feet WA9693
30 sq/feet WA9688	70 sq/feet WA9694
40 sq/feet WA9690	80 sq/feet WA9695

SunTouch Kits available in 240 volt up to 500 square feet special order. Custom sizes made to order.

SunStat Pro-II Thermostat

Programmable for 120 & 240 volts
WA500875SB



WI-FI Connect


Loud Mouth Monitor

Loud Mouth monitors elements during installation. A must for every project. It sounds an alarm if the heating elements are cut or damaged allowing easy repair prior to covering with flooring.
WA423250



Plastic Trowel

The plastic trowel is used to apply thinset over the SunTouch wire, the plastic protects the wire from damage.
WA300400





HeatMatrix

HeatMatrix is installed in both unheated and heated areas to provide crack-isolation, vapor management, and waterproofing. Order a quantity that will cover the full square footage of the area to be tiled.

- Crack Isolation
- Use Modified Thinset

WA8006GRY161ST 161 sq/ft roll
WA8006GRY40ST 40 sq/ft roll

Adjustable spacing
Conforms to irregular shapes.



General Hand Tools

**Metal Stair Tool
Cushion Grip**
CR152



Plastic tucking tool
GU263



100' Chalk Line
CR125

8oz
White
CR080
8oz blue



All White Rags
1lb bag
RAGS1



Lifter Bar
CR157



Aviation Snips
CR543



Syringe
CR143



Straight Awl
CR195



Bent Awl
CR192



Tape Measure
30' 1.25" blade
Easy read
OR13410



Rubber Mallet
CR151



Hammer
20oz fiberglass
CR332



Magnetic Drive Bar
GU151



Magnetic Nail Driver
CR172



Carpet Clamp
CR844



Mixers

28" Shaft Economy
BA73500 5" blade

30" Shaft HD
BA82000 5" blade



Invoice Book
Flooring GU424



Premium Caulking Guns
High Thrust 30oz GU255
High Thrust 11oz GU250



Economy Caulking Guns
Standard 30oz GU105
Standard 11oz GU101



Buckets

2 gallon BUCKET
3.5 gallon ... BUCKET
5 gallon BUCKET



Door Pin Tool
CR362



Crain Tool Box CR024

- Large plastic tool box
- Handy wheels
- Handle built in
- Seam weight



RH Concrete Moisture Testing

Protimeter MMS2 Flooring Kit

The MMS2 is a complete and cast effective professional moisture testing kit. Designed for the flooring community, it measures and records moisture content in concrete substrates and wood products. One unit is a pin meter, hygrometer, RH probe unit.

- Runs on 9 volt battery
- Moisture indications to 3/4"
- Hard plastic case
- 0-20 Analog display
- Instant results
- TAP8800
- Removable probes
- Adjustable sleeves
- Transfers Information to Excel
- Complete kit



Protimeter Digital Survey Master

- Soft and hard woods
- Quick and accurate
- Runs on 9 volt battery
- Reads moisture content 5-30%
- 7 year warranty
- Shock resistant case
- Digital readout
- TAP5365



CTG-2A Concrete Thickness Gauge

Measure the thickness of a concrete slab from 3.2" up to 20" thick.

- Accurate to 1/4" in a 6" slab
- Fast - reading in 3 seconds
- Versatile - 3.2" up to 20"
- Easy-to-use
- Portable - battery operated
- 10 year battery life
- Exports results to laptop
- TACTG2A



Special Order

Protimeter Digital Mini Pin Meter

- Runs on 9 volt battery
- Moisture indications to 1/2"
- Soft case
- 0-20 Analog display
- Instant results
- Digital readout
- TAP5702



Protimeter Aquant

- Moisture meter
- Non-invasive
- LCD & LED readout
- TAP5760



Rapid-RH Starter Kit

Starter Kit:

- WG880-R000-2008
- 5 each "Smart Sensors"
- 1 insertion tool
- 1 each Rapid RH Easy Reader
- 5 each orange inserts
- 5 each protective caps
- 1 each drill bit 1 each wire brush
- 1 each vacuum attachment



Replacement Sensors:

- WG880-R004-0008 25 pack
- WG880-R000-0008 5 pack



Calcium Chloride & pH Testing

Gram Scale

Battery operated
TA626MPB



pH test strips

Includes 2 test strips
and water packet
TA62506PH



Single Pack

Includes pH strips TA62500POP

Tri-pack

3 test kits (no pH strips) TA625POPVP



Approximate Coverage Guidelines

(Remember to always refer to the manufacturer's installation requirements)

Flooring Adhesive Coverage Guidelines

Carpet (broadloom) action & unitary	1/8 x 1/8 x 1/16	flat-V	T7	10-12 sy/gallon
Carpet (broadloom) smooth back	3/32 x 3/32 x 3/32	flat-V	T6	12-14 sy/gallon
Carpet (broadloom) double glue cpt to pad	1/8 x 3/16 x 1/8	U-notch	T8	6-8 sy/gallon
Carpet tile - vinyl back (trowel)	1/16 x 1/16 x 1/16	square	T4	16-18 sy/gallon
Carpet tile - vinyl back (roller)	roller	3/8" nap	TRL	25-30 sy/gallon
Sheet vinyl (commercial)	1/16 x 1/16 x 1/16	square	T3	18-20 sy/gallon
Sheet vinyl (residential)	1/16 x 1/16 x 1/16	V-notch	T9	20-25 sy/gallon
Glassback sheet vinyl	roller	3/8" nap	TRL	25-30 sy/gallon
Luxury vinyl (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2	250-300 sq/ft gallon
Luxury vinyl (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1	300-350 sq/ft gallon
VCT (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2	250-300 sq/ft gallon
VCT (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1	300-350 sq/ft gallon
Wood flooring (MS-Plus adhesive)	3/16 x 1/4 x 1/2	flat-V	T19	60-70 sq/ft gallon

Ceramic & Stone Coverage Guidelines

Mosaic & small tile (up to 3x3)	thinset	3/16 X 5/32	V-notch	T10	120-130 sf/50lb bag
	mastic	3/16 X 5/32	V-notch	T10	50-60 sf/gallon
4.25 x 4.25 wall tile	thinset	1/4 x 3/16	V-notch	T11	110-120 sf/50lb bag
	mastic	1/4 x 3/16	V-notch	T11	40-50 sf/gallon
8" x 8" tile	thinset	1/4 x 1/4 x 1/4	square	T13	80-90 sf/50lb bag
	mastic	1/4 x 1/4 x 1/4	square	T13	30-40 sf/gallon
12" x 12" tile	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
	mastic	1/4 x 3/8 x 1/4	square	T14	25-35 sf/gallon
Large format tile up to 20" x 20"	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
Slate & pavers	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
Marble & granite	thinset	1/2 x 1/2 x 1/2	square	T15	40-45 sf/50lb bag



WASHINGTON

Bellevue, WA

13420 NE 16th St. "B", 98005

Phone: 425-641-3798

Fax: 425-641-7362

Spokane, WA

3904 East Ferry, 99202

Phone: 509-533-6638

Fax: 509-533-6641

Everett, WA

2111 38th St., 98201

Phone: 425-252-9475

Fax: 425-257-0215

Tacoma, WA

5211 S Washington, 98409

Phone: 253-474-0536

Fax: 253-474-0537

Richland, WA

2680 N. Columbia Ctr., 99352

Phone: 509-783-3097

Fax: 509-735-3688

Yakima, WA

720 North 16th #11, 98902

Phone: 509-457-5123

Fax: 509-457-5141

Kent, WA

6821 South 216th St., 98032

Phone: 206-282-3770

Fax: 206-216-0522

OREGON

Eugene, OR

191 Seneca Road, 97402

Phone: 541-686-5015

Fax: 541-484-4437

Medford, OR

730 Rossanley Drive, 97501

Phone: 541-779-2033

Fax: 541-779-5778

Portland, OR

6032 No. Cutter Circle, 97217

Phone: 503-286-8686

Fax: 503-286-5109

MONTANA

Billings, MT

1400 S 24th St W, 59102

Phone: 406-248-2125

Fax: 406-248-2182

Great Falls, MT

1117 7th St. S Bldg 4, 59405

Phone: 406-454-3985

Fax: 406-454-3987

Kalispell, MT

195 Kelly Road, 59901

Phone: 406-755-8022

Fax: 406-755-8024

Missoula, MT

2409 Dearborn Ave, 59801

Phone: 406-721-6639

Fax: 406-721-6790

IDAHO

Boise, ID

12010 West Executive, 83713

Phone: 208-375-3695

Fax: 208-375-4079

ALASKA

Anchorage, AK

624 West Potter Dr, 99518

Phone: 907-562-7751

Fax: 907-562-7754

HAWAII

Honolulu/Aiea, HI

98-055 Kamehameha Hwy

Suite C-1, 96701

Phone: 800-562-2857

Fax: 808-626-5251

T&A Central Order Desk 1-800-562-2857

Monday-Friday 7:00 am to 4:30 pm (PST) orderdesk@tasupply.com fax: 206-216-0522 www.tasupply.com

"Proudly Serving the Pacific Northwest Since 1960"



WASHINGTON

Bellevue, WA 13420 NE 16th St. "B", 98005 Phone: 425-641-3798 Fax: 425-641-7362	Everett, WA 2111 38th St., 98201 Phone: 425-252-9475 Fax: 425-257-0215	Richland, WA 2680 N. Columbia Ctr., 99352 Phone: 509-783-3097 Fax: 509-735-3688	Kent, WA 6821 South 216th St., 98032 Phone: 206-282-3770 Fax: 206-216-0522
Spokane, WA 3904 East Ferry, 99202 Phone: 509-533-6638 Fax: 509-533-6641	Tacoma, WA 5211 S Washington, 98409 Phone: 253-474-0536 Fax: 253-474-0537	Yakima, WA 720 North 16th #11, 98902 Phone: 509-457-5123 Fax: 509-457-5141	

OREGON

Eugene, OR 191 Seneca Road, 97402 Phone: 541-686-5015 Fax: 541-484-4437	Medford, OR 730 Rossanley Drive, 97501 Phone: 541-779-2033 Fax: 541-779-5778	Portland, OR 6032 No. Cutter Circle, 97217 Phone: 503-286-8686 Fax: 503-286-5109
---	--	--

MONTANA

Billings, MT 1400 S 24th St W, 59102 Phone: 406-248-2125 Fax: 406-248-2182	Great Falls, MT 1117 7th St. S Bldg 4, 59405 Phone: 406-454-3985 Fax: 406-454-3987	Kalispell, MT 195 Kelly Road, 59901 Phone: 406-755-8022 Fax: 406-755-8024	Missoula, MT 2409 Dearborn Ave, 59801 Phone: 406-721-6639 Fax: 406-721-6790
--	--	---	---

IDAHO

Boise, ID
 12010 West Executive, 83713
 Phone: 208-375-3695
 Fax: 208-375-4079

ALASKA

Anchorage, AK
 624 West Potter Dr, 99518
 Phone: 907-562-7751
 Fax: 907-562-7754

HAWAII

Honolulu/Aiea, HI
 98-055 Kamehameha Hwy
 Suite C-1, 96701
 Phone: 800-562-2857
 Fax: 808-626-5251

T&A Central Order Desk 1-800-562-2857

Monday-Friday 7:00 am to 4:30 pm (PST) orderdesk@tasupply.com fax: 206-216-0522 www.tasupply.com

"Proudly Serving the Pacific Northwest Since 1960"

T&A T&A Supply Co.

Common stocking items.
 Individual branch stock may vary.

- | | |
|--|--|
| 1 Adhesive Selector Guide
2 Adhesive: T&A Label & Signature
4 Adhesive: branded
24 Backerboard & plywood
12 Blades: knife
19 Blades: scraper
32 Brooms
32 Builder Board
13 Carpet cutting
14 Carpet seam products & tools
10 Carpet seam tape
9 Carpet seam irons
7 Carpet stretchers
15 Caulk
39 Ceramic tile care products
34 Ceramic tile sound reduction
33 Ceramic tile membranes
35 Ceramic setting mortar - Laticrete
36 Ceramic setting mortar - Uzin-Custom
44 Ceramic spacers
41 Ceramic cutting tools
43 Ceramic tile tools & trowels
22 Contact adhesive
18 Cutters
19 Floating floor tools
46 Floor cleaner
31 Floor primer: moisture mitigation
32 Floor protection
47 Floor warming
8 Glue guns & glue sticks
37 Grout: Laticrete
38 Grout: Custom building products
44 Grout floats
48 Hand scrapers, blades & clamps
45 Heat welding tools
7 Kickers
17 Knee pads
11 Knives
19 Laminate flooring tools
16 Linoleum rollers
48 Mixers
31 Moisture control
49 Moisture testing
17 Moving equipment
6 Nails
46 Odor removal | 21 Paint rollers & trays
30 Patch: general purpose
21 Plastic laminate tools & trim
24 Plywood
12 Pouches
16 Rollers
16 Resilient hand tools
17 Safety products
27 Sandpaper disks
46 Saws & saw blades
29 Self leveling
8 Shears - scissors
27 Scraper: blades
17 Scrapers: hand
17 Scrapers: power
16 Scribe paper
46 Scratch concealer
22 Shims & levelers
42 Shower pan & enclosures
22 Solvent & cleaners
44 Spacers: ceramic
44 Sponges
6 Staples-staplers carpet
20 Staplers-staple wood flooring
14 Straight edges
7 Stretchers
5 Tackstrip
15 Tackstrip adhesive
15 Tape: general purpose
35 Thinset (36)
48 Tools: general purpose
40 Trim: ceramic tile
40 Trim: luxury vinyl LVT-LVP
23 Trim: flooring
3 Trowel notch guide
4 Trowels
47 Under floor warming
24 Underlayment
27 Vacuums
23 Vinyl cove & cap
25 Vinyl trim & base Roppe
26 Vinyl trim & base Johnsonite
22 Wall base tools
34 Waterproofing
16 Wax rings
41 Wet saws |
|--|--|

Approximate adhesive & ceramic setting coverage chart page 50
 Trowel selector page 3


T&A Branch Quick Guide #15

"We stock the best and order the rest!"

TRAXXSHIELD 100-DS

100% RH Underlayment

- Moisture Suppression 100% RH
- Crack Isolation Up To 1/8"
- Sound Reduction - IIC Delta 20
- Pre-Applied Adhesive Bottom
- Pre-Applied Adhesive Top
- No Job site Applied Adhesive



**Luxury Vinyl
 VCT-VET
 Carpet Tile
 Ceramic**

page 31

Odor Remover

**Bio-Enzymatic
 Clinical Strength**

- Zero Dry Time
- Penetrates Into Substrates
- Ready To Use - No Mixing
- Spray Or Roll On



**SMELL
 ZAPPER**

page 46

GoBoard

Lightweight backerboard



- 1/2" & 1/4" 3'x5'
- Light weight
- Waterproof core
- Standard fasteners
- Score & snap

GoBoard is a lightweight ceramic backerboard that provides high performance at an economical price. Produced by Johns Manville a leader in the building products industry. page 24

UZUN CX-20

Ceramic Setting Mortar

- LFT Large Format
- Anti-Sag
- Budget Pricing
- White & Gray
- 40lb Bag
- High Yield
- Creamy Smooth



page 46

Adhesive Selector Guide

CATEGORY	Style	T&A Supply	WF Taylor	SprayLock	Other
Carpet	Double glue	9680 Yellow Lid	2055 (best)		Shaw 1000
	Premium fast grab	9680 Yellow Lid	Agile		
	Action back economy	960 Blue Lid			
	Outdoor (non-urethane)		757		
	Outdoor (urethane)		Resolute		
	Carpet tile (PVC)		Versatile - Dynamic	6500	Shaw 5000
Carpet Pad Adhesive	Solvent based		720		
	Acrylic based		722		
Multi-Purpose (Felt back vinyl - Action Bac carpet)	Premium	9600 Red Lid			
	Contractor	960 Blue Lid	2072		
Felt Back Sheet Vinyl	Commercial-residential		2087 - Dynamic	3100	Uzin 2000S
Solid Vinyl Sheet	Homo-hetrogeneous		Pinnacle - 2091	3500	Uzin 2000S
Luxury Vinyl LVP-LVT	Heavy commercial		Pinnacle - 2091	6500	Uzin 2000S
	Multi-family		Dynamic - 2098	6500	* Uzin KE-66
VCT Vinyl Composition	VCT	9633 Green Lid	2033 - Steadfast	9500	
Glass Back Sheet Vinyl	Fiberglass back vinyl		Dynamic - 2037		Uzin 2000S
Linoleum	Linoleum		2084		Uzin 2000S
Ceramic Mastic	Floor and wall	9601 Black Lid		WTA	
Wall Base	Rubber & vinyl	9640 Purple Lid	Finale - 2040		
Wood-Bamboo-Cork	100% RH solid-engineered		Ridgeline		
	90% RH solid-engineered		Ironwood		
Carpet Seam Sealer	Glue down solvent base		775		
	Acrylic sol-free		2075		Traxx Fusion
	100% pure latex		710		
	Hot melt adhesive				KoolSticks
Epoxy	Sol-free general purpose		501		
Extreme Resilient	Extreme performance		Resolute		
Contact Adhesive	Flammable brush grade		1-N		3M FB-10
	Water base brush grade				3M FB-30
	Aerosol spray		725		
Rubber Flooring	Sheet, tile and Crumb rubber		Pinnacle - 2091 Resolute		* Uzin KE-66
Stair Treads	Rubber & vinyl		Pinnacle - 2091		

----- GENERAL GUIDELINES -----

*Porous only

Always read and follow manufacturers complete installation instructions.

Approximate Coverage Guidelines (Remember to always refer to the manufacturer's installation requirements)

Flooring Adhesive Coverage Guidelines

Carpet (broadloom) action & unitary	1/8 x 1/8 x 1/16	flat-V	T7	10-12 sy/gallon
Carpet (broadloom) smooth back	3/32 x 3/32 x 3/32	flat-V	T6	12-14 sy/gallon
Carpet (broadloom) double glue cpt to pad	1/8 x 3/16 x 1/8	U-notch	T8	6-8 sy/gallon
Carpet tile - vinyl back (trowel)	1/16 x 1/16 x 1/16	square	T4	16-18 sy/gallon
Carpet tile - vinyl back (roller)	roller	3/8" nap	TRL	25-30 sy/gallon
Sheet vinyl (commercial)	1/16 x 1/16 x 1/16	square	T3	18-20 sy/gallon
Sheet vinyl (residential)	1/16 x 1/16 x 1/16	V-notch	T9	20-25 sy/gallon
Glassback sheet vinyl	roller	3/8" nap	TRL	25-30 sy/gallon
Luxury vinyl (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2	250-300 sq/ft gallon
Luxury vinyl (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1	300-350 sq/ft gallon
VCT (porous substrate)	1/16 x 1/32 x 1/32	U-notch	T2	250-300 sq/ft gallon
VCT (non-porous substrate)	1/16 x 1/32 x 5/64	U-notch	T1	300-350 sq/ft gallon
Wood flooring (MS-Plus adhesive)	3/16 x 1/4 x 1/2	flat-V	T19	60-70 sq/ft gallon

Ceramic & Stone Coverage Guidelines

Mosaic & small tile (up to 3x3)	thinset	3/16 X 5/32	V-notch	T10	120-130 sf/50lb bag
	mastic	3/16 X 5/32	V-notch	T10	50-60 sf/gallon
4.25 x 4.25 wall tile	thinset	1/4 x 3/16	V-notch	T11	110-120 sf/50lb bag
	mastic	1/4 x 3/16	V-notch	T11	40-50 sf/gallon
8" x 8" tile	thinset	1/4 x 1/4 x 1/4	square	T13	80-90 sf/50lb bag
	mastic	1/4 x 1/4 x 1/4	square	T13	30-40 sf/gallon
12" x 12" tile	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
	mastic	1/4 x 3/8 x 1/4	square	T14	25-35 sf/gallon
Large format tile up to 20" x 20"	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
Slate & pavers	thinset	1/4 x 3/8 x 1/4	square	T14	60-65 sf/50lb bag
Marble & granite	thinset	1/2 x 1/2 x 1/2	square	T15	40-45 sf/50lb bag

Approximate Coverage Guidelines (Remember to always refer to the manufacturer's installation requirements)

RH Concrete Moisture Testing

Protimeter MMS2 Flooring Kit

The MMS2 is a complete and cast effective professional moisture testing kit. Designed for the flooring community, it measures and records moisture content in concrete substrates and wood products. One unit is a pin meter, hygrometer, RH probe unit.

- Runs on 9 volt battery
- Moisture indications to 3/4"
- Hard plastic case
- 0-20 Analog display
- Instant results
- TAP8800
- Removable probes
- Adjustable sleeves
- Transfers Information to Excel
- Complete kit



CTG-2A Concrete Thickness Gauge

Measure the thickness of a concrete slab from 3.2" up to 20" thick.

- Accurate to 1/4" in a 6" slab
- Fast - reading in 3 seconds
- Versatile - 3.2" up to 20"
- Easy-to-use
- Portable - battery operated
- 10 year battery life
- Exports results to laptop
- TACTG2A



Special Order

Protimeter Digital Survey Master

- Soft and hard woods
- Quick and accurate
- Runs on 9 volt battery
- Reads moisture content 5-30%
- 7 year warranty
- Shock resistant case
- Digital readout
- TAP5365



Protimeter Digital Mini Pin Meter

- Runs on 9 volt battery
- Moisture indications to 1/2"
- Soft case
- 0-20 Analog display
- Instant results
- Digital readout
- TAP5702



Protimeter Aquant

- Moisture meter
- Non-invasive
- LCD & LED readout
- TAP5760



Rapid-RH Starter Kit

Starter Kit:

- WG880-R000-2008
- 5 each "Smart Sensors"
- 1 insertion tool
- 1 each Rapid RH Easy Reader
- 5 each orange inserts
- 5 each protective caps
- 1 each drill bit 1 each wire brush
- 1 each vacuum attachment

Replacement Sensors:

- WG880-R004-0008 25 pack
- WG880-R000-0008 5 pack



Calcium Chloride & pH Testing

Gram Scale

Battery operated
TA626MPB



pH test strips

Includes 2 test strips
and water packet
TA62506PH



Single Pack

Includes pH strips TA62500POP

Tri-pack

3 test kits (no pH strips) TA625POPVP



T&A Professional Adhesive

Premium Carpet Adhesive

TA9680 4 Gallon "Yellow Lid"

Fast grab, solvent free, low odor perfect for all Action Bac, Enhancer back, and Unitary back carpet and Double Glue Action back carpet 1/8 x 1/8 x 1/16 V .. 12 s/y gal avg
Double glue cpt to pad ... 1/8 x 1/8 x 1/8 U 8 s/y gal avg
WFTA96804 4 gallon

Premium Multi-Purpose Adhesive

TA9600 4 Gallon "Red Lid"

Felt back sheet vinyl & action back carpet. A combination of aggressive for carpet with enough work time for sheet vinyl.
Action back carpet 1/8 x 1/8 x 1/16 FV 12 s/y gal avg
Unitary back carpet 1/8 x 1/8 x 1/16 U 8 s/y gal avg
Sheet vinyl (non-porous) ... 1/16x1/32x5/64 U 22 s/y gal avg
Sheet vinyl (porous) 1/16x1/16x1/16 SQ 20 s/y gal avg
WFTA96004 4 gallon WFTA96001 1 gallon

Premium Ceramic Tile Mastic

TA9601 3.5 Gal & 1 Gal "Black Lid"

For the interior application of ceramic wall and floor tile on vertical or horizontal surfaces. Offers no tile slippage, easy spreading and strong bond. Type-1
Mosaics 1/8 x 1/8 x 1/8 V up to 60 s/f gal
Glazed wall tile 3/16 x 5/32 V up to 50 s/f gal
Pavers 1/4 x 1/4 x 3/8 sq up to 30 s/f gal
Quarry tile 1/4 x 1/4 x 1/4 sq up to 40 s/f gal
WFTA96013 3.5 gallon WFTA96011 1 gal

Contract Multi-Purpose Adhesive

TA960 4 Gallon "Blue Lid"

Use where economy is important but dependability is demanded. Great for moderate commercial traffic, Action Bac carpet & felt back sheet vinyl. Sol-free, low odor.
Action back carpet 1/8 x 1/8 x 1/16 FV 12 s/y gal avg
Sheet vinyl (non-porous) .. 1/16 x 1/32 x 5/64 U ... 22 s/y gal avg
Sheet vinyl (porous) 1/16 x 1/16 x 1/16 SQ .. 20 s/y gal avg
WFTA9604 4 gallon

VCT Clear Thin Spread

TA9633 4 Gallon "Green Lid"

Great open time (up to 24 hours), dries clear.
High strength, fast dry formula.
For commercial VCT tile. Sol-free, low odor.
Non-porous surface ... 1/16 x 1/32 x 5/64 U 350 s/f per gal
Porous surface 1/16 x 1/32 x 1/32 U 300 s/f per gal
WFTA96334 4 gallon

Wall Base Adhesive

TA9640 4 Gal & 30oz "Purple Lid"

For rubber & vinyl wall base.
Excellent aggressive grab holds base in place.
Easy to clean off surface. Sol-free, low odor.
Average coverage on 4" base:
60 lin/ft per 30oz tube 250 lin/ft per gallon
WFTA964030 ... 30 oz tube WFTA96404 4 gallon



WF Taylor Signature Series High Performance - High Value

Ridgeline Wood Adhesive

- * 100% RH No Moisture Testing Required
- * Excellent Bond Strength
- * Excellent Sound Reduction
- * For All Wood Flooring, Cork & Bamboo

Coverage with sound and moisture:
Greater than 9/16" thick 20 sf gal
Less than 9/16" thick 30 sf gal
Coverage as an adhesive only: 50-60 sf gal

Dynamic Resilient PS

- * Transitional Pressure Sensitive
- * Residential Light-Commercial
- * LVP-LVT, Glassback Sheet, Carpet Tile
- * Fast Set Quick Dry Formula

LVP-LVT over porous 150-180 sf gal
LVP-LVT over non-porous 220-260 sf gal
Carpet Tile 300-350 sf gal
Sheet Vinyl 220-260 sf gal

VersaTile Carpet Tile Adhesive

- * Pressure Sensitive
- * For All Carpet Tile
- * Fast Dry - Long Open Time
- * High Strength Moisture Resistant

Coverage:
Roller up to 350 sf gal
Trowel up to 250 sf gal

Ironwood Wood Adhesive

- * 90% RH Protection
- * Excellent Bond Strength
- * Good Sound Reduction
- * For all Wood Flooring, Cork & Bamboo

Coverage with sound and moisture:
Greater than 9/16" thick 20 sf gal
Less than 9/16" thick 30 sf gal
Coverage as an adhesive only:
50-60 square feet per gallon

Pinnacle Transitional PS

- * Premium Transitional Pressure Sensitive
- * Extreme Heavy Commercial
- * Rubber & Vinyl - Sheet & Tile
- * Firm Set for Heavy Rolling Loads

Porous:
Rubber/Vinyl Tile & Sheet up to 250 sf gal
Non-Porous:
Rubber/Vinyl Sheet up to 250 sf gal
Rubber/Vinyl Tile-Plank up to 350 sf gal

Finale Wall Base

- * Fast Grab
- * For Rubber & Vinyl
- * Extra White Formula
- * High Bond Strength
- * Easy To Spread

Coverage:
4" base 60 lin/foot per 30oz tube

Trowel Notch Guide



General Guidelines - always refer to manufacturer's requirements.		
<p>T1T 1/16 x 1/32 x 5/64 U Sheet vinyl - non-porous</p> <p>Rubber handle FU20044 Versablade GU680WHA</p> <p>(approx 22-24 s/y gallon)</p>	<p>T2T 1/16 x 1/32 x 1/32 U Solid vinyl tile non-porous</p> <p>Rubber handle FU20051 CR422 wood handle 14" XL FU20047 Versablade GU680FFA</p> <p>(approx 20-22 s/y gallon)</p>	<p>T3T 1/16 x 1/16 x 3/32 U Sheet vinyl</p> <p>Rubber handle FU20052 (approx 18-20 s/y gallon)</p>
<p>T9T 1/16 x 1/16 x 1/16 V Sheet vinyl</p> <p>CR431 wood handle Versablade GU680ACT</p> <p>(approx 18-20 s/y gallon)</p>	<p>T4T 1/16 x 1/16 x 1/16 sq 1/8" VCT sheet vinyl</p> <p>Rubber handle FU20056 CR420 wood handle 14" XL FU20048 Versablade GU680FCA (approx 16-18 s/y gallon)</p>	<p>T8T Double glue carpet 1/8 x 3/16 x 1/8 U Rubber handle FU20054 (approx 6-8 s/y gallon)</p> <p>T5T Double glue carpet 1/8 x 1/8 x 1/16 U Wood handle CR430 (approx 6-8 s/y gallon)</p>
<p>T6T 3/32 x 3/32 x 3/32 V Smooth back carpet</p> <p>Rubber handle FU20060 CR424 wood handle Versablade GU680RCA</p> <p>(approx 12-14 s/y gallon)</p>	<p>T7T 1/8 x 1/8 x 1/16 V Action-unitary back carpet</p> <p>Rubber handle FU20061 CR423 wood handle 14" XL FU20049 Versablade GU680FOW (approx 10-12 s/y gallon)</p>	<p>T10T 3/16 x 5/32 V Ceramic</p> <p>Rubber handle FU20059 (approx 50-60 sq/ft gallon)</p>
<p>T11T 1/4 x 3/16 V Ceramic</p> <p>Rubber handle FU49116 CR425 wood handle Versablade GU680CWM (approx 40-50 sq/ft gallon)</p>	<p>T13T 1/4 x 1/4 x 1/4 sq Ceramic floor-wall</p> <p>Rubber handle FU49110 CR426 wood handle Versablade GU680CTB (approx 80-90 sq/ft 50lb bag)</p>	<p>T14T 1/4 x 3/8 x 1/4 sq Quarry tile</p> <p>Rubber handle FU49112 CR428 wood handle Versablade GU680QT (approx 60-65 sq/ft 50lb bag)</p>
<p>T15T 1/2 x 1/2 x 1/2 sq Stone-granite-medium bed</p> <p>Rubber handle FU49038 CR429 wood handle (approx 40-45 sq/ft 50lb bag)</p>	<p>T19T 3/16 x 1/4 x 1/2 Flat V Wood flooring</p> <p>Handle FU20046 (approx 60 sq/ft gallon)</p>	<p>T20T 3/16 x 1/4 x 5/16 Flat V Wood flooring</p> <p>Rubber handle FU30000 (approx 50 sq/ft gallon)</p>

General Hand Tools

<p>Metal Stair Tool Cushion Grip CR152</p>	<p>Plastic tucking tool GU263</p>	<p>100' Chalk Line CR125</p> <p>8oz White CR080 8oz blue</p>	<p>All White Rags 1lb bag RAGS1</p>
<p>Lifter Bar CR157</p>	<p>Aviation Snips CR543</p>	<p>Syringe CR143</p>	<p>Straight Awl CR195</p>
<p>Rubber Mallet CR151</p>	<p>Hammer 20oz fiberglass CR332</p>	<p>Magnetic Drive Bar GU151</p>	<p>Bent Awl CR192</p>
<p>Invoice Book Flooring GU424</p>	<p>Premium Caulking Guns High Thrust 30oz GU255 High Thrust 11oz GU250</p>	<p>Carpet Clamp CR844</p>	<p>Magnetic Nail Driver CR172</p>
<p>Buckets 2 gallon BUCKET 3.5 gallon ... BUCKET 5 gallon BUCKET</p>	<p>Door Pin Tool CR362</p>	<p>Mixers 28" Shaft Economy BA73500 5" blade 30" Shaft HD BA82000 5" blade</p>	<p>Tape Measure 30' 1.25" blade Easy read OR13410</p>
			<p>Crain Tool Box CR024 • Large plastic tool box • Handy wheels • Handle built in • Seam weight</p>

SunTouch Warm Wire Kits

Warm Wire is an affordable alternative to mat systems. It is an economical way to warm floors and provide years of lasting comfort.

Kits contain all Warm Wire materials needed for a complete installation:

- Wire
- Strap
- Thermostat
- Loud Mouth
- Installation kit
- Instructions



120 volt

10 sq/foot WA9480	80 sq/foot WA9491
20 sq/foot WA9482	90 sq/foot WA9492
30 sq/foot WA9484	100 sq/foot ... WA9493
40 sq/foot WA9486	120 sq/foot ... WA9495
50 sq/foot WA9488	140 sq/foot ... WA9497
60 sq/foot WA9489	150 sq/foot ... WA9498
70 sq/foot WA9490	

SunTouch Mat Kits

Ease of installation, thin weave mesh only 1/8" thick, high quality wire with Aramid reinforcing, ETFE high-temp insulation, twin wire construction, 10' power lead.

Kits contain all SunTouch materials needed for a complete installation:

- Mat
- Thermostat
- Loud Mouth
- Installation kit
- Instructions



120 volt

10 sq/foot WA9684	50 sq/foot WA9692
20 sq/foot WA9686	60 sq/foot WA9693
30 sq/foot WA9688	70 sq/foot WA9694
40 sq/foot WA9690	80 sq/foot WA9695

SunTouch Kits available in 240 volt up to 500 square feet special order. Custom sizes made to order.

SunStat Pro-II Thermostat

Programmable for 120 & 240 volts
WA500875SB

WI-FI Connect



Loud Mouth Monitor

Loud Mouth monitors elements during installation. A must for every project. It sounds an alarm if the heating elements are cut or damaged allowing easy repair prior to covering with flooring.
WA423250



Plastic Trowel

The plastic trowel is used to apply thinset over the SunTouch wire, the plastic protects the wire from damage.
WA300400



HeatMatrix

HeatMatrix is installed in both unheated and heated areas to provide crack-isolation, vapor management, and waterproofing. Order a quantity that will cover the full square footage of the area to be tiled.

- Crack Isolation
- Use Modified Thinset

WA8006GRY161ST 161 sq/ft roll
WA8006GRY40ST 40 sq/ft roll

Adjustable spacing
Conforms to irregular shapes.



Brand Adhesive



1000 Carpet Adhesive
3600 EcoWorks broadloom
5000 Pressure Sensitive



S-599 Premium resilient adhesive
S-761 Seam seal kit
S-235 Sheet flooring adhesive
S-288 Residential LVP, LVT & Fiberglass Sheet
S-515 VCT clear thinspread
S-289 Releasable sheet adhesive



Flex-Tech sheet vinyl adhesive
Flex-Seam seam sealer
Flex-Prim floor primer / sealer
I-Grip adhesive
InFuze Seam Sealer



All Mannington adhesives & sealers



- * 22oz spray can
- * Fast dry formula
- * Immediate occupancy

NEW- Residential:

IT# SLRES22 For residential & multi-family
LVT-LVP-VCT-Carpet Tile-vinyl sheet

95% RH:

3500 Vinyl Sheet (150-180 sf/can)
6500 LVP-LVT Carpet Tile (160-190 sf/can)
9500 VCT (170-200 sf/can)
ESD ESD Tile (100 sf/can)

98% RH Platinum:

6500P LVP-LVT (120-125 sf/can)
9500P VCT (170-190 sf/can)



Residential

LVP-LVT
VCT
Carpet Tile
Vinyl Sheet

Notched Trowels

Futura Rubber Handle

Aluminum alloy mounting
Soft-Grip rubber handle
hard tempered steel blade

4.5" x 11"



Futura XL Rubber Handle

Aluminum alloy mounting
Soft-Grip rubber handle
Hard tempered steel blade

4.5" x 14" XL



Crain Wood Handle

Aluminum alloy mounting
Contoured wood handle
Hard tempered steel blade

4.5" x 11"



Gundlach VersaBlade



4.5" x 11.5" blade



#682-TH
Red



#683-TH
Blue



#684-TH
Open handle

Spreader

3" ... CR040



Finished Trowels

14" finish trowel

Rubber handle
Spring steel riveted
FU20062




14" finish trowel

Wood handle
Spring steel riveted
CR434




16" & 18" finish trowel

Rubber handle
High carbon spring steel
GUCF416 16"
GUCF418 18"



Tackstrip



TRAXX Maximus - Premium Birch (Residential-Commercial)

<p>Standard 7/8" wide</p>		<p>MXS-4248 1-1/4" Acoustical 400 lin/ft</p>	
<p>Extra-Wide Premium 1" wide</p>	<p>MXS-4421 1" wood nail 400 lin/ft</p>	<p>MXS-4442 5/8" 10ga Concrete nail 400 lin/ft</p>	<p>MXS-4410 No-nail 400 lin/ft</p> <p>MXS-4410-S No-nail 400 lin/ft D-PIN</p> <p>MXS-4410-XS No-nail 400 lin/ft J-PIN</p>
<p>Tri-Grip 1.25" wide</p>	<p>MXS-4620 3/4" wood nail 280 lin/ft</p>	<p>MXS-4642 5/8" 10ga Concrete nail 280 lin/ft</p>	<p>MXS-4610 No-nail 280 lin/ft</p>
<p>Commercial 1.75" wide</p>		<p>MXS-4842 5/8" 10ga Concrete nail 200 lin/ft</p>	<p>MXS-4810 No-nail 200 lin/ft</p>

TRAXX Certified - Premium Poplar (Residential)

<p>Extra-Wide 1" wide</p>	<p>CTS-4421 1" wood nail 400 lin/ft</p> <p>CTS-4421-S 1" wood nail 400 lin/ft D-Pin</p>	<p>CTS-4442 5/8" 10ga Concrete nail 400 lin/ft</p>	
<p>Tri-Grip 1-1/4" wide</p>		<p>CTS-4642 5/8" 10ga Concrete nail 280 lin/ft</p>	

Saws & Saw Blades

Crain CR835 Heavy Duty Undercut Saw

This saw has a larger 6-1/2" diameter blade that can undercut and comes with a masonry blade for undercutting hearths. A diamond blade (No. 822) is available for undercutting tile and stone. Other enhanced features include a more powerful, lower RPM motor that throws less dust, dust control port, threaded rod height adjustment that will not slip, and rugged aluminum ratchet handle. Undercuts most everywhere including inside corners. Includes case, blade wrench, and instructions.



Crain 775 Toe-Kick Saw

The latest model No. 775 Toe-Kick Saw cuts flush to the inner wall of a toe space in a cabinet or counter to remove old underlayment. Comes with #787 3-3/8" Carbide-Tipped Blade ONLY for cutting wood. 775 includes a clutch mechanism that may disengage to reduce kickback forces if the saw is abused by cutting curves or cutting backwards with the saw.



Crain CR575 Standard Undercut Saw



CR821 Carbide
Fits 825 & 812



CR805 Masonry
Fits 825 & 812



CR836 Carbide
Fits 835 saw



CR804 Carbide
Old model
810 Jamb Saw

Crain CR368 Hack Saw

CR369 blades 2pk



Crain CR336 Jamb Saw

CR335 blade only



Crain CR176 Miter Box



Scratch Concealer

WEARMAX for wood flooring Single Part UV Cured Polyurethane

WearMax is a unique floor finish that becomes an integral part of your floor finish. WearMax hides white lines making the scratch less visible. It cures under ambient lighting to a hard finish that will not wash off. FR01134 ... 2oz bottle



Dr. Schutz Scratch Concealer For Resilient Vinyl Flooring

Easy to use Spray can for general scratches and repair pen for deeper scratches. Fast and easy to use conceals most vinyl flooring scratches. Approximately 50 uses per can. EALERKIT Kit



Multi-Surface Cleaner

FRESHFLOORS Multi-Surface Cleaner Removes Odor Streak Free

- * Carpet & Fabric
- * Vinyl Flooring
- * Laminate Flooring
- * Hardwood Flooring
- * Upholstery
- * Pet Areas



Fresh Floors is a multi-surface cleaner providing a "single-source" product. FreshFloors uses "living technology" to remove organic and pet odors. WFFRESHFLOORS ... 32oz spray bottle

Odor Removal

ZSMELL ZAPPER BioEnzymatic Odor Removal

Bio Enzymatic is a live enzyme engineered odor remover. It's clinical strength, designed to consume any biological based odor molecule.

- * 100% Biodegradable
- * Safe to use around pets
- * 100% non-hazardous
- * Concentrated Formula

BG-4X1-01 gallon ... 400-600 sf
BQ-12X1-04 quart 150-200 sf
WFPUMPSPRAYER





Heat Welding

Wolff 50159
Master Groover
Includes:
12 tooth blade
Dust bag & tool kit
Carry case



Wolff 50160
Junior Groover
Includes:
12 tooth blade
Dust bag & tool kit
Carry case



Wolff 56260
Automatic Welder
Precise welding
automatically
Includes case
**Special order*



Wolff 70287
Leister heat welding kit
Includes:
Triac-S heat gun
5mm standard nozzle
5mm quick weld nozzle
Joint planer & moon knife
Pressure roller
Cleaning brush
Carry case



Wolff 79710
Leister Triac-W Welder



Wolff 13459
12 Tooth carbide
Grooving blade



Wolff 13460
Diamond
Grooving Blade



Crain 971
12 tooth carbide
Grooving Blade



Crain 972
Diamond
Grooving Blade



Wolff 13424
Adjustable groover
WO13425 blade



Wolff 13842
Rubber pull groover
WO13843 blade



Wolff 13426
Adjustable groover
WO13427 blade



Wolff 13465
Pencil tip



Wolff 13466
4mm speed tip
Wolff 41213
5mm speed tip



Wolff 47049
PUR weld tip



Wolff 40262
LINOCUT vinyl seam cutter
Great seams every time
WO13429 blades (10pk)




Wolff 15605
Salvage edge trimmer
WO13358 blade (5pk)



Wolff 72934
Hot tip weld kit
with spoon tip
Separate spoon tip
WO72952



Wolff 13485
Seam trim tool
with 6mm round blade
WO13813 ... round blade 6mm
WO13868 ... round blade 12mm
WO13869 ... pointed blade
WO13870 ... flat blade



Wolff 13453
Moon knife
Bent



Wolff 13451
Moon knife
Flat



Wolff 13452
Moon knife
angled




Crain CR965
Mozart skiving knife
Crain CR966 blade each



Wolff 13450
Guide plate



Wolff 60078
Leather protector
for moon knives



Nails - Staples - Staplers

Concrete		1/2"	TXN13585	12 ga	5#
Concrete		11/16"	TXN13611	12 ga	1#
Concrete		1/2"	TXN14585	10 ga	5#
Concrete		5/8"	TXN14605	10 ga	5#
Concrete		3/4"	TXN14621	10 ga	1#
Concrete		1"	TXN14665	10 ga	5#
Acoustical		1-1/4"	TXN18705	Drive	5#
Ringshank		1-1/4"	TXN11705	Drive	5#
Ringshank		1-1/2"	TXN11745	Drive	5#
Blue lathe		1-1/2"	TXN12705	Small head	5#
Blue lathe		1-1/4"	TXN12365	Large head	5#

Decorative Drive Nails:

Silver:
Large headTXN1726S1 1#
Counter sunk TXN1722S1 1#



Gold:
Large headTXN1728G1 1#
Counter sunkTXN1724G1 1#



Nickel:
Large headTXN1734N1 1#



Aluminum Drive Nails:

Drill a 1/8" hole, when the aluminum Nail is driven in, the nail expands and holds Tight, excellent for tackstrip & metal trim
5/8" length ... CR580 1lb
7/8" length ... CR780 1lb

Nail Bags:



Heavy duty canvas bags with Velcro closure for nail storage
HN-711B Blue
HN-711G Green
HN-711R Red
HN-711Y Yellow
HN-711W White

Solid carbide bit CR223C
Bit adapter CR225



Flooring Staplers & Staples

Traxx A11 Pad Stapler
Rapid-11 Style Ergo Handle
A11 3/8" staples
Pad-Pro Plus
TRTXPPPA11



Traxx 7512 Pad Stapler
7512 Style stapler
7512 3/8" staples
TRTXPP7500



DuoFast Stapler
5418 staples
SOEN5418



Traxx Stapler
5418 Electric
TTX-PP5418



Traxx A11 staples
Divergent point 3/8"
5,000 per box
TRTXFA1110D



Traxx 7512 staples
Divergent point 3/8"
5,000 per box
TRF7512D



Traxx 5418 Staples
Narrow crown
Divergent point
5,000 per box
TRTXF5418D



Traxx A11 staples 7"
Divergent point 3/8"
5,000 per box
TRTXFA1110D7 7" sleeve



Staple Box 7512
CR618



Staple Box 5418
CR617



Kickers & Stretchers

Crain 445

Fast adjust, lightweight,
Dependable (Red)

1601B ... pin plate
1505D ... bumper
1505K ... gripper insert



Crain 505 Economy

Thick bumper, button adjust,
high neck (Blue)


1601B ... pin plate
1505D ... bumper
1505K ... gripper insert



Crain 605 Deluxe

Thick bumper, recess button adjust,
high neck (Silver)

1601B ... pin plate
1600C ... bumper
1505K ... gripper insert



Crain 525 "wide head"

5.25" wide, 4 rows of grippers
1525-12 pin plate
1525-14 gripper inserts
1600-C deluxe bumper



Shark Teeth
Fits Crain kickers
3 pack
TA80015



Taylor Tools 825

Large head and bumper
Needle Plate TA82505
Tooth Plate (2pk) TA8250901
TA825



Crain CR520 Deluxe Swivel Loc

Power lock handle
Double case
Roller wheel
Tail block & 3 poles
and 1 Auto-Loc



Double case
w/wheels

Crain CR499 Standard Fixed Head

Power lock handle
Double case
Roller wheel
Tail block & 3 poles
and 1 Auto-Loc



Double case
with wheels

Stretcher Head Unit

(Head only)
CR1500U



Stretcher Spike

Single prong unit GU737
Double prong unit GU747
Replacement spike ... GU73702
Silver spike NA178A



Spreader

GU486



Adjustable Tube

3' Crain Auto-Loc
CR501



Stretcher Tubes

3' steel CR502
3' alum CR516 5' alum CR517



Ceramic Tile Hand Tools

Pro Float - Floor

3.5" x 9.5"
Polypropylene base
Soft grip handle
CU15153P



Epoxy Float

3-7/8" x 10-7/16"
BA81300



Wall Float

4" x 12"
1/8" gum rubber
5/8" foam base
BA81420



Margin Float

2" x 5.5"
BA70922



X-Large Sponge

7.5" x 5.25" x 2.5"
CU482XL



MicroFiber Sponge

7.5" x 5.25" x 2.5"
CU482XLMF



X-Large Scrub Sponge

7.5" x 5.25" x 2.5"
CU48GS10



Barwalt 81584 Grouting System









Cut grouting time by as much as 30%.
Includes: large bucket, 2 comfort grip
handles sponges and scrub pads.




81530 Non-abrasive pad wall
81521 Floor sponge
81511 Wall sponge
81520 Floor handle

Economy Scrubber Set

BA71191



						
SPACERS	Cross	Long	Tavy	Tee	Thin	Hollow
1/16" bag	10000 (300)					
1/8" bag			TTS-18 (100)	10120 (200)	10021 (200)	
1/8" box	11020 (1600)	11023 (1000)				16020 (500)
3/16" bag			TTS-316 (150)	10130 (150)	10031 (150)	
3/16" box	11030 (850)	11033 (600)				16030 (500)
1/4" bag			TTS-14 (100)	10140 (100)	10041 (100)	

Wedges		Large		Horseshoe Spacer	
Regular #12370 (450)		Large #12380 (75)		BA12020 ... 1/8" 160pk BA12030 ... 3/16" ... 120pk BA12040 ... 1/4" 95pk	

Ceramic Tile Hand Tools

Pro-GT Nipper

Carbide tip - offset drop forged steel curved handle center spring return 5/8" straight jaw. BA70312



Carbide Scoring Cutter

CR344G



Mosaic Adjustable Trowel

Adjusts setting material thickness to bring flush mosaic tile to field tile. GUME3332



Margin Trowel

BA70900 2" x 5"



European Notch Trowels

Sticks better with less pressure. The unique design reduces trapped air for better coverage than traditional trowels.

Microfiber Towel

18" x 18" 6 pack CUGTCT6



Gloves

Solvent resistant CU5880L Large CU5880XL XL



Screws

Box of 1,000 screws BA70811



Grout Mixer

28" shaft BA73500



Glass Mosaic Nippers

Excellent for glazed tile and glass mosaic tile. GU55W



Bucket Heater


Heats one gallon to 90° in 10 minutes UL approved. GU742G



1/4" x 1/4" x 1/4" SQ notch BA70921





1/4" x 1/4" V notch BA70920



CU85P88G SMALL 1/4"x1/4"x1/4"
CU85P51G MEDIUM ... 1/4"x3/8"x1/4"
CU85P99G LARGE..... 1/2"x1/2"x1/2"

PRS LEVELING SYSTEM

Dual purpose, spaces tile and levels tile. Fast constant installation.



Cross

Linear

T



PRSST
Tension cap



PRSSV
Removal cap

GUPRSC1 1MM CROSS LEVELER 100/BAG
GUPRSC2 2MM CROSS LEVELER 100/BAG
GUPRSC3 3MM CROSS LEVELER 100/BAG
GUPRSL1 1MM LINEAR LEVELER 100/BAG
GUPRSL2 2MM LINEAR LEVELER 100/BAG
GUPRSL3 3MM LINEAR LEVELER 100/BAG
GUPRSSV RED REMOVAL CAP 2/BAG
GUPRST BLUE LEVELER CAP 50/BAG
GUPRST1 1MM "T" LEVELER 100/BAG
GUPRST2 2MM "T" LEVELER 100/BAG
GUPRST3 3MM "T" LEVELER 100/BAG

Glue Guns & Glue Sticks

Carpet Sealing Tip

GU4RS right hand
GU4LS left hand
GU3630 adapter

Seals carpet edges with hot melt glue, increases seam strength and reduces seam peaking



Micro-Nozzle
Piercing tip
TTX-6584

Double barrel nozzle
TTX-6582


Traxx Premium Seam Seal Glue Gun



- Heats up fast-to 380°
- Holds heat longer for extended work time
- Fast feed trigger system
- Designed for seam sealing and general use TRTTX6100

TRAXX Fusion carpet seam seal sticks

Glue sticks with tracers for sealing carpet edges low melt glue SEKOOLSTICK 10" sticks 10 / pk



TRAXX TX-300

300 Watt Glue Applicator System
High Output, 30% More Adhesive
• Adjustable temperature
• Drip free nozzle
Average 1 stick per 4' tackstrip



STIXX-Tite Glue Sticks

• 45 second open time
• 5 minute cure time
• Bond to porous & non-porous substrates
TTX-6560-1 10" sticks / 18 per pack



- Tackstrip
- Metal trim
- Vinyl trim
- Wood moldings

STRETCH IN 5 MINUTES

Shears & Scissors

Crain CR496
8" curved shears



Crain CR190
Small duckbill



Crain CR187
Large duckbill



Carpet Seaming Tools

TRAXX Blue-Fin "Fusion" Premium seam iron - dual indicator lights

- Even heat over entire base
- Cooler heat shield
- Dual light indicators
- Large control knob
- 15' heavy duty cord
- Extended tail groove
- Reinforced handle



Evenly spreads heat over the entire iron base. High-quality thermostat reduces high/low temperature swings! Heat shield stays cooler to protect today's softer, temperature sensitive carpets! Heat shield temperature has been "tuned" to perfectly re-activate TRAXX seam welding sticks.

4" wide ... TRTTX6250 6" wide ... TRTTX6251

Crain #945 Electronic Heat Control

- Dual indicator lights
- "EASY READ" heat control
- Electronic heat control
- Very even heat
- Grooved base
- Low profile



Crain CR905 Premium Seam Iron Dual indicator lights

Low profile and narrow handle of this iron make it easier to get the seam together near the back of the iron. Dual indicator lights show both power-on and heating status. 12' long cord standard.



Seam Iron Case CR898

Holds 3" or 6" irons plus a roll of seam tape.



Seam Board SEBOARD

- Flexible - pulls out at wall
- Teflon coated
- Tape guide centers tape



KoolGlide "Pro" Seam Tool

The KoolGlide system is a new and completely unique method of making carpet seams. The KoolGlide tool is run **ON TOP OF THE CARPET**. The glue on the seam tape is heated from the bottom up, keeping the carpet cool and preventing distortion!

- Reduces distortion
- Eliminates smoke-odor
- Fast and easy to use
- Instant ready use
- No messy clean up
- Bonds on demand
- Reconstruct seams



KoolGlide technology uses a lightweight hand-held electronic tool that melts the adhesive using a pre-programmed heating cycle, controlled by a state-of-the-art microprocessor. KoolGlide creates a powerful bond that can be stopped and started anywhere along the seam, and can easily be removed later for easy repairs.

SEKGP	KoolGlide "Wave" Seaming Tool
SESUPERDBLTAPE	...	double glue tape 66'
SEUTILITYTAPE	utility tape 66'
SEKGS	Residential (non-silicone back).....	66'
SEKGP	Commercial.....	66'
SEKGT	tape for vinyl plank board replacement	66'

Seamer Down Pro

Powerful vacuum pulls heat and moisture up and out of the carpet while it draws the adhesive up into the carpet backing. The results are a flat cool seam that can be stretched in minutes.

Powerful 2hp motor.
TRSDPRO



LATICRETE

Showerpan & Enclosures

Shower Pan

HYDRO BAN Pre-Sloped Shower Pans come with a factory installed drain to connect directly to the domestic waste line and insure the highest quality installation available! Pre-sloped, waterproof and ready to tile!

Center Drain:

- 9351-3660-ABS 36" x 60"
- 9361-4860-ABS 48" x 60"
- 9363-4848-ABS 48" x 48"
- 9350-3660-PVC 36" x 60"
- 9360-4860-PVC 48" x 60"
- 9362-4848-PVC 48" x 48"

Off Center Drain:

- 9371-3866-ABS 36" x 66"
- 9370-3866-PVC 38" x 66"

Lineal Pans

- 9349-3466-LDP 34" x 66"
- 9349-3866-LDP 38" x 66"



Drains

Drains provide the option for virtually any type of installation. Linear Drains are available in five stock lengths. Drain Grates a designed for use with the Pre-Sloped Shower Pan to speed your installation saving time and money.

Tile-In Drain:

- 9390-6532-TI 32" "Tile-In"
- 9391-6536-TI 36" "Tile-In"



Linear Drains:

- 9385-6532-BS 32" Brushed Stainless
- 9386-6536-BS 36" Brushed Stainless
- 9385-6532-PS 32" Polished Stainless
- 9386-6536-PS 36" Polished Stainless



Drain Grates:

- 9396-0505-BS Brushed Stainless
- 9416-0505-PS Polished Stainless

Extension

HYDRO BAN Pre-Sloped Extension will let you increase the footprint of any center drain HYDRO BAN Pre-Sloped Shower installation. Easy to cut and size to fit larger showers

- 9372-2448-EXT 24"x48"



Bench

HYDRO BAN Preformed Benches are constructed with the same top quality as the other HYDRO BAN preformed products and available in two sizes to match any installation.

- 9301-1616T Triangle 16" x 16"



Seats

HYDRO BAN Preformed Seat are available in three sizes; two triangular and one convex front. Made from high density polystyrene waterproof and ready to tile for high quality rapid shower installation.

- 9302-2323-T Triangle 23" x 23"



Ramp

HYDRO BAN Pre-Sloped Ramps are designed for the perfect slope when used with the HYDRO BAN Pre-Sloped Showers.

- 9372-1360-RMP 13.5" 60" Ramp

Niches

HYDRO BAN Preformed Niche is lightweight, durable, easy to transport, handle and adjust during installation with a factory installed, code approved waterproof coating.

- 9311-1212-S 12" x 12" Square
- 9312-1212-WC 12" x 12" & 12" x 6" Combo
- 9314-1220-M 12" x 20" Mega



Curbs

Preformed Curb Overlay is designed to be used in any shower with 2"x4" curb construction to give a solid base for glass doors with pinned hinges. Preformed Curb is designed to be used in any installation requiring a full foam curb.


- 9372-0004-OVL Overlay 4'
- 9372-0008-OVL Overlay 8'



Board

Lightweight easy to handle and ready to tile wall board designed to be used in bonded tile or stone installations. It is made with a high-density, waterproof extruded polystyrene core and a reinforced, waterproof membrane on both sides.

- LAHBB12 1/2" 3'x5'
- LAHBB2 2" 3'x5'



Accessories

- 9450-0158-S 1-5/8" Screws 250pk
- 9450-0300-S 3" Screws 250pk
- 9450-0114-TW Tab Washers 250pk
- 9455-0034-PC 3/4" Pipe Collar
- 9455-0412-MC 4-1/2" Valve Collar

Better-Bench

- BB24 24" triangle
- BB30 30" triangle
- BB17 17" triangle
- BBADJ ... rectangle 14.5" x 33.5" x 60"



Kit includes:

- Sloped ProBase Shower Base available in 3 sizes
- Positive Weep Protector
- NobleSealant 150 - 10.3 oz tube
- NobleSeal® membrane for flashing at perimeter
- Preformed corners (4 inside, 4 dam)

Features & Benefits

- Presloped, waterproof shower base - ready for tile
- Polypropylene honeycomb - extra strength and durability
- Adaptable to many shower layouts and sizes
- Saves time and labor
- Available in 3 sizes

- 48" x 48" center drain 32" x 60" center drain 32" x 60" end drain
- #4203 #4202 #4200

Noble RichPan - Shower Pan Liner

Shower pan liner made of PVC 1mm, 5 year warranty. Available cut order by linear ft

- 6' x 50' NORICHP6
- 5' x 50' NORICHP5
- Outside corner: NORICPCORNR
- NobleSeal #150 Sealant ... 10oz NOSEAL150



Noble N Company ProBase



Tile Ready

Ceramic Cutting Tools



Montolit Tile Cutter 36"

This professional tile cutter can cut all types of tile, with thickness of 0 - 7/8" (0-22mm), quickly and precisely. Thanks to the large protractor square, even diagonal cutting is safe and simple. Ergonomic gripped handle and die-cast aluminium and nickel-plated steel for maximum strength and weather-resistance; cut-off device made of special non-scratch plastic. Titanium wheel as standard (special for porcelain tile); protractor square and extension close away without protruding beyond the profile of the machine. Sprung tables for safe tile splitting and extendable support rod for large-format tiles. Cutting dimensions are 36" Straight Cut & 26" Diagonal Cut. Cutter weighs 29 lbs
GU93P3

GU245T ... Titanium carbide cutting wheel


GU58RM rubber mat used when cutting Glass Mosaic tile



DeWalt D-24000 Wet Saw

- 10" blade
- 1.5 AMP 1.5 HP
- 24" straight cut
- 18" diagonal cut
- 45° & 22° degree cut
- Stainless steel rail
- Plunge cut
- Lightweight 70lbs
- Dual water nozzles



 DeWalt D24001
 Stand for wet saw, sold separately

Small Core Bits

- GUFAJ05 3/16" 5mm
- GUFAJ06 1/4" 6mm
- GUFAJ08 5/16" 8mm
- GUFAJ10 3/8" 10mm
- GUFAJ12 1/2" 12mm
 (Fits standard drills)




Large Core Bits

- GUFS25 1"
- GUFS27 1-1/16"
- GUFS30 1-3/16"
- GUFS35 1-3/8"
- GUFS40 1-1/2"
 (Fits standard grinder)




DeWalt 10" XP4 4764

- Extended performance
- XP4-4X the cutting life
- Continuous rim - wet cutting
- Quick low heat cutting
- Premium cutting matrix
- Extra life blade



DeWalt 10" 4762

- Standard performance
- Continuous rim - wet cutting



DeWalt 7" 4766

- Extended performance
- Continuous rim
- Quick low heat cutting
- Premium cutting matrix
- Wet cutting



DeWalt 4" 4729

- Wet or dry cutting
- Continuous rim
- Smooth finish

















DeWalt 10" XP4 A4769 Glass Tile Blade

- Extended performance
- XP4 - 4X the cutting life
- Continuous rim
- No vibration core
- Minimal chipping
- Wet cutting



Carpet Seam Tape

Heavy Commercial - Heavy Residential

TA-50 Gold Adhesive	4"	66' roll, Amber adhesive Wide center bead Low smoke - low odor Moderate melt iron setting 2.5		Action Jute Woven Soft-Bac LifeGuard	
Traxx STIXX S50W-BOX White	4"	Box - 2 individual 100 lin/ft rolls Wide center bead - White Low smoke - low odor Moderate melt iron setting 2.5		Action Jute Woven Soft-Bac LifeGuard	
Traxx STIXX S-60W White	6"	66' roll, 6" width Wide center bead - Amber Low smoke - low odor Moderate melt iron setting 2.5		Action Jute Woven Soft-Bac LifeGuard	
Universal EVA Adhesive					
TA-One Clear Adhesive Universal Formula Clear	4"	66' roll - UNIVERSAL ADHESIVE Universal for all backings Wide center bead - Clear adhesive 11 bead construction EVA Universal Formula HEAVY COMMERCIAL HEAVY RESIDENTIAL		Action Jute Soft-Bac Woven Life-Guard UPS UPS-Flex	
Light Commercial - Heavy Residential					
TA-40 Gold Adhesive	3"	66' roll - 9 bead construction Wide center bead - Gold Adhesive Smoke - low odor Moderate melt iron setting 2.5		Action Jute Soft-Bac LifeGuard	
Traxx STIXX S40W-BOX White	3"	200 lf Box - 2 individual 100 lin/ft rolls Wide center bead - White Low smoke - low odor Moderate melt iron setting 2.5		Action Jute Soft-Bac LifeGuard	
Standard Residential					
TA-20 Gold Adhesive	3"	66' roll - Gold adhesive Low smoke - low odor Moderate melt iron setting 2.5		Action Jute	
Double Glue					
DSPS		66' roll. PS adhesive bottom side, Universal EVA adhesive.			

Knives

Push Button Slotted Blade Knife
GU230



Action Knife Slotted Blade Knife
Chrome OR1363
Blue OR13322



Crain 217 Slotted Blade Knife



Crain 726 Slotted Blade Knife



Shark Knife
GU101SK



Includes
Plastic holder

Crain 189 Utility Knife
CR189



Orcon Action Utility Knife
Chrome OR13222
Blue OR13284



Thumb Screw Utility Knife
CR730



Wolff Dolphin Knife
WO48221 w/case



Crain Combo
CR102



Dexter Fixed blade
CR060



Dexter Custom
Gold handle
CR070



Carpet Knife
CR170



Aluminum Ceramic Tile Trim

EdgeTek

98.5" length
12 per tube
Unique Design



Tile Edge
98.5" length

- 415313 1/4" Silver
- 415314 1/4" Nickel
- 415244 5/16" Silver
- 415245 5/16" Nickel
- 415247 3/8" Silver
- 145248 3/8" Nickel
- 415250 1/2" Silver
- 415135 1/2" Nickel




Tile Reducer
98.5" length

- 415253 5/16" Silver
- 415254 5/16" Nickel
- 415255 3/8" Silver
- 415256 3/8" Nickel



Carpet Tuck
98.5" length

- 415353 3/8" Silver
- 415354 3/8" Nickel
- 415355 5/16" Silver
- 415356 5/16" Nickel



Stair Nose
98.5" length

- 415350 Silver 3/8"
- 415334 Nickel 3/8"



LVP-LVT Aluminum Trim

Stock:

Nickel Etched Nickel

Special Order (2 weeks)

Silver Etched Aluminum
Bronze .. Satin Bronze

12' length 12 per tube



End Square Cap

- 925 2.5mm
- 906 3.0mm
- 904 4.0mm
- 905 5.0mm
- 907 7.0mm



Ceramic to LV

- 230 3.0mm 5/16" Ceramic
- 235 3.0mm 3/8" Ceramic



Reducer


- 160 5.0mm



Carpet to Tile

- 130 3.0mm
- 150 5.0mm

Stairnose



- 625 2.5mm
- 630 3.0mm
- 606 4.0mm
- 608 5.0mm
- 604 6.0mm
- 612 7.0mm

T-Mold



Place 2 end caps together

Stairnose Wide Cap




- 610 5.0mm
- Wide Top
- Covers floating

LV to Carpet Tile 12'




125 mill silver finish


Stair Edge




- Outside**
340 3.0mm



- Inside**
330 3.0mm



BulletProof - Sealer 

Advanced sealer, no equal on the market. Maximum protection on natural stone against the toughest oil and water based stains. Best suited for the most porous stone surfaces. Advanced penetrating microbond protection. Will not change appearance of stone.

- Maximum stain protection
- Highest solids content
- Water based formula
- Interior and exterior use



Recommended surfaces- Natural stone and masonry surfaces, such as: Honed and Textured Marble; Textured or Veined Granite; Limestone, Bluestone, Travertine and Sandstone; Flagstone, Quartzite and Siltillo

Pint STBPSPT *112 sf Quart ... STBPSQT *225 sf

Quartz & Porcelain - Sealer 

Designed to protect quartz, porcelain tile and medium to dense surfaces from oil, water and most stains. Will not change appearance of stone. Penetrates dense surfaces, especially Quartz counter tops, like no other sealer on the market. Suitable for food service areas.

- Best sealer for dense surfaces
- Also use as pre-grout sealer
- Water based formula
- Interior and exterior use



Recommended surfaces- Engineered stone, natural stone, tile and grout, such as: Quartz, Polished Marble, Polished Granite, Porcelain Tile, Ceramic Tile
Quart STQPTSQT coverage *225 sf

Epoxy Grout Haze & Coating Stripper 

Specifically formulated to safely break down epoxy grout haze and various coatings such as varnish, lacquer, sealers, wax, paint, polyurethane and acrylic from natural stone and tile. Water-based, no harsh solvents. Fast acting, non-runny gel formulation. Cleans in ten minutes or less.

Quart STEGHCSQT Gallon ... STEGHCS1

Grout Release 


Pre-apply Grout Release on stone surfaces to easily remove grout residue. Makes grout installation cleanup easier. Prevents grout from staining stone. Makes grout installation cleanup easier. Not for use on Porcelain tile. Water based formula.
Gallon STGR1 coverage *1700 sf

Gundlach Spray-On Grout Sealer

A solvent based formula sealer designed for immediate application and deep penetration on grout. Allows the sealed grout to breathe. The inverted 'anyway' valve spray tip allows for application to grout on floors, walls and counter top surfaces from a standing position.

GUGS02 15oz can 50-100 SFfeet



Heavy Duty - Sealer 

Protects against most stains on a variety of stones. Lower solids content than Bulletproof, but equal to competitors' best sealers. Advanced penetrating microbond protection. Will not change appearance of stone.

- High solids content
- Excellent stain protection
- Water based formula
- Interior and exterior use



Recommended surfaces- Natural stone and masonry surfaces, such as: Marble, Granite, Limestone, Slate, Bluestone, Quartzite, Travertine, Sandstone, Flagstone, Siltillo.

Pint STHDSPT *112 sf Quart STHDSQT *225 sf
Gallon ... STHDS1 *900 sf

Heavy Duty Grout Sealer 

Designed for cement-based grout. Protects against oil and water-based stains.

- Excellent stain protection for grout
- Water based formula
- Interior and exterior use



Recommended for use on cement based grout.
Pint STHDGSPT *125 linear feet

Enhancer Pro Sealer 

Heavy duty sealer that seals and enhances the surface of stone to a deep rich color. Changes the appearance by deepening and bringing out the colors of stone. Weather and UV-resistant for exterior use.

- Deepens & enhances color of stone
- Excellent stain protection
- Solvent based formula
- Interior and exterior use



Recommended surfaces- Natural stone, such as: Limestone, Slate, Bluestone, Travertine, Sandstone, Flagstone, Textured Stone, Flamed Stone, Tumbled Stone
Quart STEPSQT coverage *115 sf

DeepKlenz Cleaner 

Formulated to easily power through and remove deep and stubborn grease, dirt and food stains. Safe on stone. Water based alkaline formula - 10.5 pH. Professional strength, no dilution. Cleans organic and inorganic matter. Must reseal tile/grout after use.
24oz spray STDKCRTU24OZ



KlenzAll Cleaner 

Heavy duty concentrated cleaner made to clean the toughest soils on natural stone and tile. Water-based alkaline formula - 12 pH. Safe on stone. Cleans inorganic matter. Also cleans standard cement grout haze. Must reseal tile/grout after use. Concentrated formula: dilute with warm water for various strengths/applications.
Quart STKACCONQT

Slotted - Round



Personna Armor-Edge
61-0017 100pk Round Corner
Individually wrapped blade

Traxx True-Edge
TRTXB0017 100pk Round Corner
10 plastic packs of 10 blades



Better Tools BE20101
100pk Box
100 blades in a safety dispenser box



Medium Hook

Crain 996X
15 pack in plastic case



Large Hook

BE20303R
German Technology
10 pack plastic case



Slotted - Square



Personna Armor-Edge
61-0023 100pk
Individually wrapped blade



Better Tools
100pk, BE20102N
Dispenser pack

Utility

Personna, 100pk, 61-0003
Individually wrapped blade



Tru-Edge 10/10pk TXB0203
10 each, 10 pack tubes (100 total)



LVT Platinum Blade 10/10pk
10 each 10 pack tubes (100 total)
Designed for cutting Luxury Vinyl
PSB-0109



Trimmer

Personna 61-0021
100pk
Individually wrapped blade



Single Pocket
AL84408



Single Pocket
with tape holder
GU408TH



5 Pocket
AL84007



Flat Pocket
AL84354



5 Pocket
with tape clip
GU701



Single Knife
GU67



Carpet Cutting Tools

Crain CR301
Cushion back cutter
Slender guide stays in row
30° angle blade



Crain CR303
Loop pile cutter
Stainless steel construction
30° angle blade
Adjustable throat




Crain CR302
Cushion back cutter
Slender guide stays in row
30° angle blade trims close to edge



Crain CR265
"Jus-Push"
Stand up cutter

Rough cuts carpet or cuts existing carpet into strips for removal.

Uses a hook Style or utility blade.




CR266
Replacement Point

3-N-1 Cutter CR290

Works great as carpet edge seam trimmer. Also works as a trimmer for Z-bar or vinyl molding.

- Carpet seams
- Vinyl reducer
- Z-Bar



Loop Pile Row Finder Crain CR366

Deluxe row separator
Unique action helps to separate rows even in difficult cross stitch carpet



Wall Trimmer CR246

- Quick change blade
- Adjustable shims
- Adjustable handle



Cut Pile Row Finder Crain CR367

Deluxe row separator
Unique action helps to separate rows even in difficult cross stitch carpet.



Custom Building Products

FUSION Single Component PreMixed Grout Epoxy Performance

A professional grade, single component sanded grout that requires no mixing and is ready to use on ceramic, porcelain, glass tiles and polished natural stone for exterior and interior wall and floor use. Fusion provides superior color consistency and features built-in Microban® antimicrobial product protection to inhibit the growth of stain causing mold and mildew on dried grout.

- Pre-Mixed Single Component
- Easy to Spread & Clean
- Stain & Crack Resistant
- Color Consistent
- Interior & Exterior
- Grout Joints 1/16" TO 1/2"
- Exposure To Water in 3 Days



Pre-Mixed Ready-To-Use

New Designer Colors

- #549 Smoked Quartz
- #550 Starlight
- #551 Moonshadow
- #552 Ice Crystal
- #553 Glitter
- #554 Raw Sugar
- #555 Starry Night
- #556 Gold

Stock: Kent DC - All colors: Branch - Core colors

PRISM premium cement grout



- Stain Resistant
- Color Consistent
- No Efflorescence
- Joints 1/16" to 1/2"
- Interior-Exterior

A fast-setting, lightweight, polymer-modified, cement-based grout that offers consistent color without mottling or shading, regardless of tile type, temperature or humidity. Creates dense joints that provide more stain resistance than standard cement grouts. Cures quickly and develops high early-strength, grout joints from 1/16" to 1/2". For interior or exterior installations.

Stock: Kent DC - Core colors

Custom Caulk 100% Silicone Caulk (10.3oz)

Commercial 100% Silicone Caulk is permanently flexible and is designed for use in plane and expansion joints associated with exterior or interiors applications of tile and stone. For pools and other wet applications. 10.3 ounce cartridge



Stock: Kent DC - All colors: Branch - Core colors

Color Caulk Acrylic Sanded (10.3oz)

Siliconized Acrylic Caulk is flexible and is designed for use in coves, corners, changes in plane and expansion joints associated with exterior or interiors applications of tile and stone. Sanded consistency. 10.3 ounce cartridge



Stock: Kent DC - Core colors

Core Colors

- # 9 Natural Gray
- # 10 Antique White
- # 19 Pewter
- #122 Linen
- #145 Light Smoke
- #183 Chateau
- #185 New Taupe
- #165 Delorean Gray
- #380 Haystack
- #381 Bright white
- #382 Bone
- #386 Oyster Gray

Standard Colors

- # 10 Antique White
- # 11 Snow
- # 19 Pewter
- # 22 Sahara Tan
- # 45 Summer Wheat
- # 50 Nutmeg
- # 52 Tobacco Brown
- # 60 Charcoal
- # 59 Saddle Brown
- # 95 Sable Brown
- #101 Quartz
- #105 Earth
- #115 Platinum
- #135 Mushroom
- #156 Fawn
- #172 Urban Putty
- #180 Sandstone
- #186 Khaki
- #333 Alabaster
- #335 Winter Gray
- #370 Dove Gray
- #380 Haystack
- #540 Truffle
- #541 Walnut
- #542 Graystone
- #543 Driftwood
- #544 Rolling Fog
- #545 Bleached Wood
- #546 Cape Gray
- #547 Ice Blue
- #548 Surf Green

LATICRETE LATICRETE GROUT

SpectraLock Pro Premium *Modified Epoxy*



- Modified Epoxy
- Anti-Sag
- Easy Application
- Commercial
- Residential
- High Performance

SPECTRALOCK PRO Premium Grout is a patented, high performance epoxy grout which offers excellent color uniformity, durability, stain protection, and beautiful, full grout joints in an easy-to-use, non-sag formula. Interior and exterior on floors and walls. Ideal for re-grouting applications.

Liquid Base ... Commercial (4 units), Regular (1 unit), Mini (1 mini unit)
 Colorant 9lb (4 per commercial unit - 1 per full unit)
 2.5lb (1 per mini unit)

Stock: Kent all colors / Branch core colors

Ready-To-Use *Single Component PreMixed Grout*



PRE-MIX

- Easy to spread & clean
- Stain & Crack Resistant
- Color Consistent
- Interior Applications
- Joints 1/16" to 1/2"
- No Sealing Required
- Ready To Use

READY-TO-USE Grout is an advanced professional-grade, ready-to-use premixed grout that delivers superior color consistency combined with excellent stain resistance.

Residential-Commercial Limited Colors
 1 gallon unit Translucent Available

Stock: Kent all colors / Branch core colors

Permacolor Select *premium cement grout (25lb & 12.5lb)*



base



color

- Never Seal
- Color Consistent
- No Efflorescence
- Joints 1/16" to 1/2"
- Interior-Exterior
- Base Powder
- Color Packets

PERMACOLOR Select is an advanced high performance cement grout that offers the industry's first dispensable dry pigment solution. PERMACOLOR Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications. Easy to mix, grout and clean, PERMACOLOR Select is fast setting and suitable for joints 1/16" to 1/2".

Stock: Kent all colors / Branch core colors

Latisil Caulk *100% Silicone (10.3oz cartridge)*

Commercial grade 100% silicone caulk color matched to Laticrete colors

Stock: all colors stocked Kent DC; core colors stocked at branches

Sanded Caulk *Acrylic (10.3oz squeeze tube)*

Sanded caulk color matched to Laticrete colors

Stock: all colors stocked Kent DC; core colors stocked at branches

Core Colors

- #17 Marble Beige
- #23 Antique White
- #24 Natural Gray
- #35 Mocha
- #39 Mushroom
- #40 Latte
- #44 Bright White
- #45 Raven
- #56 Desert Khaki
- #60 Dusty Gray
- #78 Sterling Silver
- #88 Silver Shadow
- #89 Smoke Gray
- #90 Light Pewter

Standard

- # 3 Silk
- #16 Siltstone
- #18 Sauterne
- #22 Midnight Black
- #27 Hemp
- #30 Sand Beige
- #34 Sandstone
- #38 River Rock
- #41 Kashmir
- #42 Platinum
- #43 Chocolate Truffle
- #46 Quarry Red
- #50 Sea Glass
- #52 Toasted Almond
- #53 Twilight Blue
- #55 Tawny
- #57 Hot Cocoa
- #58 Terra Cotta
- #59 Espresso
- #61 Parchment
- #66 Chestnut Brown
- #67 Autumn Green
- #81 Butter Cream
- #85 Almond
- #91 Slate Grey
- #92 Saltillo

Carpet Seaming Products & Tools

100% Latex:

Used for carpet seam sealing or carpet repair

WF Taylor #710 quart WF710QT



TRAXX Fusion

Acrylic sol-free
 Fast dry formula
 TRTTX885008 8oz
 TRTTX885032 32oz



Glue Down Carpet Seam Adhesive

WF Taylor #775 Solvent base
 WF775QT..... quart
 WF775PT pint



Star Roller Orcon 1361 Rubber Grip Handle



Smooth Roller Orcon 1374 Rubber Grip Handle



Box Roller CR476



Seam Bottle

With special tip for application 8oz TRHT745



Crain Thread

Natural color waxed linen CR771



Needles:

3" straight CR762 25pk
 4" curved CR765 12pk

Crain Econo

Red powder coated to prevent rust CR113 -6'



Crain Pro (spring steel)

Blue powder coated to prevent rust CR334 -6'



Seam Weight

For flatter seams TRTTX6220



Crain 180

Seam squeezers (pair)



Crain Combination Serpentine CR119 -75"



Crain Aluminum

CR536 -6' CR535 -3'



Caulk

100% RTV Silicone Caulk

Long lasting & excellent adhesion
10.3 oz with resealable cap

White GP70SWHI10
Clear GP70SCLE10
Translucent GP70STRA10



DAP Kwik Seal Tub & Tile Caulk

5oz squeeze tube

White 18001
Almond 18013



100% Silicone Color Caulk

Matches Laticrete caulk colors. 100% Silicone.
10.3 ounce tube

A superior performance 100% RTV silicone sealant that provides a flexible, water-resistant seal against moisture and mildew. Ideal for caulking and sealing bathtubs, sinks, cabinets, counter tops, shower stalls, backsplashes, plumbing fixtures, etc.

General Purpose Tape

Masking

2" x 180'
Tan
SHCP101



Silver Duct

2" x 180'
SHPC600



Paper Pad Tape

2" x 165'
SHFP96



Blue Tape Premium

2" x 180'
SHCP027



"GUMMY"

Double Sided
3/4" x 98' 1/64" thick
BRBT9374



Strapping

3/4" x 180'
SHGS501



Double Sided

Professional cloth
2" X 75'
MB2



Blue Tape Economy

2" x 180'
SSBT2180



Tackstrip Adhesive

TRAXX TX-300 / 300 watt power

Fast and easy, ready to use in 5 minutes
1 stick per 4' length of tackstrip
TX-300 glue gun


STIXX-Tite Glue Sticks

- Tackstrip
- Molding (wood & vinyl)
- Porous & non-porous substrates
- 45 second open time
- TTX65601 10" sticks / 18pk
- TTX6560B Bulk 22lb (390-400 pack)



Chemrex Masterweld

One part moisture cure polyurethane
Firm set 1-2 hours
CH94810 ... 10 oz CH94830 ... 30 oz



Parabond 363

Seam Sealer/Tackstrip
Adhesive (Non-flammable)

- High Strength
- Fast Dry
- Quick Grab

PAM363QT ... Quart



Jet-Tac

Quick set epoxy.
10oz cartridge
Fits standard caulking gun
SO650651 Cartridge
SO650650 Nozzle (3 pack)



UZIN Setting Mortar

Standard: CX-20 PowerFlex

For most tile and stone installations. CX-20 provides long working time with fast cure time. Great for everyday use.

40lb Bag Gray CX2040G White CX2040W
coverage: 1/4 x 1/4 x 1/4 SQ 80-85 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 60-65 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 16 Hours
- Interior-Exterior

Premium: CX-30 PowerFlex Plus

For most tile and stone installations. CX-30 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible.

40lb Bag Gray CX3040G White CX3040W
Coverage: 1/4 x 1/4 x 1/4 SQ 114-125 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 66-77 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 16 Hours
- Interior -Exterior
- Submersible
- Flexible

Moderate Set: CX-40 PowerFlex Advanced

For most tile and stone installations. CX-40 provides long working time with fast cure time. Great for everyday use. Moderate setting for extreme large tile. Excellent working properties

40lb Bag Gray CX4040G White CX4040W
Coverage: 1/4 x 1/4 x 1/4 SQ 105-115 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 80-85 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 4.5 Hours
- Interior -Exterior
- Submersible
- Flexible

Rapid Set: CX-33 PowerFlex Rapid

For most tile and stone installations. CX-33 provides long working time with fast cure time. Great for everyday use. Strong bonding. Submersible.

27.5lb Bag Gray CX3327G White CX3327W
Coverage: 1/4 x 1/4 x 1/4 SQ 57-63 sq/ft
Coverage: 1/4 x 3/8 x 1/4 SQ 33-39 sq/ft

LFT



- For Large Format Tile LFT
- Grout In 2.5 Hours
- Interior -Exterior
- Submersible
- Flexible

TR-400: Moisture Sensitive Stone

2-part reactive resin for moisture sensitive stone and extreme harsh conditions. Highly Flexible. 2 gallon Kit: UZTR4002

1/4 x 3/8 x 1/4 SQ 40-50 sq/ft
1/2 x 1/2 x 1/2 SQ 25-30 sq/ft

2-Part



- Reactive Resin Non-Sag
- Grout In 12 Hours
- Interior -Exterior
- Use For FRP Panels
- Use on Exterior Decks

Custom Building Products Setting Mortar

Versabond Standard Thinset

For most tile and stone installations up to 13", provides long working time with fast cure time. Great for everyday use. Strong bonding.

50lb Bag, Gray CUMTSG50, White CUMTSW50
1/4 x 1/4 x 1/4 SQ 85-95 sq/ft 1/4 x 3/8 x 1/4 SQ 60-67 sq/ft



ProLite 3-IN-1 Lightweight Medium Bed Thinset

For large format medium bed and thinset applications. High strength, lightweight formula. A 30lb bag covers the same as a conventional 50lb bag.

30lb Bag, Gray CUPLMG30, White CUPLMW30
1/4 x 1/4 x 1/4 SQ 90-100 sq/ft 1/4 x 3/8 x 1/4 SQ 63-70 sq/ft



<p>Modified - Economy Grade</p> <p>Entry level, meets ANSI 118.4</p>	<p>#252 Silver</p> <ul style="list-style-type: none"> • 50 lb Gray and White • Interior - exterior • Up to 13" tile 	<p>Silver is an economical polymer modified, bagged, cementitious thin-set powder to be mixed only with water using the thin-set method. For interior - exterior floor and wall installations of all types of ceramic & porcelain tile. Coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag</p>
<p>Modified - Premium Grade</p> <p>Premium thinsets offer great bond strength, shear strength and better for outdoor applications. Exceeds ANSI A118.4 and A118.11</p>	<p>#253 Gold</p> <ul style="list-style-type: none"> • 50 lb Gray and White • Interior - exterior • Excellent for porcelain • Up to 13" tile 	<p>Gold is a superior polymer fortified bagged cementitious thin-set powder to be mixed with water to install ceramic tile and natural stone using the thin-set method of installation. The professional installers choice. Coverage: 1/4" x 3/8" x 1/4" trowel, 60-70 sf/bag <i>PSI: porcelain 350-450 PSI</i></p>
<p>Large Format 3-N-1 Multi-Use</p> <p>3-in-1 thinsets have higher bond strengths for hard to hold products, up to 3/4" medium bed Ceramic - porcelain - stone Medium bed / anti-sag / thinset Exceeds ANSI A118.15, A118.4 and A118.11</p>	<p>#4-XLT</p> <ul style="list-style-type: none"> • 50 lb White & Gray • Medium bed or thinset • Anti-sag for large format • Ultimate porcelain & stone • Large format tile & stone 	<p>4-XLT is a multi-use, polymer fortified adhesive mortar. 4-XLT offers tremendous utility including non-sag wall installations, medium bed build up of up to 3/4" and thin-set applications of floors. Interior & Exterior "Extra Heavy" rating. Coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag <i>PSI: porcelain 460-500 PSI</i></p>
<p>Lightweight Multi-Use</p> <p>Coverage of 30lb bag is equal to conventional 50lb bags. Ceramic - porcelain - stone Medium bed / anti-sag / thinset Exceeds ANSI A118.15, A118.4 and A118.11 ISO C2TES1P1 *Can be mixed with Permacolor Select colorant.</p>	<p>TriLite</p> <ul style="list-style-type: none"> • 30 lb White & Gray • Medium bed or thinset • Anti-sag for large format • Ultimate porcelain & stone • Large format tile & stone 	<p>TriLite is a multi-use, polymer fortified adhesive mortar. Tri-Lite offers tremendous utility including non-sag wall installations, medium bed build up of up to 3/4" and thin-set applications of floors. Interior & Exterior. Not for immersion applications. Lightweight 30lb bag same coverage as conventional 50lb bags. Coverage: 1/4" x 3/8" x 1/4" trowel 60-70 sf/bag <i>PSI: porcelain 400-425 PSI</i></p>
<p>Rapid Set</p> <p>Fast setting, excellent for cold weather Grout in 2-4 hours</p>	<p>#253-R Gold</p> <ul style="list-style-type: none"> • Grout 2-4 hours • Interior - exterior • 25 lb bag Gray 	<p>253R Gold Rapid is a fast setting, bagged cementitious powder to be mixed only with water to install ceramic tile, porcelain tile and stone using the thin-set method of installation. Tile up to 13" Coverage: 1/4" x 3/8" x 1/4" trowel, 30-35 sf/per 25lb bag</p>
<p>High Performance</p> <p>For submersible applications Ultimate bond strength and flexibility ASTM C627 Extra Heavy Rating Exceeds ANSI A118.4, A118.11 and A118.15 Excellent for glass tile Submersible applications</p>	<p>#254 Platinum</p> <ul style="list-style-type: none"> • 50lb Gray and White • Ultimate porcelain & stone • Maximum strength • Excellent for glass tile • Submersion 	<p>The ultimate one-step, polymer fortified, thin-set mortar for interior and exterior installation of ceramic, porcelain, thin porcelain, stone, quarry tile, pavers and brick. Designed to just mix with water, has a long open time with unsurpassed adhesion and workability. Excellent for exterior and underwater applications. The ultimate thin-set for porcelain, thin porcelain, and glass tiles. Coverage: 1/4" x 3/8" x 1/4" trowel 50-60 sf/per 50lb bag <i>PSI: porcelain 475-520 PSI</i></p>
<p>Moisture Sensitive Stone</p> <p>For moisture sensitive stone Interior - exterior applications Fabricating marble & stone 2-part epoxy</p>	<p>300 Epoxy</p> <ul style="list-style-type: none"> • Water cleanable • Moisture sensitive stone • Permanent bond 1 hour • Non-staining 	<p>A chemical resistant, epoxy adhesive that will bond to most sound, clean surfaces. Adhesive spreads easily and cleans with water while fresh. Consists of epoxy resin, hardener and chemical resistant silica filler. Can be used on interior and exterior (see limitations) walls and floors, wet and dry areas. Coverage: 1/4" x 1/4" x 1/4" trowel, 30-35 sf/kit</p>
<p>Crack & Sound Reduction</p> <p>Reduces sound transmission Crack isolation up to 1/8" Sound reduction ASTM E2179 and E492 sound isolation</p>	<p>#125</p> <ul style="list-style-type: none"> • Sound reduction • Crack isolation • Kevlar reinforced 	<p>125 Sound & Crack Adhesive is a superior crack prevention for crack isolation for ceramic tile and stone installations. 125 is a single component adhesive mortar which takes the place of costly time consuming membrane or mat systems. Coverage: 1/4" x 3/8" x 1/4" trowel, 60-70 sf/bag per 25lb bag</p>

<p>Lino-Cut Wolff #WO40262 Quality seam cutter for linoleum & commercial PVC sheet goods scribes & cuts in 1 pass</p> <p>Blades 10pk WO13429</p> 	<p>Green-Cut #63998 Strip & Salvage Edge Cutter Cuts selvage edge off prior to seaming and cuts strips</p> <p>Straight Blades 100 pk #13419</p> <p>Hook Blades 100 pk # 13421</p> 	<p>Heat Gun CR995 Up to 1000°</p>  <p><i>*Comes with case</i></p>
<p>CR460 Applicator bottle</p> 	<p>Crain #340 Armstrong style edge trimmer Quickly trim the factory edge of non-patterned commercial sheet vinyl CR341 S-32 blades (each)</p> 	<p>Dividers CR380 1380F Tip 1380G Body 1380P Pen tip</p> 
<p>CR333 3-wheel hand roller Extendable handle 17" to 27"</p> 	<p>"J" roller CR346</p> 	<p>Wax Rings</p> <p>With flange ... PA90220</p> <p>W/o flange PA90210</p> <p>Bolts PABOLT</p> <p>Bolt covers ... PAFLUI7115</p> 
<p>36" Vinyl Dolly CR016 36" vinyl dolly</p> 	<p>Steel Hand Roller Round head: 9" handle CR349</p> 	<p>Scribe Paper</p> <p>Black Fortifiber 36" x 150' FOA522040</p> <p>White Fortifiber FOSCRIBE 36" x 100'</p> <p>USG Scribe Paper USGP ... 3' x 167' (500 s/f) (Same paper that is on sheetrock)</p> 
<p>Lino Roller</p> <p>Comes with carry Case with wheels</p> <p>CR075 #75</p> <p>CR076 #100</p> 	<p>Scribes</p> <p>CR111 6"</p> <p>CR188 Hinge scribe</p> <p>CR194 Corner scribe</p> 	

Knee Pads

TRAXX 400-PRO

Full Knee & Shin Support
Comfortable for all day use.
Lightweight durable outer layer.
Wide flat base for maximum support.
Washable replacement components.
Knee Pad: TTX-6440
Replacement inserts: TTX-6441



TRAXX 200-PRO

Standard Knee & Shin Support
Comfortable for all day use.
Lightweight durable outer layer.
Wide flat base for maximum support.
Washable replacement components.
Knee Pad: TTX-6420
Replacement inserts:
TTX-6421 (pair)
Replacement Straps:
TTX-6422 (each)



Platinum Knee Pad

Dense foam protection.
Adjustable straps for comfort.
Shin support relieves pressure
at knee and toes.
CUP1KP1



Alta 50423

NoMar long cap dual
AltaLoc Buckle Strap
allows traction resists
marring vinyl floors



Alta 50903

PROLINE round hard
white cap dual AltaLoc
Buckle Strap 1/2" high
density cushion



Alta 30903

Leather Knee Pad
Top grain leather
thick felt lining



Gundlach GU209-XLL

Super-Soft
leather cover
velcro straps



Alta 50703

Cordura nylon face
dual AltaLoc
Buckle Strap
ideal for delicate
surfaces



Ultra-Lite

Maximum comfort and
flexibility, non-skid
BA20010



Alta 50403

hard plastic cap
buckle strap



Crain CR197

Neoprene comfort, wide dual
velcro strap comfortable
protection protects when
kneeling protect from knee
kicking



Crain CR199

Polyurethane skin "Comfort"
knee pads. Provides protection
when kneeling or when using
a knee kicker. Wide velcro
straps.



Safety & Moving Products

CR280 Air Sled

lifts up to 800 lbs
on a cushion of air



Carpet Cart

compact
GU427



Carpet Cart

large GU847
(special order)



safety glasses

elastic strap
BA70708



2-strap mask N95

particulate mask
with respirator valve
MED-10008N 10 pk



latex gloves

large 100pk
BA71911



rubber gloves

solvent resistant
large CU5880L
XL CU5880XL



Ceramic Waterproofing

LATICRETE



Hydro Ban "QUICK CURE"

HYDRO BAN Quick Cure is a rapid, thin, liquid applied ready-to-use waterproofing membrane that is ANSI A118.10 Compliant. Featuring wet-cure technology, this allows curing even in humid, cold and damp environments. Quick Cure allows for flood testing within 30 minutes allowing contractors to install a shower system all in one day. Designed for both commercial and residential tile installations. Suited for interior substrates, Quick Cure creates a continuous waterproofing barrier with outstanding adhesion. It bonds directly to metal, PVC, stainless steel and ABS drain assemblies.

LAHBQC1 1 Gallon approximate coverage 125 sf/gallon



- * Flood Test In 30 Minutes
- * Crack Isolation Up To 1/16"
- * Bonds Directly To Metal
- * Thin .3mm Cured Thickness
- * TCNA Heavy Rating
- * Moisture Cured
- * 2-Coat Application
- * Exceptional Rapid Cure

LATICRETE



HydroBan

Hydro Ban is a liquid applied, thin waterproofing anti-fracture membrane that combines optimum performance and unmatched productivity. Hydro Ban is rapid drying allowing for a faster time to tile and flood testing, as well as faster flood testing in cold temperatures and over mortar beds. Hydro Ban does not require the use of fabric in the field, coves or corners and bonds directly to metal and plastic plumbing fixtures. LAHYDROBAN1 ... 1 gallon LAHYDROBAN5 ... 5 gallons

- * Flexible Liquid Rubber
- * Mesh Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours

LATICRETE



HydroBarrier

HYDRO BARRIER is a thin, load bearing, self-curing liquid rubber polymer which can be easily applied to form a flexible seamless waterproof/anti-fracture membrane. HYDRO BARRIER can be used on interior and exterior, horizontal or vertical surfaces and is approved by IAPMO for use as shower pan liner.

LAHYDROBARRIER3 ... 3.5 gallon

- * Flexible Liquid Rubber
- * Mesh Required
- * 50 sq/ft per gallon as W/P
- * Fast Dry (2 hours)
- * Flood Test 24 Hours



CustomSpeedcoat



RedGard SpeedCoat is a revolutionary new formula. Its cross-linking, moisture-cure technology allows for fast cure times even in cold and damp conditions. Suited for both commercial and residential shower installations, RedGard SpeedCoat creates a continuous waterproofing barrier with outstanding adhesion in tile and stone floors.

CURGSC1 1 gallon

- * Flexible Acrylic
- * No Mesh Required
- * 46 sq/ft per gallon as W/P
- * Fast Dry (1 hour)
- * Mesh In Corners



Custom RedGard



Ready-to-use elastomeric waterproofing membrane for both commercial and residential tile and stone application. Suited for interior and exterior substrates, RedGard® creates a continuous waterproof membrane barrier with outstanding adhesion and reduces crack transmission in tile and stone floors.

CULQWAF1 ... 1 gallon CULQWAF3 ... 3.5 gallon

- * Roll On Application
- * 55 sq/ft per gallon (W/P)
- * Fast Dry (1-1/2 Hour)
- * Mesh In Corners

Sound & Crack Reduction Mortar

LATICRETE



Laticrete #125 Sound & Crack Isolation Thinset

LATICRETE® 125 Sound and Crack Adhesive Comprised of a special latex, and Kevlar® reinforced rubber fibers, LATICRETE® Sound & Crack Adhesive reduces impact sound transmission and provides exceptional anti-fracture protection – all in one simple step! Just mix with water, spread and set! IIC Rating 60

LA12525 25# bag coverage: 80-95 sq/ft 25# bag 1/4" x 1/4" x 1/4" trowel

Ceramic Tile Membrane - Fabric

Traxx TraxxShield100 moisture & anti-fracture membrane

TraxxShield100™ has been designed and developed to solve the problem of moisture vapor emission damage from concrete slabs into the finished flooring at relative humidity levels up to 100%. Its special formulation of rubberized copolymers not only provides this moisture suppression quality, but the adhesion properties allow the contractor to adhere this underlayment to the concrete slab. The flooring contractor now has the confidence that he has installed a fully integrated flooring system. The proprietary fabric design of the top layer is unique in both blocking moisture vapor emission from the slab upward and blocking plasticizer migration from the floor covering downward. This top fabric layer also provides an excellent bonding surface for applying the floor covering adhesives.

- Moisture RH 100%
- Bridges cracks to 1/8"
- 3/8" Anti-Fracture
- Sound: IIC Delta 21



- Ceramic & Stone
- Carpet
- Vinyl Tile
- VCT

- TSU-40100 - 200 sf roll
- TSU-40200T - Tape
- TSU-40200p4 - Primer 1 gal
- TSU-40200P5 - Primer 5 gal

Strata-Mat uncoupling membrane

STRATA-MAT is a next generation high performance uncoupling mat for use under ceramic tile and stone installations, for both residential and commercial applications. Designed to replace traditional underlayment materials. The unique patent pending design of STRATA-MAT provides for an enhanced mechanical bond of the adhesive mortar and provides for faster drying of the mortar, allowing for shorter time to grout. Specifically designed for use with both modified and unmodified mortars, STRATA-MAT allows for the proper adhesive mortar to be used with porcelain or large format tiles and stone.

- Mortar Hydration Vents - creates a mechanical bond
- Provides vapor management
- Eliminates transmission of in-plane substrate cracks of up to 1/8"
- Instant coverage verification
- Rated Extra Heavy per ASTM C627
- Lightweight, easy to carry and fast to install with standard tools
- Can be used under moisture sensitive stone

LASTRATAMAT150 ... 150 sf

LASTRATAMAT323 ... 323 sf



EasyMat with SoundGard 5mm IIC Delta 20

A versatile mat underlayment for setting tile and stone over any acceptable subfloor. EasyMat is up to 25 times lighter than 1/4" backerboard, cuts easily with a utility knife, doesn't require any nails or screws, and comes in a peel & stick version. The mat was specially designed so that the mortar locks in. Crack-prevention system for subfloor movement up to 1/4". It is a superior alternative to cork underlayments because it will not rot, shrink, or absorb water. EasyMat has SoundGard Technology and therefore offers high and credible impact sound reduction. Standard grade is applied to substrate with thinset.

- 3mm ... 4' x 100' standard CUSGL3
- 5mm ... 4' x 75' standard CUSGL5
- 5mm ... 4' x 75' peel & stick CUSGL5P
- Primer CUPSAP1 1 gallon approx 150 s/f



- Faster to install than 1/4" backerboard
- Up to 25 times lighter than 1/4" backerboard
- Cuts easily with a utility knife
- No mechanical fasteners or tape needed
- High and reliable-impact sound reduction


Custom Crack Buster

A self-bonding, 40mil, fabric-reinforced asphaltic mat that reduces crack transmission in tile and stone floors. For both full and partial floor applications, Crack Buster Pro is an anti-fracture membrane for horizontal cracks up to 3/8". Its strong self-adhesive backing and uniquely designed surface provide secure bonding for all types of ceramic tile, natural stone and terrazzo.

- Extra heavy-duty rating
- Exceeds ANSI for crack isolation material
- Eliminates crack transmission

Crack isolation up to 3/8"

- 225 sq/ft roll CUCBMP36
- Peel & Stick Primer ... CUPSAP1 1 gallon (400 sf)



Cutters

BULLET MAGNUM SHEAR

- * Heavy Duty Cutting
- * Laminate-Hardwood
- * Vinyl-LVP-LVT-VCT
- * Carpet Tile

- 26" BU526 Blade: BU526B
- 20" BU520 Blade: BU520B
- Special order



BULLET EZ-CUT

- * Standard Duty Cutting
- * Laminate
- * Vinyl-LVP-LVT-VCT
- * Carpet Tile

- 26" BU126FLR Blade: BU126B
- 20" BU120FLR Blade: BU120B
- 13" BU113FLR Blade: BU113B
- 9" BU009 Blade: BU109B



Bullet Shear Heavy Duty

Quickly cut luxury vinyl tile, carpet tile, resilient, cork, and rubber tile, and more for your soft flooring installation projects.

MAGNUM SHEAR HD

- 20" BU920
- 26" BU926
- 40" BU940

- Laminate floor
- Rubber tile
- LVT-LVP

Special Order



Bullet Vinyl Cutter

Quick accurate cuts on vinyl plank up to 9.5" wide. BT92-2195

The Bullet Vinyl Cutter makes quick, accurate cuts on vinyl plank flooring up to 9.5" wide and 7/16" thick. Achieve faster and easier installation of vinyl flooring while maintaining professional results. Our specialty bi-metal blade cuts through thick Luxury Vinyl Planks with ease and lasts up to 5000 square feet installed.



Bullet Vinyl Rip Cutter

Quickly and accurately rip cuts vinyl plank up to 9.5" wide. BT9-22095

The Bullet Vinyl Glider gives the professional an easy solution to rip-cuts. Make straight, clean, score-and-snap cuts on luxury vinyl planks or luxury vinyl tile up to 9.5" wide. Achieve faster and easier installation of vinyl flooring while maintaining professional results.



VCT Tile Cutter

Crain CR001

Cuts: 12"x12" straight with roller case



Crain CR008

Cuts: 18"x18" straight 12"x12" diagonal Heavy duty

SPECIAL ORDER




D-CUT RC-230 9"

Contour Wall Base Cutter

- * Rubber-Vinyl Contour Base
- * Bevel Cuts Outside Corners

RC200 Cutter
DCRC200B Replacement Blade



Hand Scrapers - Scraper Blades - Carpet Clamps

CR390
5" blade
CR391 blade only

Crain CR375
Stand up 8" blade

CR360
18" handle
4" blade

CR350
12" handle
4" blade

Carpet Clamp CR844

Extends from 39" to 59"

8"
Personna **ArmorEdge 61-0032 (10pk)** TRAXX Tru-Edge TRTXB0032 (10pk)

5"
Same thickness as 8" blades CR391 (10pk)

4"
Personna **ArmorEdge 61-0027 (10pk)**
TRAXX Tru-Edge TRTXB0027 (10pk)

Floating Floor Tools

AquaBar Barrier Paper
Asphalt laminated duplex type kraft paper
3' x 167' (500 s/f approx) FOAQUABAR
AquaBar is an extremely effective moisture vapor retarder for use under hardwood flooring. AquaBar slows moisture migration and is a superior vapor retarder. It is not a waterproof membrane.

6mil Poly
6mil polyethylene film for moisture protection
FOPOLY
120 sf (10'x12')

Waterproof Tape
For underlay and carpet pad
FOTAPE ... 2" x 165'

RO1026
Installation Kit
30 spacers, 1 tapping block, 1 pull bar

Tongue & Groove Adhesive
Universal tongue & groove adhesive for wood and bamboo flooring
WF204916 ... 16oz

CR565 18' strap

CR560 Pro Pull Bar

Tapping Block
Mannington MA801926 White
Crain CR563 Black with handle

GUAV2 spacers
Quick adjust with turn of knob, holds position until reversed
4 spacers per box

CR562 spacers
U-shaped will not tip over
3/16" one side
1/4" one side (10pk)

Brooms & Sweeping

Split Tip Premium Broom
Orange bristles
* Handle sold separately
GU3609109 ... 24"
GU3609110 ... 36"
GU3609111 ... handle (Gator Grip tip)

Economy Broom
24" soft bristle
with handle ... TA314 ... 24"

Broom Handle 60"
Metal threaded tip
Fits economy broom
GU0162

Brace
GU0002

Metal Dust Pan
CR666

Duster Brushes
Fiber handle 9" brush 14" overall
GU3609106 ... Horsehair (brown)
GU3609108 ... flagged soft poly (gray)

Sweeping Compound
Wax Based 40 lb.
HASRWA40
Oil Based 50 lb.
HASRST50

Floor Protection

Floor Film
Clear, self-adhering protective film, uniquely formulated adhesive system lightly adheres to all surfaces. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. Temporary use only.

Floorotex Multi Surface Protection
Innovative surface protection suitable for all types of flooring and counter tops. Made of a strong polyester fiber that is waterproof and breathable. A light tack adhesive holds Floorotex in place. The polyester cushion helps protect from dropped objects and foot traffic.

- Hardwood
- Laminate
- Carpet
- Vinyl
- Ceramic
- Reusable

WATERPROOF

Builder Board

- Heavy Duty - Reusable 45 mil
- 100% recyclable 33% post consumer
- Tough enough to be driven on
- Less expensive than Masonite
- 1/3 the weight of 1/8" Masonite
- Easy to install - lays fast and flat
- Can be seamed together for large areas
- Allows moisture, vapors etc. to escape
- Non-staining

SSBLD38100 ... 38" x 100'

WATER-SHIELD Reinforced Kraft Paper
Thicker than standard builder paper and moisture resistant. Made from 2 Kraft Papers bonded together.
2 mil Fiberglass Reinforced
SSWS36300 36" x 300'

MOISTURE MITIGATION

TRAXXSHIELD 100 Moisture Membrane Underlay

TraxxShield-100


100% RF protection, Peel&Stick bottom side.
Fabric bonding surface top side.

- no moisture testing required
 - moisture reduction to 100% RH
 - sound reduction to Delta IIC 21
 - up to 14 pH
 - bridge cracks up to 1/8"
 - Carpet - VVP - LVT - VCT - Ceramic
 - Approved Commercial Sheet Vinyl
- TRTSU40100 200 sf/roll

TraxxShield-DS


100% RF protection, Peel&Stick bottom side.
Pre-Applied Peel&Stick adhesive top side

- no jobsite applied adhesive
 - no moisture testing required
 - moisture reduction to 100% RH
 - sound reduction to Delta IIC 21
 - up to 14 pH
 - bridge cracks up to 1/8"
 - Carpet - LVP - LVT - VCT
- TRTSU40100PS 200 sf/roll



Tape 165 lin feet

TRTSU40200T



Primer

TRTSU40200P4 1 gallon

TRTSU40200P5 5 gallon



Uzin RR-185 100% Moisture Membrane



Uzin RR-185 is a loose lay moisture membrane, providing 100% RH protection over multiple substrates. Fast and easy to install, roll out over smooth concrete. RR-185 minimal thickness adds little to height elevation.

There is no tape required at the seams.

- * Resilient Sheet, Tile & Plank
- * Carpet Tile & Broadloom
- * Ceramic Tile



UZIN PE-460 2-component Epoxy Moisture Mitigation - fast dry - NO LIMIT

- NO LIMIT ON MOISTURE
- COVER READY IN 4 HR*
- WATER & SOLVENT FREE
- UNAFFECTED BY HIGH PH
- SOLIDIFIES SURFACE
- CHEMICAL RESISTANT
- EASY ROLL ON APPLICATION
- 2.5 GALLON UNIT
- 270 SQ/FT PER UNIT

* when used with accelerator / use (2) 7oz bottles per unit ... UZPE4602.5 ... 2.5 gallon 250 sq/ft per unit per coat

A two component epoxy resin moisture vapor retarder for concrete substrates with high residual moisture. UZIN PE 460 can also be used as a surface hardener for absorbent substrates and as a bonding agent. For interior and exterior use.

* Sold to approved applicators only (UZACC7 7oz accelerator, 4 hour dry time, use two accelerators per unit)



Sahara - liquid trowel on moisture reduction 1 coat system

Sahara™ was developed to tackle the most challenging moisture mitigation issues by offering premium protection in a 1-part, 1-coat system. Sahara™ forms a clear, water repelling moisture vapor barrier that can handle up to 99% (RH), making it one of the most aggressive moisture mitigation products on the market. Designed to be used in conjunction with approved patch & leveler and Taylor Engineered Adhesives. WFSAHARA2 ... 2 gallon unit up to 240 sq/ft per unit * **MUST USE ENHANCER WHEN GLUING TO SAHARA**



WF Taylor Enhancer: Apply WF Taylor Enhancer over Sahara for adhesive bonding purposes. Enhancer allows adhesive to bond to the extremely non-porous Sahara surface. WFEHANCER1 1 gallon



Zephyr - liquid roll on 2-coat reduces RH up to 95% RH

Moisture mitigation doesn't always have to come at a price. Zephyr gives protection up to 95% (RH) at a pricepoint that is much more attractive than competing systems. With quick and easy application, Zephyr is sure to be a favorite for customers with common moisture issues.

WFZEPHYR4 4 gallon bucket approximate coverage: 500 sq/ft per 4 gallon unit



Surface Strengthening Primer - solidifies Gypcrete - 1 component fast dry

Uzin PE-414 is a one component polyurethane (PU) fast drying primer. PE-414 acts as a strengthener and barrier coat on absorbent and non-absorbent surfaces. Used as a moisture vapor retarder on concrete substrates with residual moisture up to 7 lbs. MVER or 90% RH (ASTM F2170). A two coat application is required when used for mitigating moisture.

UZ79281 1200 sq/ft per unit dry time: porous 40-90 min non-porous 60-150 min

PORTA-NAILS

Hardwood Flooring Staplers

ENGINEERED HARDWOOD

#461-A 18 gauge

- Adjustable shoe base
- Two adjustments fine tune the staple position
- Includes Carrying Case and Safety Goggles
- Safety is built into the shoe base
- Uses 7/8" - 1 1/2" 18ga 1/4" crown staples
- 5,000 per box

TXF1828CGR 18ga 1/4" crown ... 7/8"

TXF1832CGR 18ga 1/4" crown ... 1"

TXF1836CGR 18ga 1/4" crown ... 1-1/8"

TXF1840CGR 18ga 1/4" crown ... 1-1/4"

TXF1848CGR 18ga 1/4" crown ... 1-1/2"



SOLID HARDWOOD

#RO465-SLT 15-16 gauge 3-IN-1

- Accepts 16ga T-nails, L-nails
- Accepts 15ga and 16ga 1/2" crown staples
- Includes Carrying Case and Safety Goggles
- 70-115 PSI
- Self leveling front plate
- Lightweight design
- No-mar pad
- Comes with mallet
- Fastener capacity: 100



#4702 1,000 pk L-nail ... 2"

#4703 1,000 pk L-nail ... 1-3/4"

#4704 1,000 pk L-nail ... 1-1/2"

#42640 1,000 pk T-nail ... 1-1/2"

#42629 1,000 pk T-nail ... 2"

#47271 1,000 pk staple ... 1-1/2"

#47261 1,000 pk staple ... 2"

BAMBOO

#RO418-A 18 gauge

- Unique ram design, hit at any angle
- Gets closer to the wall
- Can operated height adjustment
- Quick access valve & main piston
- Safety mechanism built-in
- Fastener capacity: 110
- 18 gauge "L" cleats

#41801 2,000 pk 18ga L-nail ... 1-1/4"

#41802 1,200 pk 18ga L-nail ... 1-1/2"

#41803 1,200 pk 18ga L-nail ... 1-3/4"



Paint Rollers - Roller Covers - Roller Trays - Brushes

18" Roller Frame
Angle Adjusts WF92114



18" Roller Tray
HD Plastic WF92113



18" Micro-Fiber Cover
3/8" Nap - Primers
WF91813



18" Fabric Cover
3/8" - Adhesive
WF91809



Roller Frame
9" ... MC799



60" Wood Handle
With metal threads
GU0162



Roller Tray
MC744



Chip Brush
1" MC891
2" MC893
3" MC895



Nubby Style Covers
9" ... 99C GU99C



Mohair Nap #MC735
9" ... 3/8" nap plastic core



Plastic Laminate Installation Tools

10' all purpose file
GU10AP



Laminate Slitter T78
From 1/2" to 4.25" for self edge
& back splash
GUAT109



Crain Metal Miter
Cuts metal trim edge
Handle CR845
Die set w/blade CR850



CR344 Score All
344G



Laminate Shears
GU11LS




Plastic Laminate Countertop Metal Trim

#91
Convex cove 12'
91S Silver



#92
Narrow Cove 12'
92S Silver



#90
Wide Cove 12'
90S Silver



#80
Cap w/Flange 12'
80S Silver



#81
Flatback Cap 12'
81S Silver



#94
Divider 12'
94S Silver



#93
Out Corner 12'
93S Silver



Extreme Skim Coat Patch (emboss no additive)

UZIN 888
"Extreme"



"sticks to glass!"

- Feather to 1" thick
- Emboss with no additive
- Adheres to non-porous substrates
- Fast drying - cover 15-20 min
- Premium performance
- Creamy & extremely smooth
- For wood & concrete substrates
- Interior applications

UZIN 888 is a fast drying, highly versatile smoothing compound for repair, filling and patching. It can be used on wide range of substrates prior to installation of most flooring products. UZIN 888 has very fine aggregates enabling it to be applied by trowel from a true feather, edge up to 1" depth in a single application. It has superior bonding properties to plywood, concrete, ceramic tile, terrazzo, and old non-water soluble adhesive residues including properly prepared cutback adhesive residues without the use of a primer. It is quick drying cement which allows for most floor coverings to be installed within 15 minutes on absorbent substrates.

UZ77351 ... 10lb bag (airtight plastic) 30 sf @ 1/8" thick

Premium Skim Coat Feather Patch

UZIN 886



- Feather to 1/2" thick
- Fast drying - self hydrating
- Premium performance
- Creamy & extremely smooth
- For wood & concrete substrates
- Interior applications

UZIN 886 is a rapid setting, quick drying smoothing compound for repair, filling and patching. It can be used on a variety of substrates to repair subfloor imperfections prior to the installation of most flooring products. UZIN 886 has very fine aggregates enabling it to be applied by trowel from a true feather edge up to 1/2" depth in a single application. The quick drying formulation allows most floor coverings to be installed within 15 - 20 minutes on absorbent substrates. 886 is an ideal material for skim coating and covering/smoothing minor imperfections.

UZ77352 ... 10lb bag (airtight plastic) 33 sf @ 1/8" thick

General Purpose Patch

Webcrete 95



Webcrete 95 is a fast-setting, latex-fortified Portland cement patch for interior use. Webcrete 95 may be used to skim coat or feather edge finish up to 1/2" deep in one application. Floor covering can be installed in as little as an hour. Webcrete 95 is extremely flexible and resilient for use to patch and smooth floors. Webcrete 95 can be used as an embossing leveler when used with DL-16 additive.

DA9525 ... 25lb bag 30 sf @ 1/8" thick

DA4251 ... 1 gal additive DA4255 ... 5 gal additive

Deep Fill Ramping - Repair Mortar

UZIN 182



- Unlimited Thickness
- Feather Edge
- Walk on in 20 minutes
- Cover in 60 minutes (3/8")
- High PSI
- Creamy & smooth

A universal, trowelable, fast setting, low slump patching and repair compound for any depth. This fine, cement-based material is suitable for filling holes, cracks and making general surface repairs to concrete substrates. It is also recommended for smoothing and repair work on concrete stairs and for ramping transition areas. It is a fast drying, high strength, easy to sand compound suitable for most floor coverings including wood products in areas with heavy wear demands. **Prime porous substrates prior to application.**

UZ77350 ... 20lb bag 22.5 sf @ 1/8"

Crack Reinforcement

UZIN RR-203 Crack Bridging

Fiberglass crack reinforcement strands used for bridging substrate cracks and joints up to 1/4" wide and with 3/16" maximum movement. Suitable for/on: Control joints and trenches in concrete / Joints in plywood and between different substrate types / Wood plank substrates and OSB / Existing substrates subject to slight vibration Patch with Uzin 888

UZ79682

2' wide x 2.6 lin/feet



Floor Primer PH Reducer

WF Taylor #2025 Primer

An acrylic latex solution made for use as a primer coat on floor patch, acoustical concrete and other porous surfaces to prevent over absorption of adhesive and to ensure a better bond. Also use to neutralize excess alkali.

WF20254 4 gallon

WF20251 1 gallon

Approximate coverage: 500 s/f per gallon





SELF LEVELING

UZIN #157



- feather to 2"
- extremely smooth
- reduced floor prep
- 4000 PSI
- resilient flooring 24 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# 77347 50lb bag

UZIN #150



- feather to 1"
- extremely smooth
- reduced floor prep
- 4100 PSI
- resilient flooring 24-36 hours
- working time 20-40 minutes
- high-yield 58 sf @ 1/8"
- item# 77346 50lb bag

UZIN #170



- feather to UNLIMITED DEPTH
- extremely smooth
- 5300 PSI
- walkable wear surface covered
- resilient floors 16 hours
- working time 20-40 minutes
- walkable wear surface 5300 PSI
- high-yield 60 sf @ 1/8"
- item# 77348 50lb bag

UZIN #172 Turbo



- feather to UNLIMITED DEPTH
- extremely smooth
- reduced floor prep
- 7500 PSI
- TURBO-FAST
- item# 77349 50lb bag

- Install in 2 hours
- working time 15 minutes
- industrial wear surface
- high-yield formulation
- high-yield 60 sf @ 1/8"

UZIN #110 Gypsum



- feather to 2"
- extremely smooth
- walk on 2 hours
- install flooring 16-24 hours
- 5200 PSI
- coverage 60 sf @ 1/8"
- item# 83246 50lb

UZIN Self Leveling Primer

PE-260: versatile, 2-3 hour dry time, diluted for multiple applications

2.6 gal unit 1200 sf per unit
1.0 gallon "CUBE-IT" box with spout 500 sf per unit

PE280: ready to use, carbon fiber, fast dry, 1 hour dry time, grit surface for maximum adhesion
2.6 gal unit 1200-1800 sf


Reinforcing Fiber:

add to leveler to reduce cracking. One bag per 50lb bag of leveler.
UZ11725



UZIN RR-201 Reinforcing Fiber

A fiberglass reinforcing mesh with extremely high tensile strength and a tremendous reinforcing effect when used in conjunction with UZIN primers and leveling compounds. For reinforcing all types of substrates which are weak, cracked, or wood substrates which are prone to vibration.
3X increase in flexural strength.
UZRR201280
280 sq/feet



TOOLS:

- | | |
|----------------------------------|-----------------------------------|
| UZ59973 ... mixing drum kit | UZPIN20 leveling pins (20pk) |
| UZ59267 ... 16 gallon drum only | UZ52298 ... leveling rake |
| UZ9191 8 gal mixing bucket | UZ59771 ... 24" gauge rake |
| UZ10412 ... 2.4 gal water bucket | UZ59361 ... smoother |
| WO51549 .. spike shoes | UZ12503 ... spike roller handle |
| UZ13606 ... flat cage paddle | UZ13637 ... 10" spike roller |
| UZ59597 ... oval mix paddle | UZ13638 ... 29" spike roller |
| | UZ12494 ... 10" roller frame |



Slip On Spike Shoes



Medium ... size 9 & under
Large size 10 to 11.5
X-Large ... size 12 & up

Contact Adhesives - Solvents - Cleaners

WF Taylor Touchdown #1-N Natural Color Brush grade multi-purpose solvent based contact

Pint flammable WF1NPT
Quart flammable WF1NQT
Gallon flammable WF1N1
4 gallon flammable WF1N4



#9 Safety Solvent

WF09PT ... pint
WF09QT ... quart



3M Fastbond 30

Water based contact green color
3MFB30QTGRE ... quart
3MFB301GRE gallon



3M Fastbond 10

Solvent based contact
Highly flammable - very strong
Great for vinyl-rubber trim
3MFB101 gallon



Aerosol Spray

WF Taylor 725
17 oz total
Contact adhesive
Adjustable tip



Smell Zapper ERASE

Carpet & Upholstery Cleaner

ERASE is specially designed to be effective against all types of stains including oils, ink, food stains and many other difficult spots on carpets, rugs and upholstery. Additionally, it's deodorizing properties destroy malodors at their source.
Pint..... #WFEP12x108



CS-22

Solvent Cleaner

- Non-flam
 - Fast dry
 - Grease-oil
 - Dissipates
 - Adhesive
- TACS22QT quart



Oil-Flo #141 Solvent Cleaner

- Urethane
 - Adhesive
 - Grease
 - Gum
- TAOILFLOPT ... pint



Wall Base Installation



Snozzles

- CR236 (Black 3-hole)
- CR235 (Blue 6")
- GU186 (Yellow 11-hole)

CR 532

- Cove
- Base
- Gouge




CA40 S-5

Cyanoacrylate (super glue)
Specially formulated for rubber & vinyl
CAS51OZ ... 1 oz



Subfloor Leveler & Shims



Roppe Vinyl (West)

304-100 ... 1/8" x 12" x 4'
302-100 ... 1/4" x 12" x 4'
301-100 ... 3/8" x 12" x 4'
303-100 ... 1/2" x 18" x 4'

Johnsonite Vinyl (East)

LS40F ... 1/8" x 12" x 4'
LS40 ... 1/4" x 12" x 4'
LS40D ... 3/8" x 12" x 4'
LS40E ... 1/2" x 12" x 4'

Particle Board Shims

BNP20832 ... 1/4" x 8" x 32"
BNP30832 ... 3/8" x 8" x 32"
BNP50832 ... 1/2" x 8" x 32"

Metal Floor Trim (12' length unless otherwise labeled)

Pinned Clampdown



Premium

102S Silver
102G Gold
102N Nickel

Standard

104S Silver
104G Gold
104B Bronze
104N Nickel

Economy

114S Silver

Pinless Clampdown



Premium

201S Silver
201G Gold
201N Nickel

Tackstrip Clampdown



Premium

121S Silver

Flat Bar



2" Premium

304S Silver
304G Gold
304N Nickel

1.5" Premium

302S Silver
302G Gold
302N Nickel

1.5" Standard

312S Silver
313G Gold
312B Bronze
312N Nickel

1" Premium

303S Silver
303G Gold
303N Nickel

Z-Bar 501S

(25cs per carton)
5' length



Standard Stairnose



Premium

601S Silver
601G Gold

Economy

611N Nickel
611B Bronze


Longface Stairnose



Premium

605S Silver
605N Nickel

2.6" Commercial



Premium

603S Silver

Hatch-Tee 12'

7395S 1" Silver
7365S 3/4" ... Silver



1/4" Carpet Cap



401S Hammered Silver
401M Satin Silver

Binder Bar 3/4"



702S ... Silver

Plain Facing 1/2" facing

19S ... Silver
19N ... Nickel



1/8" Bevel Cap 12'

406S Etched Silver

1/8" Cove Cap 8' & 12'

901S Silver mill finish

3/32" Cove Cap 12'

82S Silver mill finish

Cove Stick 5' length

FUVT051BLA5 ... 1-1/4"
FUVT052BLA5 ... 1-1/2"

Corners

CR270 Outside
CR271 Inside
silver / 25 per tube



Power Strippers & Grinders

Wolff Neo #75382

The Neo is new and unique to surface preparation. The compact 9" head delivers concentrated grinding power that rivals machines 3X its size.

- **Powerful**
- **110 Plug In**
- **Compact**
- **Close to Edge**
- **Requires 4 Segments**

Adjustable guard, zero clearance, 3 position head
Variable handle
9" grinding area
115V, 2.75hp,
1500 rpm
100 lbs

SEGMENTS:

#68388 PCD
Thick adhesive mortar
#68390 K20 Gold
Hard concrete profiling

Wolff Samba #63047WS

Powerful machine for grinding substrates or leveling compounds.
115 V, 2.25 HP motor, 160 RPM, 97 lbs, 15-16"
Powerful 2.25 HP motor, heavy duty reinforced hand, durable steel drive gears, full range of grinding discs & plates available.

INCLUDES:

WO14038 hose kit
With T-adapter

WO14039 shroud
Suction ring with sealing shell

WO84750 sandpaper driver
15" drive plate for sandpaper & grinding disk



Grinds close to wall



Wolff Ninja Plate

- Fits Mamba & Samba
- Easy to change
- Extremely effective
- For concrete substrates

#WO73767
Plate only



Segments:

Segments fit Ninja Plate, Samba, and Neo
#68388 PCD thick adhesive & mortar removal
#68390 K20 Gold for hard concrete profiling



Wolff Turbo Stripper #39086

Self propelled - heavy duty

Heavy duty stripper for removal of all bonded flooring. 5,000 strokes per minute with heavy duty impact and propulsion. Three weight positions for adjusting aggressiveness. Hand operated clutch. Detachable weight and handle for ease of transport.

- 115 V, 60 Hz, 3 HP motor, 350lbs
- Stripping capacity approximately 650-1000 sq/feet per hour.



#13978 14" x 2-3/8" 1mm
#13979 14" x 2-3/8" 1.5mm
#13980 8" x 2-3/8" 1.5mm
#13981 6" x 2-3/8" 1.5mm
#13982 14" x 5" 1.5mm

#13983 U-shape bevel up (concrete)

Wolff Duro Portable Stripper #15022

Stand up or hand held

Stand up operation, or remove handle for storage and use as a hand stripper. Unit fits into metal carry case. 115v, 60Hz, 2.74hp motor, width 8".

Stripping capacity approximately 300 to 500 sq/feet per hour
Carry case item #13349

#15536 razor blade attachment
#48402 serrated blade 8" x 2-3/8"
#13344 8" x 2-3/8" .07mm
#13345 8" x 2-3/8" 1.00mm
#13346 8" x 2-3/8" 1.5mm (rubber/linoleum)





Vacuums

Large Hepa Vacuum Dual Filter HEPA Vacuum Wolff #81706 206 CFM

- Dual motor
- Dust collection basket
- Zip tie storage bags
- Reverse pulse
- Includes floor wand and hose
- Includes floor brush



Small Hepa Vacuum Dual Filter HEPA Vacuum Wolff #81153 103 CFM

- Single motor
- Dust collection basket
- Zip tie storage bags
- Reverse pulse
- Includes floor wand and hose
- Includes floor brush



HD Pre-Separator


Cyclonic Action
Wolff #82215
Capture 99% of Dust




Sandpaper

Mercer Professional Grade
Resin Construction
"E" Weight Longer Life
Paper Reinforced Backing
Lasts Longer

- 16" 12 GRIT ME426012
- 16" 16 GRIT ME426016
- 16" 20 GRIT ME426020
- 16" 36 GRIT ME426036
- 16" 60 GRIT ME426060



Carbide Disk



- 15" 14 Grit #50849
- 15" 16 Grit #13510
- 15" 24 Grit #13517

- Scarifies concrete
- Removes adhesive
- Lasts 15X longer
- Double-sided
- Change disk less often
- Effective - better results
- Fits 15" and 16" buffers



Backerboard & Underlayment

GoBoard




- Strong Bond Surface
- 1/2" & 1/4" 3'x5'
- Lightweight
- Waterproof
- Standard Fasteners

GoBoard is an alternative ultra-lightweight yet durable waterproof alternative to cement and other heavy tile backer boards. GoBoard helps you complete the job faster and more cost effectively.
1/2" 3' x 5' ... JMGB12 ... walls (60/pal)
1/4" 3' x 5' ... JMGB14 ... floors-counters (70/pal)
Sealant DAP 11814 Gray (10oz/tube)

TRAXX Matrixx Birch Plywood Birch Plywood Underlay

5 ply Birch plywood 1/4" 7 ply Birch plywood 3/8", printed nailing pattern - dense birch construction, exterior adhesive - commercial rating - equal ply 1/4" thick 5 ply / 3/8" thick 7ply

- 1/4" thick ... 4' x 4' ... B4X4
- 1/4" thick ... 4' x 5' ... B4X5
- 1/4" thick ... 4' x 8' ... B4X8
- 3/8" thick ... 4' x 4' ... B4x438
- 3/8" thick ... 4' x 5' ... B4X538
- 3/8" thick ... 4' x 8' ... B4X838



Certiply Birch-Poplar Plywood Plywood Underlay

Certiply is an economy grade plywood underlayment. The top and bottom layers are veneer thickness. The top veneer layer is premium Birch. The bottom veneer layer has a resin impregnated film for added stability and moisture resistance, certiply is rated for residential use.

- 4' x 4' (80pal) TRCTU2516
- 4' x 8' (80pal) TRCTU2532



FlorCore Extreme Underlayment

Manufactured with hardwood fibers. Bonded together with moisture resistant binders. Edge Sealed technology helps reduce moisture from entering the panels. The core is void free and a true 1/4" thick. Moisture resistant bottom and side edges.

TRFGU2824 4' x 6' 1/4" thick



- Ceramic
- Vinyl
- Carpet

Glue - Staple - Nail

USG DuRock CementBoard

DUROCK® cement board Next Gen is a water-durable, mold-resistant panel for use under tile and in a variety of interior and exterior applications. Weighs 25% less.

- Floors 1/4" thick 3' x 5' MSDRCNG143X5
- Walls 1/2" thick 3' x 5' MSDRC123X5

* Ceramic tile



USG Fiberock Fiber Board

FIBEROCK AQUA-TOUGH Tile Backerboard is a unique fiber-reinforced gypsum product that represents a new era in substrate performance for wet or dry areas. Water-resistant core.

- Floors 1/4" thick 3' x 5' MSFROCK3X5
- Walls 1/2" thick 3' x 5' MSFRO123X5


* Ceramic tile * Carpet * Vinyl



USG Glass-Mat Board

USG Durock™ Glass-Mat Tile Backerboard consists of a treated water-resistant gypsum core that is covered with a coated fiberglass mat facer and back and has a proprietary cementitious surface. The panels are square edge.

US84943 4'x5' 1/2" thick



Backerboard Screws 1-1/4"

- US170189 200 pc jar
- BA70811 1000 pc box



Mesh Joint Tape

- 2" x 250' MSDROCKTAPE
- 2" x 50' CU163F50



Ringshank Nails

- 1-1/4" 5 lb #11705
- 1-1/2" 5 lb #11745



Roppe Trim & Base

ROPPE. 700 Series TP

Kent Bellevue Everett
Tacoma Yakima Anchorage
Portland Eugene Medford

● Branch Stock

6" cove

- 100 Black
- 110 Brown
- 140 Fawn
- 178 Pewter
- 191 Camel
- 193 Black-Brown
- 194 Burnt Umber

2.5" cove

- 122 Natural
- 140 Fawn
- 170 White
- 184 Almond
- 191 Camel
- 198 Ivory

4.5" cove

- 100 Black
- 110 Brown
- 150 Dark Gray
- 193 Black-Brown
- 198 Ivory

4" no-toe



- 100 Black
- 110 Brown
- 150 Dark Gray
- 193 Black-Brown
- 198 Ivory

4" cove




- 100 Black
- 110 Brown
- 114 Lunar Dust
- 122 Natural
- 123 Charcoal
- 125 Fig
- 129 Dolphin
- 130 Buckskin
- 139 Deep Navy
- 140 Fawn
- 147 Light Brown
- 150 Dark Gray
- 170 White
- 174 Smoke
- 175 Slate
- 177 Steel Blue
- 178 Pewter
- 182 Toffee
- 184 Almond
- 191 Camel
- 193 Black-Brown
- 194 Burnt Umber
- 195 Light Gray
- 198 Ivory
- 624 Chameleon
- 631 Sahara
- 632 Flax
- 639 Beigewood
- 640 Creekbed
- 641 Moonrise

- 100 Black
- 110 Brown
- 140 Fawn
- 150 Dark Gray
- 178 Pewter
- 178 Pewter



- 178 Pewter
- 191 Camel
- 193 Black-Brown
- 185 Light gray
- 198 Ivory



- 100 Black
- 110 Brown
- 140 Fawn
- 150 Dark Gray
- 178 Pewter
- 193 Black Brown



- 100 Black
- 150 Dark Gray
- 193 Black-Brown



Johnsonite Trim & Base

Johnsonite

Branches

Billings

Boise

Great Falls

Kalispell

Missoula

Richland

Spokane

Spokane - All Colors

● Branch Colors

2.5" toe

49 Beige

80 Fawn

50 White

4" toe

● 34 Almond

● 49 Beige

● 40 Black

● 47 Brown

● 63 Burnt Umber

11 Canvas

121 Cement

● 20 Charcoal

● 76 Cinnamon

9 Clay

44 Dark Brown

66 Either Ore

● 80 Fawn

167 Fudge

● 04 Gateway

Gray

● 48 Grey

281 Grizzly

8 Icicle

● 29 Moon Rock

18 Navy Blue

22 Pearl

● 32 Pebble

38 Pewter

● 45 Sandalwood

71 Storm

● 283 Toast

150 Wetlands

● 50 White

31 Zephyr

31 Zephyr

6" toe

20 Charcoal

48 Gray

● 40 Black

44 Dark Brown

4.5" Toe

20 Charcoal

48 Gray

● 40 Black

44 Dark Brown

4" no-toe

20 Charcoal

48 Gray

40 Black

44 Dark Brown

.080 Vinyl Kent Stock

4" toe 22 Pearl

4" toe 49 Beige

4" toe 80 Fawn



4" toe 47 Brown

2.5" toe 22 Pearl






2.5" toe 49 Beige

2.5" toe 50 White

- 20 Charcoal
- 40 Black
- 45 Sandalwood
- 47 Beige
- 48 Gray
- 49 Beige



- 40 Black
- 47 Brown
- 48 Gray
- 49 Beige



- 40 Black
- 47 Brown

