



TITAN[®] ZX / TITAN MX

ZERO-TURN MOWERS



TITAN ZX SERIES

SAVE MORE TIME WITH EVERY ACRE

SAFETY COMES STANDARD

All TITAN models are equipped with ROPS and seat belts as standard safety equipment.

COMMERCIAL TRANSMISSIONS

The commercial-grade HG-ZT3100 hydrostatic transmissions combine consistent performance with easy maintenance.



SCAN TO
LEARN MORE
ABOUT THE
TORO TITAN



GENTLE ON TURF

Large, 22" diameter rear tires provide ample traction and a smooth ride on rough terrain without tearing up your lawn.



ULTRA-TOUGH DECK

The heavy-duty, floating, fully welded steel deck has a bull-nose front bumper for added durability.



ROCK-SOLID FRAME

The tough 1.5" x 3" fully tubular frame has seamless sides and no welded joints for extra strength. It's backed by a lifetime guarantee.



PROFESSIONAL-GRADE DNA, USER-FRIENDLY DESIGN

The more property you have, the more mower you need. That's where the TITAN delivers. This heavy-duty series is packed with commercial-grade features for pure mowing muscle. But it's also designed with property owners in mind, so it's user-friendly, smooth and comfortable.

ADDITIONAL FEATURES:

- > **EASY CLEANING AND MAINTENANCE** with a flip-up floor pan
- > **QUICK DECK REMOVAL** in under two minutes without tools
- > **NO GREASING** with automotive-style sealed bearings on deck blade spindles
- > **SIMPLE DECK WASHOUT** with dual ports that create a pressure washer beneath the deck

"I really enjoy mowing with my TITAN. Now I mow 3.5 acres in half the time. It cuts even, rides smooth and cleans up great every time..."

★★★★★ Davitt via Toro.com | Greenfield, MN



See your dealer for full details on warranties.

TITAN MX SERIES

THE BEST CHOICE FOR THE BIGGEST PROPERTIES

When it comes to demanding conditions, there's tough ... and then there's TITAN MX. Take performance, durability and comfort to a whole new level with upgrades like wider front tires, more comfortable steering levers and a top-of-the-line suspension seat. It's the ultimate combination for the largest properties.

"This thing will cut wet grass faster than my old mower cut dry grass. I can cut full speed even while taking an aggressive cut..."

★★★★★ Labatt50 via Toro.com
Cayuga, ON, Canada



COMMERCIAL ENGINES

Across the line, TITAN mowers are powered by Kohler® Confidant commercial engines to handle your rugged demands.



HEAVY-DUTY CANISTER-STYLE AIR CLEANERS are standard for high performance and extended life.

HEAVY-DUTY CONSTRUCTION
Cast iron cylinder liners, oversized micro-polished crankshaft bearings, and full pressure lubrication

MODULATED COOLING FAN
Keeps the engine cooler and quieter.



UNMATCHED COMFORT

Deluxe, thickly padded seat is mounted on a floating adjustable suspension system for ultimate comfort.



EASY ACCESS

Belt covers can be removed without tools for easy cleaning of excess grass build-up.



See your dealer for full details on warranties.

MAXIMUM PERFORMANCE AND COMFORT

COMFORTABLE STEERING

The TITAN MX features dual oversized Comfort Control grip levers with Pro-Control dampers that help reduce hand fatigue over longer periods of mowing.

INCREASED FLOTATION

Wider 13" x 6.5" front tires reduce compaction, wear and tear on your turf while providing a comfortable ride.

PARTS, ATTACHMENTS AND ACCESSORIES

GET THE MOST FROM YOUR TITAN MOWER



TWIN BAGGER KIT

Top-discharge deck opening allows excellent bagging performance to clean up grass clippings, leaves and debris.

Finishing Kit required.



E-Z VAC POWERED TWIN BAGGER KIT

Extra vacuum power lets you bag wet grass/leaves. Reduces clogging and maximizes bag fill.


Requires a Blower & Drive Kit



CARGO CARRIER

Easy-to-store carrier attaches to the rear of a TITAN mower to haul tools, soil, mulch and other yard items with no "jackknifing."

Weight Kit required.



ROPS FOLDING PIN KIT

Kit allows ROPS to fold easily for storage.

Part #130-6850



SUSPENSION SEAT KIT

Improves operator comfort and reduces operator fatigue when mowing for long periods.

Part #130-0788



PREMIUM TORO ENGINE OIL

*Full Synthetic 10W30 / SAE30
Part #117-0066 - Quart*


*Standard SAE30
Part #38903 - Quart*



RECYCLER* MULCH KIT

Patented system directs clippings back into the blades and turns them into a fine, nutrient-rich mulch.

*Part #119-3320 - 48"
Part #117-5313 - 54"
Part #119-3455 - 60"*



STRIPING KIT

Easily attaches to the cutting deck to give your lawn a professional striped look.

*Part #119-3380 - 48"
Part #117-5319 - 54 & 60"*



LIGHT KIT

Three lights easily mount to the mower frame and wiring quickly connects to the existing accessory circuit.

Part #117-5317



DELUXE Z COVER

Heavy-duty waterproof cover is abrasion- and tear-resistant. Vented design helps reduce heat and moisture buildup.

Part #490-7319



LEAF BAGGING ENHANCEMENT KIT

Decreases leaf blowout on the deck when bagging leaves and increases bagging performance. Twin bagging attachment needed.

*Twin bagging attachment required.
Part #119-3381 - 48"
Part #117-7202 - 54" & 60"*



HYPR-OIL™ 500

This specially formulated high-performance hydro oil offers greater thermal stability, shear resistance and wear protection.

*Part #114-4713 - Quart
Part #114-4714 - Gallon
Part #114-4715 - 5 Gallon*



PREMIUM FUEL TREATMENT

Protects the engine from gum, varnish, rust and corrosion. Also keeps fuel fresh and eliminates the need to drain the fuel before storage.

Part #117-0089 – 4 oz. bottle
Part #117-0090 – 16 oz. bottle



BRINLY-HARDY ATTACHMENTS

Standard hitch pulls a variety of premium Brinly-Hardy® attachments, such as a 10 cu. ft. cart, lawn sweeper, dethatcher, aerator and sprayer.



MVP PACKS

MVP Packs contain parts essential for optimum performance. Blades, belts and filters are included.

Part #127-1628 – 48"
Part #127-1629 – 54"
Part #127-1630 – 60"



SEAT COVERS

Makes old seats look new and protects new seats. Cushioned cover is water-resistant and has an elastic cord for a custom fit.

Part #117-0096 – 18" seat without armrests
Part #117-0097 – 18" seat with armrests

TITAN® SPECIFICATIONS

MODELS	ZX4800 74861	ZX5400 74862	ZX6000 74863	MX4800 74891	MX5400 74892	MX6000 74893
ENGINE¹ AT 3,600 RPM	21 hp Kohler® 725cc w/Heavy-Duty Canister Air Cleaner	» 23 hp Kohler 747cc w/Heavy-Duty Canister Air Cleaner	» 25 hp Kohler 747cc w/Heavy-Duty Canister Air Cleaner	21 hp Kohler 725cc w/Heavy-Duty Canister Air Cleaner	» 23 hp Kohler 747cc w/Heavy-Duty Canister Air Cleaner	» 25 hp Kohler 747cc w/Heavy-Duty Canister Air Cleaner
FRAME	Fully Tubular 1.5" x 3"	Fully Tubular 1.5" x 3"	Fully Tubular 1.5" x 3"	Fully Tubular 1.5" x 3"	Fully Tubular 1.5" x 3"	Fully Tubular 1.5" x 3"
FUEL CAPACITY	5 Gallon	5 Gallon	5 Gallon	5 Gallon	5 Gallon	5 Gallon
MOWING DECK	Floating 48" 10g fabricated with bull nose bumper	» Floating 54" 10g fabricated with bull nose bumper	» Floating 60" 10g fabricated with bull nose bumper	Floating 48" 10g fabricated with bull nose bumper	» Floating 54" 10g fabricated with bull nose bumper	» Floating 60" 10g fabricated with bull nose bumper
DECK WASHOUT PORTS	2 Standard	2 Standard	2 Standard	2 Standard	2 Standard	2 Standard
DECK BELT COVERS	Standard	Standard	Standard	» No-tools removal	No-tools removal	No-tools removal
DECK SPINDLES	7.75" dia. housing 1" dia. shaft	7.75" dia. housing 1" dia. shaft	7.75" dia. housing 1" dia. shaft	7.75" dia. housing 1" dia. shaft	7.75" dia. housing 1" dia. shaft	7.75" dia. housing 1" dia. shaft
DISCHARGE DEFLECTOR	Molded Rubber	Molded Rubber	Molded Rubber	Molded Rubber	Molded Rubber	Molded Rubber
BLADE-TIP SPEED	18,000+ ft/min	18,000+ ft/min	18,000+ ft/min	18,000+ ft/min	18,000+ ft/min	18,000+ ft/min
ANTI-SCALP ROLLERS	3 Standard + Rear Anti-scalp Skids	3 Standard + Rear Anti-scalp Skids	3 Standard + Rear Anti-scalp Skids	3 Standard + Rear Anti-scalp Skids	3 Standard + Rear Anti-scalp Skids	3 Standard + Rear Anti-scalp Skids
FOOT ASSIST HEIGHT OF CUT	1.5" to 4.5" – 13 position	1.5" to 4.5" – 13 position	1.5" to 4.5" – 13 position	1.5" to 4.5" – 13 position	1.5" to 4.5" – 13 position	1.5" to 4.5" – 13 position
TRANSMISSIONS	HG-ZT3100	HG-ZT3100	HG-ZT3100	HG-ZT3100	HG-ZT3100	HG-ZT3100
GROUND SPEED²	Up to 8.5 mph	Up to 8.5 mph	Up to 8.5 mph	Up to 8.5 mph	Up to 8.5 mph	Up to 8.5 mph
TIRES (REAR)	22" x 10" – 10	22" x 10" – 10	22" x 10" – 10	» 22" x 10" – 12	22" x 10" – 12	22" x 10" – 12
TIRES (FRONT)	13" x 5"	13" x 5"	13" x 5"	» 13" x 6.5"	13" x 6.5"	13" x 6.5"
SEAT	Thickly Padded Premium	Thickly Padded Premium	Thickly Padded Premium	» Deluxe Bolstered	Deluxe Bolstered	Deluxe Bolstered
SEAT SUSPENSION	Adjustable Springs	Adjustable Springs	Adjustable Springs	» Adjustable Suspension	Adjustable Suspension	Adjustable Suspension
STEERING LEVERS	Dual Comfort Grip levers with Pro-Control dampers	Dual Comfort Grip levers with Pro-Control dampers	Dual Comfort Grip levers with Pro-Control dampers	» Dual oversized Comfort Grip levers with Pro-Control dampers	Dual oversized Comfort Grip levers with Pro-Control dampers	Dual oversized Comfort Grip levers with Pro-Control dampers
ROPS (FOLDABLE FOR STORAGE)	Standard	Standard	Standard	Standard	Standard	Standard
HOURLY METER	Standard	Standard	Standard	Standard	Standard	Standard
FLIP-UP FLOOR PAN	Standard	Standard	Standard	Standard	Standard	Standard
HITCH	Standard	Standard	Standard	Standard	Standard	Standard
STORAGE DIMENSIONS (L X W X H)	77.3" x 52.4" x 47"	77.3" x 57.7" x 47"	77.3" x 63" x 47"	77.3" x 52.4" x 47"	77.3" x 57.7" x 47"	77.3" x 63" x 47"
LIMITED WARRANTY³	3-Year Limited / 300 Hour Frame Guaranteed for Life³	3-Year Limited / 300 Hour Frame Guaranteed for Life³	3-Year Limited / 300 Hour Frame Guaranteed for Life³	» 4-Year Limited / 400 Hour Frame Guaranteed for Life³	4-Year Limited / 400 Hour Frame Guaranteed for Life³	4-Year Limited / 400 Hour Frame Guaranteed for Life³

Specifications subject to change without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

» = Enhanced or step-up feature

1 The gross torque of these engines was laboratory rated by the engine manufacturer in accordance with SAE J1940. As configured to meet safety, emission and operating requirements, the actual engine torque on these mowers will be significantly lower.

2 Maximum ground speed will vary with ground conditions, tire pressure, transmission settings and engine settings.

3 See dealer for warranty details.



WHEN WE SAY **COUNT ON IT**, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next mower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

Smart Features. Proven Dependability.



Count on it.



LookBeforeYouPump.com




FOLLOW US!

facebook.com/toro.yard
twitter.com/TheToroCompany
youtube.com/toro

toro.com / toro.ca

490-8976
 © 2015 The Toro Company, Bloomington, MN 55420
 All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.



Dealer imprint area