



TRIPLE CROWN® 30% RATION BALANCER

30% Protein • 3% Fat • 5% Fiber • 1,266 KCAL/lb.

A mineral and vitamin supplement for horses of all ages. Designed to supplement grains and feeds, or for horses on pasture/hay diet to provide protein, essential amino acids, vitamins, macro minerals, trace minerals, bacteria and enzymes.

IDEAL FOR: Ponies, miniature horses, easy keepers, horses with metabolic disease

Guaranteed Analysis:

Crude Protein (min.)	30.00%	Manganese (min.)	575 ppm
Lysine (min.)	2.10%	Cobalt (min.)	2.10 ppm
Methionine (min.)	0.62%	Copper (min.)	300 ppm
Threonine (min.)	1.38%	Iron (min.)	500 ppm
Tryptophan (min.)	0.44%	Vitamin A (min.)	36,000 IU/lb.
Leucine (min.)	2.25%	Vitamin D3 (min.)	6,000 IU/lb.
Crude Fat (min.)	3.00%	Vitamin E (min.)	1,000 IU/lb.
Crude Fiber (max.)	5.00%	Riboflavin (min.)	17 mg/lb.
Calcium (min./max.)	4.00/5.00%	Thiamin (min.)	42 mg/lb.
Phosphorus (min.)	1.50%	Ascorbic Acid (min.)	275 mg/lb.
Magnesium (min.)	2.40%	Biotin (min.)	1.40 mg/lb.
Potassium (min.)	1.30%	Total Direct Fed Microbials (min.)	18.90 billion CFU/lb.
Sodium (min./max.)	0.50/1.00%	Lactobacillus Acidophilus Fermentation Product (min.)	4.54 billion CFU/lb.
Salt (min./max.)	0.75/1.25%	Enterococcus Faecium Fermentation Product (min.)	4.54 billion CFU/lb.
Omega-3 Fatty Acids (min.)	0.75%	Bacillus Subtilis Dried Fermentation Product (min.)	750 million CFU/lb.
Omega-6 Fatty Acids (min.)	1.70%	Saccharomyces Cerevisiae Yeast Culture (min.)	9.08 billion CFU/lb.
Selenium (min./max.)	3.40/4.40 ppm	Cellulase (Trichoderma Longibrachiatum) (min.)	3.20 million CU/lb.
Zinc (min.)	1,000 ppm	Protease (Bacillus Subtilis) (min.)**	7,150 HUT/lb.

*One cellulase unit (CU) is defined as the amount of activity that will produce a relative fluidity change of 1 (determined with a calibrated viscometer) in 5 minutes in a defined carboxymethylcellulose substrate at pH 4.5 and 40°C

** One hemoglobin unit (HUT) of proteolytic (protease) activity is defined as that amount of enzyme that produces, in one minute under the specified conditions, a hydrolysate whose absorbance at 275nm is the same as that of a solution containing 1.10g per mL of tyrosine in 0.006N hydrochloric acid.

Ingredients:

(Free from Restricted Ruminant Protein Products per Title 21, CFR 589.2000/2001)

Dehulled Soybean Meal, Wheat Middlings, Whey Protein Concentrate, Ground Flaxseed, Stabilized Rice Bran, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Oxide, Yeast Culture, Hydrolyzed Yeast, Dried Enterococcus Faecium Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Bacillus Subtilis Fermentation Extract, Zinc Hydroxy Chloride, Manganese Hydroxy Chloride, Copper Hydroxy Chloride, Vegetable Oil, Butyric Acid, Zinc Oxide, Peppermint Essential Oil, Kelp Meal, Lecithin, Magnesium Proteinates, Selenium Yeast, L-Lysine, DL-methionine, L-Threonine, L-Leucine, Soybean Oil, Cane Molasses, Salt, Sodium Bicarbonate, Fenugreek Seed, Anise, Ascorbic Acid (Source of Vitamin C), Niacin Supplement, Biotin, Vitamin A Supplement, Thiamine Mononitrate, Beta Carotene, Calcium Pantothenate, Riboflavin Supplement, Pyridoxine Hydrochloride, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Menadione Sodium Bisulfite Complex (Source of Vitamin K Activity), Folic Acid, Hydrated Sodium Calcium Aluminosilicate, Brewers Dried Yeast, Manganese Sulfate, Zinc Sulfate, Copper Sulfate, Cobalt Proteinates, Iron Amino Acid Complex, Ethylenediamine Dihydroiodide, (Propionic Acid, Sodium Benzoate, Potassium Sorbate (Preservatives)).

Feeding Directions:

Triple Crown 30% Ration Balancer can be used to balance pasture and/or hay, improve nutrition in diets when feeding small amounts, or to mix with your own grains for a balanced diet. Adjust feed, pasture or hay to maintain desired body condition.

For balancing pasture and/or hay: feed 1-1.5 lb. per 1,000 lb. of body weight. Feed 0.5 - .75 lb. for ponies. For horses in moderate to high levels of activity, and for broodmares and breeding stallions, feed 1.5-2 lb. per day.

For balanced diets where current feeding rates fall below the minimum for that diet: add 0.5-1 lb. per 1,000 lb. of body weight along with the diet being fed. Feed 0.25-0.5 lb. for ponies. For horses in moderate to high levels of activity, and for broodmares and breeding stallions, feed 1 lb. per day.

When mixing with your own grains (oats, corn or barley): mix at a ratio of 1:4.5 of Triple Crown 30% Ration Balancer along with your grains and add molasses, if desired, for palatability and consistency.

NOTE: Provide plenty of fresh, clean water at all times. Keep product fresh in cool, dry storage. Examine product daily. DO NOT use if old, moldy or contaminated with insects.

TRIPLE CROWN

triplecrownfeed.com | 800-451-9916