# SAFETY DATA SHEET

Issuing Date No data available	Revision Date	26-Mar-2019	<b>Revision Number</b> 2
1. IDENTIFICATION OF THE	SUBSTANCE/PREP	ARATION AND OF T	HE COMPANY/UNDERTAKING
Product identifier	209		
Product Name	DRYLOK® Floor & Wal	I Masonry Waterproofer	
Other means of identification			
Synonyms	None		
Recommended use of the chemical	and restrictions on use	-	
Recommended Use	Waterproofing Sealers, (	Concrete/Masonry	
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
Supplier Address United Gilsonite Laboratories 1396 Jefferson Ave. Dunmore PA 18509 US Phone:570-344-1202 Fax:570-969-7634 Contact: UGL Sales Email:sales@ugl.com Contact Phone 570-344-1202			
Emergency telephone number	(800) 424-9300 Che	emtrec	
	2 8474000	DENTIFICATION	
	2. HAZANDS I	DENTIFICATION	
Classification_			
This chemical is considered hazardou	s by the 2012 OSHA Haza	ard Communication Standa	rd (29 CFR 1910.1200)
Skin sensitization			Category 1


# GHS Label elements, including precautionary statements

# **Emergency Overview**

Signal word

Warning

Hazard Statements May cause an allergic skin reaction



# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

None

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Unknown Toxicity

29.9% of the mixture consists of ingredient(s) of unknown toxicity

#### Other information

Harmful to aquatic life with long lasting effects Repeated or prolonged skin contact may cause allergic reactions with susceptible persons May cause respiratory irritation

#### Interactions with Other Chemicals

Irritants. Sensitizers. Epoxies.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	*
2-Propanol, 1-(2-butoxy-1-methylethoxy)-	29911-28-2	1 - 5	*
Propanol, oxybis-, dibenzoate	27138-31-4	1 - 5	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures

General Advice	Show this safety data sheet to the doctor in attendance.	
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin Contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician. May cause an allergic skin reaction.	
Inhalation	Move to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.	
Protection of First-aiders	Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Wear personal protective clothing (see section 8).	
Most important symptoms and effects, both acute and delayed		
Most Important Symptoms and Effects	Itching. Rashes. Hives.	
Indication of any immediate medical	attention and special treatment needed	

Notes to Physician

Treat symptomatically. May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES		
<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable Extinguishing Media CAUTION: Use of water spray wher	n fighting fire may be inefficient.	
	<b>Chemical</b> elease of irritating gases and vapors. In the event of fire and/or explosion do not breathe halation and skin contact. Product is or contains a sensitizer. May cause sensitization by skin	
Uniform Fire Code	Sensitizer: Liquid	
Hazardous Combustion Products Carbon oxides.		
Explosion Data Sensitivity to Mechanical Impact	No.	
Sensitivity to Static Discharge No.		
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective e	guipment and emergency procedures	
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Avoid contact with eyes. Avoid breathing vapors or mists.	
Other Information	on Refer to protective measures listed in Sections 7 and 8.	
Environmental precautions		
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8.	

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers.	
Incompatible Products	None known based on information supplied.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

# **Control parameters**

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm S*	TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m <sup>3</sup> (vacated) S <sup>*</sup>	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m <sup>3</sup> STEL: 150 ppm STEL: 900 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters.

#### Appropriate engineering controls

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures, such	ch as personal protective equipment
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical	State
Appearar	nce
Color	

Property pН 7 Melting/freezing point Boiling point / boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Specific Gravity** Water Solubility Solubility in other solvents Partition coefficient: n-octanol/waterNo data available Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity **Explosive Properties Oxidizing Properties** 

#### **Other Information**

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

Liquid Milky white No information available

Values No data available 100 ℃ / 212 ٩F 5001 C / 9034 F No data available No data available

No data available No data available No data available No data available No data available Soluble in water No data available No data available

Odor **Odor Threshold**  Amine No information available

#### Remarks/ Method

None known None known None known None known None known None known

None known None known None known None known None known None known None known None known None known None known

# **10. STABILITY AND REACTIVITY**

# **Reactivity**

No data available.

#### Chemical stability

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Excessive heat.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

Inhalation	Vapors may be irritating to eyes, nose, throat, and lungs.
Eye Contact	May cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	Not an expected route of exposure.

#### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dipropylene glycol monomethyl ether 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
2-Propanol, 1-(2-butoxy-1-methylethoxy)- 29911-28-2	-	-	> 2.04 mg/L (Rat)4 h = 42.1 ppm (Rat)4 h

#### Information on toxicological effects

Symptoms

Itching. Rashes. Hives.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

# Sensitization

May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects	No information available.
Carcinogenicity	Contains no ingredient listed as a carcinogen.
Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure Chronic Toxicity Target Organ Effects	No information available. No known effect based on information supplied. Skin. Eyes. Respiratory system.
Aspiration Hazard	No information available.
Numerical measures of toxicity - F	Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

# ATEmix (oral)

21,328.00 mg/kg

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
2-Propanol, 1-(2-butoxy-1-methylethoxy)- 29911-28-2		LC50: 841 mg/L (96 h static) Poecilia reticulata		
Dipropylene glycol monomethyl ether 34590-94-8		LC50: > 10000 mg/L (96 h static) Pimephales promelas		LC50: 1919 mg/L (48 h ) Daphnia magna
lodopropynyl butylcarbamate 55406-53-6	ropynyl butylcarbamate			

#### Persistence and Degradability

No information available.

# **Bioaccumulation**

No information available

Chemical Name	Log Pow	
Dipropylene glycol monomethyl ether 34590-94-8	-0.064	

# Other adverse effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

# Waste treatment methods

Disposal methods	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.		
Contaminated Packaging	Dispose of in accordance with local regulations.		

#### California Hazardous Waste Codes 331

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
TDG	Not regulated
MEX	Not regulated
ICAO	Not regulated
IATA_ Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A
IMDG/IMO Hazard Class	Not regulated N/A
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

TSCA DSL

Complies All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	34590-94-8	1 - 5	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	No		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Dipropylene glycol monomethyl ether	Х	Х	Х	Х	Х
34590-94-8					

#### International Regulations

#### Mexico

#### National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Dipropylene glycol monomethyl ether		Mexico: TWA 100 ppm
34590-94-8 (1-5)		Mexico: TWA 60 mg/m <sup>3</sup>
		Mexico: STEL 150 ppm
		Mexico: STEL 900 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada WHMIS Hazard Class D2B - Toxic materials



# **16. OTHER INFORMATION**

NFPA	Health Hazard	2	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard	2	Flammability 0	Physical Hazard 0	Personal Protection X
Prepared E	Зу		Product Stewardship 23 British American E Latham, NY 12110 1-800-572-6501		
Revision D	ate		12-Feb-2014		
Revision N	lote		No information availa	able.	

# General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet