

PERFORMANCE CONSIDERATIONS



HIGH RECYCLED CONTENT

Products denoted as HRC contain greater than 50% recycled content.

WARRANTY

Basic ceiling panels have a 1-year standard warranty.



Mould and Humidity Resistance Panels

ClimaPlus™ panels are supported by a 30-year warranty against sag when used with CGC Donn® Brand Suspension Systems. These panels are ideal for areas exposed to heat, moisture or fluctuating climatic conditions. Panels with superior performance inhibit mould and stain causing bacteria. These products resist sag in up to 95% relative humidity and up to 40°C (104°F). ClimaPlus™ panels are warranted against sag for 10 years when used with any other brand of suspension system.



SOUND CONTROL

Many CGC ceilings offer enhanced sound control to help improve privacy, comfort and productivity in residential and commercial environments. Look for these performance attributes to help get the best performance from your suspended ceiling.

Sound Blocking (CAC) and Sound Absorbing (NRC) Explained

When sound strikes a ceiling, the sound can pass through the surface into the space beyond, it can bounce back or it can be absorbed, like a sponge absorbing water. CGC ceiling panels help you manage the sound in your space for maximum performance.

CAC (Ceiling Attenuation Class) measures a panel's ability to prevent sound from travelling through it. A CAC rating above 35 is considered high-performance.

NRC (Noise Reduction Coefficient) specifies the ability of a material to absorb rather than reflect sound. Ratings range between 0-1, with higher numbers representing greater performance.



LIGHT REFLECTANCE

LR (Light Reflectance) represents the percentage of light reflected from the surface of a material. Ceilings with LR above .75 help prevent eyestrain and conserve energy by reducing the amount of lighting required to illuminate a space.



FIRE RESISTANCE

All CGC acoustical ceiling panels are rated Class A (the highest possible) as tested to CAN/ULC S102. These materials do not sustain a fire when flame is removed (scoring <25 points) and do not generate significant amounts of visibility-obscuring smoke (scoring <50 points).

CGC ceiling panels with Firecode® formulation contain special additives that increase fire resistance. Firecode® products are components that can contribute to a fire-rated assembly and are tested to CAN/ULC S101 and ASTM E119.

INDOOR AIR QUALITY AND VOC EMISSIONS

Indoor air quality (IAQ) is a vital consideration because it has such an impact on the health and wellbeing of a home or building's occupants. The choice of building materials is a critical factor because many products can release volatile organic compounds (VOC), which include thousands of synthetic and natural chemicals emitted by a wide array of materials, finished materials and even microorganisms such as mould and mildew. To help create healthy, comfortable spaces, CGC provides a portfolio of ceiling panels and tiles with ZERO or LOW formaldehyde emissions, as tested per California Special Environmental Requirements, Specifications Section 01350.

ENVIRONMENTAL RESPONSIBILITY

In recognizing the importance of safeguarding the environment, USG/CGC manufactures ceiling products that are environmentally safe when used as intended. In addition to offering products that help conserve energy and provide life-safety and high durability, we operate according to a self determined policy of environmental stewardship. These guidelines cover the products we make as well as the way they are manufactured. Our plants recycle heat to conserve energy, treat and recycle water to reduce consumption and return manufacturing waste to the production process to keep material out of landfills. At CGC, we are committed to offering sustainable products that require fewer resources, use recycled and renewable materials and can be used in new ways in the future.

EDGES LEGEND

SQ SQUARE EDGE	
SL SHADOWLINE	
SLT SHADOWLINE TAPERED	
SLB SHADOWLINE BEVELED	
PED PEDESTAL	
STP STAPLE	





- Naturally formed texture
- Integral colour throughout, helps mask nicks/scratches
- Formaldehyde free—exceeds the most stringent air quality standards
- Damage resistant panels—up to 3 times stronger—less replacement costs
- Mould/Mildew & Sag-resistant
- Good sound reduction performance

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
ARCTIC	R414	821583	SLB	2' x 2' x 3/4"	WHITE	NRC .70	CAC 36	•••00 LR .84	CLASS A	ZERO	30-YEAR CLIMAPLUS™	8 PCS (32 SQ. FT.)



- Heavily textured appearance offers unique stucco look
- Integral colour throughout, helps mask nicks/scratches
- Formaldehyde free—exceeds the most stringent air quality standards
- Damage resistant panels—up to 3 times stronger—less replacement costs

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
CHEYENNE BASIC	156	821589	SL	2' x 2' x 3/4"	WHITE	••••• NRC .65	••••O CAC 35	•0000 LR .70	CLASS A	ZERO	1-YEAR STANDARD	8 PCS (32 SQ. FT.)







- Naturally formed medium texture offers unique appearance
- Integral colour throughout, helps mask nicks/scratches
- Formaldehyde free—exceeds the most stringent air quality standards
- Damage resistant panels—up to 3 times stronger—less replacement costs
- Mould/Mildew & Sag-resistant
- Good sound reduction performance

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
SANDRIFT	R808	821809	SL	2' x 2' x 3/4"	WHITE			••000 LR .83	CLASS A	ZERO	30-YEAR CLIMAPLUS™	8 PCS (32 SQ. FT.)

PRODUCT SPOTLIGHT

DID YOU KNOW?

Cast mineral fiber ceiling panels are manufactured using a cast process that enhances the surface appearance and provides excellent sound absorption and durability. A backing acts as a sound barrier and resists "breathing" (air passing through the surface), so the surface stays cleaner longer.

Cast panels also provide the following benefits:

- Integral colour throughout panel—masks nicks and scratches
- Easy to clean surface
- High light reflectancy
- Sag resistance
- Excellent abuse resistance

ZERO VOC EMISSIONS

As one of the largest surfaces in a space, a ceiling with zero-emitting panels makes a strong contribution toward creating healthy, sustainable environments.

R72715

• Excellent sound control performance

R72716

- Mould/Mildew & Sag-resistant
- Fine textured finish
- High light reflectance brightens room and helps reduce energy costs
- Available with a Pedestal edge to create a dramatic look

ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
R76775	821775	SLT	2' x 2' x 3/4"	WHITE	NRC .70	••••O CAC 35	••••O LR .86	CLASS A	LOW	30-YEAR CLIMAPLUS™	12 PCS (48 SQ. FT.)
R72715	821717	PED	2' x 2' x 3/4"	WHITE	••••O NRC .65	••••O CAC 35	•••00 LR .84	CLASS A	LOW	30-YEAR CLIMAPLUS™	12 PCS (48 SQ. FT.)
R72716	821716	PED	2' x 2' x 3/4"	WHITE	••••0 NRC .65	••••O CAC 35	•••00 LR .84	CLASS A	LOW	30-YEAR CLIMAPLUS™	12 PCS (48 SQ. FT.)
	R76775 R72715	R76775 821775 R72715 821717	R76775 821775 SLT R72715 821717 PED	R76775 821775 SLT 2' x 2' x 3/4" R72715 821717 PED 2' x 2' x 3/4"	R76775 821775 SLT 2' x 2' x 3/4" WHITE R72715 821717 PED 2' x 2' x 3/4" WHITE	ITEM# PART# EDGE* PANEL SIZE COLOUR ABSORBING R76775 821775 SLT 2' x 2' x 3/4" WHITE NRC .70 R72715 821717 PED 2' x 2' x 3/4" WHITE NRC .65 R72716 821716 PED 2' x 2' x 3/4" WHITE ••••	ITEM# PART# EDGE* PANEL SIZE COLOUR ABSORBING BLOCKING R76775 821775 SLT 2' x 2' x 3/4" WHITE NRC .70 CAC 35 R72715 821717 PED 2' x 2' x 3/4" WHITE NRC .65 CAC 35 R72716 821716 PED 2' x 2' x 3/4" WHITE •••• ••• ••	ITEM# PART # EDGE* PANEL SIZE COLOUR ABSORBING BLOCKING REFLECTANCE R76775 821775 SLT 2' x 2' x 3/4" WHITE \ \cdot	ITEM# PART # EDGE* PANEL SIZE COLOUR ABSORBING BLOCKING REFLECTANCE RESISTANCE R76775 821775 SLT 2' x 2' x 3/4" WHITE 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ITEM# PART # EDGE* PANEL SIZE COLOUR ABSORBING BLOCKING REFLECTANCE RESISTANCE EMISSIONS R76775 821775 SLT 2' x 2' x 3/4" WHITE ••••• •••• •••• CAC 35 LR .86 CLASS A LOW R72715 821717 PED 2' x 2' x 3/4" WHITE •••• ••• ••• CAC 35 LR .84 CLASS A LOW R72716 821716 PED 2' x 2' x 3/4" WHITE ••• •• •• •• •• •• •• O CLASS A LOW	ITEM# PART # EDGE* PANEL SIZE COLOUR ABSORBING BLOCKING REFLECTANCE RESISTANCE EMISSIONS WARRANTY* R76775 821775 SLT 2' x 2' x 3/4" WHITE ●●●●● ●●●●● CLASS A LOW 30-YEAR CLIMAPLUS™ R72715 821717 PED 2' x 2' x 3/4" WHITE ●●●●● ●●●●● CAC 35 LR .84 CLASS A LOW 30-YEAR CLIMAPLUS™ R72716 821716 PED 2' x 2' x 3/4" WHITE ●●●●● ●●●●● ●●●●● CLASS A LOW 30-YEAR CLIMAPLUS™



- Highest light reflectance of any CGC ceiling panel-brightens room and helps reduce energy costs
- Mould/Mildew & Sag-resistant
- Durable scratch resistant surface cleans easily
- Good sound reduction performance
- Smooth, monolithic texture enhances any room

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
MARS	R86785	821785	SLT	2' x 2' x 3/4"	WHITE	NRC .70	••••O CAC 35	LR .89	CLASS A	LOW	30-YEAR CLIMAPLUS™	12 PCS (48 SQ. FT.)



RAL400 **RLT100** RPT115

- Smooth finish
- Unique border enhances interior design
- Creates elegant atmosphere
- Lightweight gypsum with high recycled content
- Border cuts must use perimeter panel (RPT115)

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
ELEGANCE, ACANTHUS LEAF	RAL400	797101	SL	2' x 2' x 15/16"	WHITE	••000 NRC .45	•0000 CAC N/A	••000 LR .83	CLASS A	LOW	1-YEAR STANDARD	6 PCS (24 SQ. FT.)
ELEGANCE, LINEAR TUSCAN	RLT100	797100	SL	2' x 2' x 15/16"	WHITE	••000 NRC .45	•0000 CAC N/A	••000 LR .83	CLASS A	LOW	1-YEAR STANDARD	6 PCS (24 SQ. FT.)
ELEGANCE, PERIMETER PANEL	RPT115	797102	SQ	2' x 2' x 15/16"	WHITE	●●○○○ NRC .45	•0000 CAC N/A	••000 LR .83	CLASS A	LOW	1-YEAR STANDARD	6 PCS (24 SQ. FT.)





- High light reflectance brightens room and helps reduce energy costs
- Non-directional pattern allows for fast installation
- Mould/Mildew & Sag-resistant
- Scuff and abuse resistance—extends the life of the panel

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
ALPINE	1003	821003	SQ	2' x 4' x 5/8"	WHITE	••••• NRC .55	••••O CAC 35	••••O LR .86	CLASS A	LOW	30-YEAR CLIMAPLUS™	8 PCS (64 SQ. FT.)
ALPINE	1004	821004	SLT	2' x 2' x 5/8"	WHITE	•••00 NRC .55	••••O CAC 35	••••O LR .86	CLASS A	LOW	30-YEAR CLIMAPLUS™	16 PCS (64 SQ. FT.)

CGC FIFTH AVENUE

- Medium textured panel that features directional fissures
- Available with a Firecode® formulation, designed for increased fire resistance
- Good sound control performance
- Economical, all purpose ceiling panel

N N												
PRODUCT	ITEM#	PART #	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
FIFTH AVENUE BASIC	133	821330	SQ	2' x 2' x 5/8"	WHITE	•••00 NRC .55	••••• CAC 33	●●○○○ LR .81	CLASS A	LOW	1-YEAR STANDARD	16 PCS (64 SQ. FT.)
FIFTH AVENUE BASIC	280	821280	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••• CAC 35	●●○○○ LR .81	CLASS A	LOW	1-YEAR STANDARD	8 PCS (64 SQ. FT.)
FIFTH AVENUE BASIC	270	821270	SLT	2' x 2' x 5/8"	WHITE	••••• NRC .55	••••• CAC 33	●●○○○ LR .81	CLASS A	LOW	1-YEAR STANDARD	16 PCS (64 SQ. FT.)
FIFTH AVENUE BASIC FC	671	821671	SQ	2' x 2' x 5/8"	WHITE	•••00 NRC .55	••••O CAC 35	●●○○○ LR .81	FIRECODE	LOW	1-YEAR STANDARD	16 PCS (64 SQ. FT.)
FIFTH AVENUE BASIC FC	220	821220	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••O CAC 35	••000 LR .81	FIRECODE	LOW	1-YEAR STANDARD	8 PCS (64 SQ. FT.)



- High light reflectance brightens room and helps reduce energy costs
- Mould/Mildew & Sag-resistant
- Fine texture
- Non-directional pattern allows for fast installation

PRODUCT	ITEM#	PART #	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
MAJESTIC	5221	825221	SLT	2' x 2' x 5/8"	WHITE	••000 NRC .50	••••O CAC 35	••••O LR .86	CLASS A	LOW	30-YEAR CLIMAPLUS™	16 PCS (64 SQ. FT.)
MAJESTIC	5411	825411	SQ	2' x 4' x 5/8"	WHITE	••000 NRC .50	•••00 CAC 30	••••O LR .86	CLASS A	LOW	30-YEAR CLIMAPLUS™	8 PCS (64 SQ. FT.)



- Non-directional pattern with a fresh clean appearance
- High light reflectance brightens room and helps reduce energy costs
- Available with a Firecode® formulation, designed for increased fire resistance
- Mould/Mildew & Sag-resistant

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
RADAR BASIC	R2110	829901	SQ	2' x 2' x 5/8"	WHITE	•••00 NRC .55	•••00 CAC 33	●●●○○ LR .83	CLASS A	LOW	1-YEAR STANDARD	16 PCS (64 SQ. FT.)
RADAR BASIC	R2120	829120	SLT	2' x 2' x 5/8"	WHITE	•••00 NRC .55	•••00 CAC 33	●●●○○ LR .83	CLASS A	LOW	1-YEAR STANDARD	16 PCS (64 SQ. FT.)
RADAR BASIC	R2310	829930	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••• CAC 35	●●●○○ LR .83	CLASS A	LOW	1-YEAR STANDARD	8 PCS (64 SQ. FT.)
RADAR BASIC FC	R2315	829315	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••O CAC 35	●●●○○ LR .83	FIRECODE	LOW	1-YEAR STANDARD	8 PCS (64 SQ. FT.)
RADAR	R2410	829910	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••O CAC 35	●●●○○ LR .84	CLASS A	LOW	30-YEAR CLIMAPLUS™	8 PCS (64 SQ. FT.)
RADAR FC	R2415	829915	SQ	2' x 4' x 5/8"	WHITE	•••00 NRC .55	••••• CAC 35	●●●○○ LR .84	FIRECODE	LOW	30-YEAR CLIMAPLUS™	8 PCS (64 SQ. FT.)





- Non-directional pattern with a fresh clean appearance
- Available with a Mould/Mildew & Sag-resistant formulation
- Scored panels create illusion of smaller scaled ceiling
- Unique look with a shadowline tapered edge

PRODUCT	ITEM#	PART #	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
RADAR ILLUSION	R2862	829862	SLT	2' x 4' x 3/4"	WHITE	••000 NRC .50	••••O CAC 35	•••00 LR .84	CLASS A	LOW	30-YEAR CLIMAPLUS™	6 PCS (48 SQ. FT.)
RADAR BASIC ILLUSION	R2742	829741	SLT	2' x 4' x 3/4"	WHITE	•••00 NRC .55	••••O CAC 35	•••00 LR .83	CLASS A	LOW	1-YEAR STANDARD	6 PCS (48 SQ. FT.)

CGC SAVILLE ROW

- Naturally random texture providing a sculptured upscale appearance
- High light reflectance brightens room and helps reduce energy costs
- Good sound control performance
- Economical, all-purpose ceiling panel

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
SAVILLE ROW BASIC	550	821550	SLT	2' x 2' x 3/4"	WHITE	•••00 NRC .55	••••O CAC 35	••••O LR 0.87	CLASS A	LOW	1-YEAR STANDARD	12 PCS (48 SQ. FT.)



- Economical, all purpose ceiling panel
- Lightweight fiberglass basemat for fast and easy installation
- Washable vinyl face for easy maintenance

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
SANTA FE BASIC	212	821212	SQ	2' x 4' x 5/8"	WHITE		••000 CAC 20	•0000 LR .76	CLASS A	LOW	1-YEAR STANDARD	12 PCS (96 SQ. FT.)



4240 4290

- No grid required
- Tongue and groove edging
- Installed with staples on furring strips
- Low clearance, fastened directly under ceiling joists

PRODUCT	ITEM#	PART#	EDGE*	PANEL SIZE	COLOUR	SOUND ABSORBING	SOUND BLOCKING	LIGHT REFLECTANCE	FIRE RESISTANCE	VOC EMISSIONS	WARRANTY*	QUANTITY/CTN
TIVOLI	4240	824240	STP	12" x 12" x 1/2"	WHITE	●0000 NRC N/A	●0000 CAC N/A	•••00 LR .85	N/A	LOW	1-YEAR STANDARD	32 PCS (32 SQ. FT.)
CUSTOM	CUSTOM 4290 824290					•0000	•0000	•••00			1-YEAR	32 PCS
WHITE			STP	12" x 12" x 1/2"	WHITE	NRC N/A	CAC N/A	LR .85	N/A	LOW	STANDARD	(32 SQ. FT.)

CGC DONN® DX®/DXL™



ITEM	#	PART#	DESCRIPTION	HEIGHT	LENGTH	FLANGE WIDTH	COLOUR
DX	/DXL24	904819	MAIN TEE	1-1/2"	12'	15/16"	WHITE
DX 96	/DXL24-	906729	MAIN TEE	1-1/2"	8'	15/16"	WHITE
DX	L216	903698	CROSS TEE	1"	2'	15/16"	WHITE
DX	L424	903699	CROSS TEE	1-1/2"	4'	15/16"	WHITE
M7		900237	WALL MOULD	7/8"	10′	7/8"	WHITE



DX/DXL24

DXL424



DXL216


- Easy to install—Saves time and money
- Hot dipped galvanized steel body prevents rust

M7

- Tight main tee connections for square ceilings
- Audible click when making tee connections ensures proper assembly
- Patented Quick-Release cross tee clips are easy to remove without tools and without damaging tees
- CGC Donn® is the preferred brand that contractors trust for highest quality
- Meets or exceeds National code requirements, including seismic
- Fire-rated system that offers a 30-year warranty when paired with CGC ceiling tile

Note: Load Test Capacity for DX/DXL24 and DX/DXL24-96" is 12 lbs./lf

ACCESSORIES









900109



CGC CEILINGS CROSS REFERENCE GUIDE

CGC RETAIL PRODUCT	ITEM#	CGC COMMERCIAL TILE PRODUCT	ITEM#	ARMSTRONG RETAIL PRODUCT	ITEM#	ARMSTRONG COMMERCIAL TILE PRODUCT	ITEM#	BP RETAIL PRODUCT	ITEM#	CELOTEX CERTAINTEED CEILING TILE PRODUCT	ITEM#	PAGE#	IN-STORE AVAILABIL (S.O. = SPECIAL ORD	.ITY ER)
ELITE SERIES								·			ı			
ARCTIC	D414	FDOST	41.4									4	IN STOCK	
2' x 2' x 3/4" SLB	R414	FROST	414									4	S.O.	
CHEYENNE													IN STOCK	
BASIC 2' x 2' x 3/4"	156	GLACIER	707					MONTEREY	BMMTR			4	S.O.	
SL													3.0.	
SANDRIFT 2' x 2' x 3/4"	R808	SANDRIFT	808									5	IN STOCK	
SL		0,11,0111111											S.O.	
LUNA													IN STOCK	
2' x 2' x 3/4" SLT	R76775	ECLIPSE	76775			CIRRUS	584			CASHMERE	CM-454	6	S.O.	
LUNA PEDESTALS I	R72715	ECLIPSE	72715			CIRRUS	591					6	IN STOCK	
2' x 2' x 3/4" PED	10,2,15	PEDESTALS I	72713			PROFILES	331						S.O.	
LUNA PEDESTALS IV	D70716	ECLIPSE	70716	CASCADE	1270	CIRRUS	EOE /COC			CASHMERE	CMTS-	_	IN STOCK	
2' x 2' x 3/4" PED	R72716	PEDESTAL IV	72716	RAISED PANEL*	1201*	PROFILES	585/626			TIER-EDGE	412-1516	6	S.O.	
MARS 2' x 2' x 3/4"	R86785	MARS	86785			ULTIMA	1911					6	IN STOCK	
SLT													S.O.	
ELEGANCE														
ACANTHUS LEAF	RAL400	ELEGANCE ACANTHUS	AL400									8	IN STOCK	
2' x 2' x 15/16"	KAL400	LEAF	AL400									0	S.O.	
SL														
ELEGANCE LINEAR		ELEGANCE											IN STOCK	
TUSCAN 2' x 2' x 15/16"	RLT100	LINEAR TUSCAN	LT100									8	S.O.	
SL														
ELEGANCE PERIMETER		ELEGANCE											IN STOCK	
PANEL	RPT115	PERIMETER	PT115									8		
2' x 2' x 15/16" SQ		PANEL											S.O.	
PROFESSIONAL	L SERIES													
ALPINE													IN STOCK	
2' x 4' x 5/8" SQ	1003	N/A	_									9	S.O.	
ALPINE 2' x 2' x 5/8"	1004	N/A	_	BRIGHTON*	266*							9	IN STOCK	
SLT													S.O.	
FIFTH AVENUE BASIC	133	FISSURED	560	TEXTURED	949	FISSURED	756					9	IN STOCK	
2' x 2' x 5/8" SQ		BASIC											S.O.	
FIFTH AVENUE BASIC		EICCLIDED								DIDECTIONAL			IN STOCK	
2' x 4' x 5/8"	280	FISSURED BASIC	562	TEXTURED	942	FISSURED	755	MONTICELLO	BMMTI	DIRECTIONAL FISSURED	FH-197	9	S.O.	
SQ													d their respective trademark	

	CGC RETAIL PRODUCT	ITEM#	CGC COMMERCIAL TILE PRODUCT	ITEM#	ARMSTRONG RETAIL PRODUCT	ITEM#	ARMSTRONG COMMERCIAL TILE PRODUCT	ITEM#	BP RETAIL PRODUCT	ITEM#	CELOTEX CERTAINTEED CEILING TILE PRODUCT	ITEM#	PAGE #	IN-STORE AVAILA (S.O. = SPECIAL O	
	PROFESSIONAL	SERIES													
E 2	FIFTH AVENUE BASIC 2' x 2' x 5/8" SLT	270	FISSURED BASIC	506			FISSURED	705			DIRECTIONAL	FH-157	9	IN STOCK S.O.	
E 2	FIFTH AVENUE BASIC FC 2' x 2' x 5/8" SQ	671	FISSURED BASIC FC	585	TEXTURED FIRE GUARD	915	FISSURED FIRE GUARD	896			DIRECTIONAL FISSURED PROTECTONE	PFH-157	9	IN STOCK S.O.	
E 2	FIFTH AVENUE BASIC FC 2' x 4' x 5/8" SQ	220	FISSURED BASIC FC	586			FISSURED FIRE GUARD	895	MANDARIN FC	BMMAN	DIRECTIONAL FISSURED PROTECTONE	PFH-197	9	IN STOCK S.O.	
2	MAJESTIC 2' x 2' x 5/8" SLT	5221	OLYMPIA MICRO	4221	SAHARA ZEPHYR*	271 PP292*	DUNE	1774					10	IN STOCK S.O.	
2	MAJESTIC 2' x 4' x 5/8" SQ	5411	OLYMPIA MICRO	4411			DUNE	1773					10	IN STOCK S.O.	
2	RADAR BASIC 2' x 2' x 5/8" SQ	R2110	RADAR BASIC	2110	RANDOM TEXTURED	935	CORTEGA	770			BAROQUE	BET-157	10	IN STOCK S.O.	
2	RADAR BASIC 2' x 2' x 5/8" SLT	R2120	RADAR BASIC	2120	RANDOM TEXTURED	934	CORTEGA	704			BAROQUE	BET-154	10	IN STOCK S.O.	
2	RADAR BASIC 2' x 4' x 5/8" SQ	R2310	RADAR BASIC	2310	RANDOM TEXTURED NON- DIRECTIONAL*	933 1450A	CORTEGA	769	MARQUIS	BMMAR	BAROQUE	BET-197	10	IN STOCK S.O.	
E 2	RADAR BASIC FC 2' x 4' x 5/8" SQ	R2315	RADAR BASIC FC	2315	TEXTURED FIRE GUARD	915	CORTEGA FIRE GUARD	823	MONARCH	BMMNC	BAROQUE PROTECTONE	PBT-197	10	IN STOCK S.O.	
2	RADAR 2' x 4' x 5/8" SQ	R2410	RADAR	2410			FINE FISSURED	1729			VANTAGE 10	VAN-197	10	IN STOCK S.O.	
2	RADAR FC 2' x 4' x 5/8" SQ	R2415	RADAR FC	2415			FINE FISSURED FIRE GUARD	1830			VANTAGE 10 PROTECTONE	PVN-197	10	IN STOCK S.O.	
 	RADAR ILLUSION 32/6 2' x 4' x 3/4" SLT	R2862	RADAR ILLUSION 32/6	2862					MANHATTAN	ВММНА			11	IN STOCK S.O.	
1	RADAR BASIC ILLUSION 2/24 2' x 4' x 3/4" SLT	R2742	RADAR BASIC ILLUSION 2/24	2742	SCORED	9767	CORTEGA SECOND LOOK	2767	MONTEGO	BMMGO	BAROQUE CUSTOMLINE	BQCL-224	11	IN STOCK S.O.	
E 2	SAVILLE ROW BASIC 2' x 2' x 3/4" SLT	550	ASPEN BASIC	650			DESIGNER	737	MONACO	ВММАС			11	IN STOCK S.O.	
E 2	SANTA FE BASIC 2' x 4' x 5/8" SQ	212	N/A	_	SONOFLEX RANDOM FISSURED	410			FISSURED	BFFIS			12	IN STOCK S.O.	
	ADVANTAGE SE	RIES													
1	WOOD FIBER TIVOLI 12" x 12" x 1/2" STP	4240	N/A	_	GRENOBLE	258							12	IN STOCK S.O.	
(1	WOOD FIBER CUSTOM WHITE 12" x 12" x 1/2" STP	4290	N/A	_	WASHABLE WHITE	231							12	IN STOCK S.O.	



Look for these other high-performance CGC products in-store to complete your home renovation project.

PANELS	 CGC Sheetrock® Brand UltraLight Panels Mold Tough® CGC Sheetrock® Brand UltraLight Panels Firecode® 30
BACKERBOARD & UNDERLAYMENT	 CGC Durock® Brand Cement Board Next Gen Panels CGC Fiberock® Brand Aqua-Tough™ Panels
DRYWALL COMPOUND	 CGC/Synko® Brand UltraLight Drywall Compound CGC/Synko® Dust Control® Brand Drywall Compound
PATCH & REPAIR	 Strait-Flex® Brand Perma Patch and Outlet Patch CGC Sheetrock® Brand 5 Setting-Type Compound
CORNER BEADS & TRIMS	 CGC Sheetrock®/Beadex® Brand Paper-Faced Metal Drywall Beads and Trims Strait-Flex® Brand Corner Bead and Flex Tapes

cgcinc.com cgcdesignstudio.com

CGC Inc. 350 Burnhamthorpe Rd. W., 5th Floor Mississauga, ON L5B 3J1

Customer Service : 1-800-387-2690

