

# CATALOG 34

# WAL-BOARD TOOLS

FIRST IN DRYWALL TOOLS



MADE IN THE USA

*The history of drywall tools is a history of Wallboard Tool Company. When Mel Masterson, a building contractor, and his team conceived, designed and patented the 7 original drywall tools an industry was born . . . it was 1946!*

*Encouraged by their success Wallboard Tool Co. began manufacturing products in the 1950's. As drywall increased it's acceptance as a building material, Wallboard Tool Co. continued to expand their line by offering additional job site tested drywall and painter tools.*

*Under the leadership of Jon Masterson, who was named president in 1970, Wallboard Tool Co. continues to thrive based on the foundation laid by his father.*

*For over 50 years Wallboard Tool Co. has been providing innovative products to the drywall industry. From the company's inception and continuing today we focus on providing the industry with the highest quality products and service available. Wallboard Tool Co. continues to maintain its drywall tool brand leadership position.*

*Catalog #34 presents our complete line of products including many new products. A number of our existing products now feature improved ergonomics reducing user fatigue. All products benefit from tried and true production methods utilizing the highest quality raw materials available. Our products are proudly made in the USA in Long Beach, California.*

*We wish to extend our appreciation to you our fine customers for your past support and we look forward to serving you in the future.*

Hanging Tools

1 - 7

Taping Tools

8 - 12

Finishing / Sanding Tools

13 - 17

Texturing / Spraying Tools

18 - 20

Concrete / Masonry Tools

21 - 22

Accessories

23

Cross Reference

25 - 26

## Hanging Tools

- The ORIGINAL Drywall Hammer
- Forged steel head
- Convex, serrated face designed to set nail in a perfect "dimple"
- Clear grain hardwood handle with clear coat finish has 3½° off-set for knuckle clearance

Prod. No.	Desc.	Handle	Head
02-001	WH-12	14" (356mm)	12 oz. (340g)
02-002	WH-12X	16" (406mm)	12 oz. (340g)

● Genuine Wal-Board® replacement handle & wedge

02-005	WH-H	14" (356mm)	
02-006	WH-L	16" (406mm)	



**HAMMER**

- 16 oz. forged steel head weight is the ideal tool for "nailing off" walls
- Convex, serrated face designed to set nail in a perfect "dimple"
- Clear grain hardwood handle with clear coat finish has 3½° off-set for knuckle clearance

Prod. No.	Desc.	Handle	Head
02-003	WH-17	14" (356mm)	16 oz. (454g)

● Genuine Wal-Board® replacement handle & wedge

02-005	WH-H	14" (356mm)	
02-006	WH-L	16" (406mm)	



**HAMMER**

- Specially designed 21 oz. head has serrated, square face design
- Clear grain hardwood handle with clear coat finish has 3½° off-set for knuckle clearance

Prod. No.	Desc.	Handle	Head
02-008	WH-21	14" (356mm)	21 oz. (595g)

● Genuine Wal-Board® replacement handle & wedge

02-005	WH-H	14" (356mm)	
02-006	WH-L	16" (406mm)	



**HATCHET**

- The ORIGINAL Roll Lifter
- All steel heavy-duty construction
- Original patented roller-wheel design holds wallboard tight to wall for accurate nailing
- Toe kick for easy placement
- Durable powder coat finish

Prod. No.	Desc.	Dimensions	Weight Each
03-001	RL-42	2¼" x 15" (57 x 381mm)	2¼ lbs. (1.02kg)



**ROLL LIFTER**

- All steel heavy-duty construction
- Fixed fulcrum for accurate placement
- Durable powder coat finish

Prod. No.	Desc.	Dimensions	Weight Each
03-002	BL-40	2¼" x 15" (57 x 381mm)	2½ lbs (1.3kg)



**RIGID ROLL LIFTER**

- Compact and lightweight design
- All steel heavy-duty construction with vertical toe kick
- Durable powder coat finish

Prod. No.	Desc.	Dimensions	Weight Each
03-003	ML-45	2¾" x 9" (70 x 229mm)	15 oz. (425g)



**MINI LIFTER**



## Hanging Tools

- The ORIGINAL Drywall Saw
- 6" (152mm) High carbon steel blade with chisel point to penetrate wallboard
- Aggressive tooth design cuts smoothly and stays sharper longer
- Wood handle for comfort and durability

Prod. No.	Desc.	Blade Thickness	Length
04-001	US-71	.070" (1.78mm)	6" (152mm)



UTILITY SAW

- Durable 6" (152mm) high carbon steel blade with chisel point to penetrate wallboard
- Chisel style teeth cut smooth and stay sharper longer
- Wood handle for comfort and durability

Prod. No.	Desc.	Blade Thickness	Length
04-002	IS-50	.062" (1.57mm)	6" (152mm)



UTILITY SAW

- Extra stiff high carbon blade with coarse teeth
- Tapered nose for easy drywall penetration
- Two piece sonic welded high impact plastic handle

Prod. No.	Desc.	Blade Thickness	Length
06-001	DS-15	.060" (1.52mm)	15" (381mm)



DRYWALL SAW

- Extra stiff high carbon blade with coarse teeth
- Tapered nose for easy drywall penetration
- Durable solid high impact plastic handle

Prod. No.	Desc.	Blade Thickness	Length
06-005	SH-15	.060" (1.52mm)	15" (381mm)



DRYWALL SAW

- Efficient design to smooth rough-cut edges of drywall
- No-clog slot prevents clogging and is self-cleaning
- Durable lightweight plastic construction


Prod. No.	Size	Weight
07-005	6" x 2" (152 x 51mm)	4 oz. (113g)



RASP

- Efficient design to smooth rough-cut edges of drywall
- No-clog slot prevents clogging and is self-cleaning
- Comfortable wood handle
- Genuine Wal-Board® replacement blade and handle available

Prod. No.	Desc.	Size	Weight
07-001	WR-57	7½" x 2" (191 x 51mm)	6.5 oz. (184g)



WOOD HANDLE RASP

## Hanging Tools

- The ORIGINAL Circle Cutter
- Cuts clean circles up to 16" (406mm) in diameter
- Heat treated scoring blade
- Sharp center point
- Calibrated steel shaft for precise cuts
- Genuine Wal-Board® repair parts available
- Carded

Prod. No.	Desc.	Length
08-001	AC-31	8-1/2" (216mm) Overall



**CIRCLE CUTTER**

- The ORIGINAL Drywall T-Square
- Heat treated aluminum construction
- Available in 3/16" or 1/8" (4.7 or 3.1mm) blade thickness
- 47-7/8" (1226mm) and 53-7/8" (1368mm) blade lengths
- Cross-head is angled for added strength
- Aircraft alloy steel rivets attach head to blade
- Reverse ruled blade for precise measurements in either direction
- Head is calibrated to make accurate 16" (406mm) stud measurements

Prod. No.	Desc.	Blade Dimensions	Finish
09-001	TS-31	3/16" x 47-7/8" (4.7 x 1226mm)	Clear Anodized Calibrated
09-002	TS-20	3/16" x 47-7/8" (4.7 x 1226mm)	Unfinished Calibrated
09-008	TS-54	3/16" x 53-7/8" (4.7 x 1368mm)	Clear Anodized Calibrated
88-012	WTS-50	1/8" x 47-7/8" (3.1 x 1226mm)	Clear Anodized Calibrated
88-016	WTS-54	1/8" x 53-7/8" (3.1 x 1368mm)	Clear Anodized Calibrated



**T-SQUARES**

- Specially designed cutting edge for cutting and trimming wallboard
- Professional quality, high grade tempered steel blade
- Hardwood handle

Prod. No.	Desc.	Length
15-003	HB-99	2 1/2" (64mm) Long Point



**HOOK BILL KNIFE**

## Hanging Tools

- Die-cast zinc-aluminum construction
- Specifically designed to prevent blade "pull out" or "fold-back"
- Serrated grip
- Durable powder coat finish
- Comes with three (3) heavy-duty blades inside
- Carded

Prod. No.	Desc.	Length
15-001	K-799	6" (152mm) Overall



UTILITY KNIFE

- Heavy-duty professional quality knife blades (.025" thickness)
- Designed specifically to withstand the abrasion of drywall
- Available in convenient 5-pack or 100-pack boxes

Prod. No.	Desc.	Description	Blades/Box
15-004	700-5	HD Blades	6
15-005	700-C	HD Blades	100



UTILITY KNIFE BLADES

- Lightweight ABS Handle with belt clip
- Accepts all standard utility blades
- Extra blade storage in handle
- Cuts drywall, vinyl; trims carpet
- Comes with six (6) blades inside
- Carded

Prod. No.	Length
15-007	6" (152mm) Overall



FOLDING UTILITY KNIFE

- The ORIGINAL Drywall Tool Pouch
- Durable pressure-molded pockets to retain shape
- Heavy-duty polished grain leather with complete cap rivet construction
- Three (3) inner pockets for smaller tools
- 2" x 2" (51 x 51mm) steel or leather hammer loop
- Available in both right and left handed styles

Prod. No.	Desc	Size	Hammer Loop
16-001	815	9" x 9"	Steel (Right Hand)
16-002	815-L	9" x 9"	Steel (Left Hand) (229 x 229mm)



BOX STYLE TOOL POUCH

- ORIGINAL WAL-BOARD® design with front pockets
- Constructed of heavy-duty, top grain leather
- Thin shape with generous center pocket to accommodate large tools
- Seams are both stitched and riveted for extra strength and durability
- 2" x 2" (51 x 51mm) hammer loop

Prod. No.	Desc.	Size
16-005	818	10½" X 10" (267 X 254mm)



SEMI-FLAT POUCH

## Hanging Tools

- ORIGINAL WAL-BOARD® design with durable pressure-molded pockets to retain shape
- Heavy-duty polished grain leather with complete cap rivet construction
- 2" x 2" (51 x 51mm) steel hammer loop

Prod. No.	Desc.	Size
16-004	810	9" x 7" (229 x 178mm)



**COMPACT POUCH**

- Durable construction, stitched throughout and riveted at key points
- Extra large, flared center pocket with extra outside nail pocket and smaller side pockets for tools
- Heavy-duty leather hammer loop
- Heavy gauge leather, reversed with smooth surface inside

Prod. No.	Desc.	Pocket Size
16-007	830	10" x 11" (254 x 279mm)



**RIGHT HANDED NAIL BAG WITH HAMMER LOOP**

- ORIGINAL WAL-BOARD® design with three pockets for various nails
- Side pockets for carrying punches, pencils, magnets, etc.
- Heavy-duty, top grain leather; reversed with smooth surface inside

Prod. No.	Desc.	Pocket Size
16-010	840	Top - 6" x 6" (152 x 152mm) Lower - 11" x 10" (279 x 254mm) Front - 5" x 5" (127 x 127mm)



**COMMERCIAL NAIL BAG**

- Durable construction, both riveted and stitched to reinforce the bottom
- Two large pockets
- Heavy gauge leather, reversed with smooth surface inside

Prod. No.	Desc.	Pocket Size
16-029	841F	10" x 11" (254 x 279mm) 6" x 5" (152 x 127mm)

- **Large Pocket**
- |        |      |                         |
|--------|------|-------------------------|
| 16-030 | 843F | 10" x 11" (254 x 279mm) |
|--------|------|-------------------------|



**FLAT AND SQUARE NAIL BAG**

- Heavy-duty web construction
- Riveted for long life
- Metal buckle

Prod. No.	Desc.	Size
16-017	500	Up to 46" (1168mm)



**WEB BELT**

- Top grain polished leather
- All steel buckle
- 2" (51mm) wide, up to 44" (1118mm) long

Prod. No.	Desc.	Size
16-018	530	Up to 44" (1118mm)



**LEATHER BELT**

- Heavy-duty, top grain polished leather
- All steel buckle with roller and leather tap keeper
- 2" (51mm) wide, up to 44" (1118mm) long

Prod. No.	Desc.	Size
16-019	540	Up to 44" (1118mm)



**HEAVY DUTY LEATHER BELT**

## Hanging Tools

- High strength aluminum alloy construction
  - Legs adjust separately every 2" (51mm) by squeezing wishbone spring and releasing at desired height
  - Rubber feet (replaceable) to prevent slipping
  - Steel parts are zinc plated for long life
  - Genuine WAL-BOARD® extension legs
- MAXIMUM LOAD IS 400 LBS. (181kg)**

Prod. No.	Desc.	Weight	Height
31-016	W-1832 Bench	33 lbs. (15kg)	18" to 30" (457 to 762mm)
	Top		9-1/2" X 48" (241 to 1219mm)



**ALUMINUM BENCH**

- High strength aluminum alloy with zinc plated steel working parts
- Adjustable height on all models
- Rubber soles (replaceable) to prevent slipping
- Foam rubber leg pads
- All models with adapters
- Maximum load on all models is 225 lbs. (102 kg)

Prod. No.	Desc.	Size	Adjustment Method	Style
31-008	C-1830WA	18" to 30" (457 to 762mm)	Wishbone Spring	Channel
31-009	C-2436WA	24" to 36" (610 to 914mm)	Wishbone Spring	Channel
31-011	A-1828WA	18" to 28" (457 to 711mm)	Wing Nut & Bolt	Tubular
31-012	A-2236WA	22" to 36" (559 to 914mm)	Wing Nut & Bolt	Tubular



**ALUMINUM STILTS**



## Hanging Tools

- Attaches cornerbead to drywall by crimping metal, reducing the number of nails required to attach cornerbead
- Durable aluminum body
- All steel crimping assembly
- Heat treated crimping blades
- Genuine WAL-BOARD® Repair kits and mallets available

Prod. No.	Desc.	Description	Size Bead
71-001	CO-2	Tool w/Mallet	1-1/8" (29mm)
71-002	CO-2A	Tool w/Mallet	1-1/4" (32mm)
71-012	CO-2-LM	Tool Only/No Mallet	1-1/8" (29mm)
71-013	CO-2A-LM	Tool Only/No Mallet	1-1/4" (32mm)
71-003	CO-2RK	Repair Kit	
71-004	CP-M	Rubber Mallet Only	



**CORNERBEAD TOOL**

- Extra tough and wear resistant special molybdenum steel
- Steel handles have margin of strength far above the limit of hand power
- Vinyl grips

Prod. No.	Desc.	Description
67-003	M3-R	Cuts straight and curves



**TIN SNIPS**

- Perforated wheels cut both sides of the wallboard to enable quick and neat cutting to avoid paper tearing
- Wood handle with thumb screw adjusts to cut 4 1/2" (114mm) or smaller
- Replacement cutting wheels available

Prod. No.	Desc.	Size
78-001	BS-21	3/8" x 1/2" x 5/8" (9.5 x 12.7 x 16mm)



**STRIPPER**

- High quality aluminum with magnetic edge
- Ideal for stud and track layout

Prod. No.	Desc.	Size
77-002	881-24	24" x 2 1/4" x 1" (610 x 57 x 25mm)



**MAGNETIC LEVEL**

- Specially designed "press down handle" releases line without turning handle to avoid broken lines and bruised knuckles
- Large die cast aluminum case
- Nylon gears for winding and re-winding withstand rugged use

Prod. No.	Desc.	Size
79-001	EZ-175	100' (30m) Chalk line box
79-006	C-8R	8 oz. (254g) Chalk bottle - Red
79-007	C-8B	8 oz. (254g) Chalk bottle - Blue



**E-Z CHALK BOX & CHALK**

- High-grade stainless steel, precision manufactured to drive nails in hard to get areas
- Heat-treated steel insert is energized by Alnico 5, one of the best permanent magnets
- Popular sizes with round ends and hex sides for sure grips

Nose	Prod. No.	Desc.	Length	Dimensions
	70-003	MH-5	5-1/2" (140mm)	3/4" (19mm)
	70-004	MH-8	8" (203mm)	5/8" (16mm)



**MAGNETIC PUNCH**

## Taping Tools

- WAL-BOARD® design featuring smooth RIDGELESS blade mounting of lightweight aluminum
- Professional quality "1095" blue spring steel
- Fully contoured hardwood handle

Prod. No.	Desc.	Blade Dimension
18-002	JK-08	8" x 3" (203 x 76mm)
18-003	JK-10	10" x 3" (254 x 76mm)
18-004	JK-12	12" x 3" (305 x 76mm)
18-005	JK-14	14" x 3" (356 x 76mm)
18-007	JK-18	18" x 3" (457 x 76mm)
18-009	JK-24	24" x 3" (610 x 76mm)



**JK TAPING KNIFE**

- Same quality as the JK knife with a longer 18" (457mm) handle

Prod. No.	Desc.	Blade Dimension
21-006	JKL-18	18" x 3" (457 x 76mm)
21-008	JKL-24	24" x 3" (610 x 76mm)
21-009	JKL-H	Replacement Handle 18" (457mm)



**JKL TAPING KNIFE**

- Steel blade mounting with reinforcing rib for added strength
- Professional quality "1095" blue spring steel
- Fully contoured hardwood handle

Prod. No.	Desc.	Blade Dimension
19-001	DK-08	8" x 3" (203 x 76mm)
19-002	DK-10	10" x 3" (254 x 76mm)
19-003	DK-12	12" x 3" (305 x 76mm)



**DK TAPING KNIFE**

- Steel blade mounting with reinforcing rib for added strength
- High quality, stainless steel blade and backing
- Fully contoured hardwood handle

Prod. No.	Desc.	Blade Dimension
20-001	SK-08	8" x 3" (203 x 76mm)
20-002	SK-10	10" x 3" (254 x 76mm)
20-003	SK-12	12" x 3" (305 x 76mm)



**SK TAPING KNIFE**

- Tuff-Grip® handle combines superior grip qualities to prevent slippage during use along with the ultimate in comfort. Made of high-density overmolded rubber
- Aluminum blade mounting
- Professional quality "1095" blue spring steel blades

Prod. No.	Desc.	Blade Dimension
18-028	TG-08	8" x 3" (203 x 76mm)
18-030	TG-10	10" x 3" (254 x 76mm)
18-032	TG-12	12" x 3" (305 x 76mm)
18-034	TG-14	14" x 3" (356 x 76mm)



**TG TAPING KNIFE**

## Taping Tools

- Tuff-Grip® handle combines superior grip qualities to prevent slippage during use along with the ultimate in comfort
- Made of high-density overmolded rubber
- Aluminum blade mounting
- High quality stainless steel blade

Prod. No.	Desc.	Blade Dimension
18-058	TGS-08	8" x 3" (203 x 76mm)
18-060	TGS-10	10" x 3" (254 x 76mm)
18-062	TGS-12	12" x 3" (305 x 76mm)
18-064	TGS-14	14" x 3" (356 x 76mm)



TGS TAPING KNIFE

- Aluminum blade mounting
- Yellow foam molded handle with textured finish
- Professional quality "1095" blue spring steel blade

Prod. No.	Desc.	Blade Dimension
21-016	TH-06	6" x 3" (152 x 76mm)
21-018	TH-08	8" x 3" (203 x 76mm)
21-020	TH-10	10" x 3" (254 x 76mm)
21-022	TH-12	12" x 3" (305 x 76mm)
21-024	TH-14	14" x 3" (356 x 76mm)



TH TAPING KNIFE

- Aluminum blade mounting
- Yellow foam molded handle with textured finish
- High quality stainless steel blade

Prod. No.	Desc.	Blade Dimension
21-036	THS-06	6" x 3" (152 x 76mm)
21-038	THS-08	8" x 3" (203 x 76mm)
21-040	THS-10	10" x 3" (254 x 76mm)
21-042	THS-12	12" x 3" (305 x 76mm)
21-044	THS-14	14" x 3" (356 x 76mm)



THS TAPING KNIFE

- Aluminum blade mounting
- Professional quality "1095" blue spring steel blades
- Injection molded red plastic handle attached to mounting by steel cutlery rivets

Prod. No.	Desc.	Blade Dimension
88-001	EK-06	6" x 3" (152 x 76mm)
88-002	EK-08	8" x 3" (203 x 76mm)
88-003	EK-10	10" x 3" (254 x 76mm)
88-004	EK-12	12" x 3" (305 x 76mm)



EK TAPING KNIFE

- High carbon steel blades uniformly tapered for proper flex
- High impact, molded plastic handle with nailing head to set protruding drywall nails

Prod. No.	Desc.	Blade	Handle
22-004	HK-4	4" (102mm)	Plastic
22-005	HK-5	5" (127mm)	Plastic
22-006	HK-6	6" (152mm)	Plastic



HAMMER-END KNIFE

## Taping Tools

- Heavy gauge stainless steel, spot-welded construction
- Tapered ends and sides

Prod. No.	Desc.	Size	Top	Bottom
23-001	MP-10	10" (254mm)	11½" (292mm)	10½" (267mm)
23-002	MP-12	12" (305mm)	13½" (343mm)	12½" (318mm)
23-003	MP-14	14" (358mm)	15½" (394mm)	14½" (368mm)
23-004	MP-18	18" (457mm)	19½" (495mm)	18½" (470mm)



STAINLESS STEEL MUD PAN

- Heavy-gauge stainless steel with HELI-ARC welded corners
- Professional quality water-tight construction
- Tapered ends and sides

Prod. No.	Desc.	Size	Top	Bottom
24-001	SP-10	10" (254mm)	11½" (292mm)	10½" (267mm)
24-002	SP-12	12" (305mm)	13½" (343mm)	12½" (318mm)
24-003	SP-14	14" (358mm)	15½" (394mm)	14½" (368mm)
24-004	SP-18	18" (457mm)	19½" (495mm)	18½" (470mm)



HELI-ARC STAINLESS STEEL MUD PAN

- Heavy-gauge galvanized steel, spot-welded construction
- Tapered ends and sides

Prod. No.	Desc.	Size	Top	Bottom
25-001	GP-10	10" (254mm)	11½" (292mm)	10½" (267mm)
25-002	GP-12	12" (305mm)	13½" (343mm)	12½" (318mm)
25-003	GP-14	14" (358mm)	15½" (394mm)	14½" (368mm)
25-004	GP-18	18" (457mm)	19½" (495mm)	18½" (470mm)



GALVANIZED MUD PAN

- Red Polyethylene plastic pan
- Textured sides for sure gripping
- Withstands temperature variations
- Double Bladed

Prod. No.	Blades	Size	Top	Bottom
27-002	2	12" (305mm)	13¼" (337mm)	12¼" (311mm)
27-004	2	14" (356mm)	15¼" (387mm)	14¼" (362mm)



- Gray Polyethylene plastic pan
- Textured sides for sure gripping
- Withstands temperature variations
- Single Blade

Prod. No.	Blades	Size	Top	Bottom
88-029	1	12" (305mm)	13¼" (337mm)	12¼" (311mm)



PLASTIC MUD PANS



## Taping Tools

- All steel construction
- Holds 500' (152m) roll of tape and has handy belt clip
- Quick open design – no nuts or bolts
- Tape threads through lower slot for quick unrolling and tear-off

Prod. No.	Desc.	Length
41-001	TR-25	10¼" (260mm)



TAPE REEL

- Rigid, aluminum construction
- Adjustable front mud flow dam
- Quick fill, hinged mud compartment
- Precision ground cut-off blade
- Accommodates up to 500' (152m) rolls
- Adjustable side strap and wood capped top handle

Prod. No.	Length	Height	Weight
51-007	24¾" (629mm)	8½" (216mm)	5 lbs. (2.27kg)



"QUICK LOAD" DRYWALL TAPER

- All steel head construction, epoxy bonded to wood handle
- Comfortable wood handle with metal ferrule

Prod. No.	Desc.	Overall Length	Head
42-001	MM-33	25" (635mm)	Square 5" x 5½" (127 x 140mm)
42-002	MM-34	37" (940mm)	Semi-round 6" x 6½" (152 x 165mm)
42-003	MM-35	25" (635mm)	Round 7¼" Diameter (184mm)
42-004	MM-37	37" (940mm)	Square 5" x 5½" (127 x 140mm)



SQUARE HEAD



SEMI-ROUND HEAD



ROUND HEAD

HAND MIXERS

- Steel shaft with cast aluminum head
- Requires ½" (12.7mm) drill with a minimum 6 amp motor and maximum of 800 RPM
- Blades designed to fold and mix material quickly


Prod. No.	Desc.	Overall Length	Head
43-001	QM-24	24" (610mm)	4½" x 6½" (114 x 165mm)
43-002	QM-36	36" (914mm)	4½" x 6½" (114 x 165mm)



QUICK MIXER

- Steel shaft and blades with zinc plating
- Requires ½" (12.7mm) drill with a minimum 6 amp motor and maximum of 800 RPM
- Blades designed to fold and mix material quickly

Prod. No.	Desc.	Overall Length	Head
43-084	Western Style	24" (610mm)	4½" x 6½" (114 x 165mm)
43-086	Western Style	36" (914mm)	4½" x 6½" (114 x 165mm)



WESTERN STYLE QUICK MIXER

## Taping Tools

- *Stainless Steel mixer quickly produces a smooth texture*
- *Designed to eliminate lumps and bubbles*
- *Bottom ring protects plastic buckets from damage*

Prod. No.	Desc.	Overall Length	Head
43-008	Mud Resin Mixer	10¼" (280mm)	2¼" (57mm)



**MUD RESIN MIXER**

- *Steel mixer for drywall mud or paint*
- *Designed to create a uniform mixture*

Prod. No.	Desc.	Overall Length	Head
43-012	Paint Mixer	15¾" (400mm)	2" (51mm)
43-014*	Paint Mixer	22" (580mm)	4" (102mm)

\*Requires ½" (12.7mm) drill with a minimum of 6 amp motor and maximum of 800 RPM




**PAINT MIXER**

- *Heavy plated steel shaft and wheels designed to fold material with no lumping*
- *Requires ½" (12.7mm) drill with a minimum 6 amp motor and maximum of 800 RPM (for Prod. No. 81-001 and 81-002)*

Prod. No.	Shaft	Wheels
81-001	3/8" x 24" (9.5 X 610mm)	2 - 5" Adjustable (127mm) Diameter
81-002	3/8" x 24" (9.5 x 610mm)	3 - 5" Adjustable (127mm) Diameter

- *Can be used with 1/4", 1/2" or 3/8" (6.4, 12.7 or 9.5mm) drill with a maximum of 800 RPM*

81-004	1/4" x 11" (6.4 x 279mm)	2 - 2-1/2" Adjustable (64mm) Diameter
--------	-----------------------------	--



**2 - 5" WHEELS OR  
3 - 5" WHEELS**



**2 - 2-1/2" WHEELS**

**POWER MIXERS**

- *High-impact polystyrene plastic is tough and yet economical*
- *Available in a variety of sizes with peg holes for easy display*

Prod. No.	Blade Width
88-022	2" (51mm)
88-024	4" (102mm)
88-017	6" (152mm)
88-018	8" (203mm)
88-020	10" (254mm)



**PLASTIC TAPING KNIFE**

- *High carbon steel blades uniformly tapered for proper flex*
- *High impact, molded plastic handle*

Prod. No.	Desc.	Blade	Handle
22-001	PK-1	1¼" (32mm)	Plastic
22-002	PK-2	2" (51mm)	Plastic
22-003	PK-3	3" (76mm)	Plastic




**PUTTY KNIFE**

## Finishing / Sanding Tools

- Light weight 24" (610mm) aluminum handle with off-set angle makes it easy to use on walls and ceilings; allows a consistent finish

- 24" (610mm) blue steel blade

Prod. No.	Blade	Handle
33-024	1-5/8" x 24" (42 x 610mm)	24" (610mm)



**KNOCK DOWN KNIFE**

- Professional quality, "1095" blue spring steel blade is spot welded to steel backing
- 1/2" (12.7mm) off-set provides better knuckle clearance
- 18" (457mm) straight hardwood handle

Prod. No.	Desc.	Blade	Handle
33-002	DKL-18	3-5/8" x 18" (92 x 457mm)	18" (457mm)
33-004	DKL-20	3-5/8" x 20" (92 x 508mm)	18" (457mm)



**OFF-SET KNIFE**

- Professional quality "1095" blue spring steel blade
- 18" (457mm) slant cut wood handle

Prod. No.	Desc.	Curved Blade	Offset Handle
33-007	CB-1818	3-7/8" x 18" (98 x 457mm)	18" (457mm)
33-008	CB-2418	3-7/8" x 24" (98 x 610mm)	18" (457mm)



**CURVED BLADE KNIFE**

- Professional quality "1095" blue spring steel blade with shims attached to an anodized aluminum tube handle
- Vinyl handle cap for easy hanging

Prod. No.	Desc.	Blade	Handle
59-001	WK-77	7" (178mm)	14" (356mm)
59-002	WK-97	9" (229mm)	14" (356mm)
59-006	WKL-77	7" (178mm)	28" (711mm)
59-007	WKL-97	9" (229mm)	28" (711mm)



**BROAD KNIFE**

- WAL-BOARD® design featuring heavy duty aluminum backing
- Professional quality, "1095" blue spring steel
- Fully contoured hardwood handle

Prod. No.	Desc.	Blade Dimension
33-048	MKL-18	18" x 4-1/8" (457 x 105mm)
33-054	MKL-24	24" x 4-1/8" (610 x 105mm)



**MKL TAPING KNIFE**

## Finishing / Sanding Tools

- Designed for sanding wallboard joint compound
- Achieve professional feather finish
- Dustless sanding when used wet
- Yellow side cleans and smooths
- White side for more aggressive sanding
- Rinse and re-use

Prod. No.	Desc.	Size
38-030	Sanding Sponge	9" x 4½" x 1¾" (229 x 114 x 44mm)



**SANDING SPONGE**

- Professional quality, tempered aluminum base plate
- Wood handle with plenty of knuckle room
- Polyethylene pad
- Clamp design allows several sheets of die cut sandpaper to be held at once

Prod. No.	Desc.	Dimensions
34-002	HS-66	3¼" x 9¼" (83 x 229mm)



**HAND SANDER**

- Durable injection molded plastic handle & base
- Polyethylene pad
- Clamp design allows several sheets of die cut sandpaper to be held at once

Prod. No.	Desc.	Dimensions
88-006	WHS-76	3¼" x 9¼" (83 x 229mm)



**HAND SANDER**

- Die cast aluminum base plate 3¼" x 9¼" (83 x 235mm) with reinforced ridges to prevent "bowing"
- Universal joint with low center of gravity
- Polyethylene pad
- 48" (1219mm) hardwood handle (replaceable) with steel cap for setting nails
- Wing nut clamp design allows several sheets of die cut sandpaper to be held at once

Prod. No.	Desc.	Description
35-001	AS-22	Complete Pole Sander
35-002	AS-22H	Head only
35-003	P-22	48" (1219mm) Handle only



**UNIVERSAL POLE SANDER**

- Die cast aluminum base plate 3¼" x 9¼" (83 x 235mm) with reinforced ridges to prevent "bowing"
- Universal joint with low center of gravity
- Polyethylene pad
- 48" (1219mm) hardwood handle (replaceable) with steel cap for setting nails
- Tuff-Lock™ clamp design allows several sheets of die cut sandpaper to be held at once

Prod. No.	Description
35-012	Complete Pole Sander
35-023	Head only
35-003	48" (1219mm) Handle only



**TUFF-LOCK™ POLE SANDER**



## Finishing / Sanding Tools

- Professional quality, die cast aluminum base plate 3¼" x 9¼" (83 x 235mm) with reinforced ridges to prevent "bowing"
- All steel universal swivel joint
- Polyethylene pad
- 48" (1219mm) hardwood handle (replaceable) with steel cap for setting nails
- Wing nut clamp design allows several sheets of die cut sandpaper to be held at once

<b>Prod. No.</b>	<b>Description</b>
35-015	Complete Pole Sander
35-017	Head only



**PROFESSIONAL POLE SANDER**

- Professional quality, die cast aluminum base plate 3¼" x 9¼" (83 x 235mm) with reinforced ridges to prevent "bowing"
- All steel universal swivel joint with low center of gravity
- Polyethylene pad
- 48" (1219mm) hardwood handle (replaceable) with steel cap for setting nails
- Tuff-Lock™ clamp design allows several sheets of die cut sandpaper to be held at once

<b>Prod. No.</b>	<b>Description</b>
35-019	Complete Pole Sander
35-025	Head only
35-003	48" (1219mm) Handle only



**TUFF-LOCK™ PRO POLE SANDER**

- Durable injection molded plastic construction
- Polyethylene pad

<b>Prod. No.</b>	<b>Desc.</b>	<b>Description</b>
88-005	WASH-32H	Pole Sander Head Only



**POLE SANDER HEAD ONLY**

- For attaching a sander head to a painter pole
- Aluminum construction
- More durable than plastic adapters
- Adapts from 11/16" - 16 straight thread to ¾" - 5 Wood Thread
- Works with most painter's poles

<b>Prod. No.</b>	<b>Description</b>
35-009	Sander Adapter



**SANDER ADAPTER**

- Top quality, Silicon-Carbide paper
- Pre-cut to fit Wal-Board® and other standard sanders

<b>Prod. No.</b>	<b>Desc.</b>	<b>Description</b>
38-001	DC-80	80 Grit Die-Cut Sandpaper, 100's
38-002	DC-100	100 Grit Die-Cut Sandpaper, 100's
38-003	PDC-80	80 Grit Die-Cut Sandpaper, 10 Pack
38-004	PDC-100	100 Grit Die-Cut Sandpaper, 10 Pack
40-001	SS-120	120 Grit Straight Cut Sand Screen, 10 Pk
40-002		220 Grit Straight Cut Sand Screen, 10 Pk
40-006		120 Grit Angle Cut Sand Screen, 10 Pk
40-007		220 Grit Angle Cut Sand Screen, 10 Pk



**SANDPAPER & SAND SCREEN**

## Finishing / Sanding Tools

- High grade, tempered steel blade is curved, designed specifically to feather and taper drywall joints
- Aluminum alloy mounting with steel rivets
- Straight grain wood handle

Prod. No.	Desc.	Dimensions
46-001	DT-11	4½" x 11" (114 x 279mm)
46-002	DT-12	4" x 12" (102 x 305mm)
46-003	DT-14	4½" x 14" (114 x 356mm)



**DRYWALL TROWEL**

- Tempered aluminum construction
- Grain finish and circular grooves prevent material from sliding
- Metal casting secures handle to hawk
- Wood handle with rubber callous preventor

Prod. No.	Desc.	Dimensions
47-002	DH-50	12½" x 12½" (318 x 318mm)
47-003	DH-H	Wood Handle Only
47-004	DH-D	Rubber Callous Preventor Only



**ALUMINUM HAWK**

- Professional quality, tempered aluminum base plate 3½" x 9" (89 x 229mm)
- Comfortable wood handle with plenty of knuckle room
- Sponge rubber pad with epoxy edge beading

Prod. No.	Desc.	Dimensions
48-001	RF-9C	4" x 9½" (102 x 241mm)



**RUBBER FLOAT**

- Durable injection molded plastic handle and base
- Sponge rubber pad with epoxy edge beading

Prod. No.	Desc.	Dimensions
88-007	WRF-10	4" x 9½" (102 x 241mm)




**RUBBER FLOAT**

## Finishing / Sanding Tools

- Flexible, tempered stainless steel blades for finishing *INSIDE* corners
- Comfortable wood handle
- Genuine WAL-BOARD® replacement blades available

<b>Prod. No.</b>	<b>Desc.</b>	<b>Blade Dimemensions</b>
82-001	CT-103	4" x 5" (102 x 127mm) Sides
88-014	WCT-123	2-1/2" x 4" (64 x 102mm) Sides
88-027		2-3/4" x 3-1/8" (102 x 24mm) Sides (70 x 79mm) Plastic



**INSIDE CORNER TOOLS**

- Flexible, tempered stainless steel blades for finishing *OUTSIDE* corners
- Designed to finish cornerbead around windows and doors
- Comfortable wood handle
- Genuine WAL-BOARD® replacement blades available

<b>Prod. No.</b>	<b>Desc.</b>	<b>Blade Dimemensions</b>
82-002	OT-113	2-1/4" x 4-1/8" (64 x 105mm) Sides




**OUTSIDE CORNER TOOL**

## Texturing and Spraying

- Lightweight hand-held unit requires no compressor
- Turn of the handle dispenses a steady flow of glitter
- Designed to apply glitter to both walls and ceilings

Prod. No.	Description
53-019	Plastic Glitter Gun



**PLASTIC GLITTER GUN**

- Popular colors designed to resist fading and tarnishing
- Uniform size is ideal for producing consistent patterns and reflections

Prod. No.	Color	Size
53-001	Silver	1 lb. (454g)
53-004	Diamond	1 lb. (454g)
53-007	Gold	1 lb. (454g)
53-017	Iris	1 lb. (454g)



**GLITTER**

- Lightweight and durable
- Used to apply color coat, acoustic and drywall mud
- Can match most surfaces
- 2 quart (1.893ltr) capacity

Prod. No.	Desc.
54-050	Stucco Machine



**STUCCO MACHINE**

- One piece tempered aluminum blade and mounting
- 1/2" (12.7mm) lip to catch run-off
- 18" (457mm) hardwood handle (replaceable)
- Designed specially for air-less painting and drywall texturing

Prod. No.	Desc.	Blade	Handle
58-003	PS-36	36" x 8" (914 x 203mm)	18" (457mm) Slant Cut Handle



**SPRAY SHIELD**

- Aluminum mounting holds flexible plastic 24" (610mm) blade
- Injection molded plastic handle

Prod. No.	Desc.	Blade	Handle
88-009	WPS-24	24" x 10" (610 x 254mm)	6 1/4" (159mm)



**24" PAINT SHIELD**

- Flared bristles are flexible to reach corners and yet stiff to retain shape in water
- Available in two different bristles

Prod. No.	Desc.	Brush Face	Bristle	Handle
62-002	14-S	5 1/2" x 4" (140 x 102mm)	Polypropylene	9" Plastic (229mm)
62-003	15-Y	5 1/2" x 4" (140 x 102mm)	Palmyre	20" Plastic (508mm)
62-004	15-S	5 1/2" x 4" (140 x 102mm)	Polypropylene	20" Plastic (508mm)



**SCRUB BRUSH**



## Texturing and Spraying

- One-piece body with rust resistant internal components
- Sprays acoustic (popcorn) materials, wall texture materials and most interior and exterior materials where a stipple finish is desired
- Heavier spring for faster trigger response
- Flexible connector makes spraying difficult angles easy
- Soft grip handle and trigger
- Three solid brass material orifices 3/16", 1/4", & 5/16" (4, 6 & 8mm)
- Operates with any compressor with a minimum of 2.4 CFM @ 90 PSI/5.3 CFM @ 40 PSI

Prod. No.	Capacity	Overall Height	Weight
56-020	1¾ Gal (6.6ltr)	26" (660mm)	4 lbs. (1.82kg)
50-040	Material Orifice Set		



**SPRAY-PRO®  
HOPPER GUN**

- One-piece body with rust resistant internal components
- Sprays acoustic (popcorn) materials, wall texture materials and most interior and exterior materials where a stipple finish is desired
- Soft grip handle and trigger
- Three solid brass material orifices 3/16", 1/4", & 5/16" (4, 6 & 8mm)
- Operates with any compressor with a minimum of 2.4 CFM @ 90 PSI/5.3 CFM @ 40 PSI

Prod. No.	Capacity	Overall Height	Weight
57-001	1¾ Gal (6.6ltr)	24½" (622mm)	3.61 lbs (1.63kg)
50-040	Material Orifice Set		



**TEXTURE-PRO®  
HOPPER GUN**

- One-piece body with rust resistant internal components
- Sprays acoustic (popcorn) materials, wall texture materials and most interior and exterior materials where a stipple finish is desired
- Three solid brass material orifices 3/16", 1/4", & 5/16" (4, 6 & 8mm)
- Operates with any compressor with a minimum of 2.4 CFM @ 90 PSI/5.3 CFM @ 40 PSI

Prod. No.	Capacity	Overall Height	Weight
52-005	1¾ Gal (6.6ltr)	24½" (622mm)	3.2 lbs (1.45kg)
50-040	Material Orifice Set		



**WAL-PRO®  
HOPPER GUN**

# Texturing and Spraying

- Lightweight die-cast aluminum housing
- Threaded micro adjustable material controller
- Spraying capacity of up to ½ gallon (1.9ltr) of material a minute
- Solid brass precision parts
- Three solid brass material orifices
- Bi-pod stand included for material loading or resting
- Operates with any compressor with a minimum of 2.4 CFM @ 90 PSI

Prod. No.	Capacity	Overall Height	Weight
55-049	2 Gal. (7.5ltr)	24½" (622mm)	5.4 lbs (2.45kg)
55-060	Material Orifice Set		



**SPRAYING MANTIS®  
HOPPER GUN**

- Wide variety and combination of bristles
- Various shapes to create all types of texture patterns
- 48" (1219mm) handle available for the 1000, 1721, 1721X and 2000 brushes

Prod. No.	Desc.	Size Block	Size Trim	Bristle
62-005	1721	4-3/4" Dia (121mm)	2-1/2" (64mm)	Horsehair
62-011	1721X	5-1/8" Dia. (137mm)	3-1/2" (89mm)	Horsehair
62-008	1800X	2" x 6-1/2" (51 x 165mm)	4" (102mm)	White Tampico
62-009	2000	2 - 8" x 1-3/4" (203 x 44mm)	4" (102mm)	Tampico
62-012	1000	1 - 8" x 1-3/4" (203 x 44mm)	4" (102mm)	Tampico
62-010	BH-4	48" Wood Handle (1219mm) Tampico		



**TEXTURE BRUSHES**

- Suitable for use with WAL-PRO®, SPRAY-PRO®, TEXTURE-PRO® and SPRAYING MANTIS® Hopper Guns
- Cart is all steel construction with two (2) rubber wheels
- Rotary vane compressor produces 6 CFM at 25 PSI
- 1 H.P. capacitor start electric motor with 25' (7.62m) electric cord
- 50' (15m) air hose
- Repair parts available
- 107 lb. (48.534kg) total weight

Prod. No.	Description
83-005	Porta-Compressor w/WAL-PRO® Hopper Gun
83-009	Porta-Compressor w/SPRAY-PRO® Hopper Gun
83-025	Porta-Compressor without gun & hose



**PORTA-COMPRESSOR**

## Concrete & Masonry Tools

- Durable carbon steel blade with flexible construction
- Notched on two sides, notch dimensions  $\frac{1}{4}$ " x  $\frac{1}{4}$ " x  $\frac{1}{4}$ " (6 x 6 x 6mm)
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
84-027 4 $\frac{1}{2}$ " x 11" (114 x 279mm) Notched Trowel



**NOTCHED TROWEL**

- Durable carbon steel blade with flexible construction
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
84-043 4 $\frac{1}{2}$ " x 11" (114 x 279mm) Finishing Trowel  
84-045 4" x 12" (102 x 254mm) Finishing Trowel  
84-047 4" x 14" (102 x 356mm) Finishing Trowel  
84-049 4" x 16" (102 x 406mm) Finishing Trowel



**FINISHING TROWEL**

- Durable carbon steel blade
- Properly shaped bit and leading edge
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
85-055 6" x 3" x  $\frac{1}{4}$ " (152 x 76 x 6.4mm)  
Concrete Groover



**CONCRETE GROOVER**

- Durable carbon steel blade
- Precision ground to proper blade taper
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
84-063 7" (178mm) Tile Setters Trowel



**TILE SETTERS TROWEL**

- Durable carbon steel blade
- Precision ground to proper blade taper
- Handle rise is set for correct set and balance
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
84-071 10" (254mm) London Brick Trowel



**LONDON BRICK TROWEL**

- Durable carbon steel blade
- Precision ground to proper blade flexibility
- Handle rise is set for correct hang and balance
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**  
84-083 10" (254mm) Philadelphia Brick Trowel  
84-085 11" (279mm) Philadelphia Brick Trowel



**PHILADELPHIA BRICK TROWEL**

## Concrete & Masonry Tools

- Durable carbon steel blade
- Precision ground to proper blade taper
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**

84-091 5-1/2" (140mm) Pointing Trowel

84-093 6" (152mm) Pointing Trowel

84-095 7" (178mm) Pointing Trowel



**POINTING TROWEL**

- Durable carbon steel blade
- Carefully tapered, ground and polished
- Used for mixing or "gauging" small quantities of quick setting plaster
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**

85-001 7" x 3-3/8" (178 x 86mm) Gauging Trowel



**GAUGING TROWEL**

- Durable carbon steel blade
- Precision ground to proper blade taper
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**

85-011 5" x 2" (127 x 51mm) Margin Trowel



**MARGIN TROWEL**

- Durable carbon steel blade
- Precision ground to proper blade taper
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**

85-025 6" x 1/4" (152 x 6.4mm) Tuck Pointer

85-027 6" x 3/8" (152 x 9.5mm) Tuck Pointer

85-029 6" x 1/2" (152 x 12.7mm) Tuck Pointer



**TUCK POINTER**

- Durable carbon steel blade
- Designed to withstand the abrasion of mortar

**Prod. No. Desc.**

85-041 5/8" x 3/4" (16 x 19mm) Brick Jointer

85-045 3/8" x 1/2" (9.5 x 12.7mm) Brick Jointer



**BRICK JOINTER**

- Durable carbon steel blade
- Both ends are curved for easy movement
- Soft grip durable polypropylene handle absorbs shock and reduces user fatigue

**Prod. No. Desc.**

85-063 6" x 3" x 3/8" (152 x 76 x 9.5mm)  
Concrete Edger



**CONCRETE EDGER**

## Accessories

- Heat treated, high carbon steel blade with steel mounting bracket
- 57" (1450mm) hardwood handle
- Genuine WAL-BOARD® replacement blades available

Prod. No.	Desc.	Blade	Total Weight
29-001	FS-3	14" (356mm)	3½ lbs. (1.59kg)
29-002	FS-4	18" (457mm)	4 lbs. (1.81kg)
29-005	FSB-14	14" (356mm)	½ lb. (.23kg) Blade Only
29-006	FSB-18	18" (457mm)	1 lb. (.45kg) Blade Only



**WOOD HANDLE FLOOR SCRAPER**

- Heat treated, high carbon steel blade with steel mounting bracket
- 60" (1525mm) tubular steel handle w/rubber handle cap
- Genuine WAL-BOARD® replacement blades available

Prod. No.	Desc.	Blade	Total Weight
29-003	FS-6	14" (356mm)	5 lbs. (2.27kg)
29-004	FS-7	18" (457mm)	5½ lbs. (2.49kg)
29-005	FSB-14	14" (356mm)	½ lb. (.23kg) Blade Only
29-006	FSB-18	18" (457mm)	1 lb. (.45kg) Blade Only



**STEEL HANDLE FLOOR SCRAPER**

- Professional quality, blue spring steel blade with aluminum mounting
- 48" (1219mm) wood handle
- Genuine WAL-BOARD® replacement blades available

Prod. No.	Desc.	Blade	Total Weight
30-001	WS-7	3" x 22" (76 x 559mm)	2½ lbs. (1.13kg)
30-002	WSB-22	3" x 22" (76 x 559mm)	½ lb. (.23kg) Blade only



**WALL SCRAPER**

- Metal patch provides lasting repair on walls, ceilings and floors
- Self-adhering mesh holds patches to surface during repair
- Patch may be trimmed to fit smaller size hole
- Available in large 8" x 8" (203 x 203mm), medium 6" x 6" (152 x 152mm), or smaller 4" x 4" (102 x 102mm)

Prod. No.	Desc.
54-005	4" x 4" (102 x 102mm)
54-006	6" x 6" (152 x 152mm)
54-007	8" x 8" (203 x 203mm)



**REPAIR PATCHES**

- Multi-purpose tool
- Roller squeegee, can opener, scraper, convex scraper, concave scraper, spreader, nail setter, nail puller, crack opener
- Soft grip durable polypropylene handle reduces user fatigue

Prod. No.	Desc.
15-015	9 in 1 Tool



**9 IN 1 TOOL**



**INDEX**

<i>Adapters (Sanding)</i>	15	<i>Hook Bill Knife</i>	3	<i>Sanding Sponge</i>	14
<i>Benches, Aluminum</i>	6	<i>Hopper Guns</i>	19 - 20	<i>Sandpaper</i>	15
<i>Broad Knives</i>	13	<i>Knock-Down Knife</i>	13	<i>Saws</i>	2
<i>Brushes</i>	18 & 20	<i>Leather Products</i>	4 - 5	<i>Scrapers</i>	23
<i>Chalk Box</i>	7	<i>Levels</i>	7	<i>Spray Shields</i>	18
<i>Circle Cutter</i>	3	<i>Lifters</i>	1	<i>Stilts, Aluminum</i>	6
<i>Compressor</i>	20	<i>Masonry Tools</i>	21 - 22	<i>Stripper</i>	7
<i>Concrete Tools</i>	21 - 22	<i>Mixers</i>	11 - 12	<i>Stucco Machine</i>	18
<i>Corner Tools</i>	17	<i>Mud Pans</i>	10	<i>Tape Reel</i>	11
<i>Cornerbead Tools</i>	7	<i>Offset Knives</i>	13	<i>Taper</i>	11
<i>Curved Blade Knives</i>	13	<i>Paint Shields</i>	18	<i>Taping Knives</i>	8 - 9
<i>Drywall Taper</i>	11	<i>Patches</i>	23	<i>Texture Guns &amp; Hoppers</i>	19 - 20
<i>Finishing Knives</i>	13	<i>Plastic Knives</i>	12 & 17	<i>Tin Snips</i>	7
<i>Floats</i>	16	<i>Pole Sanders</i>	14 - 15	<i>Trowels, Drywall</i>	16
<i>Floor Scrapers</i>	23	<i>Punches, Magnetic</i>	7	<i>Trowels, Masonry</i>	21 - 22
<i>Glitter &amp; Glitter Guns</i>	18	<i>Putty Knives</i>	12	<i>T-Squares</i>	3
<i>Hammer-end Knives</i>	9	<i>Rasps</i>	2	<i>Utility Knives &amp; Blades</i>	4
<i>Hammers</i>	1	<i>Roll Lifters</i>	1	<i>Wall Scrapers</i>	23
<i>Hawks</i>	16	<i>Sanders</i>	14 - 15	<i>9 in 1 Tool</i>	23

<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>	<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>	<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>
02-001	1	04972702001 4	16-017	5	04972716017 8	21-022	9	04972721022 4
02-002	1	04972702002 1	16-018	5	04972716018 5	21-024	9	04972721024 8
02-003	1	04972702003 8	16-019	5	04972716019 2	21-036	9	04972721036 1
02-005	1	04972702005 2	16-029	5	04972716029 1	21-038	9	04972721038 5
02-006	1	04972702006 9	16-030	5	04972716030 7	21-040	9	04972721040 8
02-008	1	04972702008 3	18-002	8	04972718002 2	21-042	9	04972721042 2
03-001	1	04972703001 3	18-003	8	04972718003 9	21-044	9	04972721044 6
03-002	1	04972703002 0	18-004	8	04972718004 6	22-001	12	04972722001 8
03-003	1	04972703003 7	18-005	8	04972718005 3	22-002	12	04972722002 5
04-001	2	04972704001 2	18-007	8	04972718007 7	22-003	12	04972722003 2
04-002	2	04972704002 9	18-009	8	04972718009 1	22-004	9	04972722004 9
06-001	2	04972706001 0	18-028	8	04972718028 2	22-005	9	04972722005 6
06-005	2	04972706005 8	18-030	8	04972718030 5	22-006	9	04972722006 3
07-001	2	04972707001 9	18-032	8	04972718032 9	23-001	10	04972723001 7
07-005	2	04972707005 7	18-034	8	04972718034 3	23-002	10	04972723002 4
08-001	3	04972708001 8	18-058	9	04972718058 9	23-003	10	04972723003 1
09-001	3	04972709001 5	18-060	9	04972718060 2	23-004	10	04972723004 8
09-002	3	04972709002 4	18-062	9	04972718062 6	24-001	10	04972724001 6
09-008	3	04972709008 6	18-064	9	04972718064 0	24-002	10	04972724002 3
15-001	4	04972715001 8	19-001	8	04972719001 4	24-003	10	04972724003 0
15-003	3	04972715003 2	19-002	8	04972719002 1	24-004	10	04972724004 7
15-004	4	04972715004 9	19-003	8	04972719003 8	25-001	10	04972725001 5
15-005	4	04972715005 6	20-001	8	04972720001 0	25-002	10	04972725002 2
15-007	4	04972715007 0	20-002	8	04972720002 7	25-003	10	04972725003 9
15-015	23	04972715015 5	20-003	8	04972720003 4	25-004	10	04972725004 6
16-001	4	04972716001 7	21-006	8	04972721006 4	27-002	10	04972727002 0
16-002	4	04972716002 4	21-008	8	04972721008 8	27-004	10	04972727004 4
16-004	5	04972716004 8	21-009	8	04972721009 5	29-001	23	04972729001 7
16-005	4	04972716005 5	21-016	9	04972721016 3	29-002	23	04972729002 8
16-007	5	04972716007 9	21-018	9	04972721018 7	29-003	23	04972729003 5
16-010	5	04972716010 9	21-020	9	04972721020 0	29-004	23	04972729004 2

<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>	<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>	<i>Prod. No.</i>	<i>Page</i>	<i>UPC Code</i>
29-005	23	04972729005 9	46-002	16	04972746002 5	79-007	7	04972779007 8
29-006	23	04972729006 6	46-003	16	04972746003 2	81-001	12	04972781001 1
30-001	23	04972730001 7	47-002	16	04972747002 4	81-002	12	04972781002 8
30-002	23	04972730002 4	47-003	16	04972747003 1	81-004	12	04972781004 2
31-008	6	04972731008 5	47-004	16	04972747004 8	82-001	17	04972782001 0
31-009	6	04972731009 2	48-001	16	04972748001 6	82-002	17	04972782002 7
31-011	6	04972731011 5	50-040	19	04972750040 0	83-005	20	04972783005 7
31-012	6	04972731012 2	51-007	11	04972751007 2	83-009	20	04972783009 5
31-016	6	04972731016 0	52-005	19	04972752005 7	83-025	20	04972783025 5
33-002	13	04972733002 1	53-001	18	04972753001 8	84-027	21	04972784027 8
33-004	13	04972733004 5	53-004	18	04972743004 9	84-043	21	04972784043 8
33-007	13	04972733007 6	53-007	18	04972753007 0	84-045	21	04972784045 2
33-008	13	04972733008 3	53-017	18	04972753017 9	84-047	21	04972784047 6
33-024	13	04972733024 3	53-019	18	04972753019 3	84-049	21	04972784049 0
34-002	14	04972734002 0	54-005	23	04972754005 5	84-063	21	04972784063 6
35-001	14	04972735001 2	54-006	23	04972754006 2	84-071	21	04972784071 1
35-002	14	04972735002 9	54-007	23	04972754007 9	84-083	21	04972784083 4
35-003	14	04972735003 6	54-050	18	04972754050 5	84-085	21	04972784085 8
35-009	15	04972735009 8	55-049	20	04972755049 4	84-091	22	04972784091 9
35-012	14	04972735012 8	55-060	20	04972755060 3	84-093	22	04972784093 3
35-015	15	04972735015 9	56-020	19	04972756020 6	84-095	22	04972784095 7
35-017	15	04972735017 3	57-001	19	04972757001 4	85-001	22	04972785001 7
35-019	15	04972735019 7	58-003	18	04972758003 7	85-011	22	04972785011 6
35-023	14	04972735023 4	59-001	13	04972759001 2	85-025	22	04972785025 3
35-025	15	04972735025 8	59-002	13	04972759002 9	85-027	22	04972785027 7
38-001	15	04972738001 9	59-006	13	04972759006 7	85-029	22	04972785029 1
38-002	15	04972738002 6	59-007	13	04972759007 4	85-041	22	04972785041 3
38-003	15	04972738003 3	62-002	18	04972762002 3	85-045	22	04972785045 1
38-004	15	04972738004 0	62-003	18	04972762003 0	85-055	21	04972785055 0
38-030	14	04972738030 9	62-004	18	04972762004 7	85-063	22	04972785063 5
33-048	13	04972733048 9	62-005	20	04972762005 4	88-001	9	04972788001 4
33-054	13	04972733054 0	62-008	20	04972762008 5	88-002	9	04972788002 1
40-001	15	04972740001 4	62-009	20	04972762009 2	88-003	9	04972788003 8
40-002	15	04972740002 1	62-010	20	04972762010 8	88-004	9	04972788004 5
40-006	15	04972740006 9	62-011	20	04972762011 5	88-005	15	04972788005 2
40-007	15	04972740007 6	62-012	20	04972762012 2	88-006	14	04972788006 9
41-001	11	04972741001 3	67-003	7	04972767003 5	88-007	16	04972788007 6
42-001	11	04972742001 2	70-003	7	04972770003 9	88-009	18	04972788009 0
42-002	11	04972742002 9	70-004	7	04972770004 6	88-012	3	04972788012 0
42-003	11	04972742003 6	71-001	7	04972771001 4	88-014	17	04972788014 4
42-004	11	04972742004 3	71-002	7	04972771002 1	88-016	3	04972788016 9
43-001	11	04972743001 1	71-003	7	04972771003 8	88-017	12	04972788017 5
43-002	11	04972743002 8	71-004	7	04972771004 5	88-018	12	04972788018 2
43-008	12	04972743008 0	71-012	7	04972771012 0	88-020	12	04972788020 5
43-012	12	04972743012 7	71-013	7	04972771013 7	88-022	12	04972788022 9
43-014	12	04972743014 1	77-002	7	04972777002 5	88-024	12	04972788024 3
43-084	11	04972743084 4	78-001	7	04972778001 7	88-027	17	04972788027 4
43-086	11	04972743086 8	79-001	7	04972779001 6	88-029	10	04972788029 8
46-001	16	04972746001 8	79-006	7	04972779006 1			

# **WAL-BOARD TOOLS**

**FIRST IN DRYWALL TOOLS**

