

USG

JOBGING	ITEM NO	SIZE	PK
SOJ-542728	542728	5 GL	1

JOBGING	ITEM NO	SIZE	PK
SOJ-544822	544822	5 GL	1

JOBGING	ITEM NO	SIZE	PK
SOJ-380122048	380122	48 LB	1

JOBGING	ITEM NO	SIZE	PK
SOJ-380423064	380423	3.7 GL	1

JOBGING	ITEM NO	SIZE	PK
SOJ-380501	380501	61.7 LB	1

DRYWALL MUD

SHEETROCK® TUFF-HIDE™ PRIMER-SURFACER

- Use in lieu of skim coat and primer coat in a Level 5 gypsum board finish
- Minimizes callbacks caused by joint banding and photographing
- Installed cost savings versus traditional separate applications of skim coat and a prime coat
- Durable coating hides minor surface defects



SHEETROCK® FIRST COAT PRIMER

- Ideal prime coat for interior gypsum board and concrete surfaces
- Equalizes surface absorption and texture variations of substrate to minimize decorating problems
- Apply with brush, roller, or spray equipment
- Dries white in less than 30 minutes—topcoat in an hour



SHEETROCK® CARTON ALL PURPOSE WHITE

- Versatile performer: tape, finish, texture, laminate, or skim coat
- Good for taping and topping
- Ideal for repairing plaster cracks



SHEETROCK® MIDWEIGHT ALL-PURPOSE JOINT COMPOUND

- Weighs up to 15% less than conventional-weight compounds
- Easy working and sanding
- Lower shrinkage



SHEETROCK® ALL-PURPOSE JOINT COMPOUND

- Versatile performer: tape, finish, texture, laminate, or skim coat
- Good for taping and topping
- Ideal for repairing plaster cracks



251-443-6110 Toll Free: 1-800-621-6952
 251-408-0410 Fax (In Alabama) 1-800-672-6707



DRYWALL

USG

DRYWALL MUD

SHEETROCK® PIUS 3™ LIGHTWEIGHT ALL-PURPOSE JOINT COMPOUND

JOBGING	ITEM NO	SIZE	PK
SOJ-383640064	383640	3.5 GL	1

- Weighs up to 35% less than conventional joint compounds
- Very low Shrinkage – only two coats needed over metal
- Sands more easily than conventional compounds
- Excellent for hand and mechanical tool application



SHEETROCK® EASY SAND™ 5 JOINT COMPOUND

JOBGING	ITEM NO	SIZE	PK
SOJ-384150120	384150	18 LB	1

- Weighs 25% less than conventional setting-type compounds
- Easy sanding-similar to ready-mixed, all-purpose compound.
- Provides excellent bond, low shrinkage, humidity resistance, and check-crack resistance
- Easy to mix



SHEETROCK® EASY SAND™ 20 JOINT COMPOUND

JOBGING	ITEM NO	SIZE	PK
SOJ-384214120	384214	18 LB	1

- Weighs 25% less than conventional setting-type compounds
- Easy sanding-similar to ready-mixed, all-purpose compound
- Provides excellent bond, low shrinkage, humidity resistance, and check-crack resistance
- Easy to mix



SHEETROCK® EASY SAND™ 45 JOINT COMPOUND

JOBGING	ITEM NO	SIZE	PK
SOJ-384210	384210	18 LB	1

- Weighs 25% less than conventional setting-type compounds
- Easy sanding-similar to ready-mixed, all-purpose compound
- Provides excellent bond, low shrinkage, humidity resistance, and check-crack resistance
- Easy to mix



251-443-6110
251-408-0410 Fax

Toll Free: 1-800-621-6952
(In Alabama) 1-800-672-6707



USG

JOBGING	ITEM NO	SIZE	PK
SOJ-384211	384211	18 LB	1

DRYWALL MUD

SHEETROCK® EASY SAND™ 90 JOINT COMPOUND

- Weighs 25% less than conventional setting-type compounds
- Easy sanding-similar to ready-mixed, all-purpose compound
- Provides excellent bond, low shrinkage, humidity resistance, and check-crack resistance
- Easy to mix



JOBGING	ITEM NO	SIZE	PK
SOJ-385140004	385140	12 LB	1

ALL PURPOSE JOINT COMPOUND PAIL

- Versatile performer: tape, finish, texture, laminate, or skim coat
- Good for taping and topping
- Ideal for repairing plaster cracks



DYNAMIC

JOBGING	ITEM NO	PK
9718-132	NF100100	3

DRYWALL TOOLS

MALE POLE SANDER W/WOOD POLE



FREEMAN

JOBGING	ITEM NO	SIZE	PK
9844-001	MARC-M250	250'	20
9844-003	DT775	75'	45

DRYWALL JOINT TAPE

- Available in three different sizes.



TRIMACO

JOBGING	ITEM NO	SIZE	PK
9787-017	605560	4" x 4"	12
9787-018	606660	6" x 6"	12
9787-019	607260	8" x 8"	12

PERFECT PATCH

- A self adhesive metal/mesh patch that can be placed over wall or door holes, creating a virtually invisible patch
- Metal is anti-rust aluminum.



251-443-6110 Toll Free: 1-800-621-6952
251-408-0410 Fax (In Alabama) 1-800-672-6707



WALLBOARD

JOBGING	ITEM NO	SIZE	PK
9988-091	81-001	2-5" Adj.	2
9988-093	81-004	2-2 1/2" Adj.	6

JOBGING	ITEM NO	SIZE	PK
9988-022	24-003	14"	6

JOBGING	ITEM NO	SIZE	PK
9988-023	27-002	12"	6

JOBGING	ITEM NO	SIZE	PK
9988-100	18-028	8"	6


JOBGING	ITEM NO	SIZE	PK
9988-031	46-032	4" x 12"	6

JOBGING	ITEM NO	SIZE	PK
9988-085	58-003	36" x 8"	6

DRYWALL TOOLS

POWER MIXERS

- Heavy plated steel shaft and wheels designed to fold material with no lumping.
- Requires 1/2" drill with minimum 6 amp motor and max 800 rpm.



STAINLESS STEEL MUD PANS

- Heavy gauge stainless steel with HELI-ARC welded corners
- Professional quality water-tight construction
- Tapered ends and sides



RED POLYETHYLENE MUD PAN

- Textured sides for sure gripping
- Withstands temperature variations
- Double Bladed



TUFF GRIP BLUE STEEL BLADE

- Tuff Grip handles provides superior grip qualities to prevent slippage during use along with the ultimate in comfort
- Aluminum blade mounting
- Professional 1095 blue spring steel blades, mounted with aircraft alloy rivets.



DRYWALL TROWEL

- High grade tempered steel blade is curved, designed to feather and taper drywall joints.



36" SPRAY SHIELD 18" SLANT CUT HANDLE

- 1/2" Tip to catch runoff



WOOSTER

DRYWALL TOOLS

DRYWALL AEROSANDER

JOBGING	ITEM NO	SIZE	PK
9991-150	1801	1 x 9.5 x 1 in.	4

- Reduces drag for highly efficient drywall sanding
- Stable 360 degree pivot for full surface contact, will not gouge or roll over
- Velcro brand hook and loop fastener for easy sandpaper changes
- Use with 1802 and 1803 AeroSander drywall sandpaper and extension poles, including Sherlock GT



GRIT AEROSANDER DRYWALL SANDPAPER

JOBGING	ITEM NO	GRIT	PK
9991-151	1802	80g	10 Pks of 6
9991-152	1803	120g	10 Pks of 6

- For use with the 1801 AeroSander base
- Works 30% faster compared to conventional dry wall sandpaper
- Extremely durable—no slipping, tearing, curling, or clogging
- VELCRO® brand hook-and-loop fastener for easy changes



DUST EATER

JOBGING	ITEM NO	SIZE	PK
9991-155	1800	16.2 x 16.5 x 5.2 in.	2

- Specially treated material for powerful long lasting pickup
- Attracts and holds dust cobwebs and more to clean drywall, ceilings, walls, baseboards, floors
- Stable 360 degree pivot for full surface contact, will not gouge or roll over
- Use with extension poles, including no twist Wooster Sherlock GT

