

Quick Connect :: No Tools Needed

2005
CATALOG

QUICK
CONNECT
plumbing system



Quick Connect Fittings,
Manifolds, & Valves

SeaTech inc

A Subsidiary of Watts Water Technologies, Inc.




Technical Information

Sea Tech Inc., a subsidiary of Watts Water Technologies, was established in 1995 and provides reliable, high quality, cost effective connection solutions. Sea Tech Inc. offers a wide range of standard and unique custom fittings, valves, manifolds, and tubing designed to address specific customer requirements. As a subsidiary of Watts, Sea Tech Inc. designs, manufactures, and markets its products worldwide from Wilmington, NC and through authorized stocking distributors. Sea Tech Inc. maintains a continual R&D program to constantly upgrade the product ensuring the most reliable, cost effective solution for your connection needs. It is Sea Tech's mission to provide customers the best product available, with on-time delivery, at the best possible price.

MATERIAL SPECIFICATIONS

SERIES	MATERIAL	COLOR	O-RING
35 Series	High Performance Thermal Plastic	Off White	EPDM
24 Series	Thermal Plastic	Bright White	EPDM
Metric Series	Thermal Plastic	Black	EPDM



FITTING PERFORMANCE RATINGS

35 Series	100psi@180°F 6.8bar@82°C	250psi@75°F 17.25bar@24°C
24 Series	100psi@140°F 6.8bar@60°C	250psi@75°F 17.25bar@24°C
Metric Series	100psi@140°F 6.8bar@60°C	250psi@75°F 17.25bar@24°C

THREAD TORQUE VALUES

Size	1/2"	3/4"
Torque Value	Min. 17.7 in-lbs	Min. 22.7 in-lbs
	Max. 26.5 in-lbs	Max. 31 in-lbs

TUBING TOLERANCES

Tolerance	+0.004" ~ 0.004" O.D. +.010mm ~ -.010mm O.D.
-----------	---

FDA FDA approval: Sea Tech fittings are produced from FDA approved materials.

NSF ANSI/NSF-61 Certifications: Sea Tech 35 Series, 24 Series, and Metric Series products are tested, certified, and approved for contact with drinking water.

NSF ANSI/NSF-14 Certifications: Sea Tech 35 Series products are tested, certified, and approved to NSF-14 standards.

CSA CSA B137.5 Certifications: Sea Tech 35 Series products are tested, certified, and approved to Canadian standard CSA B137.5.


ASTM ASTM F877 Certifications: Sea Tech 35 Series products are tested, certified, and approved to ASTM F877 performance standards.

NSF NSF-U.P. Code Certifications: Sea Tech 35 Series products are tested, certified, and approved and meet the requirements of the Uniform Plumbing Code..


MAKING A CONNECTION



Cut the tubing to length using the Sea Tech tubing cutter or similar. Inspect the outside diameter of the tubing. It must be free of damage, smooth, and clean.



Measure the insertion depth on the tubing end. Sea Tech connectors have a insertion depth line molded onto the outside of the connector bodies.



Make certain to push the tubing completely into the connector until it comes into contact with the internal tubing stop.



To disconnect ensure the system is depressurized before removing connectors. Push the collet in squarely against the face of the fitting. With the collet held in this position, the tubing can be removed. The connectors can then be re-used.

Sea Tech fittings are designed for low pressure fluids. For other applications please refer to our Customer Service Department. Tubing should be supported at a minimum of 36" to prevent excessive load to the connectors. Do not install tubing supports closer than 3 inches from the connector ends. We strongly recommend that new installations be thoroughly tested prior to use. Do not use with explosive gases, petroleum products or other fuels.

CAUTION!


The polysulfone material in this SEA TECH product can be compromised by exposure to volatile organic compounds (VOCs) and caustic chemicals. Therefore, DO NOT expose this product to any such chemical or foreign substance, which would include exposure to the following products:

Pipe dopes (liquid thread sealants), leak check compounds, bug sprays, lubricants, cleaners, paints, bleaches, acids, solder fluxes, plastic piping primers and cements, oxidizing agents, alkaline solutions, thinners, fuels, oil based caulk, hydrocarbons, spray foam or foaming agents (i.e. insulation).

Teflon tape is acceptable and can be used for threaded connections.


Failure to follow these instructions will void the warranty and possibly result in leaks and water damage.

O-RING GUIDE IS THE KEY!



All Sea Tech connectors incorporate an exclusive O-Ring Guide for improved reliability. This unique feature insures zero-leak connections by:


- Protecting the O-Ring from damage during connection
- Increasing the connector's side load capacity
- Correctly aligning the tubing with the O-Ring every time
- Prevents the O-Ring from becoming dislodged



Connect to Multiple Materials!


The Sea Tech fittings incorporate Stainless Steel Gripping Teeth in the Collets. These corrosion resistant teeth allow SeaTech connectors to interconnect with multiple materials without the need for special tools or tube inserts.

- Copper
- CPVC
- PEX, LDPE, MDPE, & HDPE Tubings
- Polybutylene



Rotates under pressure!

After a joint is made, the tubing can still swivel while connected - even under maximum pressure. The ability to rotate under pressure makes these connectors ideal for vibrating and dynamic applications.



Highest Flow!

Sea Tech connectors join the tubing on the outside. Because there is no barb fitting on the inside of the tubing the flow capacity is increased by more than 30%. Only Sea Tech connectors offer complete flow, allowing for a more efficient system.




Create mini-manifolds!

With Sea Tech fittings, small lengths of tubing can be eliminated by using our stackable connector configurations. Simply snap together Tees and/or Elbows to create a mini-manifold of fittings. Because Sea Tech connectors rotate, the direction of the tubing can be oriented by a simple twist, reducing the amount of tubing required to plumb a water system.

35 Series

Sizes 3/8" - 1/2" - 3/4"



Sea Tech tubing is produced from a high performance, cross-linked polyethylene material. Sea Tech tubing is formulated and manufactured in 3/8" CTS (1/2" O.D.), 1/2" CTS (5/8" O.D.) and 3/4" CTS (7/8" O.D.) sizes. Sea Tech tubing is NSF listed, FDA recognized and available in multiple colors for ease of water line identification.

TUBING PERFORMANCE RATING
 Operating Pressure: Vacuum to 160psi
 Max Temperature: 180°F @ 100psi
 72°F @ 160psi



Sea Tech connectors utilize a swivel nut with NPS straight threads and a cone seal. This allows the installer to thread onto NPT, NPS, BSP, and most other threads without tools or thread sealant. Simply thread on, hand tight, for a zero-leak seal.



3/8" and 1/2" CTS 50' coils are packaged in a dispensing box.

CUTTER	
PART NO.	
1158-1522	
REPLACEMENT BLADE	
PART NO.	
1159-1522	

Sea Tech 35 Series products are designed and manufactured to be trouble free for many years of service life. 35 Series products are designed and manufactured in Polysulfone, a high performance thermal plastic material. All 35 Series products are approved and certified to NSF-61, NSF-14, CSA B137.5, ASTM F877, and to the Uniform Plumbing Code (U.P. Code). 35 Series products are available in standard imperial inch sizes and interconnect with all Sea Tech 24 Series fittings. The Sea Tech quick connect design allows for quick and easy connections without installation tools. Simply cut the plastic, copper or CPVC piping and snap a Sea Tech fitting in place for a zero-leak connection.

FITTINGS PERFORMANCE RATING:
 Operating Pressure: Vacuum to 250psi
 Max Temperature: 180°F @ 100psi / 75°F @ 250psi

POLY TUBING



PART NO.	TUBE SIZE	PACKAGE
50256	1/4" O.D.	100' COIL

PART NO.	TUBE SIZE	COLOR	PACKAGE
B1205	3/8" CTS	BLUE	5' STRAIGHT LENGTH
B1210	3/8" CTS	BLUE	10' STRAIGHT LENGTH
B1220	3/8" CTS	BLUE	20' STRAIGHT LENGTH
01B1205	3/8" CTS	BLUE	5' STRAIGHT LENGTH, TAG
00B1250	3/8" CTS	BLUE	50' COIL, BOX
B12250	3/8" CTS	BLUE	250' COIL
R1205	3/8" CTS	RED	5' STRAIGHT LENGTH
R1210	3/8" CTS	RED	10' STRAIGHT LENGTH
R1220	3/8" CTS	RED	20' STRAIGHT LENGTH
01R1205	3/8" CTS	RED	5' STRAIGHT LENGTH, TAG
00R1250	3/8" CTS	RED	50' COIL, BOX
R12250	3/8" CTS	RED	250' COIL
B5805	1/2" CTS	BLUE	5' STRAIGHT LENGTH
B5810	1/2" CTS	BLUE	10' STRAIGHT LENGTH
B5820	1/2" CTS	BLUE	20' STRAIGHT LENGTH
01B5805	1/2" CTS	BLUE	5' STRAIGHT LENGTH, TAG
00B5850	1/2" CTS	BLUE	50' COIL, BOX
B58250	1/2" CTS	BLUE	250' COIL
R5805	1/2" CTS	RED	5' STRAIGHT LENGTH
R5810	1/2" CTS	RED	10' STRAIGHT LENGTH
R5820	1/2" CTS	RED	20' STRAIGHT LENGTH
01R5805	1/2" CTS	RED	5' STRAIGHT LENGTH, TAG
00R5850	1/2" CTS	RED	50' COIL, BOX
R58250	1/2" CTS	RED	250' COIL
W5805	1/2" CTS	WHITE	5' STRAIGHT LENGTH
W5810	1/2" CTS	WHITE	10' STRAIGHT LENGTH
W5820	1/2" CTS	WHITE	20' STRAIGHT LENGTH
00W5850	1/2" CTS	WHITE	50' COIL, BOX
W58250	1/2" CTS	WHITE	250' COIL
B7805	3/4" CTS	BLUE	5' STRAIGHT LENGTH
B7810	3/4" CTS	BLUE	10' STRAIGHT LENGTH
B7820	3/4" CTS	BLUE	20' STRAIGHT LENGTH
01B7805	3/4" CTS	BLUE	5' STRAIGHT LENGTH, TAG
B7850	3/4" CTS	BLUE	50' COIL
B78250	3/4" CTS	BLUE	250' COIL
R7805	3/4" CTS	RED	5' STRAIGHT LENGTH
R7810	3/4" CTS	RED	10' STRAIGHT LENGTH
R7820	3/4" CTS	RED	20' STRAIGHT LENGTH
01R7805	3/4" CTS	RED	5' STRAIGHT LENGTH, TAG
R7850	3/4" CTS	RED	50' COIL
R78250	3/4" CTS	RED	250' COIL
W7805	3/4" CTS	WHITE	5' STRAIGHT LENGTH
W7810	3/4" CTS	WHITE	10' STRAIGHT LENGTH
W7820	3/4" CTS	WHITE	20' STRAIGHT LENGTH
W7850	3/4" CTS	WHITE	50' COIL
W78250	3/4" CTS	WHITE	250' COIL

UNION TEE



PART NO.	TUBE SIZE	PACKAGE
NEW 3523-08	3/8" CTS	BULK
013523-08	3/8" CTS	TAG
3523-10	1/2" CTS	BULK
013523-10	1/2" CTS	TAG
3523-14	3/4" CTS	BULK
013523-14	3/4" CTS	TAG

STACKABLE TEE



PART NO.	TUBE SIZE	PACKAGE
NEW 3533-08	3/8" CTS	BULK
013533-08	3/8" CTS	TAG
3533-10	1/2" CTS	BULK
013533-10	1/2" CTS	TAG
3533-14	3/4" CTS	BULK
013533-14	3/4" CTS	TAG

STACKABLE BRANCH TEE



PART NO.	TUBE SIZE	PACKAGE
3534-10	1/2" CTS	BULK
013534-10	1/2" CTS	TAG

REDUCING STACKABLE TEE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3533R-1004	1/2" CTS	1/4" O.D.	BULK
013533-1004	1/2" CTS	1/4" O.D.	TAG
NEW 3533R-1410	3/4" CTS	1/2" CTS	BULK
013533-1410	3/4" CTS	1/2" CTS	TAG

MALE THREAD TEE



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3530-1008	1/2" CTS	1/2" NPT	BULK
013530-1008	1/2" CTS	1/2" NPT	TAG

REDUCING BRANCH TEE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3524R-1004	1/2" CTS	1/4" O.D.	BULK
013524-1004	1/2" CTS	1/4" O.D.	TAG
3524R-1410	3/4" CTS	1/2" CTS	BULK
013524-1410	3/4" CTS	1/2" CTS	TAG

REDUCING RUN TEE



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3526-1410	3/4" CTS	1/2" CTS	BULK
013526-1410	3/4" CTS	1/2" CTS	TAG

STACKABLE ELBOW



PART NO.	TUBE SIZE	PACKAGE
NEW 3518-08	3/8" CTS	BULK
013518-08	3/8" CTS	TAG
3518-10	1/2" CTS	BULK
013518-10	1/2" CTS	TAG
3518-14	3/4" CTS	BULK
013518-14	3/4" CTS	TAG

UNION ELBOW



PART NO.	TUBE SIZE	PACKAGE
NEW 3517-08	3/8" CTS	BULK
013517-08	3/8" CTS	TAG
3517-10	1/2" CTS	BULK
013517-10	1/2" CTS	TAG
3517-14	3/4" CTS	BULK
013517-14	3/4" CTS	TAG
NEW 3517-18	1" CTS	BULK

UNION CONNECTOR



PART NO.	TUBE SIZE	PACKAGE
NEW 3515-08	3/8" CTS	BULK
013515-08	3/8" CTS	TAG
3515-10	1/2" CTS	BULK
013515-10	1/2" CTS	TAG
3515-14	3/4" CTS	BULK
013515-14	3/4" CTS	TAG
NEW 3515-18	1" CTS	BULK

DROP EAR ELBOW





PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3521-1008	1/2" CTS	1/2" NPT	BULK
013521-1008	1/2" CTS	1/2" NPT	TAG

35 Series

Sizes 3/8" - 1/2" - 3/4" - 1"




REDUCING UNION



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3515R-1004	1/2" CTS	1/4" O.D.	BULK
013516-1004	1/2" CTS	1/4" O.D.	TAG
 3515R-1008	1/2" CTS	3/8" CTS	BULK
013516-1008	1/2" CTS	3/8" CTS	TAG
 3515R-1410	3/4" CTS	1/2" CTS	BULK
013516-1410	3/4" CTS	1/2" CTS	TAG


END STOP



PART NO.	TUBE SIZE	PACKAGE
 3545-08	3/8" CTS	BULK
013545-08	3/8" CTS	TAG
3545-10	1/2" CTS	BULK
013545-10	1/2" CTS	TAG
 3545-14	3/4" CTS	BULK
013545-14	3/4" CTS	TAG
 3545-18	1" CTS	BULK


FEMALE CONNECTOR



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
 3510-0808	3/8" CTS	1/2" NPS	BULK
013510-0808	3/8" CTS	1/2" NPS	TAG
3510-1008	1/2" CTS	1/2" NPS	BULK
013510-1008	1/2" CTS	1/2" NPS	TAG
3510-1012	1/2" CTS	3/4" NPS	BULK
013510-1012	1/2" CTS	3/4" NPS	TAG
3510-1013	1/2" CTS	3/4" CLOSET	BULK
013510-1013	1/2" CTS	3/4" CLOSET	TAG
3510-1014	1/2" CTS	3/4" FGHT	BULK
013510-1014	1/2" CTS	3/4" FGHT	TAG
3510-1412	3/4" CTS	3/4" NPS	BULK
013510-1412	3/4" CTS	3/4" NPS	TAG




FEMALE SWIVEL ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
 3520-0808	3/8" CTS	1/2" NPS	BULK
013520-0808	3/8" CTS	1/2" NPS	TAG
3520-1008	1/2" CTS	1/2" NPS	BULK
013520-1008	1/2" CTS	1/2" NPS	TAG
3520-1012	1/2" CTS	3/4" NPS	BULK
013520-1012	1/2" CTS	3/4" NPS	TAG
3520-1013	1/2" CTS	3/4" CLOSET	BULK
013520-1013	1/2" CTS	3/4" CLOSET	TAG
3520-1014	1/2" CTS	3/4" FGHT	BULK
013520-1014	1/2" CTS	3/4" FGHT	TAG




MALE CONNECTOR



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
 3501-0806	3/8" CTS	3/8" NPT	BULK
013501-0806	3/8" CTS	3/8" NPT	TAG
 3501-0808	3/8" CTS	1/2" NPT	BULK
013501-0808	3/8" CTS	1/2" NPT	TAG
 3501-1006	1/2" CTS	3/8" NPT	BULK
013501-1006	1/2" CTS	3/8" NPT	TAG
3501-1008	1/2" CTS	1/2" NPT	BULK
013501-1008	1/2" CTS	1/2" NPT	TAG
3501-1012	1/2" CTS	3/4" NPT	BULK
013501-1012	1/2" CTS	3/4" NPT	TAG
3501-1014	1/2" CTS	3/4" MGHT	BULK
013501-1014	1/2" CTS	3/4" MGHT	TAG
3501-1412	3/4" CTS	3/4" NPT	BULK
013501-1412	3/4" CTS	3/4" NPT	TAG


REDUCING STEM



PART NO.	STEM SIZE	TUBE SIZE	PACKAGE
 3514-1008	1/2" CTS	3/8" CTS	BULK
013514-1008	1/2" CTS	3/8" CTS	TAG
3514-1410	3/4" CTS	1/2" CTS	BULK
013514-1410	3/4" CTS	1/2" CTS	TAG
 3514-1810	1" CTS	1/2" CTS	BULK
 3514-1814	1" CTS	3/4" CTS	BULK

MALE ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
 3519-1006	1/2" CTS	3/8" NPT	BULK
013519-1006	1/2" CTS	3/8" NPT	TAG
3519-1008	1/2" CTS	1/2" NPT	BULK
013519-1008	1/2" CTS	1/2" NPT	TAG

UNION PUMP FITTING



PART NO.	TUBE SIZE	PACKAGE
3575-10	1/2" CTS	BULK
013575-10	1/2" CTS	TAG

ELBOW PUMP FITTING



PART NO.	TUBE SIZE	PACKAGE
3576-10	1/2" CTS	BULK
013576-10	1/2" CTS	TAG

STACKABLE HOSE BARB UNION



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3511-1008	1/2" CTS	1/2" H.B.	BULK
013511-1008	1/2" CTS	1/2" H.B.	TAG

STACKABLE HOSE BARB ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3512-1008	1/2" CTS	1/2" H.B.	BULK
013512-1008	1/2" CTS	1/2" H.B.	TAG

HOSE BARB FITTING



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3513-1008	1/2" CTS	1/2" H.B.	BULK
013513-1008	1/2" CTS	1/2" H.B.	TAG
NEW 3513-1412	3/4" CTS	3/4" H.B.	BULK
013513-1412	3/4" CTS	3/4" H.B.	TAG

MALE STEM **NEW**



PART NO.	STEM SIZE	THREAD SIZE	PACKAGE
3527-1008	1/2" CTS	1/2" NPT	BULK

FEMALE STEM **NEW**



PART NO.	STEM SIZE	THREAD SIZE	PACKAGE
3528-1008	1/2" CTS	1/2" NPS	BULK

TYPE 39 IN-LINE VALVE



PART NO.	TUBE SIZE	PACKAGE
NEW 3539-08	3/8" CTS	BULK
013539-08	3/8" CTS	TAG
3539-10	1/2" CTS	BULK
013539-10	1/2" CTS	TAG
NEW 3539-14	3/4" CTS	BULK
013539-14	3/4" CTS	TAG

TYPE 39 REDUCING VALVE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3539R-1004	1/2" CTS	1/4" O.D.	BULK
013539-1004	1/2" CTS	1/4" O.D.	TAG

TYPE 59 PANEL MOUNT VALVE **NEW**



PART NO.	TUBE SIZE	PACKAGE
3559-08	3/8" CTS	BULK
013559-08	3/8" CTS	TAG
3559-10	1/2" CTS	BULK
013559-10	1/2" CTS	TAG

35 Series

Sizes 3/8" - 1/2" - 3/4" - 1"

TYPE 55 IN-LINE VALVE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3555-1006	1/2" CTS	1/4" CTS	BULK
013555-1006	1/2" CTS	1/4" CTS	TAG
3555-1008	1/2" CTS	3/8" CTS	BULK
013555-1008	1/2" CTS	3/8" CTS	TAG

TYPE 56 ANGLE VALVE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
3556-1006	1/2" CTS	1/4" CTS	BULK
013556-1006	1/2" CTS	1/4" CTS	TAG
3556-1008	1/2" CTS	3/8" CTS	BULK
013556-1008	1/2" CTS	3/8" CTS	TAG

TYPE 43 STACKABLE VALVE



PART NO.	TUBE SIZE	PACKAGE
3543-10	1/2" CTS	BULK
013543-10	1/2" CTS	TAG

TYPE 43 REDUCING STACKABLE VALVE



PART NO.	STEM SIZE	TUBE SIZE	PACKAGE
3543R-1004	1/2" CTS	1/4" O.D.	BULK
013543-1004	1/2" CTS	1/4" O.D.	TAG

TYPE 52 FEMALE IN-LINE VALVE



PART NO.	THREAD SIZE	TUBE SIZE	PACKAGE
3552-0806	1/2" NPS	1/4" CTS	BULK
013552-0806	1/2" NPS	1/4" CTS	TAG
3552-0808	1/2" NPS	3/8" CTS	BULK
013552-0808	1/2" NPS	3/8" CTS	TAG

TYPE 53 FEMALE ANGLE VALVE



PART NO.	THREAD SIZE	TUBE SIZE	PACKAGE
3553-0608	1/2" NPS	1/4" CTS	BULK
013553-0608	1/2" NPS	1/4" CTS	TAG
3553-0808	1/2" NPS	3/8" CTS	BULK
013553-0808	1/2" NPS	3/8" CTS	TAG

TYPE 54 FEMALE ANGLE VALVE



PART NO.	THREAD SIZE	THREAD SIZE	PACKAGE
3554-1408	1/2" NPS	3/4" MGHT	BULK
013554-1408	1/2" NPS	3/4" MGHT	TAG

TYPE 57 MALE ANGLE VALVE



PART NO.	THREAD SIZE	THREAD SIZE	PACKAGE
3557-1408	1/2" NPT	3/4" MGHT	BULK
013557-1408	1/2" NPT	3/4" MGHT	TAG

TYPE 58 ANGLE VALVE



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
3558-1014	1/2" CTS	3/4" MGHT	BULK
013558-1014	1/2" CTS	3/4" MGHT	TAG

TYPE 51 TEE VALVE



PART NO.	THREAD SIZE	THREAD SIZE	TUBE SIZE
3551-0808	1/2" NPS	1/2" NPT	3/8" CTS
013551-0808	1/2" NPS	1/2" NPT	3/8" CTS

TYPE 50 TEE VALVE 



PART NO.	RUN SIZE	BRANCH SIZE	PACKAGE
3550-1008	1/2" CTS	3/8" CTS	BULK
013550-1008	1/2" CTS	3/8" CTS	TAG
3550-1508	15MM	3/8" CTS	BULK
013550-1508	15MM	3/8" CTS	TAG

TYPE 38 SELECTOR VALVE



PART NO.	TUBE SIZE	PACKAGE
3538-10	1/2" CTS	BULK
013538-10	1/2" CTS	TAG

TYPE 41 BY-PASS VALVE



PART NO.	TUBE SIZE	PACKAGE
3541-10	1/2" CTS	BULK
013541-10	1/2" CTS	TAG

TYPE 40 UNION CHECK VALVE



PART NO.	TUBE SIZE	PACKAGE
3540-10	1/2" CTS	BULK
013540-10	1/2" CTS	TAG




ELBOW CLIP



PART NO.	TUBE SIZE	PACKAGE
2349-15	1/2" CTS	BULK
2349-22	3/4" CTS	BULK

O-RING ASSEMBLY



PART NO.	TUBE SIZE	PACKAGE
 35159-08	3/8" CTS	BULK
35159-10	1/2" CTS	BULK
 35159-14	3/4" CTS	BULK
 35159-18	1" CTS	BULK




PIPE CLIP



PART NO.	TUBE SIZE	PACKAGE
2370-1557	1/2" CTS	BULK
012370-1557	1/2" CTS	TAG
2370-2257	3/4" CTS	BULK
012370-2257	3/4" CTS	TAG

COLLET CLIP



PART NO.	TUBE SIZE	PACKAGE
 3547-08	3/8" CTS	BULK
013547-08	3/8" CTS	TAG
3547-10	1/2" CTS	BULK
013547-10	1/2" CTS	TAG
 3547-14	3/4" CTS	BULK
013547-14	3/4" CTS	TAG
 3547-18	1" CTS	BULK

CONE SEAL



PART NO.	TUBE SIZE	PACKAGE
161-08	1/2" NPS	BULK
161-12	3/4" NPS & FGHT	BULK

35 Series Quick Connect Manifold

Configuration Styles

Sea Tech Manifolds operate much like an electrical breaker box. The main water supply lines bring water into the manifold and individual distribution lines move water out to each fixture. All outlets have a built in valve which allows you the ability to stop the water flow to any single fixture without shutting down the entire water system.

The new Sea Tech Manifold System utilizes an exclusive modular design. Manifold Sections can be purchased individually and simply snapped together to create the ideal configuration for each application. Sea Tech also offers custom configured, pre-assembled manifolds.

FEATURES

Performance ratings
 100psi@180°F 6.8bar@82°C
 250psi@75°F 17.25bar@24°C

Complies with NSF and FDA standards


Available in custom configurations

Includes mounting brackets and labels

All Inlets are 1" CTS (use a Reducing Stem to create other inlet sizes)


Style A

2 Quick Connect Inlets




Style B

1 Quick Connect Inlet




Style E

2 Quick Connect Inlets
1 Quick Connect Outlet




Style G

2 Quick Connect Inlets




Style B

1 Quick Connect Inlet
Single Temperature
Use (Hot or Cold)




Style C

2 Quick Connect Inlets
Single Temperature
Use (Hot or Cold)



Style G

2 Quick Connect Inlets
Dual Temperature
Use (Hot & Cold)



Ordering Information

D = Dual Side Inlet Port Style
 S = Single Side

35 **D** **A**-12 **06**


Total Number of Ports

Total Number of Cold Ports


Assembly Elements

35 Series Quick Connect Manifold

DUAL SIDE STYLE



SINGLE SIDE STYLE



Features

- Integral high flow shut-off valves
- Serviceable shut-off valves
- Eliminates fittings
- Single and Dual sections can be connected together
- Modular design allows for flexibility
- Field-configurable
- Increase water flow
- Available in single or dual outlet configurations

35 Series Quick Connect Manifold

Components

DUAL UNION BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3583-1810	1" CTS	1/2" CTS	BULK

DUAL STEM BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3584-1810	1" CTS	1/2" CTS	BULK

SINGLE UNION BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3589-1810	1" CTS	1/2" CTS	BULK

SINGLE STEM BODY, RIGHT



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3590-1810	1" CTS	1/2" CTS	BULK

SINGLE STEM BODY, LEFT



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3591-1810	1" CTS	1/2" CTS	BULK

REDUCING STEM



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
3514-1814	1" CTS	3/4" CTS	BULK
3514-1810	1" CTS	1/2" CTS	BULK

END STOP



PART NO.	TUBE SIZE	PACKAGE
3545-18	1" CTS	BULK

MANIFOLD LABELS

PART NO.	
QCHLK-01	Home Label Kit
QCMLK-01	Marine Label Kit

END PLUG



PART NO.	TUBE SIZE	PACKAGE
3546-18	1" CTS	BULK


DUAL SIDE MOUNTING KIT



PART NO.	PACKAGE
3580-18	BULK

*Note: Stainless Bracket Screws Included

SINGLE SIDE MOUNTING KIT



PART NO.	PACKAGE
3581-18	BULK

*Note: Stainless Bracket Screws Included

DIVIDER PLUG



PART NO.	PACKAGE
3582-18	BULK

RETURN END



PART NO.	STEM SIZE	PACKAGE
3585-18	1" CTS	BULK

LABEL PLATE



PART NO.	COLOR	PACKAGE
3586-18	RED	BULK
3587-18	BLUE	BULK

VALVE REPAIR KIT




PART NO.	SPOOL SIZE	PACKAGE
3588-10	1/2"	BULK

MANIFOLD WRENCH




PART NO.	BODY SIZE	PACKAGE
351192-18	1" CTS	BULK

*Note: For Ease of Disconnection



PORTS	DIMENSION A
4	4"
6	6 1/4"
8	8 1/2"
1	10 3/4"
12	13"
14	15 1/4"
16	17 1/2"
18	19 3/4"
20	22"
22	24 1/4"
24	26 1/2"
26	28 3/4"
28	31"
30	33 1/4"
30+	ADD 2 1/4" FOR EACH (2) ADDITIONAL PORTS






Sea Tech tubing is produced from a high performance, cross-linked Polyethylene material. Sea Tech tubing is formulated and manufactured in 1/2" CTS (5/8" O.D.) size. Sea Tech tubing is NSF listed, FDA recognized and available in multiple colors for ease of water line identification.


PART NO.	TUBE SIZE	COLOR	PACKAGE
B5805	1/2" CTS	BLUE	5' STRAIGHT LENGTH
B5810	1/2" CTS	BLUE	10' STRAIGHT LENGTH
B5820	1/2" CTS	BLUE	20' STRAIGHT LENGTH
01B5805	1/2" CTS	BLUE	5' STRAIGHT LENGTH, TAG
00B5850	1/2" CTS	BLUE	50' COIL, BOX
B58250	1/2" CTS	BLUE	250' COIL
R5805	1/2" CTS	RED	5' STRAIGHT LENGTH
R5810	1/2" CTS	RED	10' STRAIGHT LENGTH
R5820	1/2" CTS	RED	20' STRAIGHT LENGTH
00R5850	1/2" CTS	RED	50' COIL, BOX
01R5805	1/2" CTS	RED	5' STRAIGHT LENGTH, TAG
R58250	1/2" CTS	RED	250' COIL
W5805	1/2" CTS	WHITE	5' STRAIGHT LENGTH
W5810	1/2" CTS	WHITE	10' STRAIGHT LENGTH
W5820	1/2" CTS	WHITE	20' STRAIGHT LENGTH
00W5850	1/2" CTS	WHITE	50' COIL, BOX
W58250	1/2" CTS	WHITE	250' COIL

TUBING PERFORMANCE RATING:
 Operating Pressure: Vacuum to 160psi
 Max Temperature: 180°F @ 100psi
 72°F @ 160psi

 50' coils are packaged in a dispensing box.

CUTTER
 PART NO. 1158-1522

REPLACEMENT BLADE
 PART NO. 1159-1522



Sea Tech connectors utilize a swivel nut with NPS straight threads and a cone seal. This allows the installer to thread onto NPT, NPS, BSP and most other threads without tools or thread sealant. Simply thread on, hand tight, for a zero-leak seal.

Cone Seal

UNION TEE



PART NO.	TUBE SIZE	PACKAGE
2423-10	1/2" CTS	BULK
012423-10	1/2" CTS	TAG

STACKABLE TEE



PART NO.	TUBE SIZE	PACKAGE
2433-10	1/2" CTS	BULK
012433-10	1/2" CTS	TAG

POLY TUBING



PART NO.	TUBE SIZE	PACKAGE
50256	1/4" O.D.	100' COIL

Sea Tech 24 Series quick connect products are produced from FDA approved materials, certified and approved to NSF-61 standards and are suitable for contact with drinking water. 24 Series products are designed and manufactured in a bright white thermal plastic and are applicable for many applications including Water Plumbing, Car Wash, Water Filtration and Aquariums. 24 Series fittings are produced in standard imperial inch sizes and interconnect with all Sea Tech 35 Series connections. Sea Tech 24 Series fittings directly connect to a variety of plastic, copper and CPVC piping. Simply cut the piping and snap a Sea Tech quick connect fitting into place for a leak free connection.



FITTING PERFORMANCE RATING:
 Operating Pressure: Vacuum 250psi
 Max Temperature: 140°F @ 100psi / 75°F @ 250psi

UNION ELBOW



PART NO.	TUBE SIZE	PACKAGE
2417-10	1/2" CTS	BULK
012417-10	1/2" CTS	TAG

UNION CONNECTOR



PART NO.	TUBE SIZE	PACKAGE
2415-10	1/2" CTS	BULK
012415-10	1/2" CTS	TAG

STACKABLE ELBOW



PART NO.	TUBE SIZE	PACKAGE
2418-10	1/2" CTS	BULK
012418-10	1/2" CTS	TAG

REDUCING STEM



PART NO.	STEM SIZE	TUBE SIZE	PACKAGE
2414-1004	1/2" CTS	1/4" O.D.	BULK
012414-1004	1/2" CTS	1/4" O.D.	TAG
2414-1008	1/2" CTS	3/8" CTS	BULK
012414-1008	1/2" CTS	3/8" CTS	TAG

REDUCING UNION



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
2416-1008	1/2" CTS	3/8" CTS	BULK
012416-1008	1/2" CTS	3/8" CTS	TAG

FEMALE SWIVEL ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
2420-1008	1/2" CTS	1/2" NPS	BULK
012420-1008	1/2" CTS	1/2" NPS	TAG
2420-1012	1/2" CTS	3/4" NPS	BULK
012420-1012	1/2" CTS	3/4" NPS	TAG
2420-1013	1/2" CTS	3/4" CLOSET	BULK
012420-1013	1/2" CTS	3/4" CLOSET	TAG
2420-1014	1/2" CTS	3/4" FGHT	BULK
012420-1014	1/2" CTS	3/4" FGHT	TAG

FEMALE SWIVEL CONNECTOR



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
2410-1008	1/2" CTS	1/2" NPS	BULK
012410-1008	1/2" CTS	1/2" NPS	TAG
2410-1012	1/2" CTS	3/4" NPS	BULK
012410-1012	1/2" CTS	3/4" NPS	TAG
2410-1013	1/2" CTS	3/4" CLOSET	BULK
012410-1013	1/2" CTS	3/4" CLOSET	TAG
2410-1014	1/2" CTS	3/4" FGHT	BULK
012410-1014	1/2" CTS	3/4" FGHT	TAG

MALE CONNECTOR



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
2401-1008	1/2" CTS	1/2" NPT	BULK
012401-1008	1/2" CTS	1/2" NPT	TAG

MALE ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
2419-1008	1/2" CTS	1/2" NPT	BULK
012419-1008	1/2" CTS	1/2" NPT	TAG

END STOP



PART NO.	TUBE SIZE	PACKAGE
2445-10	1/2" CTS	BULK
012445-10	1/2" CTS	TAG

CONE SEAL



PART NO.	TUBE SIZE	PACKAGE
161-08	1/2" NPS	BULK
161-12	3/4" NPS & FGHT	BULK

PIPE CLIP



PART NO.	TUBE SIZE	PACKAGE
2370-1557	1/2" CTS	BULK
012370-1557	1/2" CTS	TAG

ELBOW CLIP



PART NO.	TUBE SIZE	PACKAGE
2349-15	1/2" CTS	BULK

O-RING ASSEMBLY



PART NO.	TUBE SIZE	PACKAGE
159-24	1/2" CTS	BULK



Sea Tech Metric Series products are available in sizes 15mm and 22mm. Sea Tech offers quick connect fittings, valves, modular manifolds and tubing in this world class product offering. Sea Tech's Metric Series line is manufactured in several high performance materials that are FDA approved and NSF-61 certified for contact with drinking water.

FITTING PERFORMANCE RATING:
Operating Pressure: Vacuum to 250psi
Max Temperature: 140°F @ 100psi / 75°F @ 250psi



Cone Seal

Sea Tech connectors utilize a swivel nut with NPS straight threads and a cone seal. This allows the installer to thread onto NPT, NPS, BSP and most 1/2" male threads without tools or thread sealant. Simply thread on, hand tight, for a zero-leak seal.



Reducing Tees can be developed by simply snap fitting a Reducing Stem Connector into a Union Tee.



Sea Tech tubing is produced from a high performance, polyethylene material. Sea Tech Tubing is formulated and manufactured in 15MM and 22MM sizes. Sea Tech Tubing is NSF listed, FDA recognized and available in multiple colors for ease of water line identification.



15MM 50' coils are packaged in a dispensing box.

POLY TUBING



PART NO.	TUBE SIZE	COIL SIZE
50256	1/4" O.D.	100' COIL

CUTTER



PART NO.
1158-1522

REPLACEMENT BLADE

PART NO.
1159-1522

PART NO.	TUBE SIZE	COLOR	PACKAGE
1505B	15MM	BLUE	5' STRAIGHT LENGTH
1510B	15MM	BLUE	10' STRAIGHT LENGTH
1520B	15MM	BLUE	20' STRAIGHT LENGTH
001550B	15MM	BLUE	50' COIL, BOX
50241	15MM	BLUE	250' COIL
011505B	15MM	BLUE	5' STRAIGHT LENGTH, TAG
1505R	15MM	RED	5' STRAIGHT LENGTH
1510R	15MM	RED	10' STRAIGHT LENGTH
1520R	15MM	RED	20' STRAIGHT LENGTH
001550R	15MM	RED	50' COIL, BOX
50237	15MM	RED	250' COIL
011505R	15MM	RED	5' STRAIGHT LENGTH, TAG
1505W	15MM	WHITE	5' STRAIGHT LENGTH
1510W	15MM	WHITE	10' STRAIGHT LENGTH
1520W	15MM	WHITE	20' STRAIGHT LENGTH
001550W	15MM	WHITE	50' COIL, BOX
50233	15MM	WHITE	250' COIL
001550G	15MM	GREEN	50' COIL, BOX
CST50241G	15MM	GREEN	250' COIL
2205B	22MM	BLUE	5' STRAIGHT LENGTH
2210B	22MM	BLUE	10' STRAIGHT LENGTH
2220B	22MM	BLUE	20' STRAIGHT LENGTH
50251	22MM	BLUE	50' COIL
50253	22MM	BLUE	250' COIL
012205B	22MM	BLUE	5' STRAIGHT LENGTH, TAG
2205R	22MM	RED	5' STRAIGHT LENGTH
2210R	22MM	RED	10' STRAIGHT LENGTH
2220R	22MM	RED	20' STRAIGHT LENGTH
50247	22MM	RED	50' COIL
50249	22MM	RED	250' COIL
012205R	22MM	RED	5' STRAIGHT LENGTH, TAG
2205W	22MM	WHITE	5' STRAIGHT LENGTH
2210W	22MM	WHITE	10' STRAIGHT LENGTH
2220W	22MM	WHITE	20' STRAIGHT LENGTH
50243	22MM	WHITE	50' COIL
50245	22MM	WHITE	250' COIL

TUBING PERFORMANCE RATING:
 Operating Pressure: Vacuum to 160psi
 Max Temperature: 180°F @ 100psi
 72°F @ 160psi

To Find a Distributor Near You Call
1.888.500.0056
 or visit our website
www.seatechinc.com

Metric Series

Sizes 15MM and 22MM

UNION TEE



PART NO.	TUBE SIZE	PACKAGE
1123-1515	15MM	BULK
011123-1515	15MM	TAG
1623-2222	22MM	BULK
011623-2222	22MM	TAG

REDUCING TEE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
1124-0415	15MM	1/4" O.D.	BULK
011124-0415	15MM	1/4" O.D.	TAG
1624-222215	22MM	15MM	BULK
011624-222215	22MM	15MM	TAG

FEMALE SWIVEL TEE



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1125-0815	15MM	1/2" NPS	BULK
011125-0815	15MM	1/2" NPS	TAG

STACKABLE TEE



PART NO.	TUBE SIZE	PACKAGE
1133-1515	15MM	BULK
011133-1515	15MM	TAG
NEW 1133-2222	22MM	BULK
011133-2222	22MM	TAG

UNION ELBOW



PART NO.	TUBE SIZE	PACKAGE
1117-1515	15MM	BULK
011117-1515	15MM	TAG
1617-2222	22MM	BULK
011617-2222	22MM	TAG

FEMALE SWIVEL ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1120-0815	15MM	1/2" NPS	BULK
011120-0815	15MM	1/2" NPS	TAG
1120-1215	15MM	3/4" NPS	BULK
011120-1215	15MM	3/4" NPS	TAG
1120-1415	15MM	3/4" FGHT	BULK
011120-1415	15MM	3/4" FGHT	TAG

STACKABLE ELBOW



PART NO.	TUBE SIZE	PACKAGE
1118-1515	15MM	BULK
011118-1515	15MM	TAG
1618-2222	22MM	BULK
011618-222	22MM	TAG

DROP EAR ELBOW **NEW**



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1121-0815	15MM	1/2" NPT	BULK
011121-0815	15MM	1/2" NPT	TAG

REDUCING STEM



PART NO.	TUBE SIZE	STEM SIZE	PACKAGE
1614-1522	15MM	22MM	BULK
011614-1522	15MM	22MM	TAG

FLANGE MOUNT ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1168-0815	15MM	1/2" NPS	BULK
011168-0815	15MM	1/2" NPS	TAG

UNION CONNECTOR



PART NO.	TUBE SIZE	PACKAGE
1115-1515	15MM	BULK
011115-1515	15MM	TAG
1615-2222	22MM	BULK
011615-2222	22MM	TAG

REDUCING UNION



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
1115-0415	15MM	1/4" O.D.	BULK
011115-0415	15MM	1/4" O.D.	TAG
1116-1015	1/2" CTS	15MM	BULK
011116-1015	1/2" CTS	15MM	TAG

FEMALE SWIVEL



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1110-0815	15MM	1/2" NPS	BULK
011110-0815	15MM	1/2" NPS	TAG
1110-1215	15MM	3/4" NPS	BULK
011110-1215	15MM	3/4" NPS	TAG
2609-1215	15MM	3/4" FGHT	BULK
012609-1215	15MM	3/4" FGHT	TAG
1607-1222	22MM	3/4" NPS	BULK
011607-1222	22MM	3/4" NPS	TAG

MALE ELBOW



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1119-0815	15MM	1/2" NPT	BULK
011119-0815	15MM	1/2" NPT	TAG

MALE CONNECTOR



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
2402-0815	15MM	1/2" NPT	BULK
012402-0815	15MM	1/2" NPT	TAG
2601-1215	15MM	3/4" NPT	BULK
012601-1215	15MM	3/4" NPT	TAG
2604-1215	15MM	3/4" MGHT	BULK
012604-1215	15MM	3/4" MGHT	TAG
2902-1222	22MM	3/4" NPT	BULK
012902-1222	22MM	3/4" NPT	TAG

MALE CONNECTOR (BRASS)



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1201-0815	15MM	1/2" NPT	BULK
1701-1222	15MM	3/4" NPT	BULK

FEMALE STEM (BRASS)



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1226-0415	15MM	1/4" NPT	BULK
1226-0615	15MM	3/8" NPT	BULK
1226-0815	15MM	1/2" NPT	BULK
1726-1222	22MM	3/4" NPT	BULK
1726-1622	22MM	1" NPT	BULK

COMPRESSION CONNECTOR (BRASS)



PART NO.	TUBE SIZE	NUT SIZE	PACKAGE
1212-0615	15MM	3/8"	BULK
1211-0615	15MM	NONE	BULK

MALE STEM (BRASS)



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
1229-0415	15MM	1/4" NPT	BULK
1229-0615	15MM	3/8" NPT	BULK
1229-0815	15MM	1/2" NPT	BULK
1729-1222	22MM	3/4" NPT	BULK
1729-1622	22MM	1" NPT	BULK

HOSE BARB CONNECTOR



PART NO.	TUBE SIZE	BARB SIZE	PACKAGE
1413-0615	15MM	3/8" H.B.	BULK
2413-0815	15MM	1/2" H.B.	BULK
012413-0815	15MM	1/2" H.B.	TAG
2913-1222	22MM	3/4" H.B.	BULK
012913-1222	22MM	3/4" H.B.	TAG

UNION PUMP CONNECTOR



PART NO.	TUBE SIZE	PACKAGE
2475-15	15MM	BULK
012475-15	15MM	TAG

ELBOW PUMP CONNECTOR



PART NO.	TUBE SIZE	PACKAGE
2476-15	15MM	BULK
012476-15	15MM	TAG

Metric Series

Sizes 15MM and 22MM

END STOP



PART NO.	TUBE SIZE	PACKAGE
1145-15	15MM	BULK
011145-15	15MM	TAG
1645-22	22MM	BULK
011645-22	22MM	TAG

END PLUG



PART NO.	TUBE SIZE	PACKAGE
1146-15	15MM	BULK
1646-22	22MM	BULK

STOP VALVE



PART NO.	TUBE SIZE	PACKAGE
2439-1515	15MM	BULK
012439-1515	15MM	TAG
2939-2222	22MM	BULK
012939-2222	22MM	TAG

REDUCING VALVE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
2439-0415	15MM	1/4" O.D.	BULK
012439-0415	15MM	1/4" O.D.	TAG


STACKABLE VALVE



PART NO.	STEM SIZE	TUBE SIZE	PACKAGE
2443-0415	15MM	1/4" O.D.	BULK
012443-0415	15MM	1/4" O.D.	TAG
2440-1515	15MM	15MM	BULK
012440-1515	15MM	15MM	TAG

TEE VALVE



PART NO.	TUBE SIZE	TUBE SIZE	PACKAGE
2444-0415	15MM	1/4" O.D.	BULK
012444-0415	15MM	1/4" O.D.	TAG
3550-1508	15MM	3/8" CTS	BULK 
013550-1508	15MM	3/8" CTS	TAG

MALE STEM CHECK VALVE (BRASS)



PART NO.	STEM SIZE	THREAD SIZE	PACKAGE
1235-0815	15MM	1/2" NPT	BULK

STEM CHECK VALVE (BRASS)



PART NO.	STEM SIZE	PACKAGE
1237-15	15MM	BULK

TEMPERATURE MIXING VALVE (BRASS)



PART NO.	THREAD SIZE	PACKAGE
12142-08	1/2" NPT	BULK

PIPE CLIP



PART NO.	TUBE SIZE	PACKAGE
2370-1557	15MM	BULK
012370-1557	15MM	TAG
2370-2257	22MM	BULK
012370-2257	22MM	TAG

ELBOW CLIP



PART NO.	TUBE SIZE	PACKAGE
2349-15	15MM	BULK
2349-22	22MM	BULK

COLLET COVER



PART NO.	COLOR	TUBE SIZE	PACKAGE
2154-15	RED	15MM	BULK
012154-15	RED	15MM	TAG
2155-15	WHITE	15MM	BULK
012155-15	WHITE	15MM	TAG
2156-15	BLUE	15MM	BULK
012156-15	BLUE	15MM	TAG
2157-15	BLACK	15MM	BULK
012157-15	BLACK	15MM	TAG
2954-22	RED	22MM	BULK
012954-22	RED	22MM	TAG
2955-22	WHITE	22MM	BULK
012955-22	WHITE	22MM	TAG
2956-22	BLUE	22MM	BULK
012956-22	BLUE	22MM	TAG

ELECTRIC STEM VALVE (BRASS)



PART NO.	TUBE SIZE	VOLT	PACKAGE
12104-0415-12	15MM	12VDC	BULK
12104-0415-24	15MM	24VDC	BULK

VALVE IS PACKAGED WITH ONE 1/4" QUICK CONNECT FITTING

DECK SPRAYER & FITTINGS



PART NO.	OUTLET STYLE	PACKAGE
41106	SPRAY HEAD	BULK
41106-0206	1/8" BARB STRAIGHT	BULK
41107-0206	1/8" BARB ELBOW	BULK

(Thru Deck is packaged with one 1/4" Union Elbow as shown)

WASHING MACHINE HOSE KIT



PART NO.	TUBE SIZE	THREAD SIZE	PACKAGE
UWM-100-48	15MM	3/4" FGHT	BULK

O-RING ASSEMBLY



PART NO.	TUBE SIZE	PACKAGE
159-15	15MM	BULK
159-22	22MM	BULK

MINI UNION TEE (for Poly Tubing)



PART NO.	TUBE SIZE	PACKAGE
4023-0404	1/4" O.D.	BULK

CONE SEAL



PART NO.	TUBE SIZE	PACKAGE
161-08	1/2" NPS	BULK
161-12	3/4" NPS & FGHT	BULK

Sea Tech Manifolds operate much like an electrical breaker box. The main water supply lines bring water into the manifold and individual distribution lines move water out to each fixture. All outlets have a built in valve which allows you the ability to stop the water flow to any single fixture without shutting down the entire water system.

The new Sea Tech Manifold System utilizes an exclusive modular design. Manifold Sections can be purchased individually and simply snapped together to create the ideal configuration for each application. Sea Tech also offers custom configured, pre-assembled manifolds.

FEATURES

Performance ratings
 100psi@180°F 6.8bar@82°C
 250psi@75°F 17.25bar@24°C

Complies with NSF and FDA standards


Available in custom configurations

Includes mounting brackets and labels

All Inlets are 1" CTS (use a Reducing Stem to create other inlet sizes)

Style A

2 Quick Connect Inlets



Style B

1 Quick Connect Inlet



Style E

2 Quick Connect Inlets
 1 Quick Connect Outlet




Style G

2 Quick Connect Inlets




Style B

1 Quick Connect Inlet
 Single Temperature
 Use (Hot or Cold)




Style C

2 Quick Connect Inlets
 Single Temperature
 Use (Hot or Cold)



Style G

2 Quick Connect Inlets
 Dual Temperature
 Use (Hot & Cold)



Ordering Information

D = Dual Side Inlet Port Style
 S = Single Side


11 **D** **A** - **12** **06**

Total Number of Ports Total Number of Cold Ports

Assembly Elements

Metric Series Quick Connect Manifold

DUAL SIDE STYLE



SINGLE SIDE STYLE



Features

- Integral high flow shut-off valves
- Serviceable shut-off valves
- Eliminates fittings
- Single and Dual sections can be connected together
- Modular design allows for flexibility
- Field-configurable
- Increase water flow
- Available in single or dual outlet configurations

DUAL UNION BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1183-1815	1" CTS	15MM	BULK

DUAL STEM BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1184-1815	1" CTS	15MM	BULK

SINGLE UNION BODY



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1189-1815	1" CTS	15MM	BULK

SINGLE STEM BODY, RIGHT



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1190-1815	1" CTS	15MM	BULK

SINGLE STEM BODY, LEFT



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1191-1815	1" CTS	15MM	BULK

REDUCING STEM



PART NO.	BODY SIZE	PORT SIZE	PACKAGE
1114-1822	1" CTS	22MM	BULK
1114-1815	1" CTS	15MM	BULK

END STOP



PART NO.	TUBE SIZE	PACKAGE
1145-18	1" CTS	BULK

MANIFOLD LABELS

PART NO.	
QCHLK-01	Home Label Kit
QCMLK-01	Marine Label Kit

END PLUG



PART NO.	TUBE SIZE	PACKAGE
1146-18	1" CTS	BULK

DUAL SIDE MOUNTING KIT



PART NO.	PACKAGE
1180-18	BULK

*Note: Stainless Bracket Screws Included

SINGLE SIDE MOUNTING KIT



PART NO.	PACKAGE
1181-18	BULK

*Note: Stainless Bracket Screws Included

DIVIDER PLUG



PART NO.	PACKAGE
1182-18	BULK

RETURN END



PART NO.	STEM SIZE	PACKAGE
1185-18	1" CTS	BULK

LABEL PLATE



PART NO.	COLOR	PACKAGE
3586-18	RED	BULK
3587-18	BLUE	BULK

VALVE REPAIR KIT




PART NO.	SPOOL SIZE	PACKAGE
1188-15	15MM	BULK

MANIFOLD WRENCH




PART NO.	BODY SIZE	PACKAGE
351192-18	1" CTS	BULK

*Note: For Ease of Disconnection



PORTS	DIMENSION A
4	4"
6	6 1/4"
8	8 1/2"
10	10 3/4"
12	13"
14	15 1/4"
16	17 1/2"
18	19 3/4"
20	22"
22	24 1/4"
24	26 1/2"
26	28 3/4"
28	31"
30	33 1/4"
30+	ADD 2 1/4" FOR EACH (2) ADDITIONAL PORTS



Metric Series Manifolds


Sea Tech Manifolds operate much like an electrical breaker box. The main water supply lines bring water into the manifold and individual distribution lines move water out to each fixture. All outlets have a built-in valve which allows you the ability to stop the water flow to any single fixture without shutting down the entire water system.

FEATURES

- Operating Pressure: vacuum to 100psi
- Temperature Range: 10°F to +180°F
- Complies with NSF and FDA standards
- Available in custom configurations
- Includes mounting brackets and labels


Style A

2 Male Inlets




Style B

1 Male Inlet




Style E

2 Male Inlets
1 Male Outlet




Style G

2 Male Inlets




Style B

1 Male Inlet
Single Temperature
Use (Hot or Cold)




Style C

2 Male Inlets
Single Temperature
Use (Hot or Cold)



Style G

2 Male Inlets
Dual Temperature
Use (Hot & Cold)



MANIFOLD VALVE KEY



PART NO.
1175-09

MANIFOLD VALVE REPLACEMENT KIT



PART NO.
1172-09

MANIFOLD INLET ELBOW



PART NO.	SIZE
SF-989	1/2" NPT

Note: On Single Side Manifolds only, add an 8 to the end of the part number to designate 1/2" NPT Inlets instead of 1".

END CAP FOR INLETS (BRASS)




PART NO.
2274-16

INLET STEM FITTING (BRASS)




PART NO.	STEM SIZE
2262-15	15MM
2262-22	22MM

Metric Series Manifolds



Features

- Individual shut-off valves for every fixture
- Fewer fittings needed
- Quick and efficient installation
- Available with Stainless Steel or Zinc plated hardware
- Complete central control of water system
- Faster hot water delivery
- Equalized water flow
- Mounting brackets and labels included



Ordering Information

D = Dual Side
S = Single Side

Inlet Port Style

Hardware Material
S=Stainless Steel
Z=Zinc Plated

SPM-D A-12-06 S 8

Total Number of Ports

Total Number of Cold Ports

8=1/2" Inlets (Single Side Only)

www.seatechinc.com :: 1.888.500.0056



200 Willard Street
Wilmington, NC 28401

T :: 1.888.500.0056
F :: 1.888.500.0057

www.seatechinc.com

