



PEX0317 CUSTOMER GUIDE

PEX Plumbing and Radiant Heating Systems

Effective March 1, 2017

Replaces all previous Price Lists

1.855.ONE.ZURN | ZURN.COM

TABLE OF CONTENTS - BY SECTION

ZURN PEX PLUMBING PRODUCTS

HOT/COLD POTABLE (NON-BARRIER) TUBING COILS	7
WHITE POTABLE (NON-BARRIER) TUBING COILS	7
RED POTABLE (NON-BARRIER) TUBING COILS	7
BLUE POTABLE (NON-BARRIER) TUBING COILS	8
WHITE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8
RED POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8
BLUE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8
POTABLE (NON-BARRIER) QICKPACK COILS	8
ICEMAKER TUBING COILS	8
QICKPORT® MANIFOLD SYSTEM	9
PREASSEMBLED QICKPORT MANIFOLDS WITHOUT VALVES	9
PREASSEMBLED QICKPORT® MANIFOLDS WITHOUT VALVES FOR HOMES WITH WATER CONDITIONERS	9
PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES	10
PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES FOR HOMES WITH WATER CONDITIONERS	10
UNASSEMBLED QICKPORT® POLYMER MANIFOLDS WITHOUT VALVES	12
ADD-A-PORT® POLYMER MANIFOLD COMPONENTS	12
QICKPORT® 1" INLET AND OUTLET CONNECTIONS	12
QICKPORT® OUTLET VALVES – POLYMER	12
QICKPORT® 1/2" OUTLET CONNECTIONS	12
QICKPORT® ACCESSORIES	12
(CRIMP) COPPER MANIFOLDS	13
(CRIMP) COPPER MANIFOLDS – 3/4" XL BRASS BARB INLET, CLOSED END, AND 1/2" XL BRASS BARB OUTLETS	13
(CRIMP) XL BRASS/COPPER FITTINGS	13
(CRIMP) XL BRASS TEES – SMALL DIAMETER	13
(CRIMP) XL BRASS TEES – LARGE DIAMETER	14
(CRIMP) XL BRASS ELBOWS – SMALL DIAMETER	15
(CRIMP) XL BRASS SWIVEL ELBOWS – SMALL DIAMETER	15
(CRIMP) XL BRASS ELBOWS – LARGE DIAMETER	15
(CRIMP) XL 45° BRASS ELBOWS – LARGE DIAMETER	15
(CRIMP) XL BRASS COUPLINGS – SMALL DIAMETER	16
(CRIMP) XL BRASS COUPLINGS – LARGE DIAMETER	16
(CRIMP) SWEAT ADAPTERS – SMALL DIAMETER	17
(CRIMP) XL BRASS SWEAT ADAPTERS – LARGE DIAMETER	17
(CRIMP) XL BRASS TRANSITIONAL FITTINGS (ZURN PEX TO POLYBUTYLENE)	17
(CRIMP) XL BRASS MALE ADAPTERS	18
(CRIMP) XL BRASS MALE ADAPTERS – LARGE DIAMETER	18
(CRIMP) XL BRASS SWIVEL ADAPTERS	18
(CRIMP) XL BRASS FEMALE ADAPTERS – SMALL DIAMETER	18

(CRIMP) XL BRASS FEMALE ADAPTERS – LARGE DIAMETER	18
(CRIMP) COPPER STUBOUTS	19
(CRIMP) COPPER SWEAT ELBOWS – TUB/SHOWER	19
(CRIMP) XL BRASS PLUGS – SMALL DIAMETER	20
(CRIMP) XL BRASS PLUGS – LARGE DIAMETER	20
(CRIMP) TEMPORARY TEST PLUGS – PLASTIC	20
(CRIMP) COPPER WATER HEATER CONNECTOR	20
(CRIMP) QICK SERT CR® FITTINGS	21
(CRIMP) QICK SERT CR POLYMER COUPLINGS	21
(CRIMP) QICK SERT CR POLYMER MALE ADAPTERS	21
(CRIMP) QICK SERT CR POLYMER MALE ELBOWS (BARB X MPT)	22
(CRIMP) QICK SERT CR POLYMER ELBOWS	22
(CRIMP) QICK SERT CR POLYMER SWIVEL ELBOWS	22
(CRIMP) QICK SERT CR POLYMER TEES	23
(CRIMP) QICK SERT CR POLYMER SWIVEL ADAPTERS	23
(CRIMP) QICK SERT CR POLYMER BALL VALVES	24
(CRIMP) QICK SERT CR POLYMER MULTI-PORT TEES	24
CRIMP RINGS	25
COPPER CRIMP RINGS	25
QICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP	25
QICKCLAMP® SYSTEM	25
STAINLESS STEEL CRIMP RINGS	25
Z-BITE™ PUSH FITTINGS	26
Z-BITE™ PUSH-TO-CONNECT COUPLINGS	26
Z-BITE PUSH-TO-CONNECT CAPS	26
Z-BITE PUSH-TO-CONNECT DROP EAR ELBOWS	26
Z-BITE PUSH-TO-CONNECT ELBOWS	27
Z-BITE PUSH-TO-CONNECT FEMALE ADAPTERS	27
Z-BITE PUSH-TO-CONNECT MALE ADAPTERS	27
Z-BITE PUSH-TO-CONNECT TRANSITION COUPLINGS, POLYBUTYLENE X PEX COUPLING	28
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X FEMALE THREAD	28
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X MALE THREAD	28
Z-BITE PUSH-TO-CONNECT REDUCING COUPLINGS	29
Z-BITE PUSH-TO-CONNECT REDUCING ELBOWS	29
Z-BITE PUSH-TO-CONNECT REDUCING FEMALE ADAPTERS	29
Z-BITE PUSH-TO-CONNECT REDUCING MALE ADAPTERS	30
Z-BITE PUSH-TO-CONNECT REDUCING TEES	30
Z-BITE PUSH FITTING REMOVAL TOOL	30
Z-BITE PUSH-TO-CONNECT SLIP COUPLINGS	31
Z-BITE PUSH-TO-CONNECT TEES	31
Z-BITE DEPTH GAGE AND DEBURRING TOOL	31
(CRIMP) XL BRASS VALVES	32
(CRIMP) BRASS BARBED BALL VALVES – ZURN PEX XL BRASS	32
(CRIMP) XL BRASS STOP VALVES - CHROME PLATED	32

PEX SUPPLY TUBES	33
LAVATORY - RISERS	33
CLOSET - RISERS	33
FERRULES – EXTRA COMPRESSION RINGS FOR SUPPLY TUBES	33
BASIN AND BALLCOCK NUTS	33
PREFABRICATED QICKEE RISER ASSEMBLIES	33
ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS	33
QICKTITE® ASSEMBLED FITTING SYSTEM	34
TEES - ASSEMBLED	34
ELBOWS – ASSEMBLED	35
MALE ELBOW ADAPTERS WITH XL BRASS INSERTS	35
COUPLINGS – ASSEMBLED	36
MALE COUPLING ADAPTERS WITH XL BRASS INSERTS	36
FEMALE ADAPTERS – ASSEMBLED	37
FEMALE ELBOWS – ASSEMBLED	37
QICKTITE® UNASSEMBLED FITTING SYSTEM	38
TEES – UNASSEMBLED	38
ELBOWS – UNASSEMBLED	39
COUPLINGS/NIPPLES – UNASSEMBLED	39
FEMALE ELBOWS – UNASSEMBLED	40
ADAPTERS – UNASSEMBLED	40
QICKTITE® NUT/CONE/RING	41
SETS	41
INDIVIDUAL CONES	41
INDIVIDUAL RINGS	41
INDIVIDUAL NUTS	41
QICKTITE® ACCESSORIES	42
FEMALE COUPLINGS - FPT X FPT	42
TEST CAPS/PLUGS	42
QICKTITE® VALVES	43
QICKTITE ANGLE STOP VALVES – FEMALE	43
QICKTITE ANGLE STOP VALVES	43
QICKTITE STRAIGHT STOP VALVES – FEMALE	43
QICKTITE STRAIGHT STOP VALVES	44
QICKTITE IN-LINE GLOBE SHUT-OFF VALVES – UNASSEMBLED	44
QICKTITE IN-LINE GLOBE SHUT-OFF VALVE – ASSEMBLED	44
HOSE BIBB VALVES - SUPPLY/DRAIN	45
ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS	45
CHECK VALVE	45

TABLE OF CONTENTS - BY SECTION

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS 46

PIPE CLAMPS	46
STRUT CLAMP	46
INSULATED SUSPENSION CLAMPS/PIPE INSULATORS	46
TUBE TALONS	47
CONDUIT ELBOWS	47
FLEXIBLE TUBING PROTECTION SLEEVES	47
PIPE SUPPORT TRACK	48
PIPE TRACKS	48
TUBING CLIPS (FOR USE WITH QHTCG TUBING CLIP GUN)	48
BEND SUPPORTS	49
PLASTIC L CLAMP SUPPORT	49
METAL BEND SUPPORTS WITH FACEPLATE	49
WIRE FASTENERS/TOOLS	50
PIPE UNCOILERS	50
ESCUTCHEON	50

TOOLS 51

MEDIUM CRIMP PEX TOOLS	51
LARGE CRIMP PEX TOOLS	51
LARGE DIAMETER COMPACT CRIMP TOOL	52
QICKCLAMP® CRIMP TOOLS	52
STAINLESS STEEL CRIMP RING TOOL	52
BENCH MOUNT PEX CRIMP TOOLS	53
CLOSE QUARTERS PEX CRIMP TOOLS	53
BATTERY POWERED CRIMP TOOL	53
PEX TUBING CUTTERS	54
REPLACEMENT BLADES	54
CRIMP RING REMOVAL TOOL	54
CRIMP GAUGES	54
LARGE DIAMETER QICK SERT CR POLYMER CRIMP GAUGE	55
QICKCLAMP CRIMP GAUGE	55
TUBING CLIP GUN	55
AIR PRESSURE TESTER	55

FIRE PROTECTION PRODUCTS

POTABLE (NON-BARRIER) TUBING FOR USE IN FIRE PROTECTION APPLICATIONS 56

NON-BARRIER TUBING FOR USE IN FIRE PROTECTION APPLICATIONS - COILS	56
WHITE NON-BARRIER TUBING 20-FOOT STRAIGHT LENGTHS	56

FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS 57

(CRIMP) XL BRASS (RFS) SPRINKLER HEAD TEE	57
(CRIMP) XL BRASS (RFS) TEES	57

(CRIMP) XL BRASS (RFS) SPRINKLER HEAD COUPLING	57
(CRIMP) QICK SERT CR POLYMER (RFS) TEES	57
(CRIMP) XL BRASS (RFS) ELBOW	58
(CRIMP) QICK SERT CR POLYMER (RFS) ELBOW	58
(CRIMP) XL BRASS (RFS) COUPLING	58
(CRIMP) QICK SERT CR POLYMER (RFS) COUPLING	58
(CRIMP) XL BRASS (RFS) MALE ADAPTER	59
(CRIMP) QICK SERT CR POLYMER (RFS) MALE ADAPTER	59
(CRIMP) XL BRASS (RFS) FEMALE ADAPTER	59
(CRIMP) XL BRASS (RFS) SWEAT ADAPTERS	60
(CRIMP) XL BRASS (RFS) PLUG	60

ZURN PEX RADIANT HEATING PRODUCTS

BARRIER TUBING - FOR HEATING USE ONLY 61

ZURN HY-PE-RTUBE BARRIER TUBING COILS	61
ZURN HY-PE-RTUBE BARRIER TUBING - STRAIGHT LENGTHS	61
PERFORMA BARRIER TUBING - COILS	62
ZURN PEX PERFORMA BARRIER TUBING - STRAIGHT LENGTHS	62

ZURN PEX ALUMICOR (PEX-ALUMINUM-PEX) TUBING - FOR HEATING USE ONLY 63

ALUMICOR - PEX-AL-PEX (PAP) COILS	63
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION TEES	63
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION ELBOWS	64
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION COUPLINGS	64
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION ADAPTERS	64
ALUMICOR - PEX-AL-PEX (PAP) QICKZONE AND ACCUFLOW BRASS MANIFOLD CONNECTORS	65
ALUMICOR - PEX-AL-PEX (PAP) ACCUFLOW STAINLESS STEEL MANIFOLD CONNECTORS	65
ALUMICOR - PEX-AL-PEX (PAP) TOOLS	65

QICKZONE® MODULAR MANIFOLD SYSTEM 66

1-1/4" QICKZONE MODULAR MANIFOLD KIT	66
1-1/4" QICKZONE SUPPLY/RETURN CENTRAL MODULE	66
1-1/4" QICKZONE MANIFOLD BALL VALVE KITS	66
1-1/4" QICKZONE INLET THREAD ADAPTERS	67
1-1/4" QICKZONE MANIFOLD PLUG	67
1-1/4" QICKZONE MODULAR MANIFOLD BRACKETS	67
1-1/4" QICKZONE AIR VENT KITS WITH DRAIN VALVES	67
1" QICKZONE MODULAR MANIFOLD KIT	68
QICKZONE MODULAR MANIFOLD SYSTEM REPLACEMENT PARTS	68
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS	69

ZURN ALUMICOR MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS (PRICED PER PAIR)	69
ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS	69

ACCUFLOW® RADIANT HEATING MANIFOLDS 70

1" ACCUFLOW BRASS PREASSEMBLED AND PRESSURE TESTED RADIANT HEATING MANIFOLDS	70
------------------------------------------------------------------------------	----

BUILD-YOUR-OWN ACCUFLOW® RADIANT HEATING MANIFOLD 71

1" ACCUFLOW BRASS MANIFOLDS SUPPLY/RETURN HEADERS WITH BRACKET	71
1" ACCUFLOW BRASS MANIFOLD BALL VALVE KIT	72
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES	72
1" ACCUFLOW BRASS MANIFOLD PLUG	72
ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS	72
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE	72
ZURN ALUMICOR MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE (PRICED PER PAIR)	72
1" ACCUFLOW BRASS MANIFOLD REPLACEMENT PARTS	72

1" MANIFOLD INJECTION MIXING SYSTEM - USE WITH QHAF HEADERS 73

INJECTION MIXING SYSTEMS	73
THERMOSTATIC CONTROL FOR INJECTION PUMP KIT	73
PRESSURE BY-PASS KIT FOR INJECTION PUMP KIT	73
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES (USE ONE FOR INJECTION SYSTEM WHEN NOT USING BYPASS)	74
OPTIONAL THERMOMETER FOR INJECTION PUMP KIT	74

1" ACCUFLOW® STAINLESS STEEL RADIANT HEATING MANIFOLD KIT 74

1" ACCUFLOW STAINLESS STEEL RADIANT HEATING MANIFOLD KIT	74
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
ZURN ALUMICOR (PAP) MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
ZURN 2-WIRE ACTUATOR FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
ZURN 4 WIRE ACTUATOR AND ADAPTER FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
1" ACCUFLOW STAINLESS STEEL MANIFOLD REPLACEMENT PARTS	75

RADIANT HEATING FITTINGS 76

BRASS RADIANT HEATING COMPRESSION COUPLINGS	76
SWEAT X COMPRESSION 90° ELBOW	76
MALE PIPE THREAD X COMPRESSION PIPE ADAPTERS	76
FEMALE SWEAT X COMPRESSION ADAPTERS	77
MALE SWEAT X COMPRESSION ADAPTERS	77

TABLE OF CONTENTS - BY SECTION

XL BRASS/COPPER FITTINGS	77	PRESSURE BYPASS VALVES	86	TOOLS	96
(CRIMP) XL BRASS ELBOWS – SMALL DIAMETER	77	PRESSURE REDUCING VALVES	87	PEX CRIMP TOOLS – MEDIUM	96
(CRIMP) ELBOW – USE FOR HEATING ONLY	77	BACKFLOW PREVENTER	87	PEX CRIMP TOOLS – LARGE	96
(CRIMP) XL BRASS BASEBOARD ELBOWS	78	EXPANSION TANKS	87	CLOSE QUARTERS PEX CRIMP TOOLS	97
(CRIMP) BASEBOARD ELBOWS – USE FOR HEATING ONLY	78	POWERVENTS	88	PEX TUBE CUTTERS – BLADE AND RATCHET STYLES	97
(CRIMP) XL BRASS COUPLINGS – SMALL DIAMETER	78	COPPER MANIFOLDS	88	UPRIGHT INSULATION SCREW CLIP TOOL	97
(CRIMP) COUPLING – USE FOR HEATING ONLY	78	COPPER MANIFOLD HEADERS (CUT PER USE) - USE FOR HEATING ONLY	88	TUBING CLIP GUN	98
(CRIMP) XL BRASS FEMALE ADAPTERS – SMALL DIAMETER	78	COPPER MANIFOLD ENDPIECE - USE FOR HEATING ONLY	89	UPRIGHT MANUAL STAPLE GUN FOR WOODEN SUBFLOORS	98
(CRIMP) BRASS MALE ADAPTER – USE FOR HEATING ONLY	78	COPPER MANIFOLD BALL VALVES - USE FOR HEATING ONLY	89	UPRIGHT MANUAL STAPLE GUN FOR RIGID INSULATION	98
(CRIMP) XL BRASS MALE ADAPTERS – SMALL DIAMETER	79	COPPER MANIFOLD MEMORY BALANCING VALVES - USE FOR HEATING ONLY	89	UPRIGHT INSULATION SCREW CLIPS	99
(CRIMP) BRASS SWEAT ADAPTER – USE FOR HEATING ONLY	79	SNOW MELT SPECIAL ORDER - CONTROLS	90	PEX CRIMP GAUGES	99
(CRIMP) SWEAT ADAPTERS	79	COMMERCIAL/RESIDENTIAL SNOW AND ICE MELT MIXING CONTROL	90	WIRE TOOLS	99
(CRIMP) BRASS SWEAT ADAPTER COUPLINGS – USE FOR HEATING ONLY	79	SENSORS	90	COMPRESSION TEST PLUG	99
(CRIMP) XL BRASS PLUGS – SMALL DIAMETER	80	RADIANT MANIFOLD SPECIAL ORDER - FLUID MANAGEMENT	90	AIR PRESSURE TESTER	100
COPPER CRIMP RINGS	80	PLATE HEAT EXCHANGERS	90	PIPE UNCOILER	100
QICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP	80	INSTALLATION ACCESSORIES	91	PIPE UNCOILER	100
THERMAL TRACK™	81	POLYMER BEND SUPPORT WITH INTEGRAL MOUNTING BRACKET	91	PORTABLE PIPE UNCOILER	100
STRAIGHT PANEL	81	METAL BEND SUPPORT WITH FACEPLATE	91	UPRIGHT PNEUMATIC STAPLE GUN FOR WOODEN SUBFLOORS	101
UTILITY PANEL	81	CONDUIT ELBOWS	91	SOFTWARE	101
COMBINATION PANEL	81	FLEXIBLE TUBING PROTECTION SLEEVE	92	ZURN PEX® PLUMBING AND RADIANT HEATING SYSTEMS FIRE PROTECTION SYSTEMS - PROFESSIONAL INSTALLATION LIMITED WARRANTY	105
CONTROLS	81	LOCKING CLIC HOLDER	92	ZURN TERMS AND CONDITIONS	106
EXPANDABLE ZONE ACTUATOR VALVE CONTROL	81	POLYMER MESH CLIPS	92		
EXPANDABLE ZONE PUMP RELAY CONTROLS	81	UPRIGHT INSULATION SCREW CLIPS	92		
OUTDOOR RESET AND INJECTION MIXING MODULE	82	TUBING/TRACK STAPLES	93		
THERMOSTATS	82	TUBING CLIPS	93		
DUAL SENSING AIR/FLOOR THERMOSTAT	82	UPRIGHT MANUAL STAPLES FOR WOODEN SUBFLOORS	93		
TRANSFORMER	82	UPRIGHT MANUAL STAPLES FOR RIGID INSULATION	93		
MIXING SETPOINT CONTROL	83	UPRIGHT PNEUMATIC STAPLES FOR WOODEN SUBFLOORS	94		
SETPOINT CONTROLS	83	NYLON CABLE TIES	94		
RESIDENTIAL/LIGHT COMMERCIAL SNOW MELT SYSTEM	83	WIRE TIES	94		
SNOW MELT SWITCH	83	RADIANT PANEL PIPE TRACK	94		
FLUID MANAGEMENT	84	HEAT TRANSFER PLATE	95		
4-WIRE ZONE VALVE MOTOR	84	PIPE CLAMP	95		
ZONE VALVE ACTUATORS	84	INSULATED SUSPENSION PIPE/CLAMP INSULATOR	95		
STRAIGHT RETURN BALANCE VALVE/CIRCUIT SETTER	84	TUBE TALON	96		
STRAIGHT ZONE VALVES	84				
DIVERTER	85				
THERMOSTATIC HEADS (FOR USE WITH STRAIGHT ZONE VALVES AND DIVERTER)	85				
4-WAY MIXING VALVES	85				
4-WAY MIXING VALVE MOTORS	85				
THERMOSTATIC MIXING VALVE	86				
THERMOSTATIC MIXING VALVE BODIES (CONNECTIONS REQUIRED)	86				
THERMOSTATIC MIXING VALVE CONNECTIONS (EACH VALVE BODY REQUIRES 3 SETS)	86				

ZURN PEX - LEAD-FREE COMPLIANT (-XL) OVERVIEW



Zurn PEX XL brass barbed fittings sized from 3/8"-2" are marked with the letter G: indicating the product is listed to NSF Standard 61 Annex G for compliance with low-lead requirements. Part numbers are designated with a "G" or "GX" suffix. XL Brass is included in the product description.

XL LEAD FREE

Our XL brass insert fittings and valves are in full compliance with the Federal regulations that require that the lead content of the metal be less than 0.25%. They have been in compliance since they were introduced in 2010.

Zurn PEX tubing, CR plastic insert fittings, QickPort Manifolds, plastic valves, copper sweat adapter fittings and stub out elbows are also compliant with NSF Standard 61 Annex G.

ZURN PEX PLUMBING PRODUCTS

HOT/COLD POTABLE (NON-BARRIER) TUBING COILS

Zurn PEX® Potable (Non-Barrier) Tubing is easy to install, resists corrosion, and is freeze resistant. Zurn PEX tubing is NSF certified and free of BPA, lead, and harmful toxins to ensure the highest purity. Zurn PEX Potable Tubing is backed by the industry leading Zurn PEX 25 year warranty. For use in residential and commercial applications for cold water service, hot and cold potable water, fire protection, underground fluid distribution and water distribution to manifolds, hydronic coils, etc.



Potable (Non-Barrier) Tubing Coils



Potable (Non-Barrier) Tubing
20-Foot Straight Lengths



Potable (Non-Barrier) QuickPack Coils



Icemaker Tubing Coils

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	LIST PRICE
WHITE POTABLE (NON-BARRIER) TUBING COILS					
Q1PC100X	0-84169-48403-1	1/4" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	76.01
Q2PC100X	0-84169-48387-4	3/8" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	84.74
Q3PC100X	0-84169-48390-4	1/2" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	94.42
Q3PC300X	0-84169-52256-6	1/2" x 300' (91.4m) H/C White PEX Tubing - Coil	1A	Each	283.25
Q3PC500X	0-84169-48391-1	1/2" x 500' (152.4m) H/C White PEX Tubing - Coil	1A	Each	472.08
Q3PC1000X	0-84169-48392-8	1/2" x 1000' (304.8m) H/C White PEX Tubing - Coil	1A	Each	944.16
Q4PC100X	0-84169-48393-5	3/4" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	172.52
Q4PC300X	0-84169-52262-7	3/4" x 300' (91.4m) H/C White PEX Tubing - Coil	1A	Each	517.55
Q4PC500X	0-84169-48394-2	3/4" x 500' (152.4m) H/C White PEX Tubing - Coil	1A	Each	862.58
Q4PC1000X	0-84169-48395-9	3/4" x 1000' (304.8m) H/C White PEX Tubing - Coil	1A	Each	1725.15
Q5PC100X	0-84169-48396-6	1" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	296.21
Q5PC300X	0-84169-48397-3	1" x 300' (91.4m) H/C White PEX Tubing - Coil	1A	Each	888.62
Q5PC500X	0-84169-48398-0	1" x 500' (152.4m) H/C White PEX Tubing - Coil	1A	Each	1481.03
Q6PC100X	0-84169-68139-3	1-1/4" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	502.94
Q6PC300X	0-84169-67991-8	1-1/4" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	1508.82
Q7PC100X	0-84169-00588-5	1-1/2" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	684.27
Q7PC300X	0-84169-01168-8	1-1/2" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	2052.82
Q8PC100X	0-84169-01165-7	2" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	1337.40
Q8PC300X	0-84169-01166-4	2" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	4012.19
RED POTABLE (NON-BARRIER) TUBING COILS					
Q2PC100XRED	0-84169-66832-5	3/8" x 100' (30.5m) H/C Red PEX Tubing - Coil	1A	Each	84.74
Q2PC500XRED	0-84169-66833-2	3/8" x 500' (152.4m) H/C Red PEX Tubing - Coil	1A	Each	423.68
Q3PC100XRED	0-84169-66615-4	1/2" x 100' (30.5m) H/C Red PEX Tubing - Coil	1A	Each	94.42
Q3PC300XRED	0-84169-66805-9	1/2" x 300' (91.4m) H/C Red PEX Tubing - Coil	1A	Each	283.25
Q3PC500XRED	0-84169-66689-5	1/2" x 500' (152.4m) H/C Red PEX Tubing - Coil	1A	Each	472.08
Q3PC1000XRED	0-84169-66691-8	1/2" x 1000' (304.8m) H/C Red PEX Tubing - Coil	1A	Each	944.16
Q4PC100XRED	0-84169-66687-1	3/4" x 100' (30.5m) H/C Red PEX Tubing - Coil	1A	Each	172.52
Q4PC300XRED	0-84169-66806-6	3/4" x 300' (91.4mm) H/C Red PEX Tubing - Coil	1A	Each	517.55
Q4PC500XRED	0-84169-66688-8	3/4" x 500' (152.4m) H/C Red PEX Tubing - Coil	1A	Each	862.58
Q4PC1000XRED	0-84169-66690-1	3/4" x 1000' (304.8m) H/C Red PEX Tubing - Coil	1A	Each	1725.15
Q5PC100XRED	0-84169-66807-3	1" x 100' (30.5m) H/C Red PEX Tubing - Coil	1A	Each	296.21
Q5PC300XRED	0-84169-66808-0	1" x 300' (91.4m) H/C Red PEX Tubing - Coil	1A	Each	888.62
Q5PC500XRED	0-84169-66809-7	1" x 500' (152.4m) H/C Red PEX Tubing - Coil	1A	Each	1481.03

HOT/COLD POTABLE (NON-BARRIER) TUBING COILS (CONTINUED)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	LIST PRICE
BLUE POTABLE (NON-BARRIER) TUBING COILS					
Q2PC100XBLUE	0-84169-66837-0	3/8" x 100' (30.5m) H/C Blue PEX Tubing - Coil	1A	Each	84.74
Q2PC500XBLUE	0-84169-66849-3	3/8" x 500' (152.4m) H/C Blue PEX Tubing - Coil	1A	Each	423.68
Q3PC100XBLUE	0-84169-66754-0	1/2" x 100' (30.5m) H/C Blue PEX Tubing - Coil	1A	Each	94.42
Q3PC300XBLUE	0-84169-68011-2	1/2" x 300' (91.4m) H/C Blue PEX Tubing - Coil	1A	Each	283.25
Q3PC500XBLUE	0-84169-66756-4	1/2" x 500' (152.4m) H/C Blue PEX Tubing - Coil	1A	Each	472.08
Q3PC1000XBLUE	0-84169-66758-8	1/2" x 1000' (304.8m) H/C Blue PEX Tubing - Coil	1A	Each	944.16
Q4PC100XBLUE	0-84169-66755-7	3/4" x 100' (30.5m) H/C Blue PEX Tubing - Coil	1A	Each	172.52
Q4PC300XBLUE	0-84169-67894-2	3/4" x 300' (91.4m) H/C Blue PEX Tubing - Coil	1A	Each	517.55
Q4PC500XBLUE	0-84169-66757-1	3/4" x 500' (152.4m) H/C Blue PEX Tubing - Coil	1A	Each	862.58
Q4PC1000XBLUE	0-84169-66759-5	3/4" x 1000' (304.8m) H/C Blue PEX Tubing - Coil	1A	Each	1725.15
Q5PC100XBLUE	0-84169-67064-9	1" x 100' (30.5m) H/C Blue PEX Tubing - Coil	1A	Each	296.21
Q5PC300XBLUE	0-84169-67487-6	1" x 300' (91.4m) H/C Blue PEX Tubing - Coil	1A	Each	888.62
Q5PC500XBLUE	0-84169-67147-9	1" x 500' (152.4m) H/C PEX Tubing - Coil	1A	Each	1481.03
WHITE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS					
Q3PS20X	0-84169-48401-7	1/2" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1A	1000' (50 sticks)	18.88
Q4PS20X	0-84169-48384-3	3/4" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1A	500' (25 sticks)	34.50
Q5PS20X	0-84169-48402-4	1" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1A	300' (15 sticks)	59.24
Q6PS20X	0-84169-68367-0	1-1/4" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1B	100' (5 sticks)	100.59
Q7PS20X	0-84169-00587-8	1-1/2" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1B	100' (5 sticks)	136.86
Q8PS20X	0-84169-01167-1	2" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1B	100' (5 sticks)	267.48
RED POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS					
Q3PS20XRED	0-84169-66614-7	1/2" x 20' (6.1m) H/C Red PEX Tubing - Straight Length	1A	1000' (50 sticks)	18.88
Q4PS20XRED	0-84169-66635-2	3/4" x 20' (6.1m) H/C Red PEX Tubing - Straight Length	1A	500' (25 sticks)	34.50
Q5PS20XRED	0-84169-66811-0	1" x 20' (6.1m) H/C Red PEX Tubing - Straight Length	1A	300' (15 sticks)	59.24
BLUE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS					
Q3PS20XBLUE	0-84169-66752-6	1/2" x 20' (6.1m) H/C Blue PEX Tubing - Straight Length	1A	1000' (50 sticks)	18.88
Q4PS20XBLUE	0-84169-66753-3	3/4" x 20' (6.1m) H/C Blue PEX Tubing - Straight Length	1A	500' (25 sticks)	34.50
Q5PS20XBLUE	0-84169-67146-2	1" x 20' (6.1m) H/C Blue PEX Tubing - Straight Length	1A	300' (15 sticks)	59.24
POTABLE (NON-BARRIER) QICKPACK COILS					
Q2PCPAK	0-84169-67337-4	3/8" 1 Red Coil and 1 Blue Coil x 500', Spooled	1A	1 Red Spool 1 Blue Spool	947.80
Q2PCPAKBLUE	0-84169-67339-8	3/8" x 2 Blue Coils x 500', Spooled	1A	2 Blue Spools	947.80
Q2PCPAKRED	0-84169-67338-1	3/8" x 2 Red Coils x 500', Spooled	1A	2 Red Spools	947.80
Q3PCPAKBLUE	0-84169-68664-0	1/2" x 2 Blue Coils x 300', Spooled	1A	2 Blue Spools	691.76
Q3PCPAKRED	0-84169-68665-7	1/2" x 2 Red Coils x 300', Spooled	1A	2 Red Spools	691.76
Q3PC300XBLUESP	0-84169-68606-0	1/2" x Blue Coils x 300', Spooled	1A	1 Spool	283.25
Q3PC300XREDS	0-84169-68605-3	1/2" x Red Coils x 300', Spooled	1A	1 Spool	283.25
ICEMAKER TUBING COILS					
Q0PC50	0-84169-49050-6	1/8" x 50' (15.2m) H/C PEX Tubing - Roll	1A	Each	35.18
Q0PC100	0-84169-49044-5	1/8" x 100' (30.5m) H/C PEX Tubing - Roll	1A	Each	70.35

QICKPORT® MANIFOLD SYSTEM

The Zurn PEX QickPort Manifold is designed for longevity and durability with corrosion resistant polymer and stainless steel construction. Optimized port configurations with full-flow ball valves are easily installed with Zurn PEX tubing and corrosion resistant polymer fitting systems. The innovative module design requires fewer assembly connections, resulting in a reduced potential for leaks.



Preassembled QickPort Manifolds
Without Valves (QPPM6H12C)



Preassembled QickPort Manifolds
With 1/2" Plastic Ball Valves

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	LIST PRICE
PREASSEMBLED QICKPORT MANIFOLDS WITHOUT VALVES					
QPPM10	0-84169-68199-7	(2) 1" Male Cold Inlet/Outlet Main Ports and (2) 1" Male Hot Inlet/Outlet Main Ports, (5) 1/2" Male Hot Outlet Branch Ports, (5) 1/2" Male Cold Outlet Branch Ports Can be coupled with additional QPPM10 and QPPM20 for additional ports, using MANCOUPLINGG to connect each side of the manifold.	21	1	92.90
QPPM20	0-84169-68200-0	(2) 1" Male Cold Inlet/Outlet Main Ports and (2) 1" Male Hot Inlet/Outlet Main Ports, (10) 1/2" Male Hot Outlet Branch Ports, (10) 1/2" Male Cold Outlet Branch Ports Can be coupled with additional QPPM10 and QPPM20 for additional ports, using MANCOUPLINGG to connect each side of the manifold.	21	1	149.50
QPPM3H9C	0-84169-00265-5	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (3) 1/2" Male Hot Outlet Branch Ports, (9) 1/2" Male Cold Outlet Branch Ports	21	1	97.51
QPPM6H12C	0-84169-00268-6	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (6) 1/2" Male Hot Outlet Branch Ports, (12) 1/2" Male Cold Outlet Branch Ports	21	1	131.05
QPPM9H15C	0-84169-00271-6	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (9) 1/2" Male Hot Outlet Branch Ports, (15) 1/2" Male Cold Outlet Branch Ports	21	1	168.28
QPPM12H18C	0-84169-00274-7	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (12) 1/2" Male Hot Outlet Branch Ports, (18) 1/2" Male Cold Outlet Branch Ports,	21	1	180.81
QPPM15H21C	0-84169-00277-8	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (15) 1/2" Male Hot Outlet Branch Ports, (21) 1/2" Male Cold Outlet Branch Ports	21	1	228.12
QPPM18H24C	0-84169-00608-0	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (18) 1/2" Male Hot Outlet Branch Ports, (24) 1/2" Male Cold Outlet Branch Ports	21	1	219.16
PREASSEMBLED QICKPORT® MANIFOLDS WITHOUT VALVES FOR HOMES WITH WATER CONDITIONERS					
QPPM9H9C6NS	0-84169-00602-8	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (9) 1/2" Male Hot Conditioned Outlet Branch Ports, (9) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports	21	1	156.68
QPPM12H12C6NS	0-84169-00603-5	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (12) 1/2" Male Hot Conditioned Outlet Branch Ports, (12) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports	21	1	188.15
QPPM15H15C6NS	0-84169-00605-9	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (15) 1/2" Male Hot Conditioned Outlet Branch Ports, (15) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports	21	1	204.62
QPPM18H18C6NS	0-84169-00604-2	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (18) 1/2" Male Hot Conditioned Outlet Branch Ports, (18) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports	21	1	227.43

QICKPORT® MANIFOLD SYSTEM (CONTINUED)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	LIST PRICE
PREASSEMBLED QICKPORT® MANIFOLDS WITHOUT VALVES FOR HOMES WITH WATER CONDITIONERS (CONTINUED)					
QPPM21H21C6NS	0-84169-00609-7	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (21) 1/2" Male Hot Conditioned Outlet Branch Ports, (21) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports	21	1	271.73
PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES					
QPPM10-3	0-84169-68351-9	(2) 1" Male Cold Inlet/Outlet Main Ports and (2) 1" Male Hot Inlet/Outlet Main Ports, (5) 1/2" Male Hot Outlet Branch Ports, (5) 1/2" Male Cold Outlet Branch Ports, with (10) 1/2" QPBV3X Polymer Ball Valves	21	1	137.75
QPPM20-3	0-84169-68354-0	(2) 1" Male Cold Inlet/Outlet Main Ports and (2) 1" Male Hot Inlet/Outlet Main Ports, (10) 1/2" Male Hot Outlet Branch Ports, (10) 1/2" Male Cold Outlet Branch Ports, with (20) 1/2" QPBV3X Polymer Ball Valves	21	1	277.25
QPPM3H9C-3	0-84169-00267-9	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (3) 1/2" Male Hot Outlet Branch Ports, (9) 1/2" Male Cold Outlet Branch Ports, with (12) 1/2" QPBV3X Polymer Ball Valves	21	1	158.68
QPPM6H12C-3	0-84169-00270-9	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (6) 1/2" Male Hot Outlet Branch Ports, (12) 1/2" Male Cold Outlet Branch Ports, with (18) 1/2" QPBV3X Polymer Ball Valves	21	1	238.02
QPPM9H15C-3	0-84169-00273-0	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (9) 1/2" Male Hot Outlet Branch Ports, (15) 1/2" Male Cold Outlet Branch Ports, with (24) 1/2" QPBV3X Polymer Ball Valves	21	1	289.69
QPPM12H18C-3	0-84169-00276-1	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (12) 1/2" Male Hot Outlet Branch Ports, (18) 1/2" Male Cold Outlet Branch Ports, with (30) 1/2" QPBV3X Polymer Ball Valves	21	1	357.42
QPPM15H21C-3	0-84169-00279-2	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (15) 1/2" Male Hot Outlet Branch Ports, (21) 1/2" Male Cold Outlet Branch Ports, with (36) 1/2" QPBV3X Polymer Ball Valves	21	1	414.12
QPPM18H24C-3	0-84169-11703-8	(2) 1" Male Cold Inlet/Outlet Main Ports and (1) 1" Male Hot Inlet Main Port, (18) 1/2" Male Hot Outlet Branch Ports, (24) 1/2" Male Cold Outlet Branch Ports with (42) 1/2" QPBV3X Polymer Ball Valves	21	1	445.12
PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES FOR HOMES WITH WATER CONDITIONERS					
QPPM9H9C6NS-3	0-84169-00619-6	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (9) 1/2" Male Hot Conditioned Outlet Branch Ports, (9) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports with (24) 1/2" QPBV3X Polymer Ball Valves	21	1	321.36
QPPM12H12C6NS-3	0-84169-00611-0	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (12) 1/2" Male Hot Conditioned Outlet Branch Ports, (12) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports with (30) 1/2" QPBV3X Polymer Ball Valves	21	1	367.59
QPPM15H15C6NS-3	0-84169-00613-4	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (15) 1/2" Male Hot Conditioned Outlet Branch Ports, (15) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports with (36) 1/2" QPBV3X Polymer Ball Valves	21	1	460.47
QPPM18H18C6NS-3	0-84169-00615-8	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (18) 1/2" Male Hot Conditioned Outlet Branch Ports, (18) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports with (42) 1/2" QPBV3X Polymer Ball Valves	21	1	561.20
QPPM21H21C6NS-3	0-84169-00617-2	(1) 1" Male Cold Conditioned Inlet Main Port, (1) 1" Male Hot Conditioned Inlet Main Port and (1) 1" Male Cold Non-Conditioned Inlet Main Port, (21) 1/2" Male Hot Conditioned Outlet Branch Ports, (21) 1/2" Male Cold Conditioned Outlet Branch Ports, (6) 1/2" Male Cold Non-Conditioned Outlet Branch Ports with (48) 1/2" QPBV3X Polymer Ball Valves	21	1	654.73

QICKPORT® MANIFOLD SYSTEM (CONTINUED)



PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UNASSEMBLED QICKPORT® POLYMER MANIFOLDS WITHOUT VALVES						
QKIPSP	0-84169-67157-8	QickPort Manifold - Unassembled, Less Valves	21	1	25	16.83
ADD-A-PORT® POLYMER MANIFOLD COMPONENTS						
QT553TQP	0-84169-67739-6	QickPort Polymer Tee - 1" x 1" x 1/2"	21	1	25	5.17
QT555TQP	0-84169-67166-0	QickPort Polymer Tee - 1"	21	1	15	5.17
QE53TQP	0-84169-67740-2	QickPort Polymer Elbow - 1" x 1/2"	21	1	25	4.78
QE54TQP	0-84169-68481-3	QickPort Polymer Elbow - 1" x 3/4"	21	1	25	4.78
QE55TQP	0-84169-67161-5	QickPort Polymer Elbow - 1"	21	1	25	4.78
QC55FQP	0-84169-67699-3	QickPort Polymer Coupling - 1"	21	1	25	5.62
QICKPORT® 1" INLET AND OUTLET CONNECTIONS						
QQSFC45GX	0-84169-01668-3	(Crimp) XL Brass Swivel Adapter - 3/4" Barb x 1" FPT Brass Swivel Nut	12C	1	50	10.04
QQSFC55GX	0-84169-01669-0	(Crimp) XL Brass Swivel Adapter - 1" Barb x 1" FPT Brass Swivel Nut	12C	1	50	10.84
QQTFC45GX	0-84169-01667-6	XL Brass Swivel Adapter - 3/4" MIP x 1" FPT Brass Swivel Nut	12C	1	50	17.39
QQPSFC45X	0-84169-01325-5	(Crimp) CR Polymer Swivel Adapter - 3/4" Barb x 1" FPT Brass Swivel Nut	28A	100	500	6.60
QQPSFC55X	0-84169-01326-2	(Crimp) CR Polymer Swivel Adapter - 1" Barb x 1" FPT Brass Swivel Nut	28A	100	500	6.60
QFNCR4QP	0-84169-67377-0	QickPort - 1" Female Thread x 3/4" Nominal Tube - Nut-Ring-Cone	21	1	50	2.81
MANCOUPLINGG	0-84169-01670-6	QickPort XL Brass 1" Swivel Coupling	21	1	50	18.47
QTC5FBG	0-84169-01444-3	QickPort XL Brass 1" Cap	21	1	100	9.25
QICKPORT® OUTLET VALVES – POLYMER						
QPBV2X	0-84169-68025-9	(Crimp) QickPort Polymer Ball Valve - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	21	25	100	5.89
QPBV3X	0-84169-67981-9	(Crimp) QickPort Polymer Ball Valve - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	21	25	100	5.89

QICKPORT® MANIFOLD SYSTEM (CONTINUED)

QickPort 1/2" Outlet Connections



FPT Female Adapter x
Nominal Tube - Nut-Ring-
Cone (QAFA33FQP)



FPT Female Adapter x
Nominal Tube - Nut-Ring-
Cone (QFNCR2QP)



XL Brass Barb x FPT Swivel
Adapter with Plastic Nut
(QQSFC33GXP)



Polymer Swivel Adapter -
3/8" Barb x 1/2" Female NPT
(QQPSFC23X)



Cap
(QTC3FQP)

QickPort Accessories



Mounting Bracket
(QPMB)



Manifold Indicator Labels
(QKLABELS)



Access Panel Door
- 14" x 29" (QKPANEL29)



Access Panel Door
- 14" x 38" (QKPANEL38)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKPORT® 1/2" OUTLET CONNECTIONS						
QAFA33FQP	0-84169-67849-2	QickPort - 1/2" FPT Female Adapter x 1/2" Nominal Tube - Nut-Ring-Cone	21	1	50	5.63
QFNCR2QP	0-84169-67149-3	QickPort - 1/2" Female Thread x 3/8" Nominal Tube - Nut-Ring-Cone	21	1	100	1.33
QQSFC23GXP	0-84169-01664-5	(Crimp) XL Brass Swivel Adapter - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	12C	100	500	5.76
QQSFC33GXP	0-84169-01665-2	(Crimp) XL Brass Swivel Adapter - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	12C	100	500	5.33
QQPSFC23X	0-84169-68528-5	(Crimp) CR Polymer Swivel Adapter - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	28A	100	500	1.53
QQPSFC33X	0-84169-68529-2	(Crimp) CR Polymer Swivel Adapter - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	28A	100	500	1.53
QTC3FQP	0-84169-67167-7	QickPort Polymer Cap - 1/2"	21	1	100	1.71
QICKPORT® ACCESSORIES						
QPMB	0-84169-68204-8	Preassembled QickPort Manifold - Between Studs Metal Mounting Bracket	21	1	-	6.90
QMBP	0-84169-67158-5	QickPort - Manifold Mounting Bracket for QKIPSP	21	1	10	10.09
QMBPC	0-84169-68500-1	QickPort - Manifold Mounting Bracket (Two Required to Mount QKIPSP)	21	1	25	10.09
QKLABELS	0-84169-43402-9	QickPort - Manifold Indicator Labels	21	1	50	1.21
QKPANEL29	0-84169-67844-7	QickPort Access Panel Door - 14" x 29"	21	Each	-	88.38
QKPANEL38	0-84169-67845-4	QickPort Access Panel Door - 14" x 38"	21	Each	-	90.51
QKPANEL54	0-84169-68601-5	QickPort Access Panel Door - 14" x 50"	21	Each	-	119.37

(CRIMP) COPPER MANIFOLDS

Copper Manifolds reduce the number of fittings to streamline a potable plumbing system for home run or multi-port tee method installations.



Copper Manifold – 3/4" XL Brass PEX Inlet, Closed End, and 1/2" XL Brass PEX Outlets (QCM43-4GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) COPPER MANIFOLDS – 3/4" XL BRASS BARB INLET, CLOSED END, AND 1/2" XL BRASS BARB OUTLETS						
QCM43-4GX	0-84169-01774-1	(Crimp) Copper Manifold w/XL Brass Conn - 3/4" Barb x Closed with 4 (1/2") Barb Outlets	18D	1	25	49.55
QCM43-6GX	0-84169-01775-8	(Crimp) Copper Manifold w/XL Brass Conn - 3/4" Barb x Closed with 6 (1/2") Barb Outlets	18D	1	25	57.88
QCM43-8GX	0-84169-01776-5	(Crimp) Copper Manifold w/XL Brass Conn - 3/4" Barb x Closed with 8 (1/2") Barb Outlets	18D	1	25	73.58
QCM43-12GX	0-84169-01777-2	(Crimp) Copper Manifold w/XL Brass Conn - 3/4" Barb x Closed with 12 (1/2") Barb Outlets	18D	1	25	100.13

(CRIMP) XL BRASS/COPPER FITTINGS

With over 30 years of installations, the Zurn PEX XL brass fittings are a reliable joining method for flexible piping.



Tee (QQT333GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS TEES – SMALL DIAMETER						
QQT222GX	0-84169-01650-8	(Crimp) XL Brass Tee - 3/8" Barb	12C	100	1000	5.16
QQT333GX	0-84169-01651-5	(Crimp) XL Brass Tee - 1/2" Barb	12C	50	500	3.54
QQT334GX	0-84169-01652-2	(Crimp) XL Brass Tee - 1/2" Barb x 1/2" Barb x 3/4" Barb	12C	25	250	5.16
QQT433GX	0-84169-01653-9	(Crimp) XL Brass Tee - 3/4" Barb x 1/2" Barb x 1/2" Barb	12C	50	250	5.45
QQT434GX	0-84169-01654-6	(Crimp) XL Brass Tee - 3/4" Barb x 1/2" Barb x 3/4" Barb	12C	25	250	5.40
QQT443GX	0-84169-01655-3	(Crimp) XL Brass Tee - 3/4" Barb x 3/4" Barb x 1/2" Barb	12C	50	250	5.45
QQT444GX	0-84169-01656-0	(Crimp) XL Brass Tee - 3/4" Barb	12C	50	250	5.45
QQT544GX	0-84169-01657-7	(Crimp) XL Brass Tee - 1" Barb x 3/4" Barb x 3/4" Barb	12C	25	100	12.83
QQT553GX	0-84169-01658-4	(Crimp) XL Brass Tee - 1" Barb x 1" Barb x 1/2" Barb	12C	25	100	11.74
QQT554GX	0-84169-01660-7	(Crimp) XL Brass Tee - 1" Barb x 1" Barb x 3/4" Barb	12C	25	100	12.83
QQT555GX	0-84169-01661-4	(Crimp) XL Brass Tee - 1" Barb	12C	25	100	13.57

XL BRASS/COPPER FITTINGS (CONTINUED)



XL Brass Tees (QQT777GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS TEES - LARGE DIAMETER						
QQT654GX	0-84169-11553-9	(Crimp) XL Brass Tee - 1-1/4" Barb x 1" Barb x 3/4" Barb	12D	5	100	21.49
QQT663GX	0-84169-01746-8	(Crimp) XL Brass Tee - 1-1/4" Barb x 1-1/4" Barb x 1/2" Barb	12D	10	100	22.54
QQT664GX	0-84169-01480-1	(Crimp) XL Brass Tee - 1-1/4" Barb x 1-1/4" Barb x 3/4" Barb	12D	10	100	25.06
QQT655GX	0-84169-02031-4	(Crimp) XL Brass Tee - 1-1/4" Barb x 1" Barb x 1" Barb	12D	10	80	24.14
QQT665GX	0-84169-02030-7	(Crimp) XL Brass Tee - 1-1/4" Barb x 1-1/4" Barb x 1" Barb	12D	10	80	27.72
QQT666GX	0-84169-01481-8	(Crimp) XL Brass Tee - 1-1/4" Barb	12D	10	80	27.72
QQT754GX	0-84169-11562-1	(Crimp) XL Brass Tee - 1-1/2" Barb x 1" Barb x 3/4" Barb	12D	5	40	29.99
QQT755GX	0-84169-11554-6	(Crimp) XL Brass Tee - 1-1/2" Barb x 1" Barb x 1" Barb	12D	5	40	30.24
QQT764GX	0-84169-11563-8	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/4" Barb x 3/4" Barb	12D	5	40	31.97
QQT765GX	0-84169-02067-3	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/4" Barb x 1" Barb	12D	5	75	31.52
QQT766GX	0-84169-11565-2	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/4" Barb x 1-1/4" Barb	12D	5	40	30.60
QQT773GX	0-84169-02068-0	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/2" Barb x 1/2" Barb	12D	10	100	28.46
QQT774GX	0-84169-01489-4	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/2" Barb x 3/4" Barb	12D	10	100	29.52
QQT775GX	0-84169-01490-0	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/2" Barb x 1" Barb	12D	10	100	29.52
QQT776GX	0-84169-02032-1	(Crimp) XL Brass Tee - 1-1/2" Barb x 1-1/2" Barb x 1-1/4" Barb	12D	5	75	31.52
QQT777GX	0-84169-01491-7	(Crimp) XL Brass Tee - 1-1/2" Barb	12D	10	100	33.82
QQT874GX	0-84169-11566-9	(Crimp) XL Brass Tee - 2" Barb x 1-1/2" Barb x 3/4" Barb	12D	5	40	99.81
QQT875GX	0-84169-11567-6	(Crimp) XL Brass Tee - 2" Barb x 1-1/2" Barb x 1" Barb	12D	5	40	102.37
QQT876GX	0-84169-11568-3	(Crimp) XL Brass Tee - 2" Barb x 1-1/2" Barb x 1-1/4" Barb	12D	5	40	103.67
QQT877GX	0-84169-11555-3	(Crimp) XL Brass Tee - 2" Barb x 1-1/2" Barb x 1-1/2" Barb	12D	5	40	104.96
QQT883GX	0-84169-02033-8	(Crimp) XL Brass Tee - 2" Barb x 2" Barb x 1/2" Barb	12D	5	50	101.10
QQT884GX	0-84169-02069-7	(Crimp) XL Brass Tee - 2" Barb x 2" Barb x 3/4" Barb	12D	5	50	102.13
QQT885GX	0-84169-01500-6	(Crimp) XL Brass Tee - 2" Barb x 2" Barb x 1" Barb	12D	5	60	102.59
QQT886GX	0-84169-11556-0	(Crimp) XL Brass Tee - 2" Barb x 2" Barb x 1-1/4" Barb	12D	5	40	102.59
QQT887GX	0-84169-02070-3	(Crimp) XL Brass Tee - 2" Barb x 2" Barb x 1-1/2" Barb	12D	5	40	102.64
QQT888GX	0-84169-01497-9	(Crimp) XL Brass Tee - 2" Barb	12D	5	40	102.89

XL BRASS/COPPER FITTINGS (CONTINUED)



Elbow (QQE33GX)



Male Elbow (QQE33BTGX)



Drop Ear Elbow (QQDE33BFGX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS ELBOWS – SMALL DIAMETER						
QQE33GX	0-84169-01639-3	(Crimp) XL Brass Elbow - 1/2" Barb	12C	50	250	2.77
QQE43GX	0-84169-01640-9	(Crimp) XL Brass Elbow - 3/4" Barb x 1/2" Barb	12C	25	150	5.70
QQE44GX	0-84169-01641-6	(Crimp) XL Brass Elbow - 3/4" Barb	12C	50	250	3.37
QQE55GX	0-84169-01643-0	(Crimp) XL Brass Elbow - 1" Barb	12C	25	100	9.16
QQE33BTGX	0-84169-01638-6	(Crimp) XL Brass Male Elbow - 1/2" Barb x 1/2" MPT	12C	25	150	9.28
QQDE33BFGX	0-84169-01437-5	(Crimp) XL Brass Drop Ear Elbow - 1/2" Barb x 1/2" FPT	12C	10	50	10.14
QQDE44BFGX	0-84169-01438-2	(Crimp) XL Brass Drop Ear Elbow - 3/4" Barb x 3/4" FPT	12C	10	50	18.21



Swivel Elbow (QQE33BSGX)



Elbow (QQE88GX)



45° Elbow (QQE8845GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS SWIVEL ELBOWS – SMALL DIAMETER						
QQE33BSGX	0-84169-01671-3	(Crimp) XL Brass Swivel Elbow - 1/2" Barb x 1/2" FPT Brass Swivel Nut	12C	50	250	7.78
QQE33BSGXP	0-84169-01801-4	(Crimp) XL Brass Swivel Elbow - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	12C	50	250	6.21
(CRIMP) XL BRASS ELBOWS – LARGE DIAMETER						
QQE66GX	0-84169-01477-1	(Crimp) XL Brass Elbow - 1-1/4" Barb	12D	10	100	23.20
QQE77GX	0-84169-01486-3	(Crimp) XL Brass Elbow - 1-1/2" Barb	12D	10	100	30.37
QQE88GX	0-84169-01496-2	(Crimp) XL Brass Elbow - 2" Barb	12D	5	40	55.52
(CRIMP) XL 45° BRASS ELBOWS - LARGE DIAMETER						
QQE7745GX	0-84169-11570-6	(Crimp) XL Brass 45° Elbow - 1-1/2" X 1-1/2" Barb	12D	10	40	33.41
QQE8845GX	0-84169-11571-3	(Crimp) XL Brass 45° Elbow - 2" X 2" Barb	12D	10	40	61.08

XL BRASS/COPPER FITTINGS (CONTINUED)



Coupling - Small Diameter (QQC33GX)



Coupling - Large Diameter (QQC88GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS COUPLINGS – SMALL DIAMETER						
QQC22GX	0-84169-01631-7	(Crimp) XL Brass Coupling - 3/8" Barb	12C	50	500	1.98
QQC32GX	0-84169-01632-4	(Crimp) XL Brass Coupling - 1/2" Barb x 3/8" Barb	12C	50	500	2.30
QQC33GX	0-84169-01633-1	(Crimp) XL Brass Coupling - 1/2" Barb	12C	50	500	1.54
QQC43GX	0-84169-01634-8	(Crimp) XL Brass Coupling - 3/4" Barb x 1/2" Barb	12C	50	500	3.51
QQC44GX	0-84169-01635-5	(Crimp) XL Brass Coupling - 3/4" Barb	12C	50	250	1.92
QQC54GX	0-84169-01636-2	(Crimp) XL Brass Coupling - 1" Barb x 3/4" Barb	12C	50	250	3.88
QQC55GX	0-84169-01637-9	(Crimp) XL Brass Coupling - 1" Barb	12C	50	250	3.59
(CRIMP) XL BRASS COUPLINGS – LARGE DIAMETER						
QQC64GX	0-84169-02064-2	(Crimp) XL Brass Coupling - 1-1/4" Barb x 3/4" Barb	12D	10	80	11.69
QQC65GX	0-84169-01475-7	(Crimp) XL Brass Coupling - 1-1/4" Barb x 1" Barb	12D	10	50	11.80
QQC66GX	0-84169-01476-4	(Crimp) XL Brass Coupling - 1-1/4" Barb	12D	10	100	11.95
QQC74GX	0-84169-02065-9	(Crimp) XL Brass Coupling - 1-1/2" Barb x 3/4" Barb	12D	10	100	18.57
QQC75GX	0-84169-02066-6	(Crimp) XL Brass Coupling - 1-1/2" Barb x 1" Barb	12D	10	100	19.37
QQC76GX	0-84169-01484-9	(Crimp) XL Brass Coupling - 1-1/2" Barb x 1-1/4" Barb	12D	10	100	19.91
QQC77GX	0-84169-01485-6	(Crimp) XL Brass Coupling - 1-1/2" Barb	12D	10	100	20.43
QQC85GX	0-84169-11551-5	(Crimp) XL Brass Coupling - 2" Barb X 1" Barb	12D	5	40	31.86
QQC86GX	0-84169-11552-2	(Crimp) XL Brass Coupling - 2" Barb X 1-1/4" Barb	12D	5	40	32.84
QQC87GX	0-84169-01494-8	(Crimp) XL Brass Coupling - 2" Barb x 1-1/2" Barb	12D	5	40	32.84
QQC88GX	0-84169-01495-5	(Crimp) XL Brass Coupling - 2" Barb	12D	5	40	33.17

XL BRASS/COPPER FITTINGS (CONTINUED)



Sweat Adapter (QQ700X)



Sweat Adapter - Large Diameter (QQ1050GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) SWEAT ADAPTERS – SMALL DIAMETER						
QQ650CX	0-84169-00703-2	(Crimp) Copper Male Sweat Adapter - 1/2" Male Sweat x 1/2" Barb	18A	50	500	2.00
QQ675CX	0-84169-00704-9	(Crimp) Copper Male Sweat Adapter - 3/4" Male Sweat x 3/4" Barb	18A	50	250	2.78
QQ700CX	0-84169-00705-6	(Crimp) Copper Male Sweat Adapter - 1" Male Sweat x 1" Barb	18A	25	100	6.06
QQ750CX	0-84169-00753-7	(Crimp) Copper Female Sweat Adapter - 1/2" Female Sweat x 1/2" Barb	18A	50	500	2.19
QQ770CX	0-84169-00754-4	(Crimp) Copper Female Sweat Adapter - 3/4" Female Sweat x 1/2" Barb	18A	25	100	4.57
QQ775CX	0-84169-00755-1	(Crimp) Copper Female Sweat Adapter - 3/4" Female Sweat x 3/4" Barb	18A	50	250	2.94
QQ800CX	0-84169-00756-8	(Crimp) Copper Female Sweat Adapter - 1" Female Sweat x 1" Barb	18A	25	100	7.50
QQ650GX	0-84169-11677-2	(Crimp) XL Brass Male Sweat Adapter - 1/2" Male Sweat x 1/2" Barb	18A	50	500	2.00
QQ675GX	0-84169-11678-9	(Crimp) XL Brass Male Sweat Adapter - 3/4" Male Sweat x 3/4" Barb	18A	50	250	2.78
QQ700GX	0-84169-11514-0	(Crimp) XL Brass Male Sweat Adapter - 1" Male Sweat x 1" Barb	18A	25	100	6.06
QQ750GX	0-84169-11679-6	(Crimp) XL Brass Female Sweat Adapter - 1/2" Female Sweat x 1/2" Barb	18A	50	500	2.19
QQ770GX	0-84169-11680-2	(Crimp) XL Brass Female Sweat Adapter - 3/4" Female Sweat x 1/2" Barb	18A	25	100	4.57
QQ775GX	0-84169-11681-9	(Crimp) XL Brass Female Sweat Adapter - 3/4" Female Sweat x 3/4" Barb	18A	50	250	2.94
QQ800GX	0-84169-11515-7	(Crimp) XL Brass Female Sweat Adapter - 1" Female Sweat x 1" Barb	18A	25	100	7.50
(CRIMP) XL BRASS SWEAT ADAPTERS – LARGE DIAMETER						
QQ812GX	0-84169-01474-0	(Crimp) XL Brass Female Sweat Adapter - 1-1/4" Female Sweat x 1-1/4" Barb	12D	10	50	11.93
QQ950GX	0-84169-01483-2	(Crimp) XL Brass Female Sweat Adapter - 1-1/2" Female Sweat x 1-1/2" Barb	12D	10	50	20.84
QQ1050GX	0-84169-01493-1	(Crimp) XL Brass Female Sweat Adapter - 2" Female Sweat x 2" Barb	12D	5	40	45.27
QQ712GX	0-84169-02063-5	(Crimp) XL Brass Male Sweat Adapter - 1-1/4" Male Sweat x 1-1/4" Barb	12D	10	100	15.82
QQ900GX	0-84169-02034-5	(Crimp) XL Brass Male Sweat Adapter - 1-1/2" Male Sweat x 1-1/2" Barb	12D	5	100	21.76
QQ975GX	0-84169-02060-4	(Crimp) XL Brass Male Sweat Adapter - 2" Male Sweat x 2" Barb	12D	5	100	43.15



XL Brass Transition Coupling
- Zurn PEX to Polybutylene (QQC33CGXNPK1)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS TRANSITIONAL FITTINGS (ZURN PEX TO POLYBUTYLENE)						
QQC33CGXNPK1	0-84169-11580-5	(Crimp) XL Brass Transition Coupling - 1/2" CTS PEX x 1/2" CTS Polybutylene	18A	10	270	3.13
QQC44CGXNPK1	0-84169-11581-2	(Crimp) XL Brass Transition Coupling - 3/4" CTS PEX x 3/4" CTS Polybutylene	18A	10	270	3.28

XL BRASS/COPPER FITTINGS (CONTINUED)



Male Adapter
(QQMC33GX)



Male Adapter - Large Diameter
(QQMC88GX)



Female Swivel Adapter
(QQSFC44GX)



Female Swivel Adapter
(QQSFC33GXP)



Female Non Swivel Adapters
- Small Diameter (QQUFC34GX)



Female Non Swivel Adapters
- Large Diameter (QQUFC77GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS MALE ADAPTERS						
QQMC33GX	0-84169-01644-7	(Crimp) XL Brass Male Adapter - 1/2" Barb x 1/2" MPT	12C	50	250	4.06
QQMC34GX	0-84169-01645-4	(Crimp) XL Brass Male Adapter - 1/2" Barb x 3/4" MPT	12C	50	250	7.73
QQMC43GX	0-84169-01646-1	(Crimp) XL Brass Male Adapter - 3/4" Barb x 1/2" MPT	12C	25	250	6.54
QQMC44GX	0-84169-01647-8	(Crimp) XL Brass Male Adapter - 3/4" Barb x 3/4" MPT	12C	50	250	5.99
QQMC45GX	0-84169-01648-5	(Crimp) XL Brass Male Adapter - 3/4" Barb x 1" MPT	12C	25	100	12.62
QQMC54GX	0-84169-01649-2	(Crimp) XL Brass Male Adapter - 1" Barb x 3/4" MPT	12C	25	100	11.05
QQMC55GX	0-84169-01676-8	(Crimp) XL Brass Male Adapter - 1" Barb x 1" MPT	12C	25	100	10.10
(CRIMP) XL BRASS MALE ADAPTERS - LARGE DIAMETER						
QQMC65GX	0-84169-02036-9	(Crimp) XL Brass Male Adapter - 1-1/4" Barb x 1" MPT	12D	10	100	15.97
QQMC66GX	0-84169-01478-8	(Crimp) XL Brass Male Adapter - 1-1/4" Barb x 1-1/4" MPT	12D	10	100	19.83
QQMC77GX	0-84169-01487-0	(Crimp) XL Brass Male Adapter - 1-1/2" Barb x 1-1/2" MPT	12D	10	100	19.96
QQMC88GX	0-84169-01498-6	(Crimp) XL Brass Male Adapter - 2" Barb x 2" MPT	12D	5	40	64.78
(CRIMP) XL BRASS SWIVEL ADAPTERS						
QQSFC23GXP	0-84169-01664-5	(Crimp) XL Brass Swivel Adapter - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	12C	100	500	5.76
QQSFC33GXP	0-84169-01665-2	(Crimp) XL Brass Swivel Adapter - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	12C	100	500	5.32
QQSFC44GX	0-84169-01666-9	(Crimp) XL Brass Swivel Adapter - 3/4" Barb x 3/4" FPT Brass Swivel Nut	12C	50	250	7.87
QQSFC45GX	0-84169-01668-3	(Crimp) XL Brass Swivel Adapter - 3/4" Barb x 1" FPT Brass Swivel Nut	12C	1	50	9.95
QQSFC55GX	0-84169-01669-0	(Crimp) XL Brass Swivel Adapter - 1" Barb x 1" FPT Brass Swivel Nut	12C	1	50	10.74
(CRIMP) XL BRASS FEMALE ADAPTERS - SMALL DIAMETER						
QQUFC33GX	0-84169-01439-9	(Crimp) XL Brass Female Adapter - 1/2" Barb x 1/2" FPT	12C	50	250	6.18
QQUFC34GX	0-84169-01440-5	(Crimp) XL Brass Female Adapter - 1/2" Barb x 3/4" FPT	12C	50	250	9.12
QQUFC44GX	0-84169-01441-2	(Crimp) XL Brass Female Adapter - 3/4" Barb x 3/4" FPT	12C	50	250	6.99
QQUFC55GX	0-84169-01442-9	(Crimp) XL Brass Female Adapter - 1" Barb x 1" FPT	12C	25	100	14.52
(CRIMP) XL BRASS FEMALE ADAPTERS - LARGE DIAMETER						
QQUFC66GX	0-84169-01482-5	(Crimp) XL Brass Female Adapter - 1-1/4" Barb x 1-1/4" FPT	12D	10	50	22.14
QQUFC77GX	0-84169-01492-4	(Crimp) XL Brass Female Adapter - 1-1/2" Barb x 1-1/2" FPT	12D	10	50	38.26
QQUFC88GX	0-84169-11561-4	(Crimp) XL Brass Female Adapter - 2" Barb x 2" FPT	12D	10	50	50.46

XL BRASS/COPPER FITTINGS (CONTINUED)



Copper Stubout Elbow (QSTUBLXX)



Copper Stubout Elbow (QSTUBLXXF)



Copper Stubout Elbow (QSTUBL6XX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) COPPER STUBOUTS						
QSTUBLXX	0-84169-48260-0	(Crimp) Copper Stubout - 8" Elbow - 1/2" Barb x 1/2" Nominal	18A	50	50	6.99
QSTUBLXX4	0-84169-01292-0	(Crimp) Copper Stubout - 8" Elbow - 3/4" Barb x 3/4" Nominal	18A	25	50	14.06
QSTUBLXX5	0-84169-01293-7	(Crimp) Copper Stubout - 8" Elbow - 1" Barb x 1" Nominal	18A	25	50	32.36
QSTUBLXXF	0-84169-67903-1	(Crimp) Copper Stubout - 8" Elbow - 1/2" Barb x 1/2" Nominal with Nailing Flange	18A	50	50	9.55
QSTUBL6XX	0-84169-48261-7	(Crimp) Copper Stubout - 6" Elbow - 1/2" Barb x 1/2" Nominal	18A	50	50	6.14
QSTUB12XX	0-84169-68931-3	(Crimp) Copper Stubout - 12" Straight - 1/2" Barb x 1/2" Nominal	18A	100	100	7.84



Copper Elbow (QQFCEA23)



Copper Elbow (QQMCEA23S)



Copper Elbow (QQMCEA44)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) COPPER SWEAT ELBOWS - TUB/SHOWER						
QQFCEA23	0-84169-67907-9	(Crimp) Copper Female Sweat Elbow 1-5/8"L - 3/8" Barb x 1/2" Female Sweat	18A	10	100	4.28
QQFCEA33	0-84169-67908-6	(Crimp) Copper Female Sweat Elbow 1-5/8"L - 1/2" Barb x 1/2" Female Sweat	18A	10	100	3.98
QQFCEA44	0-84169-67909-3	(Crimp) Copper Female Sweat Elbow 2"L - 3/4" Barb x 3/4" Female Sweat	18A	10	100	5.48
QQMCEA23S	0-84169-67938-3	(Crimp) Copper Male Sweat Elbow 1-5/8"L - 3/8" Barb x 1/2" Male Sweat	18A	10	100	4.49
QQMCEA33S	0-84169-67939-0	(Crimp) Copper Male Sweat Elbow 1-5/8"L - 1/2" Barb x 1/2" Male Sweat	18A	10	100	3.98
QQMCEA23	0-84169-67904-8	(Crimp) Copper Male Sweat Elbow 4"L - 3/8" Barb x 1/2" Male Sweat	18A	10	100	5.04
QQMCEA33	0-84169-67905-5	(Crimp) Copper Male Sweat Elbow 4"L - 1/2" Barb x 1/2" Male Sweat	18A	10	100	5.77
QQMCEA44	0-84169-67906-2	(Crimp) Copper Male Sweat Elbow 6"L - 3/4" Barb x 3/4" Male Sweat	18A	10	100	13.02

XL BRASS/COPPER FITTINGS (CONTINUED)



Plug - Small Diameter (QQP3GX)



Plug - Large Diameter (QQP6GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS PLUGS – SMALL DIAMETER						
QQP2GX	0-84169-01433-7	(Crimp) XL Brass Plug - 3/8" Barb	12C	100	1000	1.74
QQP3GX	0-84169-01434-4	(Crimp) XL Brass Plug - 1/2" Barb	12C	100	1000	1.66
QQP4GX	0-84169-01435-1	(Crimp) XL Brass Plug - 3/4" Barb	12C	100	500	2.69
QQP5GX	0-84169-01436-8	(Crimp) XL Brass Plug - 1" Barb	12C	50	250	4.34
(CRIMP) XL BRASS PLUGS – LARGE DIAMETER						
QQP6GX	0-84169-01479-5	(Crimp) XL Brass Plug - 1-1/4" Barb	12D	10	50	7.35
QQP7GX	0-84169-01488-7	(Crimp) XL Brass Plug - 1-1/2" Barb	12D	10	50	9.02
QQP8GX	0-84169-01499-3	(Crimp) XL Brass Plug - 2" Barb	12D	5	40	28.33



Test Plug (QXP3XP)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) TEMPORARY TEST PLUGS – PLASTIC						
QXP2XP	0-84169-67891-1	(Crimp) Temporary Test Plug - Plastic - 3/8" Barb	12A	100	1000	0.46
QXP3XP	0-84169-67768-6	(Crimp) Temporary Test Plug - Plastic - 1/2" Barb	12A	100	1000	0.46
QXP4XP	0-84169-67892-8	(Crimp) Temporary Test Plug - Plastic - 3/4" Barb	12A	100	500	0.49
QXP5XP	0-84169-67893-5	(Crimp) Temporary Test Plug - Plastic - 1" Barb	12A	50	250	1.07



Water Heater Connector (S6713NB18GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) COPPER WATER HEATER CONNECTOR						
S6713NB18GX	0-84169-01663-8	(Crimp) Water Heater Connector - 3/4" FPT x 3/4" XL Brass Barb - 18" Long	18C	25	25	23.84

(CRIMP) QICK SERT CR® FITTINGS

The durable Qick Sert CR polymer material provides corrosion and chemical/chlorine resistance, ideal for aggressive water environments. For use with Zurn PEX Potable (Non-Barrier) Tubing.



Polymer Couplings

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER COUPLINGS						
QQPC33X	0-84169-68397-7	(Crimp) CR Polymer Coupling - 1/2" Barb	28A	50	500	0.81
QQPC43X	0-84169-68399-1	(Crimp) CR Polymer Coupling - 3/4" Barb x 1/2" Barb	28A	50	500	1.23
QQPC44X	0-84169-68398-4	(Crimp) CR Polymer Coupling - 3/4" Barb	28A	50	250	1.04
QQPC54X	0-84169-68595-7	(Crimp) CR Polymer Coupling - 1" Barb x 3/4" Barb	28A	50	250	1.91
QQPC55X	0-84169-68587-2	(Crimp) CR Polymer Coupling - 1" Barb	28A	50	250	2.00
QQPC65X	0-84169-11657-4	(Crimp) CR Polymer Coupling - 1-1/4" Barb x 1" Barb	28B	10	100	6.90
QQPC66X	0-84169-11658-1	(Crimp) CR Polymer Coupling - 1-1/4" Barb x 1-1/4" Barb	28B	10	100	7.40
QQPC75X	0-84169-11663-5	(Crimp) CR Polymer Coupling - 1-1/2" Barb x 1" Barb	28B	10	100	7.16
QQPC76X	0-84169-11666-6	(Crimp) CR Polymer Coupling - 1-1/2" Barb x 1-1/4" Barb	28B	10	100	6.83
QQPC77X	0-84169-11665-9	(Crimp) CR Polymer Coupling - 1-1/2" Barb x 1-1/2" Barb	28B	10	100	5.59
QQPC87X	0-84169-11671-0	(Crimp) CR Polymer Coupling - 2" Barb x 1-1/2" Barb	28B	5	40	32.34
QQPC88X	0-84169-11672-7	(Crimp) CR Polymer Coupling - 2" Barb x 2" Barb	28B	5	40	41.64



Polymer Male Adapters

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER MALE ADAPTERS						
QQPMC33X	0-84169-68400-4	(Crimp) CR Polymer Male Adapter - 1/2" Barb x 1/2" MPT	28A	50	250	1.06
QQPMC34X	0-84169-68401-1	(Crimp) CR Polymer Male Adapter - 1/2" Barb x 3/4" MPT	28A	50	250	1.63
QQPMC44X	0-84169-68402-8	(Crimp) CR Polymer Male Adapter - 3/4" Barb x 3/4" MPT	28A	50	250	1.39
QQPMC55X	0-84169-68589-6	(Crimp) CR Polymer Male Adapter - 1" Barb x 1" MPT	28A	25	100	3.43

QICK SERT CR® FITTINGS (CONTINUED)



Polymer Elbows (Barb x NPT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER MALE ELBOWS (BARB X MPT)						
QQPE32BTX	0-84169-68404-2	(Crimp) CR Polymer Male Elbow - 1/2" Barb x 3/8" MPT	28A	25	150	1.38
QQPE33BTX	0-84169-68415-8	(Crimp) CR Polymer Male Elbow - 1/2" Barb x 1/2" MPT	28A	25	150	1.39
QQPE44BTX	0-84169-68405-9	(Crimp) CR Polymer Male Elbow - 3/4" Barb x 3/4" MPT	28A	10	50	2.11



Polymer Elbows (Barb x Barb)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER ELBOWS						
QQPE33X	0-84169-68406-6	(Crimp) CR Polymer Elbow - 1/2" Barb	28A	50	250	1.08
QQPE43X	0-84169-68407-3	(Crimp) CR Polymer Elbow - 3/4" Barb x 1/2" Barb	28A	50	400	1.61
QQPE44X	0-84169-68408-0	(Crimp) CR Polymer Elbow - 3/4" Barb	28A	50	250	1.54
QQPE55X	0-84169-68590-2	(Crimp) CR Polymer Elbow - 1" Barb	28A	50	100	4.39
QQPE66X	0-84169-11659-8	(Crimp) CR Polymer Elbow - 1-1/4" Barb	28B	10	100	11.50
QQPE77X	0-84169-11667-3	(Crimp) CR Polymer Elbow - 1-1/2" Barb	28B	10	100	12.72
QQPE88X	0-84169-11673-4	(Crimp) CR Polymer Elbow - 2" Barb	28B	5	40	60.88



Polymer Swivel Elbows

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER SWIVEL ELBOWS						
QQPE33BSX	0-84169-68531-5	(Crimp) CR Polymer Swivel Elbow - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	28A	50	250	2.80
QQPE44BSX	0-84169-68532-2	(Crimp) CR Polymer Swivel Elbow - 3/4" Barb x 3/4" FPT Plastic Swivel Nut	28A	50	250	2.99

QICK SERT CR® FITTINGS (CONTINUED)



Polymer Tee (QQPT885X)



Polymer Tee (QQPT666X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER TEES						
QQPT333X	0-84169-68409-7	(Crimp) CR Polymer Tee - 1/2" Barb	28A	50	500	1.33
QQPT334X	0-84169-68410-3	(Crimp) CR Polymer Tee - 1/2" Barb x 1/2" Barb x 3/4" Barb	28A	25	250	2.00
QQPT433X	0-84169-68411-0	(Crimp) CR Polymer Tee - 3/4" Barb x 1/2" Barb x 1/2" Barb	28A	50	250	2.00
QQPT434X	0-84169-68412-7	(Crimp) CR Polymer Tee - 3/4" Barb x 1/2" Barb x 3/4" Barb	28A	25	250	2.00
QQPT443X	0-84169-68413-4	(Crimp) CR Polymer Tee - 3/4" Barb x 3/4" Barb x 1/2" Barb	28A	50	250	2.00
QQPT444X	0-84169-68414-1	(Crimp) CR Polymer Tee - 3/4" Barb	28A	50	250	2.00
QQPT445X	0-84169-00521-2	(Crimp) CR Polymer Tee - 3/4" Barb x 3/4" Barb x 1" Barb	28A	25	100	4.39
QQPT544X	0-84169-68591-9	(Crimp) CR Polymer Tee - 1" Barb x 3/4" Barb x 3/4" Barb	28A	25	100	4.39
QQPT553X	0-84169-68592-6	(Crimp) CR Polymer Tee - 1" Barb x 1" Barb x 1/2" Barb	28A	25	100	4.39
QQPT554X	0-84169-68593-3	(Crimp) CR Polymer Tee - 1" Barb x 1" Barb x 3/4" Barb	28A	25	100	4.39
QQPT555X	0-84169-68594-0	(Crimp) CR Polymer Tee - 1" Barb	28A	25	100	4.39
QQPT664X	0-84169-11660-4	(Crimp) CR Polymer Tee - 1-1/4" Barb x 1-1/4" Barb x 3/4" Barb	28B	10	100	12.11
QQPT665X	0-84169-11661-1	(Crimp) CR Polymer Tee - 1-1/4" Barb x 1-1/4" Barb x 1" Barb	28B	10	80	12.75
QQPT666X	0-84169-11662-8	(Crimp) CR Polymer Tee - 1-1/4" Barb x 1-1/4" Barb x 1-1/4" Barb	28B	10	80	12.90
QQPT774X	0-84169-11668-0	(Crimp) CR Polymer Tee - 1-1/2" Barb x 1-1/2" Barb x 3/4" Barb	28B	10	100	13.66
QQPT775X	0-84169-11669-7	(Crimp) CR Polymer Tee - 1-1/2" Barb x 1-1/2" Barb x 1" Barb	28B	10	100	14.46
QQPT777X	0-84169-11670-3	(Crimp) CR Polymer Tee - 1-1/2" Barb x 1-1/2" Barb x 1-1/2" Barb	28B	10	80	14.18
QQPT884X	0-84169-11674-1	(Crimp) CR Polymer Tee - 2" Barb x 2" Barb x 3/4" Barb	28B	5	40	63.13
QQPT885X	0-84169-11675-8	(Crimp) CR Polymer Tee - 2" Barb x 2" Barb x 1" Barb	28B	5	40	62.09
QQPT888X	0-84169-11676-5	(Crimp) CR Polymer Tee - 2" Barb	28B	5	40	73.52



Polymer Swivel Adapter (QQPSFC23X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER SWIVEL ADAPTERS						
QQPSFC23X	0-84169-68528-5	(Crimp) CR Polymer Swivel Adapter - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	28A	100	500	1.53
QQPSFC33X	0-84169-68529-2	(Crimp) CR Polymer Swivel Adapter - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	28A	100	500	1.53
QQPSFC44X	0-84169-68530-8	(Crimp) CR Polymer Swivel Adapter - 3/4" Barb x 3/4" FPT Plastic Swivel Nut	28A	50	250	2.90
QQPSFC45X	0-84169-01325-5	(Crimp) CR Polymer Swivel Adapter - 3/4" Barb x 1" FPT Brass Swivel Nut	28A	100	500	6.59
QQPSFC55X	0-84169-01326-2	(Crimp) CR Polymer Swivel Adapter - 1" Barb x 1" FPT Brass Swivel Nut	28A	100	500	6.59

QICK SERT CR® FITTINGS (CONTINUED)



Polymer Ball Valve (QPBV3X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER BALL VALVES						
QPBV2X	0-84169-68025-9	(Crimp) QickPort Polymer Ball Valve - 3/8" Barb x 1/2" FPT Plastic Swivel Nut	21	25	100	5.83
QPBV3X	0-84169-67981-9	(Crimp) QickPort Polymer Ball Valve - 1/2" Barb x 1/2" FPT Plastic Swivel Nut	21	25	100	5.83



Polymer Multi-port Tee (QPM43-4)



Polymer Multi-port Tee (QPM43-5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER MULTI-PORT TEES						
QPM43-3	0-84169-00621-9	(Crimp) CR Polymer Multi-port Tee - (1) 3/4" Barb Inlet with (3) 1/2" Barb Outlets	28A	1	10	12.75
QPM43-4	0-84169-00620-2	(Crimp) CR Polymer Multi-port Tee - (1) 3/4" Barb Inlet with (4) 1/2" Barb Outlets	28A	1	10	18.51
QPM43-5	0-84169-00606-6	(Crimp) CR Polymer Multi-port Tee - (1) 3/4" Barb Inlet with (5) 1/2" Barb Outlets	28A	1	10	28.29
QPM443-2	0-84169-11534-8	(Crimp) CR Polymer Multi-port Tee - (2) 3/4" Barb Inlet/Outlet with (2) 1/2" Barb Branches	28A	1	10	14.61
QPM443-3	0-84169-11535-5	(Crimp) CR Polymer Multi-port Tee - (2) 3/4" Barb Inlet/Outlet with (3) 1/2" Barb Branches	28A	1	10	15.72
QPM443-4	0-84169-11536-2	(Crimp) CR Polymer Multi-port Tee - (2) 3/4" Barb Inlet/Outlet with (4) 1/2" Barb Branches	28A	1	10	22.47
QPM53-3	0-84169-11522-5	(Crimp) CR Polymer Multi-port Tee - (1) 1" Barb Inlet (Closed End) w/ (3) 1/2" Barb Branches	28A	1	10	14.69
QPM53-4	0-84169-11520-1	(Crimp) CR Polymer Multi-port Tee - (1) 1" Barb Inlet (Closed End) w/ (4) 1/2" Barb Branches	28A	1	10	22.13
QPM53-5	0-84169-11521-8	(Crimp) CR Polymer Multi-port Tee - (1) 1" Barb Inlet (Closed End) w/ (5) 1/2" Barb Branches	28A	1	10	28.33
QPM553-3	0-84169-11517-1	(Crimp) CR Polymer Multi-port Tee - (2) 1" Barb Inlet/Outlet with (3) 1/2" Barb Branches	28A	1	10	16.71
QPM553-4	0-84169-11518-8	(Crimp) CR Polymer Multi-port Tee - (2) 1" Barb Inlet/Outlet with (4) 1/2" Barb Branches	28A	1	10	22.61
QPM553-5	0-84169-11519-5	(Crimp) CR Polymer Multi-port Tee - (2) 1" Barb Inlet/Outlet with (5) 1/2" Barb Branches	28A	1	10	29.49

CRIMP RINGS

Zurn offers a wide range of crimp rings for easy installation and leak-free connections in proven ASTM F1807 insert and crimp fitting systems. Crimp systems are immediately full strength upon installation, provide 360 degree uniform pressure, and deliver more flow than required by fixture demand.



Copper Crimp Rings



QickCap® Copper Crimp Rings with Positioning Cap



QickClamp™ System



Stainless Steel Crimp Rings

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER CRIMP RINGS						
The traditional Copper Crimp Ring has been the industry standard for over 30 years for leak-free connections. Compatible with Zurn PEX Potable (Non-Barrier) Tubing, Performa®, hy-PE-RTube™, as well as Zurn PEX brass and Qick Sert CR® Fittings. Not compatible with Alumicor® Tubing and Fittings.						
QCR2X	0-84169-07618-2	Copper Crimp Ring - 3/8"	18B	100	1000	0.37
QCR3X	0-84169-07633-5	Copper Crimp Ring - 1/2"	18B	100	1000	0.41
QCRJX	0-84169-10758-9	Copper Crimp Ring - 5/8"	18B	100	500	0.41
QCR4X	0-84169-07648-9	Copper Crimp Ring - 3/4"	18B	100	500	0.51
QCR5X	0-84169-48151-1	Copper Crimp Ring - 1"	18B	100	500	0.73
QCR6X	0-84169-68390-8	Copper Crimp Ring - 1-1/4"	18B	50	250	1.59
QCR7X	0-84169-00205-1	Copper Crimp Ring - 1-1/2"	18B	25	100	3.43
QCR8X	0-84169-00628-8	Copper Crimp Ring - 2"	18B	25	100	6.27
QICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP						
The QickCap Copper Crimp Rings with Positioning Cap properly aligns crimp ring, tubing, and fitting to ease and speed installation. Compatible with Zurn PEX Potable (Non-Barrier) Tubing, Performa®, hy-PE-RTube™, as well as Zurn PEX brass and Qick Sert CR® Fittings. Not compatible with Alumicor® Tubing and Fittings.						
QCR3XPC	0-84169-11577-5	QickCap Copper Crimp Ring w/Positioning Cap - 1/2"	18B	100	1000	0.57
QCR4XPC	0-84169-11578-2	QickCap Copper Crimp Ring w/Positioning Cap - 3/4"	18B	100	500	0.73
QCR5XPC	0-84169-11579-9	QickCap Copper Crimp Ring w/Positioning Cap - 1"	18B	100	500	1.05
QCR6XPC	0-84169-11539-3	QickCap Copper Crimp Ring w/Positioning Cap - 1-1/4"	18B	50	250	2.74
QCR7XPC	0-84169-11538-6	QickCap Copper Crimp Ring w/Positioning Cap - 1-1/2"	18B	25	100	4.43
QCR8XPC	0-84169-11537-9	QickCap Copper Crimp Ring w/Positioning Cap - 2"	18B	25	100	7.62
QICKCLAMP® SYSTEM						
The patented QickClamp crimping technology allows one tool to be used for all ring sizes from 3/8" - 3/4". Compatible with Zurn PEX Potable (Non-Barrier) Tubing, as well as Zurn PEX brass and Qick Sert CR® Fittings. Not compatible with Alumicor® Tubing and Fittings.						
QCLP2X	0-84169-00234-1	QickClamp Crimp Ring - 3/8"	29	100	1000	0.52
QCLP3X	0-84169-00235-8	QickClamp Crimp Ring - 1/2"	29	100	1000	0.77
QCLP4X	0-84169-00238-9	QickClamp Crimp Ring - 3/4"	29	100	500	1.11
STAINLESS STEEL CRIMP RINGS						
The Zurn Stainless Steel Crimp Ring system allows one tool to be used for all ring sizes from 3/8" - 1". Compatible with Zurn PEX Potable (Non-Barrier) Tubing, as well as Zurn PEX brass and Qick Sert CR® Fittings. Not compatible with Alumicor® Tubing and Fittings.						
QSOET2X	0-84169-00290-7	Stainless Steel Crimp Ring - 3/8"	29	100	1000	0.64
QSOET3X	0-84169-00291-4	Stainless Steel Crimp Ring - 1/2"	29	100	1000	0.60
QSOETJX	0-84169-00571-7	Stainless Steel Crimp Ring - 5/8"	29	100	500	0.92
QSOET4X	0-84169-00292-1	Stainless Steel Crimp Ring - 3/4"	29	100	500	0.83
QSOET5X	0-84169-00294-5	Stainless Steel Crimp Ring - 1"	29	100	500	1.17

Z-BITE™ PUSH FITTINGS

Z-Bite Push-to-Connect fittings allow for faster installation and repairs, resulting in less down time of a building's water system. Z-Bite universal design allows use with PEX, copper, and CPVC. Release collar permits easy repositioning and removal. Complies with ASSE 1061.



Coupling (QQZBC22G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE™ PUSH-TO-CONNECT COUPLINGS						
QQZBC22G	0-84169-11598-0	Z-Bite Coupling - 3/8" Z-Bite, XL Brass	7	6	120	8.58
QQZBC33G	0-84169-11599-7	Z-Bite Coupling - 1/2" Z-Bite, XL Brass	7	12	120	8.58
QQZBC44G	0-84169-11600-0	Z-Bite Coupling - 3/4" Z-Bite, XL Brass	7	12	60	10.20
QQZBC55G	0-84169-11601-7	Z-Bite Coupling - 1" Z-Bite, XL Brass	7	6	30	21.63



Cap (QQZBCAP5G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT CAPS						
QQZBCAP2G	0-84169-11643-7	Z-Bite Cap - 3/8" Z-Bite, XL Brass	7	6	180	7.75
QQZBCAP3G	0-84169-11644-4	Z-Bite Cap - 1/2" Z-Bite, XL Brass	7	12	120	7.75
QQZBCAP4G	0-84169-11645-1	Z-Bite Cap - 3/4" Z-Bite, XL Brass	7	6	60	9.39
QQZBCAP5G	0-84169-11646-8	Z-Bite Cap - 1" Z-Bite, XL Brass	7	6	30	19.18



Drop Ear Elbow (QQZBDE33G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT DROP EAR ELBOWS						
QQZBDE23G	0-84169-11630-7	Z-Bite Drop Ear Elbow - 3/8" Z-Bite x 1/2" FPT, XL Brass	7	12	120	9.39
QQZBDE33G	0-84169-11631-4	Z-Bite Drop Ear Elbow - 1/2" Z-Bite x 1/2" FPT, XL Brass	7	12	60	9.39

Z-BITE™ PUSH FITTINGS (CONTINUED)



Elbow (QQZBE33G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT ELBOWS						
QQZBE22G	0-84169-11620-8	Z-Bite Elbow - 3/8" Z-Bite, XL Brass	7	6	120	9.39
QQZBE33G	0-84169-11621-5	Z-Bite Elbow - 1/2" Z-Bite, XL Brass	7	12	120	9.39
QQZBE44G	0-84169-11622-2	Z-Bite Elbow - 3/4" Z-Bite, XL Brass	7	6	60	11.43
QQZBE55G	0-84169-11623-9	Z-Bite Elbow - 1" Z-Bite, XL Brass	7	6	24	23.66



Female Adapter (QQZBUFC55G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT FEMALE ADAPTERS						
QQZBUFC33G	0-84169-11632-1	Z-Bite Female Adapter - 1/2" Z-Bite x 1/2" FPT, XL Brass	7	12	120	6.86
QQZBUFC44G	0-84169-11633-8	Z-Bite Female Adapter - 3/4" Z-Bite x 3/4" FPT, XL Brass	7	6	60	8.17
QQZBUFC55G	0-84169-11634-5	Z-Bite Female Adapter - 1" Z-Bite x 1" FPT, XL Brass	7	6	30	17.14



Male Adapter (QQZBCAP5G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT MALE ADAPTERS						
QQZBMC33G	0-84169-11637-6	Z-Bite Male Adapter - 1/2" Z-Bite x 1/2" MPT, XL Brass	7	12	120	6.86
QQZBMC44G	0-84169-11638-3	Z-Bite Male Adapter - 3/4" Z-Bite x 3/4" MPT, XL Brass	7	12	60	8.17
QQZBMC55G	0-84169-11639-0	Z-Bite Male Adapter - 1" Z-Bite x 1" MPT, XL Brass	7	6	30	17.14

Z-BITE™ PUSH FITTINGS (CONTINUED)



Transition Coupling (QQZBC33CG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT TRANSITION COUPLINGS, POLYBUTYLENE X PEX COUPLING						
QQZBC33CG	0-84169-11602-4	Z-Bite Transition Coupling - 1/2" Z-Bite x 1/2" CTS Polybutylene, XL Brass	7	6	120	11.84
QQZBC44CG	0-84169-11603-1	Z-Bite Transition Coupling - 3/4" Z-Bite x 3/4" CTS Polybutylene, XL Brass	7	6	72	14.29



Female Elbow (QQZBEA44FG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X FEMALE THREAD						
QQZBEA33FG	0-84169-11626-0	Z-Bite Female Elbow - 1/2" Z-Bite x 1/2" FPT, XL Brass	7	6	90	9.39
QQZBEA44FG	0-84169-11627-7	Z-Bite Female Elbow - 3/4" Z-Bite x 3/4" FPT, XL Brass	7	3	60	11.43



Male Elbow (QQZBEA44TG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X MALE THREAD						
QQZBEA33TG	0-84169-11653-6	Z-Bite Male Elbow - 1/2" Z-Bite x 1/2" MPT, XL Brass	7	6	90	9.39
QQZBEA44TG	0-84169-11652-9	Z-Bite Male Elbow - 3/4" Z-Bite x 3/4" MPT, XL Brass	7	6	60	11.43

Z-BITE™ PUSH FITTINGS (CONTINUED)



Reducing Coupling (QQZBC23G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT REDUCING COUPLINGS						
QQZBC23G	0-84169-11604-8	Z-Bite Reducing Coupling - 3/8" Z-Bite x 1/2" Z-Bite, XL Brass	7	6	120	8.58
QQZBC43G	0-84169-11605-5	Z-Bite Reducing Coupling - 3/4" Z-Bite x 1/2" Z-Bite, XL Brass	7	12	60	10.20
QQZBC54G	0-84169-11606-2	Z-Bite Reducing Coupling - 1" Z-Bite x 3/4" Z-Bite, XL Brass	7	6	30	21.63



Reducing Elbow (QQZBE32G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT REDUCING ELBOWS						
QQZBE32G	0-84169-11624-6	Z-Bite Reducing Elbow - 1/2" Z-Bite x 3/8" Z-Bite, XL Brass	7	12	120	9.39
QQZBE43G	0-84169-11625-3	Z-Bite Reducing Elbow - 3/4" Z-Bite X 1/2" Z-Bite, XL Brass	7	6	60	11.43



Reducing Female Adapter (QQZBUFC34G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT REDUCING FEMALE ADAPTERS						
QQZBUFC23G	0-84169-11635-2	Z-Bite Reducing Female Adapter - 3/8" Z-Bite x 1/2" FPT, XL Brass	7	6	180	6.86
QQZBUFC34G	0-84169-11636-9	Z-Bite Reducing Female Adapter - 1/2" Z-Bite x 3/4" FPT, XL Brass	7	6	60	8.17

Z-BITE™ PUSH FITTINGS (CONTINUED)



Reducing Male Adapter (QQZBMC34G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT REDUCING MALE ADAPTERS						
QQZBMC23G	0-84169-11640-6	Z-Bite Reducing Male Adapter - 3/8" Z-Bite x 1/2" MPT, XL Brass	7	6	180	6.86
QQZBMC34G	0-84169-11641-3	Z-Bite Reducing Male Adapter - 1/2" Z-Bite x 3/4" MPT, XL Brass	7	6	60	8.17
QQZBMC54G	0-84169-11642-0	Z-Bite Reducing Male Adapter - 1" Z-Bite x 3/4" MPT, XL Brass	7	6	36	17.14



Reducing Tee (QQZBDE33G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT REDUCING TEES						
QQZBT223G	0-84169-11614-7	Z-Bite Reducing Tee - 3/8" Z-Bite x 3/8" Z-Bite x 1/2" Z-Bite, XL Brass	7	6	90	13.06
QQZBT332G	0-84169-11615-4	Z-Bite Reducing Tee - 1/2" Z-Bite x 1/2" Z-Bite x 3/8" Z-Bite, XL Brass	7	6	72	13.06
QQZBT443G	0-84169-11616-1	Z-Bite Reducing Tee - 3/4" Z-Bite x 3/4" Z-Bite x 1/2" Z-Bite, XL Brass	7	6	60	15.51
QQZBT434G	0-84169-11617-8	Z-Bite Reducing Tee - 3/4" Z-Bite x 1/2" Z-Bite x 3/4" Z-Bite, XL Brass	7	6	60	15.51
QQZBT433G	0-84169-11618-5	Z-Bite Reducing Tee - 3/4" Z-Bite x 1/2" Z-Bite x 1/2" Z-Bite, XL Brass	7	6	60	15.51
QQZBT554G	0-84169-11619-2	Z-Bite Reducing Tee - 1" Z-Bite x 1" Z-Bite x 3/4" Z-Bite, XL Brass	7	3	18	32.23



Fitting Removal Tool (QQZBDC4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH FITTING REMOVAL TOOL						
QQZBDC2	0-84169-11647-5	Z-Bite Disconnect Clip - 3/8"	7	24	768	1.64
QQZBDC3	0-84169-11648-2	Z-Bite Disconnect Clip - 1/2"	7	24	480	1.64
QQZBDC4	0-84169-11649-9	Z-Bite Disconnect Clip - 3/4"	7	24	480	1.64
QQZBDC5	0-84169-11650-5	Z-Bite Disconnect Clip - 1"	7	12	240	1.64

Z-BITE™ PUSH FITTINGS (CONTINUED)



Slip Coupling (QQZBSC44G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT SLIP COUPLINGS						
QQZBSC33G	0-84169-11607-9	Z-Bite Slip Coupling - 1/2" Z-Bite, XL Brass	7	3	90	17.14
QQZBSC44G	0-84169-11608-6	Z-Bite Slip Coupling - 3/4" Z-Bite, XL Brass	7	3	60	20.40
QQZBSC55G	0-84169-11609-3	Z-Bite Slip Coupling - 1" Z-Bite, XL Brass	7	1	30	43.25



Tee (QQZBT444G)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE PUSH-TO-CONNECT TEES						
QQZBT222G	0-84169-11610-9	Z-Bite Tee - 3/8" Z-Bite, XL Brass	7	6	90	13.06
QQZBT333G	0-84169-11611-6	Z-Bite Tee - 1/2" Z-Bite, XL Brass	7	12	60	13.06
QQZBT444G	0-84169-11612-3	Z-Bite Tee - 3/4" Z-Bite, XL Brass	7	6	60	15.51
QQZBT555G	0-84169-11613-0	Z-Bite Tee - 1" Z-Bite, XL Brass	7	3	18	32.23



Depth Gage and Deburring Tool (QQZBDBT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
Z-BITE DEPTH GAGE AND DEBURRING TOOL						
QQZBDBT	0-84169-11651-2	Depth Gage and Deburring Tool - For use with 1/4", 3/8" 1/2", 3/4", and 1" PEX Non-Barrier Tubing, CPVC, and Copper Tubing	7	3	30	16.32

(CRIMP) XL BRASS VALVES

Lead-free law compliant brass valves can be used to isolate a fixture or main line, easing maintenance and repairs.



Ball Valve (QQBV55GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) BRASS BARBED BALL VALVES – ZURN PEX XL BRASS						
QQBV33GX	0-84169-01425-2	(Crimp) XL Brass Ball Valve - 1/2" Barb x 1/2" Barb	12C	10	100	16.86
QQBV44GX	0-84169-01426-9	(Crimp) XL Brass Ball Valve - 3/4" Barb x 3/4" Barb	12C	10	100	24.83
QQBV55GX	0-84169-01427-6	(Crimp) XL Brass Ball Valve - 1" Barb x 1" Barb	12C	5	50	80.51



Brass Barbed Stop (QQTV40GX)



Brass Barbed Stop (QQTV60GX)



Brass Barbed Stop (QQTV60SGX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS STOP VALVES - CHROME PLATED						
QQTV40GX	0-84169-01428-3	(Crimp) XL Brass Angle Stop Valve - 1/2" Barb x 1/4" OD Compression, 1/4 Turn, Chrome	12C	10	100	10.04
QQTV477GX	0-84169-01432-0	(Crimp) XL Brass Straight Stop Valve - 1/2" Barb x 1/2" Barb, 1/4 Turn, Chrome	12C	10	100	8.25
QQTV60GX	0-84169-01429-0	(Crimp) XL Brass Angle Stop Valve - 1/2" Barb x 3/8" OD Compression, 1/4 Turn, Chrome	12C	10	100	17.65
QQTV60SGX	0-84169-01431-3	(Crimp) XL Brass Straight Stop Valve - 1/2" Barb x 3/8" OD Compression, 1/4 Turn, Chrome	12C	10	100	17.48

PEX SUPPLY TUBES

PEX Supply Tubes allow easy connection from valves to fixtures.



Lavatory - Riser



Closet - Riser



Ferrules



Ballcock Nuts

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
LAVATORY - RISERS						
QBA12X	0-84169-48899-2	Lavatory Supply Tube - PEX - 3/8" OD x 12"	23	100	100	1.12
QBA15X	0-84169-48850-3	Lavatory Supply Tube - PEX - 3/8" OD x 15"	23	100	100	1.17
QBA20X	0-84169-48851-0	Lavatory Supply Tube - PEX - 3/8" OD x 20"	23	100	100	1.42
QBA30X	0-84169-48931-9	Lavatory Supply Tube - PEX - 3/8" OD x 30"	23	100	100	1.94
QBA36X	0-84169-48852-7	Lavatory Supply Tube - PEX - 3/8" OD x 36"	23	100	100	2.79
CLOSET - RISERS						
QCL12X	0-84169-48853-4	Closet Supply Tube - PEX - 3/8" OD x 12"	23	100	100	1.12
QCL15X	0-84169-48854-1	Closet Supply Tube - PEX - 3/8" OD x 15"	23	100	100	1.17
QCL20X	0-84169-48855-8	Closet Supply Tube - PEX - 3/8" OD x 20"	23	100	100	1.42
FERRULES - EXTRA COMPRESSION RINGS FOR SUPPLY TUBES						
QBFO	0-84169-06925-2	1/4" OD Ferrule - Plastic	23	100	1000	0.27
QBF1	0-84169-06927-6	3/8" OD Ferrule - Plastic	23	100	1000	0.25
QBF2	0-84169-06933-7	1/2" OD Ferrule - Plastic	23	100	1000	0.43
BASIN AND BALLCOCK NUTS						
QBN3	0-84169-06940-5	Basin Nut - 1/2"	23	100	1000	0.61
QBCN4	0-84169-40670-5	Ballcock Nut - Fits 3/8" or 1/2" OD Supply Tubes	23	100	1000	0.82

PREFABRICATED QICKEE RISER ASSEMBLIES

Prefabricated Qickee Riser Assemblies are for use with QickTite Stop Valves to easily connect to fixtures.



Lavatory Connection
with 1/2" FPT Nuts (Q172X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS						
Q172X	0-84169-49014-8	Lavatory Connection with 1/2" FPT Nuts - 3/8" OD x 72"	23	100	100	5.94

QICKTITE® ASSEMBLED FITTING SYSTEM

QickTite fittings ease repairs and retrofit installations with no specialty tools needed. Compatible with Zurn PEX Potable (Non-Barrier) Tubing, CPVC, Copper, and Polybutylene piping. For questions regarding sizing or product selection, please contact Zurn Customer Care. The QickTite Nut-Ring-Cone connections are for use with CTS (Copper Tube Size) Pipe including PEX, Copper, CPVC, and Polybutylene in potable water systems only.

CHART A: QICKTITE ASSEMBLED FITTINGS PRODUCT NO. BREAKDOWN

PRODUCT NO. CTS DIGIT	FOR NOMINAL TUBE SIZE (CTS)	OD OF TUBE	INCLUDES	QICKTITE NUT/RING/CONE SET
1	1/4"	3/8" OD	--->	QFNCR1 or QBFNCR1
2	3/8"	1/2" OD	--->	QFNCR2 or QBFNCR2
3	1/2"	5/8" OD	--->	QFNCR3 or QBFNCR3
4	3/4"	7/8" OD	--->	QFNCR4 or QBFNCR4
5	1"	1-1/8" OD	--->	QFNCR5 or QBFNCR5

The letters in the beginning of the Product No. identify the type of fitting.

- If there are letters at the end of the Product No. (ex: QAEA32MG), then one side of the fitting has pipe threads: MG = (MIP) Male Iron Pipe, XL Brass threads; F = (FPT) Female Pipe, plastic threads
The 2nd digit in this Product No. identifies the size of the pipe threads: 2=3/8"; 3=1/2"; 4=3/4"; 5=1"
The first digit in this Product No. is the CTS Digit which identifies the Nut-Ring-Cone side of the fitting - see Chart A for CTS digit information.
If there are no letters at the end of the Product No. then all of the digits are CTS digits that identify a Nut-Ring-Cone on each side of the fitting - see Chart A for CTS digit information.



Tee (QAT333)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TEES - ASSEMBLED						
QAT111	0-84169-06767-8	QickTite Tee - Assembled - 1/4" CTS	22	25	250	6.50
QAT222	0-84169-06781-4	QickTite Tee - Assembled - 3/8" CTS	22	25	250	6.56
QAT332	0-84169-06799-9	QickTite Tee - Assembled - 1/2" CTS x 1/2" CTS x 3/8" CTS	22	25	250	8.60
QAT333	0-84169-06801-9	QickTite Tee - Assembled - 1/2" CTS	22	25	250	8.60
QAT433	0-84169-06807-1	QickTite Tee - Assembled - 3/4" CTS x 1/2" CTS x 1/2" CTS	22	5	100	12.33
QAT434	0-84169-06809-5	QickTite Tee - Assembled - 3/4" CTS x 1/2" CTS x 3/4" CTS	22	10	100	12.33
QAT443	0-84169-06811-8	QickTite Tee - Assembled - 3/4" CTS x 3/4" CTS x 1/2" CTS	22	10	100	12.33
QAT444	0-84169-06813-2	QickTite Tee - Assembled - 3/4" CTS	22	10	100	13.09
QAT554	0-84169-06829-3	QickTite Tee - Assembled - 1" CTS x 1" CTS x 3/4" CTS	22	5	100	17.14
QAT555	0-84169-06831-6	QickTite Tee - Assembled - 1" CTS	22	5	100	17.53

QICKTITE® ASSEMBLED FITTING SYSTEM (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Elbow (QAE33)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ELBOWS – ASSEMBLED						
QAE11	0-84169-06702-9	QickTite Elbow - Assembled - 1/4" CTS	22	25	250	5.93
QAE22	0-84169-06706-7	QickTite Elbow - Assembled - 3/8" CTS	22	25	250	6.36
QAE31	0-84169-06708-1	QickTite Elbow - Assembled - 1/2" CTS x 1/4" CTS	22	25	250	7.15
QAE32	0-84169-06710-4	QickTite Elbow - Assembled - 1/2" CTS x 3/8" CTS	22	25	250	7.15
QAE33	0-84169-06712-8	QickTite Elbow - Assembled - 1/2" CTS	22	10	250	7.52
QAE43	0-84169-06716-6	QickTite Elbow - Assembled - 3/4" CTS x 1/2" CTS	22	10	250	10.33
QAE44	0-84169-06718-0	QickTite Elbow - Assembled - 3/4" CTS	22	10	250	11.51
QAE54	0-84169-06722-7	QickTite Elbow - Assembled - 1" CTS x 3/4" CTS	22	5	100	13.96
QAE55	0-84169-06724-1	QickTite Elbow - Assembled - 1" CTS	22	5	100	14.51

1st digit



2nd digit

Male Elbow Adapter with XL Brass Inserts
(QAEA33MG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MALE ELBOW ADAPTERS WITH XL BRASS INSERTS						
QAEA22MG	0-84169-01588-4	QickTite Male Adapter Elbow - Assembled - 3/8" CTS x 3/8" MIP	22	25	250	7.56
QAEA32MG	0-84169-01593-8	QickTite Male Adapter Elbow - Assembled - 1/2" CTS x 3/8" MIP	22	25	250	7.68
QAEA33MG	0-84169-01595-2	QickTite Male Adapter Elbow - Assembled - 1/2" CTS x 1/2" MIP	22	25	250	8.05
QAEA44MG	0-84169-01598-3	QickTite Male Adapter Elbow - Assembled - 3/4" CTS x 3/4" MIP	22	10	100	13.13

QICKTITE® ASSEMBLED FITTING SYSTEM (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Coupling (QAC33)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COUPLINGS – ASSEMBLED						
QAC11	0-84169-06643-5	QickTite Coupling - Assembled - 1/4" CTS	22	25	250	5.34
QAC21	0-84169-06645-9	QickTite Coupling - Assembled - 3/8" CTS x 1/4" CTS	22	25	250	5.34
QAC22	0-84169-06647-3	QickTite Coupling - Assembled - 3/8" CTS	22	25	250	5.34
QAC32	0-84169-06651-0	QickTite Coupling - Assembled - 1/2" CTS x 3/8" CTS	22	25	250	5.72
QAC33	0-84169-06653-4	QickTite Coupling - Assembled - 1/2" CTS	22	25	250	6.10
QAC43	0-84169-06658-9	QickTite Coupling - Assembled - 3/4" CTS x 1/2" CTS	22	10	250	8.61
QAC44	0-84169-06660-2	QickTite Coupling - Assembled - 3/4" CTS	22	10	250	9.02
QAC54	0-84169-06664-0	QickTite Coupling - Assembled - 1" CTS x 3/4" CTS	22	5	100	11.51
QAC55	0-84169-06666-4	QickTite Coupling - Assembled - 1" CTS	22	5	100	11.51



Adapter Male Coupling (QACA33MG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MALE COUPLING ADAPTERS WITH XL BRASS INSERTS						
QACA12MG	0-84169-01589-1	QickTite Male Adapter Coupling - Assembled - 1/4" CTS x 3/8" MIP	22	25	250	9.54
QACA13MG	0-84169-01591-4	QickTite Male Adapter Coupling - Assembled - 1/4" CTS x 1/2" MIP	22	25	250	6.74
QACA22MG	0-84169-01590-7	QickTite Male Adapter Coupling - Assembled - 3/8" CTS x 3/8" MIP	22	25	250	6.82
QACA23MG	0-84169-01592-1	QickTite Male Adapter Coupling - Assembled - 3/8" CTS x 1/2" MIP	22	25	250	7.19
QACA32MG	0-84169-01594-5	QickTite Male Adapter Coupling - Assembled - 1/2" CTS x 3/8" MIP	22	25	100	10.16
QACA33MG	0-84169-01596-9	QickTite Male Adapter Coupling - Assembled - 1/2" CTS x 1/2" MIP	22	25	100	8.68
QACA34MG	0-84169-01597-6	QickTite Male Adapter Coupling - Assembled - 1/2" CTS x 3/4" MIP	22	10	100	10.49
QACA43MG	0-84169-01571-6	QickTite Male Adapter Coupling - Assembled - 3/4" CTS x 1/2" MIP	22	10	100	13.01
QACA44MG	0-84169-01599-0	QickTite Male Adapter Coupling - Assembled - 3/4" CTS x 3/4" MIP	22	10	100	18.09
QACA45MG	0-84169-01600-3	QickTite Male Adapter Coupling - Assembled - 3/4" CTS x 1" MIP	22	5	100	17.83
QACA54MG	0-84169-01601-0	QickTite Male Adapter Coupling - Assembled - 1" CTS x 3/4" MIP	22	5	50	22.04
QACA55MG	0-84169-01602-7	QickTite Male Adapter Coupling - Assembled - 1" CTS x 1" MIP	22	5	50	32.94

QICKTITE® ASSEMBLED FITTING SYSTEM (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Female Adapter (QAFA44F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FEMALE ADAPTERS – ASSEMBLED						
QAFA33F	0-84169-06726-5	QickTite Female Adapter - Assembled - 1/2" CTS x 1/2" FPT	22	25	250	5.22
QAFA34F	0-84169-06729-6	QickTite Female Adapter - Assembled - 1/2" CTS x 3/4" FPT	22	10	250	6.70
QAFA44F	0-84169-06731-9	QickTite Female Adapter - Assembled - 3/4" CTS x 3/4" FPT	22	10	250	7.36
QAFA45F	0-84169-06733-3	QickTite Female Adapter - Assembled - 3/4" CTS x 1" FPT	22	5	100	8.15
QAFA54F	0-84169-06735-7	QickTite Female Adapter - Assembled - 1" CTS x 3/4" FPT	22	5	100	9.34
QAFA55F	0-84169-06737-1	QickTite Female Adapter - Assembled - 1" CTS x 1" FPT	22	5	100	9.70



Female Drop Ear Elbow (QADE33F)



Female Elbow (QASE44F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FEMALE ELBOWS – ASSEMBLED						
QASE23F	0-84169-06761-6	QickTite Female Elbow - Assembled - 3/8" CTS x 1/2" FPT	22	25	250	2.22
QASE33F	0-84169-06763-0	QickTite Female Elbow - Assembled - 1/2" CTS x 1/2" FPT	22	25	250	5.93
QASE44F	0-84169-43924-6	QickTite Female Elbow - Assembled - 3/4" CTS x 3/4" FPT	22	25	250	6.85
QADE33F	0-84169-06672-5	QickTite Female Drop Ear Elbow - Assembled - 1/2" CTS x 1/2" FPT	22	25	250	6.82

QICKTITE® UNASSEMBLED FITTING SYSTEM

QickTite unassembled fittings allow customizable configurations for easy retrofit and repair installations. For use with PEX, Copper, CPVC, and Polybutylene in potable water systems only. Fitting bodies and Nut-Ring-Cone sets are sold separately. For questions regarding sizing or product selection, please contact Zurn Customer Care.

The letters in the Product No. identify the type of fitting.

The digits in the Product No. identify the size of the MPT (Male Pipe Threads) or the FPT (Female Pipe Threads) of the fitting. Fittings with Male Pipe Threads can accept Nut-Ring Cone sets, and their description calls out the CTS tube size that the Nut-Ring-Cone will accept. See Chart B for how the Product No. MPT digit relates to the thread size of the fitting body and the Nut-Ring-Cone set(s) that can be mated. Fittings with (FPT) Female Pipe Threads are identified in the Product No. with the following digits: 3 = 1/2" ; 4 = 3/4" ; 5 = 1"

QickTite Male Plastic Threads can be mated to:

QickTite Nut-Ring-Cone sets, QFNCR_ or QBFNCR_

QickTite Female Couplings, QC__F

QickTite Test Caps, QTC_F

Female side of QickTite Adapters, QC__TF

Note: QickTite Male Plastic Threads must not be used for mating to metal female pipe threads.

CHART B: QICKTITE UNASSEMBLED FITTINGS PRODUCT NO. BREAKDOWN

PRODUCT NO. MPT DIGIT	MPT SIZE	ACCEPTS NUT/RING/CONE SET	FOR NOMINAL CTS TUBE SIZE	OD OF TUBE
3	1/2"	QFNCR1 or QBFNCR1	1/4"	3/8" OD
3	1/2"	QFNCR2 or QBFNCR2	3/8"	1/2" OD
4	3/4"	QFNCR3 or QBFNCR3	1/2"	5/8" OD
5	1"	QFNCR4 or QBFNCR4	3/4"	7/8" OD
6	1-1/4"	QFNCR5 or QBFNCR5	1"	1-1/8" OD



Tee (QT333T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TEES – UNASSEMBLED						
QT333T	0-84169-08854-3	QickTite Tee Body - Unassembled - (3/8" or 1/4") CTS	22	50	500	2.11
QT433T	0-84169-08881-9	QickTite Tee Body - Unassembled - 1/2" CTS x (3/8" or 1/4") CTS x (3/8" or 1/4") CTS	22	50	500	2.52
QT434T	0-84169-08890-1	QickTite Tee Body - Unassembled - 1/2" CTS x (3/8" or 1/2") CTS x 1/2" CTS	22	50	500	2.52
QT443T	0-84169-08906-9	QickTite Tee Body - Unassembled - 1/2" CTS x 1/2" CTS x (3/8" or 1/4") CTS	22	50	500	2.52
QT444T	0-84169-08914-4	QickTite Tee Body - Unassembled - 1/2" CTS	22	25	500	2.52
QT544T	0-84169-08918-2	QickTite Tee Body - Unassembled - 3/4" CTS x 1/2" CTS x 1/2" CTS	22	10	250	5.22
QT545T	0-84169-08920-5	QickTite Tee Body - Unassembled - 3/4" CTS x 1/2" CTS x 3/4" CTS	22	10	250	5.22
QT553T	0-84169-08922-9	QickTite Tee Body - Unassembled - 3/4" CTS x 3/4" CTS x (3/8" or 1/4") CTS	22	10	250	5.22
QT554T	0-84169-08924-3	QickTite Tee Body - Unassembled - 3/4" CTS x 3/4" CTS x 1/2" CTS	22	10	250	5.22
QT555T	0-84169-08926-7	QickTite Tee Body - Unassembled - 3/4" CTS	22	10	250	5.22

Note: For QickTite Unassembled Fittings with sizing in parenthesis, the size of tubing (CTS) will vary based on the Nut-Ring-Cone used.

Example: QT333T can be used with 3/8" or 1/4" sized tubing (CTS) when using different Nut-Ring-Cone sets.

QICKTITE® UNASSEMBLED FITTING SYSTEM (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Elbow (QE33T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ELBOWS – UNASSEMBLED						
QE32T*	0-84169-08265-7	QickTite Elbow Body - Unassembled - (3/8" or 1/4") CTS x 3/8" MPT	22	100	1000	1.82
QE33T	0-84169-08290-9	QickTite Elbow Body - Unassembled - (3/8" or 1/4") CTS x (3/8" or 1/4") CTS	22	100	1000	1.82
QE43T	0-84169-08312-8	QickTite Elbow Body - Unassembled - 1/2" CTS x (3/8" or 1/4") CTS	22	50	500	2.97
QE44T	0-84169-08341-8	QickTite Elbow Body - Unassembled - 1/2" CTS	22	50	250	2.14
QE54T	0-84169-08350-0	QickTite Elbow Body - Unassembled - 3/4" CTS x 1/2" CTS	22	25	250	3.76
QE55T	0-84169-08352-4	QickTite Elbow Body - Unassembled - 3/4" CTS	22	25	250	3.76

Note: For QickTite Unassembled Fittings with sizing in parenthesis, the size of tubing (CTS) will vary based on the Nut-Ring-Cone used.

Example: QE33T can be used with 3/8" or 1/4" sized tubing (CTS) when using different Nut-Ring-Cone sets.

*This 3/8" male thread does not have a Nut-Ring-Cone available, and is used for mating to a 3/8" plastic female thread only.



Coupling (QC33T)



Nipple (QC44TN)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COUPLINGS/NIPPLES – UNASSEMBLED						
QC32T*	0-84169-08015-8	QickTite Coupling Body - Unassembled - (3/8" or 1/4") CTS x 3/8" MPT	22	100	1000	1.57
QC33T	0-84169-08040-0	QickTite Coupling 1-3/4" Long Body - Unassembled - (3/8" or 1/4") CTS	22	100	1000	1.57
QC33TL	0-84169-08041-7	QickTite Nipple 2-7/16" Long Body - Unassembled - (3/8" or 1/4") CTS	22	100	1000	2.08
QC43T	0-84169-08076-9	QickTite Coupling Body - Unassembled - 1/2" CTS x (3/8" or 1/4") CTS	22	50	500	2.18
QC44T	0-84169-08106-3	QickTite Coupling Body - Unassembled - 1/2" CTS	22	50	500	2.18
QC44TN	0-84169-08110-0	QickTite Nipple 2-3/4" Long Body - Unassembled - 1/2" CTS	22	50	500	2.59
QC53T	0-84169-08122-3	QickTite Coupling Body - Unassembled - 3/4" CTS x (3/8" or 1/4") CTS	22	25	250	2.72
QC54T	0-84169-08124-7	QickTite Coupling Body - Unassembled - 3/4" CTS x 1/2" CTS	22	25	250	2.72
QC55T	0-84169-08132-2	QickTite Coupling Body - Unassembled - 3/4" CTS	22	25	250	2.72

*This 3/8" male thread does not have a Nut-Ring-Cone available, and is used for mating to a 3/8" plastic female thread only.

QICKTITE® UNASSEMBLED FITTING SYSTEM (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Drop Ear Elbow (QDE33TF)



Female Elbow (QSE33TF)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FEMALE ELBOWS - UNASSEMBLED						
QSE33TF	0-84169-08739-3	QickTite Female Elbow Body - Unassembled - (3/8" or 1/4") CTS x 1/2" FPT	22	50	500	3.27
QSE43TF	0-84169-08743-0	QickTite Female Elbow Body - Unassembled - 1/2" CTS x 1/2" FPT	22	50	500	3.58
QSE44TF	0-84169-08750-8	QickTite Female Elbow Body - Unassembled - 1/2" CTS x 3/4" FPT	22	50	500	4.11
QDE33TF	0-84169-08170-4	QickTite Drop Ear Elbow Body - Unassembled - (3/8" or 1/4") CTS x 1/2" FPT	22	50	500	3.98
QDE43TF	0-84169-08178-0	QickTite Drop Ear Elbow Body - Unassembled - 1/2" CTS x 1/2" FPT	22	50	500	4.40

Note: For QickTite Unassembled Fittings with sizing in parenthesis, the size of tubing (CTS) will vary based on the Nut-Ring-Cone used. Example: QSE33TF can be used with 3/8" or 1/4" sized tubing (CTS) when using different Nut-Ring-Cone sets.



Adapter (QC55TF)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ADAPTERS - UNASSEMBLED						
QC43TF	0-84169-08077-6	QickTite Adapter Body - Unassembled - 1/2" CTS x 1/2" FPT	22	100	1000	2.73
QC54TF	0-84169-08125-4	QickTite Adapter Body - Unassembled - 3/4" CTS x 3/4" FPT	22	50	250	3.58
QC55TF	0-84169-08133-9	QickTite Adapter Body - Unassembled - 3/4" CTS x 1" FPT	22	50	250	4.83

QICKTITE® NUT/CONE/RING

For use with PEX, Copper, CPVC, and Polybutylene in potable water systems only.



Nut-Ring-Cone (QFNCR3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SETS						
The following QickTite Nut-Ring-Cone sets are bagged in bulk, with the nuts in one bulk bag, rings in one bulk bag, and cones in one bulk bag.						
QFNCR1	0-84169-00179-5	QickTite Bulk Nut-Ring-Cone - 1/2" Thread - 1/4" Nominal CTS	22	100	1000	1.34
QFNCR2	0-84169-00182-5	QickTite Bulk Nut-Ring-Cone - 1/2" Thread - 3/8" Nominal CTS	22	100	1000	1.34
QFNCR3	0-84169-08391-3	QickTite Bulk Nut-Ring-Cone - 3/4" Thread - 1/2" Nominal CTS	22	100	1000	1.65
QFNCR4	0-84169-00211-2	QickTite Bulk Nut-Ring-Cone - 1" Thread - 3/4" Nominal CTS	22	25	250	2.86
QFNCR5	0-84169-08393-7	QickTite Bulk Nut-Ring-Cone - 1-1/4" Thread - 1" Nominal CTS	22	25	250	3.42
The following QickTite Nut-Ring-Cone sets are each individually assembled and bagged.						
QBFNCR1	0-84169-06920-7	QickTite Bagged Nut-Ring-Cone - 1/2" Thread - 1/4" Nominal CTS	22	50	1000	2.86
QBFNCR2	0-84169-06921-4	QickTite Bagged Nut-Ring-Cone - 1/2" Thread - 3/8" Nominal CTS	22	100	1000	2.86
QBFNCR3	0-84169-06922-1	QickTite Bagged Nut-Ring-Cone - 3/4" Thread - 1/2" Nominal CTS	22	50	1000	2.90
QBFNCR4	0-84169-06923-8	QickTite Bagged Nut-Ring-Cone - 1" Thread - 3/4" Nominal CTS	22	25	250	4.02
QBFNCR5	0-84169-06924-5	QickTite Bagged Nut-Ring-Cone - 1-1/4" Thread - 1" Nominal CTS	22	25	250	4.54
INDIVIDUAL CONES						
QC1	0-84169-07973-2	QickTite Cone - Unassembled - 1/4" Nominal CTS	22	100	1000	0.31
QC2	0-84169-07980-0	QickTite Cone - Unassembled - 3/8" Nominal CTS	22	100	1000	0.31
QC3	0-84169-07997-8	QickTite Cone - Unassembled - 1/2" Nominal CTS	22	100	1000	0.42
QC4	0-84169-08061-5	QickTite Cone - Unassembled - 3/4" Nominal CTS	22	25	1000	0.42
QC5	0-84169-08115-5	QickTite Cone - Unassembled - 1" Nominal CTS	22	25	1000	0.52
INDIVIDUAL RINGS						
QR1	0-84169-08713-3	QickTite Ring - Unassembled - 1/4" Nominal CTS	22	100	1000	0.15
QR2	0-84169-08715-7	QickTite Ring - Unassembled - 3/8" Nominal CTS	22	100	1000	0.15
QR3	0-84169-08718-8	QickTite Ring - Unassembled - 1/2" Nominal CTS	22	100	1000	0.15
QR4	0-84169-08720-1	QickTite Ring - Unassembled - 3/4" Nominal CTS	22	25	1000	0.41
QR5	0-84169-08722-5	QickTite Ring - Unassembled - 1" Nominal CTS	22	25	1000	0.41
INDIVIDUAL NUTS						
QFN1	0-84169-08395-1	QickTite Nut - Unassembled - 1/4" Nominal CTS	22	100	1000	0.87
QFN2	0-84169-08398-2	QickTite Nut - Unassembled - 3/8" Nominal CTS	22	100	1000	0.87
QFN3	0-84169-08403-3	QickTite Nut - Unassembled - 1/2" Nominal CTS	22	100	1000	1.10
QFN4	0-84169-08406-4	QickTite Nut - Unassembled - 3/4" Nominal CTS	22	25	1000	2.02
QFN5	0-84169-08408-8	QickTite Nut - Unassembled - 1" Nominal CTS	22	25	1000	2.52

QICKTITE® ACCESSORIES



Female Coupling (QC33F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FEMALE COUPLINGS - FPT X FPT						
QC33F	0-84169-08035-6	QickTite Female Coupling - 1/2" FPT x 1/2" FPT	22	100	1000	2.33
QC44F	0-84169-08103-2	QickTite Female Coupling - 3/4" FPT x 3/4" FPT	22	50	500	3.19
QC55F	0-84169-08129-2	QickTite Female Coupling - 1" FPT x 1" FPT	22	50	500	4.59



Test Cap (QTC3F)



Test Plug (QTP3T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TEST CAPS/PLUGS						
QTC3F	0-84169-08767-6	QickTite Test Cap - 1/2" FPT	22	100	1000	1.77
QTC4F	0-84169-08771-3	QickTite Test Cap - 3/4" FPT	22	50	500	2.11
QTP3T	0-84169-08778-2	QickTite Test Plug - 1/2" MPT	22	100	1000	1.40
QTP4T	0-84169-08785-0	QickTite Test Plug - 3/4" MPT	22	100	1000	1.64

QICKTITE® VALVES

Note: QickTite Male Plastic Threads must not be used for mating to metal female pipe threads. QickTite Globe Valves and Stop Valves must be installed according to flow direction arrow on body. QickTite Stop Valves are designed to operate at pressures above 10 psi. For questions regarding product selection or sizing, contact Zurn Customer Care. For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Female Angle Stop Valve - Unassembled (QV301)



Female Angle Stop Valve - Assembled (QV303)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE ANGLE STOP VALVES – FEMALE						
QV301*	0-84169-09030-0	Female Angle Stop Valve - QickTite Unassembled - 1/2" FPT x 1/2" MPT	22	10	100	7.61
QV302	0-84169-09035-5	Female Angle Stop Valve - QickTite Assembled - 1/2" FPT x 1/4" CTS	22	10	100	8.52
QV303	0-84169-09049-2	Female Angle Stop Valve - QickTite Assembled - 1/2" FPT x 3/8" CTS	22	10	100	8.48

* Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.



Angle Stop Valve - Assembled (QV342)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE ANGLE STOP VALVES						
QV311*	0-84169-09068-3	Angle Stop Valve - QickTite Unassembled - 1/2" MPT x 1/2" MPT	22	10	100	7.10
QV342	0-84169-09116-1	Angle Stop Valve - QickTite Assembled - 1/2" CTS x 1/4" CTS	22	10	100	9.72
QV343	0-84169-09132-1	Angle Stop Valve - QickTite Assembled - 1/2" CTS x 3/8" CTS	22	10	100	9.72

*Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.



Female Straight Stop Valve - Unassembled (QV401)



Female Straight Stop Valve - Assembled (QV402)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE STRAIGHT STOP VALVES – FEMALE						
QV401*	0-84169-09221-2	Female Straight Stop Valve - QickTite Unassembled - 1/2" FPT x 1/2" MPT	22	10	100	8.66
QV402	0-84169-09228-1	Female Straight Stop Valve - QickTite Assembled - 1/2" FPT x 1/4" CTS	22	10	100	10.62

*Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.

QICKTITE® VALVES (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Straight Stop Valve - Unassembled (QV411)



Straight Stop Valve - Assembled (QV442)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE STRAIGHT STOP VALVES						
QV411*	0-84169-09272-4	Straight Stop Valve - QickTite Unassembled - 1/2" MPT x 1/2" MPT	22	10	100	8.10
QV421†	0-84169-09287-8	Straight Stop Valve - QickTite Unassembled - 3/4" MPT x 1/2" MPT	22	10	100	8.11
QV432	0-84169-09292-2	Straight Stop Valve - QickTite Assembled - 3/8" CTS x 1/4" CTS	22	10	100	11.38
QV442	0-84169-09309-7	Straight Stop Valve - QickTite Assembled - 1/2" CTS x 1/4" CTS	22	10	100	12.06
QV443	0-8416909323-3	Straight Stop Valve - QickTite Assembled - 1/2" CTS X 3/8" CTS	22	10	100	12.06

*Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.

†The 1/2" MPT end can accept Nut-Ring-Cone sets QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X. The 3/4" MPT end can accept Nut-Ring-Cone set QFNCR3 or QBFNCR3.



In-Line Globe Shut-off Valve - Unassembled (QV3750)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE IN-LINE GLOBE SHUT-OFF VALVES - UNASSEMBLED						
QV3500*	0-84169-09153-6	In-Line Globe Shut-Off Valve - Unassembled - 1/2" MPT x 1/2" MPT	22	5	100	18.09
QV3750‡	0-84169-09210-6	In-Line Globe Shut-Off Valve - Unassembled - 3/4" MPT x 3/4" MPT	22	10	100	14.33
QV4100§	0-84169-09266-3	In-Line Globe Shut-Off Valve - Unassembled - 1" MPT x 1" MPT	22	5	100	15.89

*Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.

‡Each 3/4" MPT end can accept Nut-Ring-Cone set QFNCR3 or QBFNCR3.

§Each 1" MPT end can accept Nut-Ring-Cone set QFNCR4 or QBFNCR4.



In-Line Globe Shut-Off Valve - Assembled (QV3750A)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKTITE IN-LINE GLOBE SHUT-OFF VALVE - ASSEMBLED						
QV3750A	0-84169-09211-3	In-Line Globe Shut-off Valve - QickTite Assembled - 1/2" CTS x 1/2" CTS	22	5	100	18.79

QICKTITE® VALVES (CONTINUED)

For use with PEX, copper, CPVC, and polybutylene in potable water systems only.



Hose Bibb Valve (QV504)



Hose Bibb Valve - Unassembled (QV524)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
HOSE BIBB VALVES - SUPPLY/DRAIN						
QV504	0-84169-09410-0	Hose Bibb Valve - QickTite - 1/2" FPT x Male Hose Thread	22	10	100	7.74
QV514*	0-84169-09416-2	Hose Bibb Valve - QickTite Unassembled - 1/2" MPT x Male Hose Thread	22	10	100	8.48
QV524†	0-84169-09424-7	Hose Bibb Valve - QickTite Unassembled - 3/4" MPT x Male Hose Thread	22	10	100	7.66

*Each 1/2" MPT end can accept Nut-Ring-Cone sets: QFNCR1, QBFNCR1, QFNCR2, QBFNCR2, or Zurn PEX Lavatory Connection Q172X.
 †Each 3/4" MPT end can accept Nut-Ring-Cone set QFNCR3 or QBFNCR3.



Lavatory Connection with 1/2" FPT Nuts (Q172X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS						
Q172X	0-84169-49014-8	Lavatory Connection with 1/2" FPT Nuts - 3/8" OD x 72"	23	100	100	5.94



Check Valve (Q2500)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CHECK VALVE						
Q2500	0-84169-09828-3	Check Valve - 1/2" MPT x 1/2" MPT Thread Size	22	100	1000	7.70

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS

Zurn offers a complete line of installation accessories and miscellaneous products to enable entire systems to be installed quickly, easily, and efficiently.



Pipe Clamp (QH3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE CLAMPS						
QH1	0-84169-08422-4	Pipe Clamp - 1/4"	9	100	1000	0.22
QH2	0-84169-08423-1	Pipe Clamp - 3/8"	9	100	1000	0.22
QH3	0-84169-08424-8	Pipe Clamp - 1/2"	9	100	1000	0.24
QH4	0-84169-08425-5	Pipe Clamp - 3/4"	9	100	500	0.28
QH5	0-84169-67890-4	Pipe Clamp - 1"	9	50	250	0.28
QH6	0-84169-01364-4	Pipe Clamp - 1-1/4"	9	50	200	0.88
QH7	0-84169-01363-7	Pipe Clamp - 1-1/2"	9	50	200	1.05
QH8	0-84169-01375-0	Pipe Clamp - 2"	9	50	200	1.94



Strut Clamp (QCM2-8)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
STRUT CLAMP						
QCM2-8	0-84169-01279-1	Strut Clamp - 1-1/2" and 2"	9	25	250	4.19



Insulated Pipe Suspension Clamp (QISC4)



Pipe Insulator (QIS3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
INSULATED SUSPENSION CLAMPS/PIPE INSULATORS						
QISC3	0-84169-08432-3	Insulated Pipe Suspension Clamp - For 1/2" Nominal	9	50	500	0.67
QISC4	0-84169-08433-0	Insulated Pipe Suspension Clamp - For 3/4" Nominal	9	50	500	0.75
QISC5	0-84169-08434-7	Insulated Pipe Suspension Clamp - For 1" Nominal	9	25	250	1.24
QISC6	0-84169-01280-7	Insulated Pipe Suspension Clamp - For 1-1/4" Nominal	9	25	250	1.50
QISC7	0-84169-01281-4	Insulated Pipe Suspension Clamp - For 1-1/2" Nominal	9	25	250	1.94
QISC8	0-84169-01282-1	Insulated Pipe Suspension Clamp - For 2" Nominal	9	25	250	2.50
QIS3	0-84169-08435-4	Pipe Insulator - For 1/2" Nominal	9	50	500	1.13
QIS4	0-84169-08436-1	Pipe Insulator - For 3/4" Nominal	9	50	500	1.13
QIS5	0-84169-08437-8	Pipe Insulator - For 1" Nominal	9	50	500	1.41

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS (CONTINUED)



J Hook Clamp with Nails (QTALON3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBE TALONS						
QTALON3	0-84169-08764-5	J Hook Clamp with Nails - 1/2"	9	200	1000	0.12
QTALON4	0-84169-08765-2	J Hook Clamp with Nails - 3/4"	9	100	1000	0.16
QTALON5	0-84169-20365-6	J Hook Clamp with Nails - 1"	9	100	1000	0.22
QTALON6	0-84169-68959-7	J Hook Clamp with Nails - 1-1/4"	9	100	1000	0.29



Conduit Elbows (QHCE3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CONDUIT ELBOWS						
QHCE3	0-84169-51543-8	Conduit Elbow - 1/2"	9	25	25	2.55
QHCE4	0-84169-51544-5	Conduit Elbow - 3/4"	9	25	25	3.33
QHCE5	0-84169-67930-7	Conduit Elbow - 1"	9	25	25	8.58



Protection Sleeve (QHTPS3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FLEXIBLE TUBING PROTECTION SLEEVES						
QHTPS3	0-84169-67375-6	Protection Sleeve - 1/2" PEX Pipe	9	150 ft.	150 ft.	98.98
QHTPSJ4	0-84169-67217-9	Protection Sleeve - 5/8" and 3/4" PEX Pipe	9	150 ft.	150 ft.	123.59
QHTPS5	0-84169-67376-3	Protection Sleeve - 1" PEX Pipe	9	150 ft.	150 ft.	214.27

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS (CONTINUED)



Pipe Support Track (QMST7X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE SUPPORT TRACK						
QMST5X	0-84169-11528-7	1" Pipe Track Support for Plastic Pipe, 9 ft. length	9	5	5	22.92
QMST6X	0-84169-11530-0	1-1/4" Pipe Track Support for Plastic Pipe, 9 ft. length	9	5	5	26.44
QMST7X	0-84169-11531-7	1-1/2" Pipe Track Support for Plastic Pipe, 9 ft. length	9	5	5	31.54
QMST8X	0-84169-11529-4	2" Pipe Track Support for Plastic Pipe, 9 ft. length	9	5	5	34.68
QMSTH5X	0-84169-11557-7	1" Pipe Support Track Hanger	9	50	50	5.35
QMSTH6X	0-84169-11558-4	1-1/4" Pipe Support Track Hanger	9	50	50	5.94
QMSTH7X	0-84169-11559-1	1-1/2" Pipe Support Track Hanger	9	50	50	7.38
QMSTH8X	0-84169-11560-7	2" Pipe Support Track Hanger	9	50	50	9.95



Radiant Pipe Track (QHPT4)



Radiant Pipe Track (QH23J4-4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE TRACKS						
QHPT4	0-84169-67854-6	Radiant Pipe Track - For 3/4"	9	20	20	10.83
QH23J4-4	0-84169-67982-6	Radiant Pipe Track - For 3/8", 1/2", 5/8"	9	20	20	4.98



Flush Mount Tubing Clip (QHTCF2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBING CLIPS (FOR USE WITH QHTCG TUBING CLIP GUN)						
QHTCF2	0-84169-67226-1	Flush Mount Tubing Clips - 3/8"	9	100	100	0.39
QHTCF3	0-84169-67227-8	Flush Mount Tubing Clips - 1/2"	9	100	100	0.26
QHTCFJ	0-84169-67228-5	Flush Mount Tubing Clips - 5/8"	9	100	100	0.26
QHTCS3	0-84169-67229-2	Stand-Off Tubing Clip - 1/2"	9	100	100	0.22
QHTCS4	0-84169-67230-8	Stand-Off Tubing Clip - 3/4"	9	100	100	0.24

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS (CONTINUED)



Bend Support (QHPBS2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
BEND SUPPORTS						
QMBS3	0-84169-67159-2	Metal Bend Support - 1/2"	9	1		5.02
QMBS4	0-84169-67160-8	Metal Bend Support - 3/4"	9	50		5.89
QHPBS2	0-84169-67150-9	Bend Support - 3/8"	9	50		3.16
QHPBS3	0-84169-67151-6	Bend Support - 1/2"	9	50		3.16
QHPBS4	0-84169-67152-3	Bend Support - 3/4"	9	50		4.77
QHPBS5	0-84169-67153-0	Bend Support - 1"	9	50		7.34
QHPBSJ	0-84169-67154-7	Bend Support - 5/8"	9	50		3.72



Plastic L Clamp (QSLCLAMP)


PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PLASTIC L CLAMP SUPPORT						
QSLCLAMP	0-84169-67781-5	Plastic 1/2" L Clamp (Does Not Include 1/2" nominal Copper Stubout Elbow)	9	50	50	1.08



Metal Bend Support with Faceplate (QMBS3WB)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
METAL BEND SUPPORTS WITH FACEPLATE						
QMBS3WB	0-84169-67745-7	Metal Bend Support with Faceplate - 1/2"	9	1		5.89

INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS (CONTINUED)



Wire Fasteners (QWT1)



Wire Tool - Automatic (QAWT)



Wire Tool - Manual (QMWT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
WIRE FASTENERS/TOOLS						
QWT1	0-84169-00087-3	Wire Fastener - 6" - 1000 Per Bag	9	1000	1000	33.24
QAWT	0-84169-68099-0	Wire Tool - Automatic for 6" Wire Fasteners	13	1		42.47
QMWT	0-84169-68098-3	Wire Tool - Manual for 6" Wire Fasteners	13	1		6.02



PEX Pipe Dispenser (QHD)



PEX Portable Hanging Uncoiler (QPHU)



PEX Pipe Dispenser (QDISP)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE UNCOILERS						
QDISP	0-84169-00295-2	Dual Coil Uncoiler	13	1	1	1261.08
QHD	0-84169-51550-6	PEX Pipe Dispenser	13	1	1	1718.56
QPHU	0-84169-00590-8	PEX Portable Hanging Uncoiler	13	1	1	430.92



Escutcheon (QES128PW)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ESCUTCHEON						
QES128PW	0-84169-67760-0	Escutcheon (White Plastic) for 1/2" Nominal Pex, Copper or CPVC	23	10	50	0.51

TOOLS

Installation of Zurn PEX tubing with the Insert and Crimp System reduces labor and installation time, without the need for soldering, hazardous chemicals, or torch.



Medium PEX Crimp Tool (QCRT3CM)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MEDIUM CRIMP PEX TOOLS						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRT2CM	0-84169-51455-4	Medium PEX Crimp Tool - 3/8"	13	1		204.28
QCRT3CM	0-84169-51456-1	Medium PEX Crimp Tool - 1/2"	13	1		204.28
QCRTJCM	0-84169-68371-7	Medium PEX Crimp Tool - 5/8"	13	1		204.28
QCRT4CM	0-84169-51457-8	Medium PEX Crimp Tool - 3/4"	13	1		204.28
QCRT5CM	0-84169-11712-0	Medium PEX Crimp Tool - 1"	13	1		#REF!
QCRTCMRKIT	0-84169-11684-0	Repair Kit for QCRT2, 3, 4, JCM Tools	13	1		12.10



Large PEX Crimp Tool (QCRT3T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
LARGE CRIMP PEX TOOLS						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRTMH	0-84169-68921-4	Multi-Head Crimping Tool Kit with Remover (includes 3/8", 1/2", 5/8" and 3/4" Jaws)	13	1		120.38
QCRT2T	0-84169-67862-1	Large PEX Crimp Tool - 3/8"	13	1		205.72
QCRT3T	0-84169-67863-8	Large PEX Crimp Tool - 1/2"	13	1		205.72
QCRT4T	0-84169-67864-5	Large PEX Crimp Tool - 3/4"	13	1		205.72
QCRT5T	0-84169-67865-2	Large PEX Crimp Tool - 1"	13	1		287.44

TOOLS (CONTINUED)



Large Diameter Compact Crimp Tool (QCRTLDM)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
LARGE DIAMETER COMPACT CRIMP TOOL						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRTLDM	0-84169-01867-0	Large Diameter Compact Crimp Tool (includes 1-1/4", 1-1/2" and 2" Heads)	13	1		418.25
QCRTLDM-5	0-84169-11713-7	1" Replacement Head for QCRTLDM Compact Crimp Tool	13	1		39.73
QCRLD6	0-84169-01868-7	1-1/4" Replacement Head for QCRTLDM Compact Crimp Tool	13	1		39.73
QCRLD7	0-84169-01869-4	1-1/2" Replacement Head for QCRTLDM Compact Crimp Tool	13	1		39.73
QCRLD8	0-84169-01870-0	2" Replacement Head for QCRTLDM Compact Crimp Tool	13	1		39.73
QCRTLDMRKIT	0-84169-10012-2	Screw Nut Assembly Repair Kit for QCRTLDM	13	1		111.31
QCRTLDMRKIT-1	0-84169-11689-5	Small Parts Repair Kit for QCRTLDM	13	1		35.00



Medium Ratcheting QickClamp Tool (QCRTQCRM)



Medium QickClamp Crimp Tool (QCRTQCM)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKCLAMP® CRIMP TOOLS						
For use with QickClamp crimp rings (QCLP_X).						
QCRTQCM	0-84169-00289-1	QickClamp Crimp Tool - Medium	13	1		190.12
QCRTQCRM	0-84169-01451-1	Medium Ratcheting QickClamp Tool	13	1		221.80
QCRTQCMRKIT	0-84169-11691-8	Repair Kit for QCRTQCM Tool	13	1		23.25
QCRTQCRMKIT	0-84169-11687-1	Repair Kit for QCRTQCRM Tool	13	1		28.00



Stainless Steel Crimp Ring Tool (QSECR)



Ratcheting Stainless Steel Crimp Ring Tool (QSECRTRM)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
STAINLESS STEEL CRIMP RING TOOL						
For use with stainless steel clamp rings (QSOET_X).						
QSECR	0-84169-68482-0	Stainless Steel Crimp Ring Tool	13	1		164.77
QSECRTRM	0-84169-11714-4	Ratcheting Crimp Ring Tool for Stainless Steel OSOET_X Clamps	13	1		221.80

TOOLS (CONTINUED)



Bench Mount PEX Crimp Tool (QBCRT3T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
BENCH MOUNT PEX CRIMP TOOLS						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QBCRT3T	0-84169-68134-8	Bench Mount PEX Crimp Tool - 1/2"	13	1		461.03
QBCRT4T	0-84169-68135-5	Bench Mount PEX Crimp Tool - 3/4"	13	1		461.03



Close Quarters PEX Crimp Tool (QCQT34N)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CLOSE QUARTERS PEX CRIMP TOOLS						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCQT23N	0-84169-46307-4	Close Quarters PEX Crimp Tool - 3/8" and 1/2"	13	1		61.04
QCQT34N	0-84169-46308-1	Close Quarters PEX Crimp Tool - 1/2" and 3/4"	13	1		61.04



14V Battery-Powered Crimp Tool Kit (QCRBTKIT56-14V)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
BATTERY POWERED CRIMP TOOL						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC). Crimp gauge not included, see Crimp Gauges section for gauge offering.						
QCRBTKIT56-14V	0-84169-01925-7	14V Battery-Powered Crimp Tool Kit (1", 1-1/4")	13	1	1	4510.02
QCRBTBAT-14V	0-84169-01923-3	14V Replacement Battery	13	1	1	326.66
QCRBTCHG-14V	0-84169-01924-0	14V Replacement Charge	13	1	1	330.36
QCRBTBAT	0-84169-67932-1	Replacement Battery for 12V Battery Powered Crimp Tool	13	1	1	326.66
QCRBTCHG	0-84169-67933-8	Replacement Charger for 12V Battery Powered Crimp Tool	13	1	1	330.36
QCRBT2H	0-84169-67935-2	3/8" Crimp Head	13	1	1	405.03
QCRBT3H	0-84169-67934-5	1/2" Crimp Head	13	1	1	405.03
QCRBT4H	0-84169-67936-9	3/4" Crimp Head	13	1	1	405.03
QCRBT5H	0-84169-67937-6	1" Crimp Head	13	1	1	405.03
QBJ6	0-84169-68210-9	1-1/4" Crimp Head	13	1	1	421.23
QBJ7	0-84169-01128-2	1-1/2" Crimp Head	13	1	1	608.11
QBJ8	0-84169-01147-3	2" Crimp Head	13	1	1	654.19

TOOLS (CONTINUED)



PEX Tube Cutter - Ratchet Style (QPC752N)



PEX Tube Cutter - Blade Style (QSTC)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PEX TUBING CUTTERS						
QPC752N	0-84169-11654-3	PEX Tube Cutter - Ratchet Style - 1/4" OD to 1-1/8"	13	1		24.04
QWCUT	0-84169-01327-9	PEX Tube Cutter - Wheel Cutter Up to 2" OD	13	1		100.41
QLRCUT	0-84169-01332-3	PEX Tube Cutter - Ratchet Style - Up to 2" OD	13	1		131.81
QSTC	0-84169-68372-4	PEX Tube Cutter - Blade Style - 1/4" OD to 1-1/8"	13	1		16.48



Replacement Blades (QPC752BN)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
REPLACEMENT BLADES						
QPC752BN	0-84169-11655-0	Replacement Blades - For QPC752N	13	1		10.92



Crimp Ring Removal Tool (QCRRT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CRIMP RING REMOVAL TOOL						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRRT	0-84169-68100-3	Copper Crimp Ring Remover Tool (for use with 1/2" thru 1" brass fittings only)	13	1		38.03



PEX Crimp Gauge (QGA234P)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CRIMP GAUGES						
QGA234P	0-84169-20142-3	PEX Crimp Gauge - 3/8", 1/2", 3/4"	13	1		5.38
QGA5N	0-84169-51470-7	PEX Crimp Gauge - 1"	13	1		6.40
QGA6	0-84169-68380-9	PEX Crimp Gauge - 1-1/4" - For Use with XL Brass Fittings Only	13	1		9.51
QGA7	0-84169-00206-8	1-1/2" Copper Crimp Gauge -For Use with XL Brass Fittings Only	13	1		10.14
QGA8	0-84169-00989-0	2" Copper Crimp Gauge - For Use with XL Brass Fittings Only	13	1		14.20

TOOLS (CONTINUED)



Quick Sert CR Fitting Crimp Gauge (QGA678CR)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
LARGE DIAMETER QUICK SERT CR POLYMER CRIMP GAUGE						
QGA678CR	0-84169-11704-5	Quick Sert CR Polymer Fitting Crimp Gauge for 1-1/4", 1-1/2", and 2"	13	1	25	14.71



PEX Crimp Gauge for QuickClamp (QGNQC)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QUICKCLAMP CRIMP GAUGE						
QGNQC	0-84169-00624-0	PEX Crimp Gauge for QuickClamp - 3/8", 1/2", 3/4", and 1"	13	1		10.39



Tubing Clip Gun (QHTCG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBING CLIP GUN						
QHTCG	0-84169-67237-7	Tubing Clip Gun	13	1		94.78
For use with QHTCG Gun						
QHTCF2	0-84169-67226-1	Flush Mount Tubing Clips - 3/8"	9	100	100	0.39
QHTCF3	0-84169-67227-8	Flush Mount Tubing Clips - 1/2"	9	100	100	0.26
QHTCFJ	0-84169-67228-5	Flush Mount Tubing Clips - 5/8"	9	100	100	0.26
QHTCS3	0-84169-67229-2	Stand-Off Tubing Clip - 1/2"	9	100	100	0.22
QHTCS4	0-84169-67230-8	Stand-Off Tubing Clip - 3/4"	9	100	100	0.24



Air Pressure Tester (QHAIRT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
AIR PRESSURE TESTER						
QHAIRT	0-84169-67325-1	Air Pressure Tester	13	1		71.30
QHTP3	0-84169-51598-8	Compression Test Plug - 1/2" Pipe	13	1	1	3.60


FIRE PROTECTION PRODUCTS

Zurn PEX fire protection products are for multi-purpose residential fire sprinkler (RFS) applications, where the plumbing system is combined with the fire sprinkler system. Using Zurn PEX fire sprinkler systems in conjunction with the plumbing system reduces costs and eases installation by having one cohesive system. This product is only UL 1821 listed when used as a complete Zurn system, in NFPA 13D applications.

Note: Zurn recommends that residential fire protection systems are designed by a certified and licensed professional.

POTABLE (NON-BARRIER) TUBING FOR USE IN FIRE PROTECTION APPLICATIONS

Zurn PEX Potable (Non-Barrier) Tubing approved for use in fire protection applications includes 1" - 2" coils or straight lengths in white only.



PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	LIST PRICE
NON-BARRIER TUBING FOR USE IN FIRE PROTECTION APPLICATIONS - COILS					
Q5PC100X	0-84169-48396-6	1" x 100' (30.5m) H/C White PEX Tubing - Coil	1A	Each	296.21
Q5PC300X	0-84169-48397-3	1" x 300' (91.4m) H/C White PEX Tubing - Coil	1A	Each	888.62
Q5PC500X	0-84169-48398-0	1" x 500' (152.4m) H/C White PEX Tubing - Coil	1A	Each	1481.03
Q6PC100X	0-84169-68139-3	1-1/4" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	502.94
Q6PC300X	0-84169-67991-8	1-1/4" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	1508.82
Q7PC100X	0-84169-00588-5	1-1/2" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	684.27
Q7PC300X	0-84169-01168-8	1-1/2" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	2052.82
Q8PC100X	0-84169-01165-7	2" x 100' (30.5m) H/C White PEX Tubing - Coil	1B	Each	1337.40
Q8PC300X	0-84169-01166-4	2" x 300' (91.4m) H/C White PEX Tubing - Coil	1B	Each	4012.19
WHITE NON-BARRIER TUBING 20-FOOT STRAIGHT LENGTHS					
Q5PS20X	0-84169-48402-4	1" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1A	300' (15 sticks)	59.24
Q6PS20X	0-84169-68367-0	1-1/4" x 20' (6.1m) H/C White REX Tubing - Straight Length	1B	100' (5 sticks)	100.59
Q7PS20X	0-84169-00587-8	1-1/2" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1B	100' (5 sticks)	136.86
Q8PS20X	0-84169-01167-1	2" x 20' (6.1m) H/C White PEX Tubing - Straight Length	1B	100' (5 sticks)	267.48

FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS



Fire Sprinkler Tee Adapter (QQFST553GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) SPRINKLER HEAD TEE						
QQFST553GFX	0-84169-01889-2	(Crimp) XL Brass (RFS) Sprinkler Head Tee - 1" Barb x 1" Barb x 1/2" FPT	12C	5	25	31.01



Fire Sprinkler Brass Tee (QQT553GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) TEES						
QQT553GFX	0-84169-01820-5	(Crimp) XL Brass (RFS) Tee - 1" Barb x 1" Barb x 1/2" Barb	12C	25	100	11.74
QQT554GFX	0-84169-01821-2	(Crimp) XL Brass (RFS) Tee - 1" Barb x 1" Barb x 3/4" Barb	12C	25	100	12.83
QQT555GFX	0-84169-01819-9	(Crimp) XL Brass (RFS) Tee - 1" Barb	12C	25	100	13.57



Fire Sprinkler Coupling Adapter (QQFSC53GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) SPRINKLER HEAD COUPLING						
QQFSC53GFX	0-84169-02004-8	(Crimp) XL Brass (RFS) Sprinkler Head Coupling - 1" Barb x 1/2" FPT	12C	5	50	18.41



Fire Sprinkler Polymer Tee (QQPT555FX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER (RFS) TEES						
QQPT553FX	0-84169-01841-0	(Crimp) CR Polymer (RFS) Tee - 1" Barb x 1" Barb x 1/2" Barb	28A	25	100	4.39
QQPT554FX	0-84169-01839-7	(Crimp) CR Polymer (RFS) Tee - 1" Barb x 1" Barb x 3/4" Barb	28A	25	100	4.39
QQPT555FX	0-84169-01842-7	(Crimp) CR Polymer (RFS) Tee - 1" Barb	28A	25	100	4.39

FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS (CONTINUED)



Fire Sprinkler Elbow (QQE55GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) ELBOW						
QQE55GFX	0-84169-01818-2	(Crimp) XL Brass (RFS) Elbow - 1" Barb	12C	25	100	9.16



Fire Sprinkler Polymer Elbow (QQPE55FX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER (RFS) ELBOW						
QQPE55FX	0-84169-01840-3	(Crimp) CR Polymer (RFS) Elbow - 1" Barb	28A	50	100	4.39



Fire Sprinkler Coupling (QQC55GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) COUPLING						
QQC55GFX	0-84169-01812-0	(Crimp) XL Brass (RFS) Coupling - 1" Barb	12C	50	250	3.59



Fire Sprinkler Coupling (QQPC55FX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER (RFS) COUPLING						
QQPC55FX	0-84169-01837-3	(Crimp) CR Polymer (RFS) Coupling - 1" Barb	28A	50	250	2.00

FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS (CONTINUED)



Fire Sprinkler Male Adapter (QQMC55GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) MALE ADAPTER						
QQMC55GFX	0-84169-01813-7	(Crimp) XL Brass (RFS) Male Adapter - 1" Barb x 1" MPT	12C	25	100	10.10



Fire Sprinkler Male Adapter (QQPMC55FX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) QICK SERT CR POLYMER (RFS) MALE ADAPTER						
QQPMC55FX	0-84169-01890-8	(Crimp) CR Polymer (RFS) Male Adapter - 1" Barb x 1" MPT	28A	25	100	3.43



Fire Sprinkler Female Non Swivel Adapter (QQUFC55GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) FEMALE ADAPTER						
QQUFC55GFX	0-84169-01815-1	(Crimp) XL Brass (RFS) Female Adapter - 1" Barb x 1" FPT	12C	25	100	14.52

FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS (CONTINUED)



Fire Sprinkler Sweat Adapter (QQ700GFX)



Fire Sprinkler Sweat Adapter (QQ800GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) SWEAT ADAPTERS						
QQ700GFX	0-84169-01816-8	(Crimp) XL Brass (RFS) Male Sweat Adapter - 1" Male Sweat x 1" Barb	12C	25	100	6.68
QQ800GFX	0-84169-01817-5	(Crimp) XL Brass (RFS) Female Sweat Adapter - 1" Female Sweat x 1" Barb	12C	25	100	7.96



Fire Sprinkler Plug (QQP5GFX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS (RFS) PLUG						
QQP5GFX	0-84169-01814-4	(Crimp) XL Brass (RFS) Plug - 1" Barb	12C	50	250	4.34

ZURN PEX RADIANT HEATING PRODUCTS

Zurn PEX offers a complete line of radiant heating, snow and ice melt, soil conditioning for greenhouse/stadiums, and hot water baseboard distribution piping systems to efficiently heat residential or commercial buildings.

BARRIER TUBING – FOR HEATING USE ONLY

Zurn offers a variety of barrier tubing that is ideal for residential, commercial, and industrial applications including radiant heating, radiant cooling, and snow and ice melting systems.



hy-PE-RTube Barrier Tubing – Coils



hy-PE-RTube Barrier Tubing – Straight Lengths

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ZURN HY-PE-RTUBE BARRIER TUBING COILS						
hy-PE-RTube barrier tubing offers increased flexibility, easing and speeding installations. With an excellent high temperature resistance range up to 180°F fluid temperature, hy-PE-RTube is suitable for a full range of radiant applications in residential, commercial, and industrial installations. The mid-wall oxygen barrier reduces corrosion.						
QHR2PC500PX	0-84169-11476-1	3/8" X 500' (152 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	683.16
QHR2PC1000PX	0-84169-11477-8	3/8" X 1000' (304 .8 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	1366.31
QHR3PC300PX	0-84169-11479-2	1/2" X 300' (91 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	458.82
QHR3PC500PX	0-84169-11480-8	1/2" X 500' (152 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	764.70
QHR3PC1000PX	0-84169-11481-5	1/2" X 1000' (304 .8m) hy-PE-RTube Barrier Coil	2D	Each	Each	1529.39
QHRJPC300PX	0-84169-11482-2	5/8" X 300' (91 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	566.78
QHRJPC500PX	0-84169-11483-9	5/8" X 500' (152 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	944.63
QHRJPC1000PX	0-84169-11484-6	5/8" X 1000' (304 .8m) hy-PE-RTube Barrier Coil	2D	Each	Each	1889.25
QHR4PC100PX	0-84169-11486-0	3/4" X 100' (30 .5m) hy-PE-RTube Barrier Coil	2D	Each	Each	215.93
QHR4PC300PX	0-84169-11487-7	3/4" X 300' (91 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	647.78
QHR4PC500PX	0-84169-11488-4	3/4" X 500' (152 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	1079.63
QHR4PC1000PX	0-84169-11489-1	3/4" X 1000' (304 .8m) hy-PE-RTube Barrier Coil	2D	Each	Each	2159.25
QHR5PC300PX	0-84169-11491-4	1" X 300' (91 .4m) hy-PE-RTube Barrier Coil	2D	Each	Each	1011.08
ZURN HY-PE-RTUBE BARRIER TUBING - STRAIGHT LENGTHS						
QHR3PS20PX	0-84169-11478-5	1/2" X 20' (6 .1m) hy-PE-RTube Barrier Straight	2D	Each	Each	30.59
QHR4PS20PX	0-84169-11485-3	3/4" X 20' (6 .1m) hy-PE-RTube Barrier Straight	2D	Each	Each	43.19
QHR5PS20PX	0-84169-11490-7	1" X 20' (6 .1m) hy-PE-RTube Barrier Straight	2D	Each	Each	67.41

BARRIER TUBING – FOR HEATING USE ONLY (CONTINUED)



Performa Barrier Tubing – Coils



Performa Barrier Tubing – Straight Lengths

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PERFORMA BARRIER TUBING – COILS						
Performa cross-linked barrier tubing is 30% more flexible than other PEX silane method barrier tubing products, making it substantially easier to handle and less time-consuming to install. Performa tubing has an external oxygen barrier to reduce corrosion.						
QHR2PC1000FX	0-84169-00073-6	3/8" x 1000' Performa Barrier Coil	2B	Each	Each	1533.28
QHR2PC300FX	0-84169-01423-8	3/8" X 300' Performa Barrier Coil	2B	Each	Each	459.99
QHR2PC500FX	0-84169-00072-9	3/8" x 500' Performa Barrier Coil	2B	Each	Each	766.64
QHR3PC100FX	0-84169-01211-1	1/2" x 100' Performa Barrier Coil	2B	Each	Each	171.64
QHR3PC300FX	0-84169-00076-7	1/2" x 300' Performa Barrier Coil	2B	Each	Each	514.91
QHR3PC500FX	0-84169-00077-4	1/2" x 500' Performa Barrier Coil	2B	Each	Each	858.17
QHR3PC1000FX	0-84169-00078-1	1/2" x 1000' Performa Barrier Coil	2B	Each	Each	1716.34
QHR3PC1200FX	0-84169-11516-4	1/2" x 1200' Performa Barrier Coil	2B	Each	Each	2059.61
QHR4PC100FX	0-84169-01212-8	3/4" X 100' Performa Barrier Coil	2B	Each	Each	242.32
QHR4PC300FX	0-84169-00083-5	3/4" x 300' Performa Barrier Coil	2B	Each	Each	726.96
QHR4PC1000FX	0-84169-01272-2	3/4" x 1000' Performa Barrier Coil	2B	Each	Each	2423.20
QHR4PC500FX	0-84169-00084-2	3/4" x 500' Performa Barrier Coil	2B	Each	Each	1211.60
QHR5PC300FX	0-84169-00085-9	1" x 300' Performa Barrier Coil	2B	Each	Each	1134.69
QHR5PC500FX	0-84169-00086-6	1" x 500' Performa Barrier Coil	2B	Each	Each	1891.14
QHRJPC100FX	0-84169-00079-8	5/8" x 100' Performa Barrier Coil	2B	Each	Each	212.03
QHRJPC300FX	0-84169-00080-4	5/8" x 300' Performa Barrier Coil	2B	Each	Each	636.08
QHRJPC500FX	0-84169-00081-1	5/8" x 500' Performa Barrier Coil	2B	Each	Each	1060.13
QHRJPC1000FX	0-84169-00082-8	5/8" x 1000' Performa Barrier Coil	2B	Each	Each	2120.26
ZURN PEX PERFORMA BARRIER TUBING – STRAIGHT LENGTHS						
QHR3PS20FX	0-84169-00213-6	1/2" x 20' Performa Barrier Straight	2B	1000'		34.33
QHRJPS20FX	0-84169-00216-7	5/8" x 20' Performa Barrier Straight	2B	500'		42.41
QHR4PS20FX	0-84169-00214-3	3/4" x 20' Performa Barrier Straight	2B	500'		48.46
QHR5PS20FX	0-84169-00215-0	1" x 20' Performa Barrier Straight	2B	300'		75.65

ZURN PEX ALUMICOR (PEX-ALUMINUM-PEX) TUBING – FOR HEATING USE ONLY

Alumicor provides both the formability of aluminum and the chemical resistance of PEX, while protecting against corrosion. The unique five-layer composite structure is durable and lightweight, making installations easy. Alumicor must be installed with Alumicor compression fittings and connections.



Alumicor PEX-AL-PEX Compression Coil

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) COILS						
Q2PAP200X	0-84169-01208-1	3/8" x 200' Alumicor PAP Coil	2C	Each	Each	276.42
Q3PAP1000X	0-84169-00011-8	1/2" x 1000' Alumicor PAP Coil	2C	Each	Each	1503.26
Q3PAP300X	0-84169-00046-0	1/2" x 300' Alumicor PAP Coil	2C	Each	Each	450.98
Q3PAP500X	0-84169-00047-7	1/2" x 500' Alumicor PAP Coil	2C	Each	Each	751.63
QJPAP300X	0-84169-00596-0	5/8" x 300' Alumicor PAP Coil	2C	Each	Each	628.54
Q4PAP300X	0-84169-00050-7	3/4" x 300' Alumicor PAP Coil	2C	Each	Each	919.45
Q5PAP100X	0-84169-00053-8	1" x 100' Alumicor PAP Coil	2C	Each	Each	496.53
Q5PAP500X	0-84169-00055-2	1" x 500' Alumicor PAP Coil	2C	Each	Each	2482.65



Tee (QHPAPT444C)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) COMPRESSION TEES						
QHPAPT333C	0-84169-01109-1	Alumicor (PAP) Tee - 1/2" PAP	20	5	5	16.60
QHPAPT444C	0-84169-01110-7	Alumicor (PAP) Tee - 3/4" PAP	20	5	5	25.02
QHPAPT553C	0-84169-01115-2	Alumicor (PAP) Tee - 1" PAP x 1" PAP x 1/2" PAP	20	5	5	37.03
QHPAPT554C	0-84169-01114-5	Alumicor (PAP) Tee - 1" PAP x 1" PAP x 3/4" PAP	20	5	5	38.95
QHPAPT555C	0-84169-01111-4	Alumicor (PAP) Tee - 1" PAP	20	5	5	42.78
QHPAPT55JC	0-84169-01112-1	Alumicor (PAP) Tee - 1" PAP x 1" PAP x 5/8" PAP	20	5	5	37.61

ZURN PEX ALUMICOR (PEX-AL-PEX) – FOR HEATING USE ONLY (CONTINUED)



Elbow (QHPAPE44C)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) COMPRESSION ELBOWS						
QHPAPE33C	0-84169-01089-6	Alumicor (PAP) Elbow - 1/2" PAP x 1/2" PAP	20	10	10	10.22
QHPAPEJJC	0-84169-01090-2	Alumicor (PAP) Elbow - 5/8" PAP x 5/8" PAP	20	10	10	8.34
QHPAPE44C	0-84169-01091-9	Alumicor (PAP) Elbow - 3/4" PAP x 3/4" PAP	20	10	10	15.44
QHPAPE55C	0-84169-01092-6	Alumicor (PAP) Elbow - 1" PAP x 1" PAP	20	5	5	26.18



Coupling (QHPAPC44C)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) COMPRESSION COUPLINGS						
QHPAPC22C	0-84169-01198-5	Alumicor (PAP) Coupling - 3/8" PAP	20	10	10	5.52
QHPAPC33C	0-84169-01081-0	Alumicor (PAP) Coupling - 1/2" PAP x 1/2" PAP	20	10	10	8.42
QHPAPC44C	0-84169-01083-4	Alumicor (PAP) Coupling - 3/4" PAP x 3/4" PAP	20	10	10	16.84
QHPAPC55C	0-84169-01084-1	Alumicor (PAP) Coupling - 1" PAP x 1" PAP	20	5	5	27.28
QHPAPCJJC	0-84169-01082-7	Alumicor (PAP) Coupling - 5/8" PAP x 5/8" PAP	20	10	10	11.38



Male Adapter (QHPAPMA44C)



Male Sweat (QHPAPA44M)



Female Sweat (QHPAPA44F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) COMPRESSION ADAPTERS						
QHPAPMA33C	0-84169-01093-3	Alumicor (PAP) Male Adapter - 1/2" PAP x 1/2" MPT	20	10	10	6.68
QHPAPMA44C	0-84169-01094-0	Alumicor (PAP) Male Adapter - 3/4" PAP x 3/4" MPT	20	10	10	11.24
QHPAPA22M	0-84169-02023-9	Alumicor (PAP) Male Sweat Adapter - 3/8" PAP x 3/8" Male Sweat	20	10	10	4.41
QHPAPA23M	0-84169-02025-3	Alumicor (PAP) Male Sweat Adapter - 3/8" PAP x 1/2" Male Sweat	20	10	10	5.57
QHPAPA33M	0-84169-01101-5	Alumicor (PAP) Male Sweat Adapter - 1/2" PAP x 1/2" Male Sweat	20	10	10	6.33
QHPAPAJ4M	0-84169-01100-8	Alumicor (PAP) Male Sweat Adapter - 5/8" PAP x 3/4" Male Sweat	20	10	10	9.58
QHPAPA44M	0-84169-01102-2	Alumicor (PAP) Male Sweat Adapter - 3/4" PAP x 3/4" Male Sweat	20	10	10	11.44
QHPAPA55M	0-84169-01103-9	Alumicor (PAP) Male Sweat Adapter - 1" PAP x 1" Male Sweat	20	5	5	13.33
QHPAPA22F	0-84169-02022-2	Alumicor (PAP) Female Sweat Adapter - 3/8" PAP x 3/8" Female Sweat	20	10	10	4.08
QHPAPA23F	0-84169-02024-6	Alumicor (PAP) Female Sweat Adapter - 3/8" PAP x 1/2" Female Sweat	20	10	10	5.10
QHPAPA33F	0-84169-01104-6	Alumicor (PAP) Female Sweat Adapter - 1/2" PAP x 1/2" Female Sweat	20	10	10	6.62
QHPAPA34F	0-84169-01108-4	Alumicor (PAP) Female Sweat Adapter - 1/2" PAP x 3/4" Female Sweat	20	10	10	7.26
QHPAPAJ4F	0-84169-01106-0	Alumicor (PAP) Female Sweat Adapter - 5/8" PAP x 3/4" Female Sweat	20	10	10	8.54
QHPAPA44F	0-84169-01105-3	Alumicor (PAP) Female Sweat Adapter - 3/4" PAP x 3/4" Female Sweat	20	10	10	11.66
QHPAPA55F	0-84169-01107-7	Alumicor (PAP) Female Sweat Adapter - 1" PAP x 1" Female Sweat	20	5	5	16.60

ZURN PEX ALUMICOR (PEX-AL-PEX) – FOR HEATING USE ONLY (CONTINUED)



PAP to QickZone and AccuFlow

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) QICKZONE AND ACCUFLOW BRASS MANIFOLD CONNECTORS						
QHPAPMMC2	0-84169-01199-2	3/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	19.76
QHPAPMMC3	0-84169-01117-6	1/2" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	17.99
QHPAPMMC4	0-84169-01119-0	3/4" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	33.67
QHPAPMMCJ	0-84169-01118-3	5/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	20.90
ALUMICOR – PEX-AL-PEX (PAP) ACCUFLOW STAINLESS STEEL MANIFOLD CONNECTORS						
QHPAPMMC2S	0-84169-11507-2	3/8" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	8.76
QHPAPMMC3S	0-84169-11508-9	1/2" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	8.99
QHPAPMMCJS	0-84169-11510-2	5/8" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	9.44
QHPAPMMC4S	0-84169-11509-6	3/4" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	19.77



Internal Bending Spring (QHPAPIS-3)



External Bending Spring (QHPAPES-3)



Reamer Tool (QHPAP-J45)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ALUMICOR – PEX-AL-PEX (PAP) TOOLS						
QHPAP-234	0-84169-00106-1	Alumicor Reamer Tool - 3/8", 1/2", 3/4"	13	1		11.93
QHPAP-J45	0-84169-00107-8	Alumicor Reamer Tool - 5/8", 3/4", 1"	13	1		18.23
QHPAPES-3	0-84169-00108-5	Alumicor External Bending Spring - 1/2"	13	1	5	26.45
QHPAPES-J	0-84169-00109-2	Alumicor External Bending Spring - 5/8"	13	1	5	33.56
QHPAPES-4	0-84169-00110-8	Alumicor External Bending Spring - 3/4"	13	1	5	40.01
QHPAPES-5	0-84169-00111-5	Alumicor External Bending Spring - 1"	13	1	5	44.31
QHPAPIS-3	0-84169-00112-2	Alumicor Internal Bending Spring - 1/2"	13	1	5	13.43
QHPAPIS-J	0-84169-00113-9	Alumicor Internal Bending Spring - 5/8"	13	1	5	18.23
QHPAPIS-4	0-84169-00114-6	Alumicor Internal Bending Spring - 3/4"	13	1	5	21.09
QHPAPIS-5	0-84169-00115-3	Alumicor Internal Bending Spring - 1"	13	1	5	27.82

QICKZONE® MODULAR MANIFOLD SYSTEM

The Zurn QickZone® manifold provides a reliable and innovative solution for the designer and installer of radiant systems. The modular brass QickZone requires only a few SKU's to build any size manifold in any configuration, reducing inventory. The manifold offers 1-1/4" supply and return isolation ball valves with thermometers, 0 to 2 gpm flow meters, automatic/manual air vents, fill/drain valves and mounting brackets, allowing for easy installation, quick flow adjustment, and performance verification. Actuators are available for maximum zoning potential. The QickZone manifold's modular design also enables additional loops to be easily added to accommodate project additions. Maximum 21 gpm.



Modular Manifold Kit (QHMKIT6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1-1/4" QICKZONE MODULAR MANIFOLD KIT						
QHMKIT6	0-84169-00980-7	1-1/4" QickZone Modular Manifold Kit; (2) Supply End Modules and (2) Return End Modules	15	1	1	136.46



Supply/Return Central Module (QHMC2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1-1/4" QICKZONE SUPPLY/RETURN CENTRAL MODULE						
QHMC2	0-84169-00034-7	1-1/4" QickZone Manifold Supply / Return Central Module -(2 gpm)	15	1	1	63.01



Manifold Ball Valves with Thermometers (QHMBV6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1-1/4" QICKZONE MANIFOLD BALL VALVE KITS						
QHMBV6	0-84169-00983-8	1-1/4" QickZone Manifold Ball Valves with Thermometers (Pair)	15	1 pair	1	145.07
QHMBV06	0-84169-00984-5	1-1/4" QickZone Manifold Ball Valves Less Thermometers	15	1	1	90.31

QICKZONE® MODULAR MANIFOLD SYSTEM (CONTINUED)



1-1/4" QickZone Manifold Inlet Thread Adapters (QHMAA6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
1-1/4" QICKZONE INLET THREAD ADAPTERS						
QHMAA6	0-84169-67769-3	1-1/4" QickZone Manifold Inlet Thread Adapters (1-1/4" Male BPT x 1-1/4" FPT)	15	1 pair	1	46.33



1-1/4" QickZone Manifold End Plug (QHMEP6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
1-1/4" QICKZONE MANIFOLD PLUG						
QHMEP6	0-84169-67873-7	1-1/4" QickZone Manifold End Plug -1-1/4" BPT with Gasket	15	1		16.72



Surface Mounting Brackets and Collars (QHMODMB)



Mounting Brackets ONLY (QHMODBR)



Bracket Collars ONLY (QHMODMC)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
1-1/4" QICKZONE MODULAR MANIFOLD BRACKETS						
QHMODMB	0-84169-67753-2	Surface Mounting Brackets and Collars - QickZone Manifold	15	1 pair	1	50.25
QHMODBR	0-84169-68374-8	Between Studs or Surface Mounting, Brackets only (requires QHMODMC) - QickZone Manifold	15	1 pair		16.99
QHMODMC	0-84169-68368-7	Bracket Collars for QHMODBR - QickZone Manifold	15	1 pair		6.37



1-1/4" QickZone Manifold Air Vent Kits with Drain Valves (QHMAAVKIT6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
1-1/4" QICKZONE AIR VENT KITS WITH DRAIN VALVES						
QHMAVKIT6	0-84169-00982-1	1-1/4" QickZone Manifold Manual Air Vent Kit with Drain Valves	15	1	1	35.05
QHMAAVKIT6	0-84169-00981-4	1-1/4" QickZone Manifold Automatic Air Vent Kit with Drain Valves	15	1	1	41.60

QICKZONE® MODULAR MANIFOLD SYSTEM (CONTINUED)



1" QickZone Manifold Assembly Kit (QHCKMKT5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" QICKZONE MODULAR MANIFOLD KIT						
QHCKMKT5	0-84169-00626-4	1" QickZone Manifold Assembly Kit - 2-Loop Manifold (1" Supply/Return Ball Valves, 1" Manual Air Vents, 1" Supply/Return End Modules and Pair of Brackets)	15	1	1	417.13
QHCKM	0-84169-67712-9	1" QickZone Manifold Supply/Return Central Module (1.31 gpm)	15	1	1	65.03



Manifold Replacement Parts

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QICKZONE MODULAR MANIFOLD SYSTEM REPLACEMENT PARTS						
QHMF1	0-84169-67940-6	Replacement Flow Meter 1.31 GPM - QickZone/AccuFlow Brass Manifold	15	1		9.35
QHMF2	0-84169-01459-7	Replacement Flow Meter 2 GPM - QickZone Manifold	15	1		8.75
QHMTGT	0-84169-67985-7	Thermometer Gauge and Thermowell - QickZone Manifold	15	1		36.49
QHMBV66R	0-84169-67710-5	Isolation Ball Valve - Red Handle - 1-1/4" QickZone Manifold	15	1		44.03
QHMBV66B	0-84169-67775-4	Isolation Ball Valve - Blue Handle - 1-1/4" QickZone Manifold	15	1		44.03
QHMAAVCV	0-84169-67945-1	Automatic Air Vent with Check Valve - QickZone/AccuFlow Brass Manifold	15	1		11.29
QHMAVP3	0-84169-67942-0	Unused port Plug (BPT) for the former QHMAVKIT1 QickZone vent kit Assy.	15	1		1.69
QHMSCM	0-84169-67787-7	Supply Central Module 1.31 GPM - QickZone Manifold	15	1		29.62
QHMRMCM	0-84169-67786-0	Return Central Module - QickZone Manifold	15	1		31.75
QHMP1	0-84169-02014-7	Piston Replacement Tool - QickZone/AccuFlow Brass Manifold	15	1	1	75.10
QHMP2	0-84169-02017-8	Piston Replacement Socket - QickZone/AccuFlow Brass Manifold	15	1	1	70.12
QHMQP	0-84169-02012-3	QickZone Replacement Piston	15	1	1	5.50
QHMT	0-84169-01911-0	Manifold Thermometer - Replacement for QickZone and AccuFlow Brass	15	1	1	36.49
QHMAAV	0-84169-67944-4	Automatic Air Vent - Replacement for QickZone and AccuFlow Brass	15	1		25.40
QHMAAVO	0-84169-68197-3	1/8" Air Vent	15	1		24.77
QHMMCP	0-84169-00595-3	Manifold Circuit Cap - QickZone/Accuflow Brass	15	2	5 pair	2.20

QICKZONE® MODULAR MANIFOLD SYSTEM (CONTINUED)



PEX/Performa/hy-PE-Rtube Manifold Connectors for QickZone and AccuFlow Brass Manifolds (QHMMC2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS						
QHMMC2	0-84169-67715-0	3/8" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	14.97
QHMMC3	0-84169-67716-7	1/2" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	14.50
QHMMCJ	0-84169-67717-4	5/8" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	13.58
QHMMC4	0-84169-67718-1	3/4" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	20.43



Alumicor Manifold Connectors for QickZone and AccuFlow Brass Manifolds (QHPAPMMC4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
ZURN ALUMICOR MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS (PRICED PER PAIR)						
QHPAPMMC2	0-84169-01199-2	3/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	19.94
QHPAPMMC3	0-84169-01117-6	1/2" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	18.16
QHPAPMMCJ	0-84169-01118-3	5/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	21.09
QHPAPMMC4	0-84169-01119-0	3/4" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	33.98



Zone Valve Actuator with End Switch (QHBMVDS)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG CARTON		LIST PRICE
				QTY.	QTY.	
ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS						
QHBMVDS	0-84169-67772-3	Zone Valve Actuator With End Switch, 24 Volt, 4 Wire, Normally Closed, Push/Turn/Lock Connection	4	1		61.17

ACCUFLOW® RADIANT HEATING MANIFOLDS

Zurn AccuFlow Manifolds offer superior control of any radiant system and are available in stainless steel or brass construction. AccuFlow Manifolds are easily assembled with 2 through 12 loops, and 3/8" through 3/4" tubing connections to fit a variety of piping configurations. The Manifold offers 1" supply and return isolation ball valves with thermometers, 0 to 1.3 gpm flow meters, automatic/manual air vents, fill/drain valves and mounting brackets, allowing for easy installation, quick flow adjustment, and performance verification. Actuators are available for maximum zoning potential. The AccuFlow brass Manifold is also available preassembled and factory pressure tested, speeding installation. Maximum 12 gpm.

1" Brass AccuFlow Preassembled
and Pressure Tested Radiant Heating Manifolds



6-Port Manifold, Inline Air Vent
and Supply/Return Ball Valves (QHPM-6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS PREASSEMBLED AND PRESSURE TESTED RADIANT HEATING MANIFOLDS						
Note: This Brass QHPM Manifold is assembled with Ball Valves on the left and loop ports facing down. Disassembly of this Manifold for reconfiguration will require the installer to also purchase two or four QHM5G 1" Gaskets. If a different configuration is required, Headers, Ball Valve Kit and Vent kit are available in the Build-Your-Own AccuFlow® Radiant Heating Manifold section for field assembly in any configuration.						
QHPM-2	0-84169-68570-4	2-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	407.66
QHPM-3	0-84169-68571-1	3-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	465.40
QHPM-4	0-84169-68572-8	4-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	505.78
QHPM-5	0-84169-68573-5	5-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	603.63
QHPM-6	0-84169-68574-2	6-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	656.55
QHPM-7	0-84169-68575-9	7-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	719.05
QHPM-8	0-84169-68576-6	8-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	795.07
QHPM-9	0-84169-68577-3	9-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	856.18
QHPM-10	0-84169-68578-0	10-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	920.23
QHPM-11	0-84169-68579-7	11-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	957.25
QHPM-12	0-84169-68580-3	12-Port Manifold, 1" AccuFlow Brass Preassembled and Pressure Tested	3A	1	1	1058.49

BUILD-YOUR-OWN ACCUFLOW® RADIANT HEATING MANIFOLD



4-Circuit, Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold (QHAF-4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS MANIFOLDS SUPPLY/RETURN HEADERS WITH BRACKET						
QHAF-2	0-84169-00872-5	2-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	163.98
QHAF-3	0-84169-00873-2	3-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	232.94
QHAF-4	0-84169-00874-9	4-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	292.48
QHAF-5	0-84169-00870-1	5-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	346.22
QHAF-6	0-84169-00875-6	6-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	412.17
QHAF-7	0-84169-00876-3	7-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	482.41
QHAF-8	0-84169-00869-5	8-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	543.27
QHAF-9	0-84169-00871-8	9-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	600.41
QHAF-10	0-84169-00877-0	10-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	663.67
QHAF-11	0-84169-00878-7	11-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	735.30
QHAF-12	0-84169-00879-4	12-Circuit Supply/Return Headers with Bracket for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1	1	802.24
QHMCPS	0-84169-00008-8	AccuFlow Manifold Header Coupling - 1" MBPT x 1" MBPT	3A	1	1	7.89



Ball Valve Kit with Thermometers for 1" AccuFlow Brass Manifold (QHMBVKIT5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS MANIFOLD BALL VALVE KIT						
QHMBVKIT5	0-84169-00643-1	1" Ball Valve Kit with Thermometers (Pair) for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		161.54



1" Manual Air Vent Kit with Drain Valve for 1" AccuFlow Brass Manifold (QHMAVKIT5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES						
QHMAVKIT5	0-84169-00647-9	1" Manual Air Vent Kit with Drain Valve for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		35.10
QHMAVKIT5	0-84169-00660-8	1" Automatic Air Vent Kit with Drain Valve for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		45.22

BUILD-YOUR-OWN ACCUFLOW® RADIANT HEATING MANIFOLD (CONTINUED)



1" Header End Plug for 1" AccuFlow Brass Build-Your-Own Manifold (QHMEP5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS MANIFOLD PLUG						
QHMEP5	0-84169-00644-8	1" Header End Plug for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		6.64
ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS						
QHMBMVDS	0-84169-67772-3	Zone Valve Actuator With End Switch, 24 Volt, 4 Wire, Normally Closed, Push/Turn/Lock Connection	4	1		61.17
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE						
QHMMC2	0-84169-67715-0	3/8" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	14.97
QHMMC3	0-84169-67716-7	1/2" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	14.50
QHMMCJ	0-84169-67717-4	5/8" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	13.58
QHMMC4	0-84169-67718-1	3/4" connector for PEX/Performa/hy-PE-Rtube to QickZone/AccuFlow Brass Manifold	15	2	5 pair	20.43
ZURN ALUMICOR MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE (PRICED PER PAIR)						
QHPAPMMC2	0-84169-01199-2	3/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	19.94
QHPAPMMC3	0-84169-01117-6	1/2" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	18.16
QHPAPMMCJ	0-84169-01118-3	5/8" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	21.09
QHPAPMMC4	0-84169-01119-0	3/4" connector for Alumicor to QickZone/AccuFlow Brass Manifold	20	2	5 pair	33.98
1" ACCUFLOW BRASS MANIFOLD REPLACEMENT PARTS						
For use with all AccuFlow Brass Manifolds (Pre-Assembled, Un-Assembled, and Injection Mixing Kit).						
QHMAP	0-84169-02013-0	AccuFlow Brass Replacement Piston	3A	1	1	3.65
QHMPPT	0-84169-02014-7	Piston Replacement Tool - QickZone/AccuFlow Brass Manifold	15	1	1	75.10
QHMPSS	0-84169-02017-8	Piston Replacement Socket - QickZone/AccuFlow Brass Manifold	15	1	1	70.12
QHMFMM	0-84169-67940-6	Replacement Flow Meter 1.31 GPM - QickZone/AccuFlow Brass Manifold	15	1		9.35
QHMT	0-84169-01911-0	Manifold Thermometer - Replacement for QickZone and AccuFlow Brass	15	1	1	36.49
QHMSG	0-84169-10007-8	Header Gasket for AccuFlow Brass Manifold - Seals connection between Header and Ballvalve Kit or Vent Kit or End Plug	15	1	50	0.42
QHMMCP	0-84169-00595-3	Manifold Circuit Cap - QickZone/Accuflow Brass	15	2	5 pair	2.20

PLUMBING PRODUCT

FIRE PROTECTION

RADIANT HEATING

1" MANIFOLD INJECTION MIXING SYSTEM - USE WITH QHAF HEADERS

The manifold injection mixing system is ideal for retrofit radiant heating floor systems where a high temperature baseboard system currently exists.



Medium Head Pump Injection Mixing System - For use with QHAF Headers (QHMPK-M)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
INJECTION MIXING SYSTEMS						
QHMPK-L	0-84169-00929-6	Injection Pump Kit for Accuflow Brass QHAF Headers - Low Head Pump for 1" Injection Mixing System	19	1	1	513.55
QHMPK-M	0-84169-00930-2	Injection Pump Kit for Accuflow Brass QHAF Headers - Medium Head Pump for 1" Injection Mixing System	19	1	1	776.83
QHMPK-H	0-84169-00928-9	Injection Pump Kit for Accuflow Brass QHAF Headers - High Head Pump for 1" Injection Mixing System	19	1	1	903.69



Thermostatic Control for 1" Injection Mixing System (QHMTCK)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
THERMOSTATIC CONTROL FOR INJECTION PUMP KIT						
QHMTCK	0-84169-00766-7	Thermostatic Control for 1" Injection Mixing System	19	1		96.17



Pressure By-Pass Kit for 1" Injection Mixing System (QHMBPK)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PRESSURE BY-PASS KIT FOR INJECTION PUMP KIT						
QHMBPK	0-84169-00764-3	Pressure By-Pass Kit for 1" Injection Mixing System	19	1		217.92

1" MANIFOLD INJECTION MIXING SYSTEM - USE WITH QHAF HEADERS (CONTINUED)




Manual Air Vent Kit with Drain Valves (QHMAVKIT5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES (USE ONE FOR INJECTION SYSTEM WHEN NOT USING BYPASS)						
QHMAVKIT5	0-84169-00647-9	1" Manual Air Vent Kit with Drain Valve for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		35.10
QHMAAVKIT5	0-84169-00660-8	1" Automatic Air Vent Kit with Drain Valve for 1" AccuFlow Brass Build-Your-Own Manifold	3A	1		45.22
OPTIONAL THERMOMETER FOR INJECTION PUMP KIT						
QHMTB	0-84169-01918-9	Threaded Bushing - 1/2" x 3/8" BPT	19	1	1	7.23
QHMTGT	0-84169-67985-7	Thermometer and Well	15	1		36.49

1" ACCUFLOW® STAINLESS STEEL RADIANT HEATING MANIFOLD KIT

AccuFlow Stainless Steel Manifolds are easily assembled with 2 through 12 loops, and 3/8" through 3/4" tubing connections to fit a variety of piping configurations. The Manifold includes 1" supply and return isolation ball valves with thermometers, 0 to 1.3 gpm flow meters, automatic air vents, fill/drain valves and mounting brackets, allowing for easy installation, quick flow adjustment, and performance verification. Actuators are available for maximum zoning potential. Maximum 12 gpm.



3 Port Manifold, 1" AccuFlow Stainless Steel Kit (QHPM-3S)

(Kit Includes: Headers, Brackets, Ball Valves, Thermometers, Purge/Drain Assembly. With Auto Vents for Supply/Return. Flow Meters on Supply Header. Some Assembly Required)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
1" ACCUFLOW STAINLESS STEEL RADIANT HEATING MANIFOLD KIT						
QHPM-2S	0-84169-11492-1	2 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	279.10
QHPM-3S	0-84169-11493-8	3 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	334.43
QHPM-4S	0-84169-11494-5	4 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	382.20
QHPM-5S	0-84169-11495-2	5 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	429.40
QHPM-6S	0-84169-11496-9	6 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	478.29
QHPM-7S	0-84169-11497-6	7 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	527.54
QHPM-8S	0-84169-11498-3	8 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	580.82
QHPM-9S	0-84169-11499-0	9 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	640.86
QHPM-10S	0-84169-11500-3	10 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	700.57
QHPM-11S	0-84169-11501-0	11 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	760.81
QHPM-12S	0-84169-11502-7	12 Port Manifold, 1" AccuFlow Stainless Steel Kit	3B	1	1	820.27

1" ACCUFLOW® STAINLESS STEEL RADIANT HEATING MANIFOLD KIT (CONTINUED)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD						
QHMMC2S	0-84169-11503-4	3/8" connector for PEX/Performa/hy-PE-Rtube to AccuFlow Stainless Steel Manifold	3B	1	2	8.32
QHMMC3S	0-84169-11504-1	1/2" connector for PEX/Performa/hy-PE-Rtube to AccuFlow Stainless Steel Manifold	3B	1	2	8.59
QHMMCJS	0-84169-11506-5	5/8" connector for PEX/Performa/hy-PE-Rtube to AccuFlow Stainless Steel Manifold	3B	1	2	8.99
QHMMC4S	0-84169-11505-8	3/4" connector for PEX/Performa/hy-PE-Rtube to AccuFlow Stainless Steel Manifold	3B	1	2	19.77
ZURN ALUMICOR (PAP) MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD						
QHPAPMMC2S	0-84169-11507-2	3/8" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	8.76
QHPAPMMC3S	0-84169-11508-9	1/2" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	8.99
QHPAPMMCJS	0-84169-11510-2	5/8" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	9.44
QHPAPMMC4S	0-84169-11509-6	3/4" connector for Alumicor to AccuFlow Stainless Steel Manifold (Pair)	3B	1	2	19.77
ZURN 2-WIRE ACTUATOR FOR ACCUFLOW STAINLESS STEEL MANIFOLD						
QHBMVDSS	0-84169-11511-9	Zone Valve Actuator, 24 Volt, 2 Wire, Normally Closed, Swivel nut Connection	3B	1	1	79.77
ZURN 4 WIRE ACTUATOR AND ADAPTER FOR ACCUFLOW STAINLESS STEEL MANIFOLD						
QHBMVDS	0-84169-67772-3	Zone Valve Actuator With End Switch, 24 Volt, 4 Wire, Normally Closed, Push/Turn/Lock Connection	4	1		61.17
QHBMVDSADP	0-84169-11576-8	Actuator Adapter (Enables the QHBMVDS to be mounted to Accuflow SS Manifold,QHSZV Zone Valves & QHDV5)	4	1	100	1.19
1" ACCUFLOW STAINLESS STEEL MANIFOLD REPLACEMENT PARTS						
QHSMVA	0-84169-11583-6	Stainless Steel Manifold AutoVent	3B	1		19.04
QHSMBAVA	0-84169-11585-0	Stainless Steel Manifold Blue Air Vent Assembly	3B	1		52.34
QHSMBBVA	0-84169-11584-3	Stainless Steel Manifold Blue Ball Valve Assembly	3B	1		69.80
QHSMFM	0-84169-11587-4	Stainless Steel Manifold Flow Meter Assembly	3B	1		10.95
QHSMHRS	0-84169-11588-1	Stainless Steel Manifold Header Rubber Ring Seal	3B	1		5.35
QHSMMB	0-84169-11589-8	Stainless Steel Manifold Mounting Bracket (pair)	3B	1 pair		18.08
QHSMRAVA	0-84169-11590-4	Stainless Steel Manifold Red Air Vent Assembly	3B	1		52.34
QHSMRBVA	0-84169-11591-1	Stainless Steel Manifold Red Ball Valve Assembly	3B	1		69.80
QHSMRC	0-84169-11592-8	Stainless Steel Manifold Red Cap for Flow Meter	3B	1		2.20
QHSMRCK	0-84169-11593-5	Stainless Steel Manifold White Return Circuit Turn Knob	3B	1		2.20
QHSMRDV	0-84169-11594-2	Stainless Steel Manifold Red Drain Valve	3B	1		14.27
QHSMTH	0-84169-11597-3	Stainless Steel Manifold Thermometer	3B	1		33.28
QHSMMP	0-84169-11596-6	Stainless Steel Manifold Return Circuit Piston	3B	1		19.04

PLUMBING PRODUCT

FIRE PROTECTION

RADIANT HEATING

RADIANT HEATING FITTINGS

Zurn offers compression fittings that require no specialty tools and can be used with Performa, hy-PE-RTube, and Non-Barrier PEX tubing. For use in heating applications only.



Coupling (QHC33C)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
BRASS RADIANT HEATING COMPRESSION COUPLINGS						
QHC22C	0-84169-51547-6	Brass Radiant Heating Coupling - 3/8" Compression	10	25	25	8.95
QHC33C	0-84169-51548-3	Brass Radiant Heating Coupling - 1/2" Compression	10	25	25	10.56
QHCJJC	0-84169-51546-9	Brass Radiant Heating Coupling - 5/8" Compression	10	25	25	14.64
QHC44C	0-84169-51549-0	Brass Radiant Heating Coupling - 3/4" Compression	10	25	25	16.66



Sweat 90° Elbow (QHA33F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SWEAT X COMPRESSION 90° ELBOW						
QHA33F	0-84169-51483-7	Brass Radiant Heating Sweat Elbow - 1/2" Compression x 1/2" Female Sweat	10	25	25	10.45
QHA34F	0-84169-51484-4	Brass Radiant Heating Sweat Elbow - 1/2" Compression x 3/4" Female Sweat	10	25	25	12.23
QHA34F	0-84169-51482-0	Brass Radiant Heating Sweat Elbow - 5/8" Compression x 3/4" Female Sweat	10	25	25	13.74



Pipe Adapter (QHCA33M)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MALE PIPE THREAD X COMPRESSION PIPE ADAPTERS						
QHCA23M	0-84169-51540-7	Brass Radiant Heating Male Adapter - 3/8" Compression x 1/2" MIP	10	25	25	5.28
QHCA33M	0-84169-51541-4	Brass Radiant Heating Male Adapter - 1/2" Compression x 1/2" MIP	10	25	25	5.28
QHCA44M	0-84169-51542-1	Brass Radiant Heating Male Adapter - 3/4" Compression x 3/4" MIP	10	25	25	8.00
QHCAJ4M	0-84169-51539-1	Brass Radiant Heating Male Adapter - 5/8" Compression x 3/4" MIP	10	25	25	7.95

RADIANT HEATING FITTINGS (CONTINUED)



Sweat Adapter – Female (QHAJ4F)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FEMALE SWEAT X COMPRESSION ADAPTERS						
QHA33F	0-84169-51490-5	Brass Radiant Heating Sweat Adapter - Female - 1/2" Compression x 1/2" Female Sweat	10	25	25	6.85
QHA34F	0-84169-51492-9	Brass Radiant Heating Sweat Adapter - Female - 1/2" Compression x 3/4" Female Sweat	10	25	25	7.66
QHAJ4F	0-84169-51485-1	Brass Radiant Heating Sweat Adapter - Female - 5/8" Compression x 3/4" Female Sweat	10	25	25	10.98



Sweat Adapter – Male (QHAJ4M)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MALE SWEAT X COMPRESSION ADAPTERS						
QHA33M	0-84169-51491-2	Brass Radiant Heating Sweat Adapter Male - 1/2" Compression x 1/2" Male Sweat	10	25	25	6.85
QHA44M	0-84169-51493-6	Brass Radiant Heating Sweat Adapter Male - 3/4" Compression x 3/4" Male Sweat	10	25	25	13.42
QHAJ4M	0-84169-51486-8	Brass Radiant Heating Sweat Adaptor Male - 5/8" Compression x 3/4" Female Sweat	10	25	25	7.99

XL BRASS/COPPER FITTINGS

Reliable brass and copper fittings connect tubing to heating systems.



Elbow (QQE33GX)



Male Elbow (QQE33BTGX)



Drop Ear Elbow (QQDE33BFGX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS ELBOWS – SMALL DIAMETER						
QQE33GX	0-84169-01639-3	(Crimp) XL Brass Elbow - 1/2" Barb	12C	50	250	2.77
QQE43GX	0-84169-01640-9	(Crimp) XL Brass Elbow - 3/4" Barb x 1/2" Barb	12C	25	150	5.70
QQE44GX	0-84169-01641-6	(Crimp) XL Brass Elbow - 3/4" Barb	12C	50	250	3.37
QQE55GX	0-84169-01643-0	(Crimp) XL Brass Elbow - 1" Barb	12C	25	100	9.16
QQE33BTGX	0-84169-01638-6	(Crimp) XL Brass Male Elbow - 1/2" Barb x 1/2" MPT	12C	25	150	9.28
QQDE33BFGX	0-84169-01437-5	(Crimp) XL Brass Drop Ear Elbow - 1/2" Barb x 1/2" FPT	12C	10	50	10.14
QQDE44BFGX	0-84169-01438-2	(Crimp) XL Brass Drop Ear Elbow - 3/4" Barb x 3/4" FPT	12C	10	50	18.21
(CRIMP) ELBOW – USE FOR HEATING ONLY						
QHE22X	0-84169-01806-9	(Crimp) Brass Elbow - 3/8" Barb - Heating Only	12A	100	500	1.55

XL BRASS/COPPER FITTINGS (CONTINUED)



XL Brass Baseboard Elbow (QQE775GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS BASEBOARD ELBOWS						
QQE675GX	0-84169-01629-4	(Crimp) XL Brass Sweat x Barb Adapter Elbow - 3/4" Male Sweat x 3/4" Barb	12C	50	250	6.99
QQE775GX	0-84169-01630-0	(Crimp) XL Brass Sweat x Barb Adapter Elbow - 3/4" Female Sweat x 3/4" Barb	12C	50	250	6.99
(CRIMP) BASEBOARD ELBOWS - USE FOR HEATING ONLY						
QHFE4JX	0-84169-01809-0	(Crimp) Brass Baseboard Elbow - 3/4" Female Sweat x 5/8" Barb	12A	50	250	6.74
QHME4JX	0-84169-01810-6	(Crimp) Brass Baseboard Elbow - 3/4" Male Sweat x 5/8" Barb	12A	50	250	6.74
QHE770X	0-84169-01855-7	(Crimp) Brass Baseboard Elbow - 3/4" Female Sweat x 1/2" Barb - Heating Only	12A	50	250	6.87
QHE775X	0-84169-01856-4	(Crimp) Brass Baseboard Elbow - 3/4" Female Sweat x 3/4" Barb	12A	50	250	7.02



Coupling (QQC33GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS COUPLINGS - SMALL DIAMETER						
QQC22GX	0-84169-01631-7	(Crimp) XL Brass Coupling - 3/8" Barb	12C	50	500	1.98
QQC32GX	0-84169-01632-4	(Crimp) XL Brass Coupling - 1/2" Barb x 3/8" Barb	12C	50	500	2.30
QQC33GX	0-84169-01633-1	(Crimp) XL Brass Coupling - 1/2" Barb	12C	50	500	1.54
QQC43GX	0-84169-01634-8	(Crimp) XL Brass Coupling - 3/4" Barb x 1/2" Barb	12C	50	500	3.51
QQC44GX	0-84169-01635-5	(Crimp) XL Brass Coupling - 3/4" Barb	12C	50	250	1.92
QQC54GX	0-84169-01636-2	(Crimp) XL Brass Coupling - 1" Barb x 3/4" Barb	12C	50	250	3.88
QQC55GX	0-84169-01637-9	(Crimp) XL Brass Coupling - 1" Barb	12C	50	250	3.59
(CRIMP) COUPLING - USE FOR HEATING ONLY						
QHCJJX	0-84169-01804-5	(Crimp) Brass Coupling - 5/8" Barb - Heating Only	12A	50	500	3.22



Non-Swivel Adapter (QQUC34GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS FEMALE ADAPTERS - SMALL DIAMETER						
QQUC33GX	0-84169-01439-9	(Crimp) XL Brass Female Adapter - 1/2" Barb x 1/2" FPT	12C	50	250	6.18
QQUC34GX	0-84169-01440-5	(Crimp) XL Brass Female Adapter - 1/2" Barb x 3/4" FPT	12C	50	250	9.12
QQUC44GX	0-84169-01441-2	(Crimp) XL Brass Female Adapter - 3/4" Barb x 3/4" FPT	12C	50	250	6.99
QQUC55GX	0-84169-01442-9	(Crimp) XL Brass Female Adapter - 1" Barb x 1" FPT	12C	25	100	14.52
(CRIMP) BRASS MALE ADAPTER - USE FOR HEATING ONLY						
QHMC23X	0-84169-01805-2	(Crimp) Brass Male Adapter - 3/8" Barb x 1/2" MPT - Heating Only	12A	50	250	2.33

XL BRASS/COPPER FITTINGS (CONTINUED)



Male Adapter (QQMC34GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS MALE ADAPTERS – SMALL DIAMETER						
QQMC33GX	0-84169-01644-7	(Crimp) XL Brass Male Adapter - 1/2" Barb x 1/2" MPT	12C	50	250	4.06
QQMC34GX	0-84169-01645-4	(Crimp) XL Brass Male Adapter - 1/2" Barb x 3/4" MPT	12C	50	250	7.73
QQMC43GX	0-84169-01646-1	(Crimp) XL Brass Male Adapter - 3/4" Barb x 1/2" MPT	12C	25	250	6.54
QQMC44GX	0-84169-01647-8	(Crimp) XL Brass Male Adapter - 3/4" Barb x 3/4" MPT	12C	50	250	5.99
QQMC45GX	0-84169-01648-5	(Crimp) XL Brass Male Adapter - 3/4" Barb x 1" MPT	12C	25	100	12.62
QQMC54GX	0-84169-01649-2	(Crimp) XL Brass Male Adapter - 1" Barb x 3/4" MPT	12C	25	100	11.05
QQMC55GX	0-84169-01676-8	(Crimp) XL Brass Male Adapter - 1" Barb x 1" MPT	12C	25	100	10.10
(CRIMP) BRASS SWEAT ADAPTER – USE FOR HEATING ONLY						
QH637X	0-84169-01803-8	(Crimp) Brass Sweat Adapter - 1/2" Male Sweat x 3/8" Barb - Heating Only	12A	50	250	1.49
QH800X	0-84169-01857-1	(Crimp) Brass Sweat Adapter - 1" Female Sweat x 1" Female Barb - Heating Only	12A	50	250	4.06



Copper Sweat Adapter (QQ650CX)



Copper Sweat Adapter (QQ775CX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) SWEAT ADAPTERS						
QQ650CX	0-84169-00703-2	(Crimp) Copper Male Sweat Adapter - 1/2" Male Sweat x 1/2" Barb	18A	50	500	2.00
QQ675CX	0-84169-00704-9	(Crimp) Copper Male Sweat Adapter - 3/4" Male Sweat x 3/4" Barb	18A	50	250	2.78
QQ700CX	0-84169-00705-6	(Crimp) Copper Male Sweat Adapter - 1" Male Sweat x 1" Barb	18A	25	100	6.06
QQ750CX	0-84169-00753-7	(Crimp) Copper Female Sweat Adapter - 1/2" Female Sweat x 1/2" Barb	18A	50	500	2.19
QQ770CX	0-84169-00754-4	(Crimp) Copper Female Sweat Adapter - 3/4" Female Sweat x 1/2" Barb	18A	25	100	4.57
QQ775CX	0-84169-00755-1	(Crimp) Copper Female Sweat Adapter - 3/4" Female Sweat x 3/4" Barb	18A	50	250	2.94
QQ800CX	0-84169-00756-8	(Crimp) Copper Female Sweat Adapter - 1" Female Sweat x 1" Barb	18A	25	100	7.50
QQ700GX	0-84169-11514-0	(Crimp) XL Brass Male Sweat Adapter - 1" Male Sweat x 1" Barb	18A	25	100	6.06
QQ800GX	0-84169-11515-7	(Crimp) XL Brass Female Sweat Adapter - 1" Female Sweat x 1" Barb	18A	25	100	7.50
(CRIMP) BRASS SWEAT ADAPTER COUPLINGS – USE FOR HEATING ONLY						
QHF4JX	0-84169-01808-3	(Crimp) Brass Sweat Adapter - 3/4" Female Sweat x 5/8" Barb - Heating Only	12A	50	250	7.07
QHM4JX	0-84169-01807-6	(Crimp) Brass Sweat Adapter - 3/4" Male Sweat x 5/8" Barb - Heating Only	12A	50	250	1.63

XL BRASS/COPPER FITTINGS (CONTINUED)



Plug (QQP3GX)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
(CRIMP) XL BRASS PLUGS – SMALL DIAMETER						
QQP2GX	0-84169-01433-7	(Crimp) XL Brass Plug - 3/8" Barb	12C	100	1000	1.74
QQP3GX	0-84169-01434-4	(Crimp) XL Brass Plug - 1/2" Barb	12C	100	1000	1.66
QQP4GX	0-84169-01435-1	(Crimp) XL Brass Plug - 3/4" Barb	12C	100	500	2.69
QQP5GX	0-84169-01436-8	(Crimp) XL Brass Plug - 1" Barb	12C	50	250	4.34



Copper Crimp Ring (QCR5X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER CRIMP RINGS						
QCR2X	0-84169-07618-2	Copper Crimp Ring - 3/8" PEX	18B	100	1000	0.36
QCR3X	0-84169-07633-5	Copper Crimp Ring - 1/2" PEX	18B	100	1000	0.40
QCRJX	0-84169-10758-9	Copper Crimp Ring - 5/8" PEX	18B	100	500	0.41
QCR4X	0-84169-07648-9	Copper Crimp Ring - 3/4" PEX	18B	100	500	0.49
QCR5X	0-84169-48151-1	Copper Crimp Ring - 1" PEX	18B	100	500	0.71



QuickCap® Copper Crimp Rings
with Positioning Cap

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
QUICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP						
QCR3XPC	0-84169-11577-5	Copper Crimp Ring w/Positioning Cap - 1/2"	18B	100	1000	0.55
QCR4XPC	0-84169-11578-2	Copper Crimp Ring w/Positioning Cap - 3/4"	18B	100	500	0.71
QCR5XPC	0-84169-11579-9	Copper Crimp Ring w/Positioning Cap - 1"	18B	100	500	1.03

THERMAL TRACK™

Thermal Track is easy to install in new or retrofit applications, and can be used under a wide variety of flooring types. The low profile and light weight design allows for easy installation of 3/8" hy-PE-RTube or Performa tubing. Thermal Track spreads heat evenly and quickly throughout a system, reducing energy costs.



Straight Panel



Utility Panel



Combination Panel

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
STRAIGHT PANEL						
QH2TTS	0-84169-67946-8	Thermal Track - Straight Panel	16	1	1	42.35
UTILITY PANEL						
QH2TTU	0-84169-67947-5	Thermal Track - Utility Panel	16	1	1	42.35
COMBINATION PANEL						
QH2TTC	0-84169-67948-2	Thermal Track - Combination Panel	16	1	1	42.35

CONTROLS

Zurn offers controls to maintain and operate a radiant heating system or snow melt system. From thermostats to zone control panels, Zurn provides the controls to maximize efficiency and performance in a hydronic heating system.



Expandable Zone Actuator Valve Control

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
EXPANDABLE ZONE ACTUATOR VALVE CONTROL						
QHMZ4A-1	0-84169-11470-9	4-Zone Valve Control (Expandable)	4	1	1	257.60
QHMZ6A-1	0-84169-11472-3	6-Zone Valve Control (Expandable)	4	1	1	357.55



Expandable Zone Pump Relay Controls

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
EXPANDABLE ZONE PUMP RELAY CONTROLS						
QHMZ1P-1	0-84169-11469-3	1-Zone Pump Relay Control	4	1	1	105.34
QHMZ4P-1	0-84169-11471-6	4-Zone Pump Relay Control (Expandable)	4	1	1	520.05
QHMZ6P-1	0-84169-11473-0	6-Zone Pump Relay Control (Expandable)	4	1	1	548.88
QHMZP120R	0-84169-02016-1	120-Volt Ice Cube Relay - Pump Control	4	1	1	56.37

CONTROLS (CONTINUED)



Outdoor Reset and Injection Mixing Module

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
OUTDOOR RESET AND INJECTION MIXING MODULE						
QHMPOR	0-84169-67877-5	Outdoor Reset - Injection Mixing Module	4	1	1	985.30



Thermostats

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
THERMOSTATS						
QHSTHO	0-84169-67874-4	Digital Heat-Only Thermostat	4	1	1	107.31
QHSTHAC	0-84169-67876-8	Digital Heat/Cool Thermostat	4	1	1	147.45
QHSTMP	0-84169-67990-1	Thermostat Mounting Plate (Optional)	9	1	1	5.07



Dual Sensing Air/Floor Thermostat

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
DUAL SENSING AIR/FLOOR THERMOSTAT						
QH521	0-84169-11683-3	Dual Sensing Air/Floor Thermostat	4	1	1	543.13



Transformer

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TRANSFORMER						
QHBT	0-84169-51537-7	Transformer - 120V/24V 40 VA 50/60	4	1	1	53.11

CONTROLS (CONTINUED)



Mixing Setpoint Control

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
MIXING SETPOINT CONTROL						
QHSC	0-84169-51579-7	Mixing Setpoint Control	4	1	1	805.86



Setpoint Controls

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SETPOINT CONTROLS						
QH1SC	0-84169-51628-2	One Stage Setpoint Control/Cooling Setpoint Control	4	1	1	453.04



Residential/Light Commercial Snow Melt System

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
RESIDENTIAL/LIGHT COMMERCIAL SNOW MELT SYSTEM						
QHSMT	0-84169-67886-7	Snow Melt Thermostat (Use with QHGS)	4	1	1	657.92
QHGS	0-84169-67885-0	Snow Melt Ground Sensor (Use with QHSMT)	4	1	1	978.92



Snow Melt Switch

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SNOW MELT SWITCH						
QHSM-1	0-84169-11574-4	Snow Melt Switch	4	1	1	1284.00

FLUID MANAGEMENT



4-Wire Zone Valve Motor
(QHBMO)



1" Motorized Zone Valve with 4-Wire Actuator
(QHBMV5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
4-WIRE ZONE VALVE MOTOR						
QHBMO	0-84169-51513-1	4-Wire Zone Valve Motor, for use with QHDV5, QHBMV5, QHSZV__ Straight Zone Valves	4	1	1	190.70
QHBMV5	0-84169-51521-6	1" Motorized Zone Valve with QHBMO 4-Wire Zone Valve Motor	4	1	1	321.26
ZONE VALVE ACTUATORS						
QHMZDM	0-84169-51572-8	Manifold Zone Drive Motor for use with QHMOD Manifold Modules	4	1	1	87.63
QHBMVDSS	0-84169-11511-9	Zone Valve Actuator, 24 Volt, 2 Wire, Normally Closed, Swivel nut Connection	3B	1	1	79.77
QHBMVDS	0-84169-67772-3	Zone Valve Actuator With End Switch, 24 Volt, 4 Wire, Normally Closed, Push/Turn/Lock Connection	4	1		61.17
QHBMVDSADP	0-84169-11576-8	Actuator Adapter (Enables the QHBMVDS to be mounted to Accuflow SS Manifold, QHSZV Zone Valves & QHDV5)	4	1	100	1.19



Return Balance Valve/Circuit Setter (QHSRC)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
STRAIGHT RETURN BALANCE VALVE/CIRCUIT SETTER						
QHSRC	0-84169-51585-8	Return Balance Valve/Circuit Setter - 1/2" Straight	6	10	10	37.03



Straight Zone Valve (QHSZV33)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
STRAIGHT ZONE VALVES						
For use with Zone Valve Actuators QHBMVDSS, QHBMVDS with QHBMVDSADP, QHBMO, and QHTHH						
QHSZV33	0-84169-51589-6	Straight Zone Valve - 1/2"	6	10	10	56.86
QHSZV44	0-84169-51590-2	Straight Zone Valve - 3/4"	6	10	10	78.29
QHSZV55	0-84169-51591-9	Straight Zone Valve - 1"	6	1	1	95.04
QHSZV66	0-84169-51592-6	Straight Zone Valve - 1-1/4"	6	1	1	154.90

FLUID MANAGEMENT (CONTINUED)



3-Way Diverter (QHDV5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
DIVERTER						
For use with Zone Valve Actuators QHMBMVDSS, QHMBMVDSS with QHMBMVDSDP, QHBMO, and QHTHH						
QHDV5	0-84169-51553-7	3-Way Diverter	6	1	1	359.92



Non-Electric Thermostatic Head - Zone Valves (QHTH)



Remote 6 FT. Capillary, 104°-158° (QHTHH)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
THERMOSTATIC HEADS (FOR USE WITH STRAIGHT ZONE VALVES AND DIVERTER)						
QHTH	0-84169-51593-3	Non-Electric Thermostatic Head - Zone Valves	6	10	10	58.22
QHTHH	0-84169-51594-0	Non-Electric Thermostatic Head - Remote 6 Ft. Capillary 104-158 degrees F.	6	1	1	200.75



Mixing Valve (QHMV5)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
4-WAY MIXING VALVES						
QHMV5	0-84169-51567-4	Mixing Valve - 4-Way 1" FPT	6	1	1	284.71
QHMV6	0-84169-51568-1	Mixing Valve - 4-Way 1-1/4"	6	1	1	308.80
QHMV7	0-84169-51569-8	Mixing Valve - 4-Way 1-1/2"	6	1	1	394.21
QHMV8	0-84169-51570-4	Mixing Valve - 4-Way 2"	6	1	1	558.47



Mixing Valve Motor (QHMVM5678)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
4-WAY MIXING VALVE MOTORS						
QHMVM5678	0-84169-02011-6	Mixing Valve Motor for 1", 1-1/4", 1-1/2", 2" Mixing Valves	6	1	1	565.30

FLUID MANAGEMENT (CONTINUED)



Thermostatic Mixing Valve (QHBMV)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
THERMOSTATIC MIXING VALVE						
QHBMV	0-84169-51518-6	Thermostatic Mixing Valve - 3 Way, 1-1/4" FPT, 110-150° F	6	6	6	1107.82



Thermostatic Mixing Valve (QHMV-HTBOG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
THERMOSTATIC MIXING VALVE BODIES (CONNECTIONS REQUIRED)						
QHMV-HTBOG	0-84169-11541-6	XL Brass Thermostatic Mixing Valve - Body Only - High Temp 80-165°F	6	1		146.01
QMVB0G	0-84169-11543-0	XL Brass Thermostatic Mixing Valve-Body Only 95-131°F	6	1	1	150.50
THERMOSTATIC MIXING VALVE CONNECTIONS (EACH VALVE BODY REQUIRES 3 SETS)						
QMVFP3G	0-84169-11550-8	XL Brass Thermostatic Mixing Valve Connections - 1/2" FNPT Connections	6	1 set	1	11.98
QMVFS3G	0-84169-11545-4	XL Brass Thermostatic Mixing Valve Connections - 1/2" Female Copper Sweat Connections	6	1 set	1	15.96
QMVFP4G	0-84169-11544-7	XL Brass Thermostatic Mixing Valve Connections - 3/4" FNPT Connections	6	1 set	1	12.09
QMVFS4G	0-84169-11546-1	XL Brass Thermostatic Mixing Valve Connections - 3/4" Female Copper Sweat Connections	6	1 set	1	12.47
QMVCPVC4	0-84169-68473-8	Thermostatic Mixing Valve Connections - 3/4" CPVC	6	1 set	1	8.06
QMV4XG	0-84169-11542-3	(Crimp) XL Brass Thermostatic Mixing Valve Connections - 3/4" PEX Barb	6	1 set	1	14.28
QMVP4G	0-84169-11548-5	XL Brass Thermostatic Mixing Valve Connections - 3/4" MNPT Connections	6	1 set	1	22.40
QMVFS5G	0-84169-11547-8	XL Brass Thermostatic Mixing Valve Connections - 1" Female Copper Sweat Connections	6	1 set	1	12.95



Pressure Bypass Valve (QH4PB)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PRESSURE BYPASS VALVES						
QH4PB	0-84169-51634-3	Pressure Bypass Valve - 3/4" FPT	6	1		108.38
QH5PB	0-84169-51636-7	Pressure Bypass Valve - 1" FPT	6	1		172.48
QH6PB	0-84169-51637-4	Pressure Bypass Valve - 1-1/4" FPT	6	1		195.69

FLUID MANAGEMENT (CONTINUED)



Pressure Reducing Valve (QHWPRV3CI)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PRESSURE REDUCING VALVES						
QHWPRV3CI	0-84169-11549-2	Pressure Reducing Valve - Cast Iron Boiler Feed Regulator with Quick Fill Lever	6	1		62.65



Backflow Preventer (QHWBP3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
BACKFLOW PREVENTER						
QHWBP3	0-84169-51603-9	Backflow Preventer - 1/2"	6	1		62.32



Expansion Tank (QHWET5.0)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
EXPANSION TANKS						
QHWET13.5	0-84169-68396-0	Expansion Tank - 1" NPT (13.5 gal/51 L)	6	1		244.78
QHWET2.1	0-84169-68393-9	Expansion Tank - 1/2" NPT (2.1 gal/8 L)	6	1		58.35
QHWET5.0	0-84169-68394-6	Expansion Tank - 1/2" NPT (5.0 gal/19 L)	6	1		90.33
QHWET6.5	0-84169-68395-3	Expansion Tank - 1/2" NPT (6.5 gal/25 L)	6	1		136.65

FLUID MANAGEMENT (CONTINUED)



Powervent (QHBPV4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
POWERVENTS						
QHBPV4	0-84169-51533-9	Powervent - 3/4" with Threaded Connectors	6	1		263.23
QHBPVS4	0-84169-51530-8	Powervent - 3/4" with Sweat Connectors	6	1		269.74
QHBPV5	0-84169-51534-6	Powervent - 1" with Threaded Connectors	6	1		263.23
QHBPVS5	0-84169-51531-5	Powervent - 1" with Sweat Connectors	6	1		246.80
QHBPV6	0-84169-51535-3	Powervent - 1-1/4" with Threaded Connectors	6	1		397.47
QHBPVS6	0-84169-51532-2	Powervent - 1-1/4" with Sweat Connectors	6	1		366.26
QHBPV7	0-84169-51536-0	Powervent - 1-1/2" with Threaded Connectors	6	1		546.95
QHBPV8	0-84169-11682-6	Powervent - 2" with Threaded Connectors	6	1		879.01

COPPER MANIFOLDS

The affordable and reliable copper manifold system allows customization to meet system needs.



Header (QHCM64-12)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER MANIFOLD HEADERS (CUT PER USE) - USE FOR HEATING ONLY						
QHCM53-12	0-84169-68375-5	Copper Manifold Header - 1" Header with (12) 1/2" Outlets	18D	5	5	144.38
QHCM63-12	0-84169-68376-2	Copper Manifold Header - 1-1/4" Header with (12) 1/2" Outlets	18D	4	4	167.54
QHCM64-12	0-84169-68377-9	Copper Manifold Header - 1-1/4" Header with (12) 3/4" Outlets	18D	4	4	180.80
QHCM74-12	0-84169-68378-6	Copper Manifold Header - 1-1/2" Header with (12) - 3/4" Outlets	18D	3	3	216.81
QHCM84-12	0-84169-68379-3	Copper Manifold Header - 2" Header with (12) 3/4" Outlets	18D	2	2	318.93

COPPER MANIFOLD SYSTEM (CONTINUED)



Endpiece (QHCEP6)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER MANIFOLD ENDPIECE - USE FOR HEATING ONLY						
QHCEP5	0-84169-67663-4	1" Copper Endpiece with 1/8" and 1/2" FNPT Connections	18D	20	20	50.27
QHCEP6	0-84169-67666-5	1-1/4" Copper Endpiece with 1/8" and 1/2" FNPT Connections	18D	20	20	66.52
QHCEP7	0-84169-67667-2	1-1/2" Copper Endpiece with 1/8" and 1/2" FNPT Connections	18D	20	20	102.22
QHCEP8	0-84169-67668-9	2" Copper Endpiece with 1/8" and 1/2" FNPT Connections	18D	20	20	141.44
QHCEP5-1	0-84169-68166-9	1" Copper Endpiece with 1/4" and 1/2" FNPT Connections	18D	20	20	50.27
QHCEP6-1	0-84169-68140-9	1-1/4" Copper Endpiece with 1/4" and 1/2" FNPT Connections	18D	20	20	66.52
QHCEP7-1	0-84169-68167-6	1-1/2" Copper Endpiece with 1/4" and 1/2" FNPT Connections	18D	20	20	102.22
QHCEP8-1	0-84169-68168-3	2" Copper Endpiece with 1/4" and 1/2" FNPT Connections	18D	20	20	141.44



Ball Valve (QHBV33C)



Ball Valve (QHBV33X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER MANIFOLD BALL VALVES - USE FOR HEATING ONLY						
QHBV32C	0-84169-67669-6	Copper Manifold Ball Valve - 1/2" Sweat x 3/8" Zurn PEX Compression	14	12	12	32.91
QHBV33C	0-84169-67670-2	Copper Manifold Ball Valve - 1/2" Sweat x 1/2" Zurn PEX Compression	14	12	12	26.95
QHBV44C	0-84169-67673-3	Copper Manifold Ball Valve - 3/4" Sweat x 3/4" Zurn PEX Compression	14	6	6	43.01
QHBV4JC	0-84169-67671-9	Copper Manifold Ball Valve - 3/4" Sweat x 5/8" Zurn PEX Compression	14	6	6	44.79
QHBV32X	0-84169-67678-8	(Crimp) Copper Manifold Ball Valve - 1/2" Copper Sweat x 3/8" Barb	14	12	12	18.13
QHBV33X	0-84169-67679-5	(Crimp) Copper Manifold Ball Valve - 1/2" Copper Sweat x 1/2" Barb	14	12	12	18.71
QHBV44X	0-84169-67680-1	(Crimp) Copper Manifold Ball Valve - 3/4" Copper Sweat x 3/4" Barb	14	12	12	28.61



Memory Balancing Valve (QHBBV33C)



Memory Balancing Valve (QHBBV33X)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COPPER MANIFOLD MEMORY BALANCING VALVES - USE FOR HEATING ONLY						
QHBBV32C	0-84169-67986-4	Copper Manifold Memory Balancing Valve - 1/2" Sweat x 3/8" Zurn PEX Compression	14	18	18	43.38
QHBBV33C	0-84169-67987-1	Copper Manifold Memory Balancing Valve - 1/2" Sweat x 1/2" Zurn PEX Compression	14	18	18	48.19
QHBBV44C	0-84169-67989-5	Copper Manifold Memory Balancing Valve - 3/4" Sweat x 3/4" Zurn PEX Compression	14	18	18	66.73
QHBBV4JC	0-84169-67988-8	Copper Manifold Memory Balancing Valve - 3/4" Sweat x 5/8" Zurn PEX Compression	14	18	18	73.21
QHBBV32X	0-84169-67681-8	(Crimp) Copper Manifold Memory Balancing Valve - 1/2" Sweat x 3/8" Barb	14	24	24	41.91
QHBBV33X	0-84169-67682-5	(Crimp) Copper Manifold Memory Balancing Valve - 1/2" Sweat x 1/2" Barb	14	24	24	38.13
QHBBV44X	0-84169-67684-9	(Crimp) Copper Manifold Memory Balancing Valve - 3/4" Sweat x 3/4" Barb	14	24	24	50.46

SNOW MELT SPECIAL ORDER - CONTROLS

Snow melt controls deliver optimum system performance and enhanced features for maximum efficiency and control.



Snow and Ice Melt Mixing Control (QHSIC)



Snow/Ice Detector - Sensor (QHSID)



Snow/Ice Socket (QHSIS)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COMMERCIAL/RESIDENTIAL SNOW AND ICE MELT MIXING CONTROL						
QHSIC	0-84169-51580-3	Snow/Ice Detector Mixing Control	4	1	1	4668.20
QHSID	0-84169-51581-0	Snow/Ice Detector (Sensor)	4	1	1	1942.91
QHSIS	0-84169-51582-7	Snow/Ice Socket	4	1	1	439.70



Snow/Ice Slab Sensor - 40 Feet (QHSI40C)



Universal Sensor (QHUS)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SENSORS						
QHUS	0-84169-51600-8	Universal Sensor	4	1	1	93.25
QHSI20C	0-84169-51583-4	Snow/Ice Slab Sensor - 20 Feet	4	1	1	220.45
QHSI40C	0-84169-51584-1	Snow/Ice Slab Sensor - 40 Feet	4	1	1	424.09

RADIANT MANIFOLD SPECIAL ORDER - FLUID MANAGEMENT



Plate Heat Exchanger (QHPHE2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PLATE HEAT EXCHANGERS						
QHPHE	0-84169-67215-5	Plate Heat Exchanger - 3/4" MNPT Connections	6	1	1	722.92
QHPHE2	0-84169-67316-9	Plate Heat Exchanger - 3/4" MNPT Connections	6	1	1	1118.55

INSTALLATION ACCESSORIES

Quickly and easily install a radiant system with Zurn installation accessories.



Polymer Bend Support
with Integral Mounting Bracket

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
POLYMER BEND SUPPORT WITH INTEGRAL MOUNTING BRACKET						
QHPBS2	0-84169-67150-9	Bend Support - 3/8"	9	50	50	3.16
QHPBS3	0-84169-67151-6	Bend Support - 1/2"	9	50	50	3.16
QHPBS4	0-84169-67152-3	Bend Support - 3/4"	9	50	50	4.77
QHPBS5	0-84169-67153-0	Bend Support - 1"	9	50	50	7.34
QHPBSJ	0-84169-67154-7	Bend Support - 5/8"	9	50	50	3.72



Metal Bend Support with Faceplate

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
METAL BEND SUPPORT WITH FACEPLATE						
QMBS3WB	0-84169-67745-7	Metal Bend Support with Faceplate - 1/2"	9	1		5.89



Conduit Elbows

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CONDUIT ELBOWS						
QHCE3	0-84169-51543-8	Conduit Elbow - 1/2"	9	25	25	2.55
QHCE4	0-84169-51544-5	Conduit Elbow - 3/4"	9	25	25	3.33
QHCE5	0-84169-67930-7	Conduit Elbow - 1"	9	25	25	8.58

INSTALLATION ACCESSORIES (CONTINUED)



Flexible Tubing Protection Sleeve

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
FLEXIBLE TUBING PROTECTION SLEEVE						
QHTPS3	0-84169-67375-6	Protection Sleeve - 1/2" PEX Pipe	9	150 ft	150 ft	98.98
QHTPSJ4	0-84169-67217-9	Protection Sleeve - 5/8" and 3/4" PEX Pipe	9	150 ft	150 ft	123.59
QHTPS5	0-84169-67376-3	Protection Sleeve - 1" PEX Pipe	9	150 ft	150 ft	214.27



Locking Clic Holder

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
LOCKING CLIC HOLDER						
QHLCH2	0-84169-67219-3	Locking Clic Holder - 3/8"	9	100	100	1.14
QHLCH3	0-84169-67220-9	Locking Clic Holder - 1/2"	9	100	100	1.25
QHLCH4	0-84169-67222-3	Locking Clic Holder - 3/4"	9	100	100	1.53
QHLCH5	0-84169-67224-7	Locking Clic Holder - 1"	9	50	50	2.31
QHLCHJ	0-84169-67221-6	Locking Clic Holder - 5/8"	9	100	100	1.22



Polymer Mesh Clips

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
POLYMER MESH CLIPS						
QHPMC	0-84169-67223-0	Polymer Mesh Clip	9	1000	1000	0.39



Upright Insulation Screw Clip Tool

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT INSULATION SCREW CLIPS						
QHUISCT	0-84169-67236-0	Upright Insulation Screw Clip Tool	13	1	1	396.76

INSTALLATION ACCESSORIES (CONTINUED)



Tubing/Track Staples

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBING/TRACK STAPLES						
QHTS	0-84169-51599-5	Track Staples	9	500	500	180.79



Flush Mount Tubing Clip (QHTCF2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBING CLIPS						
For use with QHTCG Gun						
QHTCF2	0-84169-67226-1	Flush Mount Tubing Clips - 3/8"	9	100	100	0.39
QHTCF3	0-84169-67227-8	Flush Mount Tubing Clips - 1/2"	9	100	100	0.26
QHTCFJ	0-84169-67228-5	Flush Mount Tubing Clips - 5/8"	9	100	100	0.26
QHTCS3	0-84169-67229-2	Stand-Off Tubing Clip - 1/2"	9	100	100	0.22
QHTCS4	0-84169-67230-8	Stand-Off Tubing Clip - 3/4"	9	100	100	0.24



Staples (QHUMWS)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT MANUAL STAPLES FOR WOODEN SUBFLOORS						
For QHUMWSG - Manual Gun						
QHUMWS	0-84169-67231-5	Staples	9	500	500	0.40



Foam Staples (QHUMFS1 and QHUMFS2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT MANUAL STAPLES FOR RIGID INSULATION						
For use with QHUMFSG						
QHUMFS1	0-84169-67232-2	Foam Staples - 1-1/2" Long	9	300	300	0.32
QHUMFS2	0-84169-67233-9	Foam Staples - 2-1/2" Long	9	300	300	0.35

INSTALLATION ACCESSORIES (CONTINUED)




Staples (QHUNWS2)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT PNEUMATIC STAPLES FOR WOODEN SUBFLOORS						
For QHUNWS - Pneumatic Gun						
QHUNWS2	0-84169-67234-6	Staples - 1-1/4"	9	10000	10000	0.02



Nylon Cable Ties (QHNCT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
NYLON CABLE TIES						
QHNCT	0-84169-67235-3	Nylon Cable Ties - 8" Long	9	1000	1000	0.13



Wire Fastener (QWT1)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
WIRE TIES						
QWT1	0-84169-00087-3	Wire Fastener - 6" - 1000 Per Bag	9	1000	1000	33.24



Radiant Pipe Track (QHPT4)



Radiant Pipe Track (QH23J4-4)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
RADIANT PANEL PIPE TRACK						
QHPT4	0-84169-67854-6	Radiant Pipe Track - For 3/4"	9	20	20	10.83
QH23J4-4	0-84169-67982-6	Radiant Pipe Track - For 3/8", 1/2", 5/8"	9	20	20	4.98

INSTALLATION ACCESSORIES (CONTINUED)



4 Ft. Extruded Heat Transfer Plate (QHETP23D)



Heat Transfer Plate (QHTP)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
HEAT TRANSFER PLATE						
QHETP23D	0-84169-11532-4	4FT Extruded Heat Transfer Plate For 3/8" & 1/2" PEX - Pre-Drilled	9	20	20	13.60
QHTP	0-84169-51596-4	Heat Transfer Plate	9	50	50	1.55



Pipe Clamp (QH3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE CLAMP						
QH2	0-84169-08423-1	Pipe Clamp - 3/8"	9	100	1000	0.22
QH3	0-84169-08424-8	Pipe Clamp - 1/2"	9	100	1000	0.24
QH4	0-84169-08425-5	Pipe Clamp - 3/4"	9	100	500	0.28
QH5	0-84169-67890-4	Pipe Clamp - 1"	9	50	250	0.28



Insulated Pipe Suspension Clamp (QISC4)



Pipe Insulator (QIS3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
INSULATED SUSPENSION PIPE/CLAMP INSULATOR						
QISC3	0-84169-08432-3	Insulated Pipe Suspension Clamp - For 1/2" Nominal	9	50	500	0.67
QISC4	0-84169-08433-0	Insulated Pipe Suspension Clamp - For 3/4" Nominal	9	50	500	0.75
QISC5	0-84169-08434-7	Insulated Pipe Suspension Clamp - For 1" Nominal	9	25	250	1.24
QIS3	0-84169-08435-4	Pipe Insulator - For 1/2" Nominal	9	50	500	1.13
QIS4	0-84169-08436-1	Pipe Insulator - For 3/4" Nominal	9	50	500	1.13
QIS5	0-84169-08437-8	Pipe Insulator - For 1" Nominal	9	50	500	1.41

INSTALLATION ACCESSORIES (CONTINUED)



J Hook Clamp with Nails (QTALON3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBE TALON						
QTALON3	0-84169-08764-5	J Hook Clamp with Nails - 1/2"	9	200	1000	0.12
QTALON4	0-84169-08765-2	J Hook Clamp with Nails - 3/4"	9	100	1000	0.16
QTALON5	0-84169-20365-6	J Hook Clamp with Nails - 1"	9	100	1000	0.22

TOOLS

Zurn offers a complete line of tools to speed and ease installation.



Medium PEX Crimp Tool (QCRT3CM)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PEX CRIMP TOOLS – MEDIUM						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRT2CM	0-84169-51455-4	Medium PEX Crimp Tool - 3/8"	13	1		204.28
QCRT3CM	0-84169-51456-1	Medium PEX Crimp Tool - 1/2"	13	1		204.28
QCRTJCM	0-84169-68371-7	Medium PEX Crimp Tool - 5/8"	13	1		204.28
QCRT4CM	0-84169-51457-8	Medium PEX Crimp Tool - 3/4"	13	1		204.28



Large PEX Crimp Tool (QCRT3T)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PEX CRIMP TOOLS – LARGE						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCRTMH	0-84169-68921-4	Multi-Head Crimping Tool Kit with Remover Tool, for 3/8", 1/2", 5/8", and 3/4"	13	1		120.38
QCRT2T	0-84169-67862-1	Large PEX Crimp Tool - 3/8"	13	1		205.72
QCRT3T	0-84169-67863-8	Large PEX Crimp Tool - 1/2"	13	1		205.72
QCRT4T	0-84169-67864-5	Large PEX Crimp Tool - 3/4"	13	1		205.72
QCRT5T	0-84169-67865-2	Large PEX Crimp Tool - 1"	13	1		287.44
QCRT5CM	0-84169-11712-0	1" Copper Crimp Ring Tool with 15" Handle	13	1		226.28

TOOLS (CONTINUED)



Close Quarters PEX Crimp Tool (QCQT34N)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
CLOSE QUARTERS PEX CRIMP TOOLS						
For use with traditional copper crimp ring (QCR_X) and QickCap® copper crimp ring with positioning end cap (QCR_XPC).						
QCQT23N	0-84169-46307-4	Close Quarters PEX Crimp Tool - 3/8" and 1/2"	13	1		61.04
QCQT34N	0-84169-46308-1	Close Quarters PEX Crimp Tool - 1/2" and 3/4"	13	1		61.04



PEX Tube Cutter - Blade Style (QSTC)



PEX Tube Cutter - Ratchet Style (QPC752N)



Replacement Blades (QPC752BN)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PEX TUBE CUTTERS - BLADE AND RATCHET STYLES						
QSTC	0-84169-68372-4	PEX Tube Cutter - Blade Style - 1/4" OD to 1-1/8"	13	1		16.48
QPC752N	0-84169-11654-3	PEX Tube Cutter - Ratchet Type	13	1		24.04
QPC752BN	0-84169-11655-0	Replacement Blade for QPC752N	13	1		10.92



Upright Insulation Screw Clip Tool (QHUISCT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT INSULATION SCREW CLIP TOOL						
QHUISCT	0-84169-67236-0	Upright Insulation Screw Clip Tool	13	1	1	396.76

TOOLS (CONTINUED)



Tubing Clip Gun (QHTCG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
TUBING CLIP GUN						
QHTCG	0-84169-67237-7	Tubing Clip Gun	13	1		94.78
QHTCF2	0-84169-67226-1	Flush Mount Tubing Clips - 3/8"	9	100	100	0.39
QHTCF3	0-84169-67227-8	Flush Mount Tubing Clips - 1/2"	9	100	100	0.26
QHTCFJ	0-84169-67228-5	Flush Mount Tubing Clips - 5/8"	9	100	100	0.26
QHTCS3	0-84169-67229-2	Stand-Off Tubing Clip - 1/2"	9	100	100	0.22
QHTCS4	0-84169-67230-8	Stand-Off Tubing Clip - 3/4"	9	100	100	0.24



Upright Manual Staple Gun for Wooden Subfloors (QHUMWSG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT MANUAL STAPLE GUN FOR WOODEN SUBFLOORS						
QHUMWSG	0-84169-67238-4	Upright Manual Staple Gun for Wooden Subfloors	13	1	1	1065.96



Upright Manual Staple Gun for Rigid Insulation (QHUMFSG)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT MANUAL STAPLE GUN FOR RIGID INSULATION						
QHUMFSG	0-84169-67239-1	Upright Manual Staple Gun for Rigid Insulation	13	1	1	793.51

TOOLS (CONTINUED)



Upright Insulation Screw Clips (QHUISC)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT INSULATION SCREW CLIPS						
QHUISC	0-84169-67225-4	Upright Insulation Screw Clips	9	1000	1000	0.51



PEX Crimp Gauge (QGA234P)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PEX CRIMP GAUGES						
QGA234P	0-84169-20142-3	PEX Crimp Gauge - 3/8", 1/2", 3/4"	13	1		5.38
QGA5N	0-84169-51470-7	PEX Crimp Gauge - 1"	13	1		6.40
QGNQC	0-84169-00624-0	PEX Crimp Gauge for QuickClamp - 3/8", 1/2", 3/4", and 1"	13	1		10.39



Wire Tool - Automatic (QAWT)



Wire Tool - Manual (QMWT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
WIRE TOOLS						
QAWT	0-84169-68099-0	Wire Tool - Automatic for 6" Wire Fasteners	13	1		42.47
QMWT	0-84169-68098-3	Wire Tool - Manual for 6" Wire Fasteners	13	1		6.02



Compression Test Plug (QHTP3)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
COMPRESSION TEST PLUG						
QHTP3	0-84169-51598-8	Compression Test Plug - 1/2" Pipe	13	1	1	3.60

TOOLS (CONTINUED)



Air Pressure Tester (QHAIRT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
AIR PRESSURE TESTER						
QHAIRT	0-84169-67325-1	Air Pressure Tester	13	1		71.30



PEX Pipe Dispenser (QHD)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE UNCOILER						
QHD	0-84169-51550-6	PEX Pipe Dispenser	13	1	1	1718.56



Dual Coil Uncoiler (QDISP)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PIPE UNCOILER						
QDISP	0-84169-00295-2	Dual Coil Uncoiler	13	1	1	1261.08



PEX Portable Hanging Uncoiler (QPHU)


PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
PORTABLE PIPE UNCOILER						
QPHU	0-84169-00590-8	PEX Portable Hanging Uncoiler	13	1	1	430.92

TOOLS (CONTINUED)



Upright Pneumatic Staple Gun
for Wooden Subfloors (QHUNWS)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
UPRIGHT PNEUMATIC STAPLE GUN FOR WOODEN SUBFLOORS						
QHUNWS	0-84169-67240-7	Upright Pneumatic Staple Gun for Wood Subfloors	13	1	1	2409.30



Design Software - Hydronics (QHSOFT)

PRODUCT NO.	UPC CODE	DESCRIPTION	CATEGORY	BAG QTY.	CARTON QTY.	LIST PRICE
SOFTWARE						
QHSOFT	0-84169-67724-2	Design Software - Hydronics	26	1	1	642.00
QHSOFTU10	0-84169-01811-3	Design Software Update - 2010	26	1	1	406.60

ALPHANUMERIC INDEX

1-1/4" QICKZONE AIR VENT KITS WITH DRAIN VALVES	67	BENCH MOUNT PEX CRIMP TOOLS	53	(CRIMP) QICK SERT CR POLYMER COUPLINGS	21
1-1/4" QICKZONE INLET THREAD ADAPTERS	67	BEND SUPPORTS	49	(CRIMP) QICK SERT CR POLYMER ELBOWS	22
1-1/4" QICKZONE MANIFOLD BALL VALVE KITS	66	BLUE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8	(CRIMP) QICK SERT CR POLYMER MALE ADAPTERS	21
1-1/4" QICKZONE MANIFOLD PLUG	67	BLUE POTABLE (NON-BARRIER) TUBING COILS	8	(CRIMP) QICK SERT CR POLYMER MALE ELBOWS (BARB X MPT)	22
1-1/4" QICKZONE MODULAR MANIFOLD BRACKETS	67	BRASS RADIANT HEATING COMPRESSION COUPLINGS	76	(CRIMP) QICK SERT CR POLYMER MULTI-PORT TEES	24
1-1/4" QICKZONE MODULAR MANIFOLD KIT	66	BUILD-YOUR-OWN ACCUFLOW® RADIANT HEATING MANIFOLD	71	(CRIMP) QICK SERT CR POLYMER (RFS) COUPLING	58
1-1/4" QICKZONE SUPPLY/RETURN CENTRAL MODULE	66	CHECK VALVE	45	(CRIMP) QICK SERT CR POLYMER (RFS) ELBOW	58
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES	72	CLOSE QUARTERS PEX CRIMP TOOLS	53	(CRIMP) QICK SERT CR POLYMER (RFS) MALE ADAPTER	59
1" ACCUFLOW BRASS MANIFOLD AIR VENT KITS WITH DRAIN VALVES (USE ONE FOR INJECTION SYSTEM WHEN NOT USING BYPASS)	74	CLOSE QUARTERS PEX CRIMP TOOLS	97	(CRIMP) QICK SERT CR POLYMER (RFS) TEES	57
1" ACCUFLOW BRASS MANIFOLD BALL VALVE KIT	72	CLOSET - RISERS	33	(CRIMP) QICK SERT CR POLYMER SWIVEL ADAPTERS	23
1" ACCUFLOW BRASS MANIFOLD PLUG	72	COMBINATION PANEL	81	(CRIMP) QICK SERT CR POLYMER SWIVEL ELBOWS	22
1" ACCUFLOW BRASS MANIFOLD REPLACEMENT PARTS	72	COMMERCIAL/RESIDENTIAL SNOW AND ICE MELT MIXING CONTROL	90	(CRIMP) QICK SERT CR POLYMER TEES	23
1" ACCUFLOW BRASS MANIFOLDS SUPPLY/RETURN HEADERS WITH BRACKET	71	COMPRESSION TEST PLUG	99	CRIMP RING REMOVAL TOOL	54
1" ACCUFLOW BRASS PREASSEMBLED AND PRESSURE TESTED RADIANT HEATING MANIFOLDS	70	CONDUIT ELBOWS	47	CRIMP RINGS	25
1" ACCUFLOW STAINLESS STEEL MANIFOLD REPLACEMENT PARTS	75	CONDUIT ELBOWS	91	(CRIMP) SWEAT ADAPTERS	79
1" ACCUFLOW STAINLESS STEEL RADIANT HEATING MANIFOLD KIT	74	CONTROLS	81	(CRIMP) SWEAT ADAPTERS - SMALL DIAMETER	17
1" ACCUFLOW® STAINLESS STEEL RADIANT HEATING MANIFOLD KIT	74	COPPER CRIMP RINGS	25	(CRIMP) TEMPORARY TEST PLUGS - PLASTIC	20
1" MANIFOLD INJECTION MIXING SYSTEM - USE WITH QHAF HEADERS	73	COPPER CRIMP RINGS	80	(CRIMP) XL 45° BRASS ELBOWS - LARGE DIAMETER	15
1" QICKZONE MODULAR MANIFOLD KIT	68	COPPER MANIFOLD BALL VALVES - USE FOR HEATING ONLY	89	(CRIMP) XL BRASS BASEBOARD ELBOWS	78
4-WAY MIXING VALVE MOTORS	85	COPPER MANIFOLD ENDPiece - USE FOR HEATING ONLY	89	(CRIMP) XL BRASS/COPPER FITTINGS	13
4-WAY MIXING VALVES	85	COPPER MANIFOLD HEADERS (CUT PER USE) - USE FOR HEATING ONLY	88	(CRIMP) XL BRASS COUPLINGS - LARGE DIAMETER	16
4-WIRE ZONE VALVE MOTOR	84	COPPER MANIFOLD MEMORY BALANCING VALVES - USE FOR HEATING ONLY	89	(CRIMP) XL BRASS COUPLINGS - SMALL DIAMETER	16
ACCUFLOW® RADIANT HEATING MANIFOLDS	70	COPPER MANIFOLDS	88	(CRIMP) XL BRASS COUPLINGS - SMALL DIAMETER	78
ADAPTERS - UNASSEMBLED	40	COUPLINGS - ASSEMBLED	36	(CRIMP) XL BRASS ELBOWS - LARGE DIAMETER	15
ADD-A-PORT® POLYMER MANIFOLD COMPONENTS	12	COUPLINGS/NIPPLES - UNASSEMBLED	39	(CRIMP) XL BRASS ELBOWS - SMALL DIAMETER	15
AIR PRESSURE TESTER	55	(CRIMP) BASEBOARD ELBOWS - USE FOR HEATING ONLY	78	(CRIMP) XL BRASS ELBOWS - SMALL DIAMETER	77
AIR PRESSURE TESTER	100	(CRIMP) BRASS BARBED BALL VALVES - ZURN PEX XL BRASS	32	(CRIMP) XL BRASS FEMALE ADAPTERS - LARGE DIAMETER	18
ALUMICOR - PEX-AL-PEX (PAP) ACCUFLOW STAINLESS STEEL MANIFOLD CONNECTORS	65	(CRIMP) BRASS MALE ADAPTER - USE FOR HEATING ONLY	78	(CRIMP) XL BRASS FEMALE ADAPTERS - SMALL DIAMETER	18
ALUMICOR - PEX-AL-PEX (PAP) COILS	63	(CRIMP) BRASS SWEAT ADAPTER COUPLINGS - USE FOR HEATING ONLY	79	(CRIMP) XL BRASS FEMALE ADAPTERS - SMALL DIAMETER	78
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION ADAPTERS	64	(CRIMP) BRASS SWEAT ADAPTER - USE FOR HEATING ONLY	79	(CRIMP) XL BRASS MALE ADAPTERS	18
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION COUPLINGS	64	(CRIMP) COPPER MANIFOLDS	13	(CRIMP) XL BRASS MALE ADAPTERS - LARGE DIAMETER	18
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION ELBOWS	64	(CRIMP) COPPER MANIFOLDS - 3/4" XL BRASS BARB INLET, CLOSED END, AND 1/2" XL BRASS BARB OUTLETS	13	(CRIMP) XL BRASS MALE ADAPTERS - SMALL DIAMETER	79
ALUMICOR - PEX-AL-PEX (PAP) COMPRESSION TEES	63	(CRIMP) COPPER STUBOUTS	19	(CRIMP) XL BRASS PLUGS - LARGE DIAMETER	20
ALUMICOR - PEX-AL-PEX (PAP) QICKZONE AND ACCUFLOW BRASS MANIFOLD CONNECTORS	65	(CRIMP) COPPER SWEAT ELBOWS - TUB/SHOWER	19	(CRIMP) XL BRASS PLUGS - SMALL DIAMETER	20
ALUMICOR - PEX-AL-PEX (PAP) TOOLS	65	(CRIMP) COPPER WATER HEATER CONNECTOR	20	(CRIMP) XL BRASS PLUGS - SMALL DIAMETER	80
BACKFLOW PREVENTER	87	(CRIMP) COUPLING - USE FOR HEATING ONLY	78	(CRIMP) XL BRASS (RFS) COUPLING	58
BARRIER TUBING - FOR HEATING USE ONLY	61	(CRIMP) ELBOW - USE FOR HEATING ONLY	77	(CRIMP) XL BRASS (RFS) ELBOW	58
BASIN AND BALLCOCK NUTS	33	CRIMP GAUGES	54	(CRIMP) XL BRASS (RFS) FEMALE ADAPTER	59
BATTERY POWERED CRIMP TOOL	53	(CRIMP) QICK SERT CR® FITTINGS	21	(CRIMP) XL BRASS (RFS) MALE ADAPTER	59
		(CRIMP) QICK SERT CR POLYMER BALL VALVES	24	(CRIMP) XL BRASS (RFS) PLUG	60
				(CRIMP) XL BRASS (RFS) SPRINKLER HEAD COUPLING	57
				(CRIMP) XL BRASS (RFS) SPRINKLER HEAD TEE	57
				(CRIMP) XL BRASS (RFS) SWEAT ADAPTERS	60
				(CRIMP) XL BRASS (RFS) TEES	57
				(CRIMP) XL BRASS STOP VALVES - CHROME PLATED	32

ALPHANUMERIC INDEX

(CRIMP) XL BRASS SWEAT ADAPTERS – LARGE DIAMETER	17	MALE PIPE THREAD X COMPRESSION PIPE ADAPTERS	76	QICKCLAMP CRIMP GAUGE	55
(CRIMP) XL BRASS SWIVEL ADAPTERS	18	MALE SWEAT X COMPRESSION ADAPTERS	77	QICKCLAMP® CRIMP TOOLS	52
(CRIMP) XL BRASS SWIVEL ELBOWS – SMALL DIAMETER	15	MEDIUM CRIMP PEX TOOLS	51	QICKCLAMP® SYSTEM	25
(CRIMP) XL BRASS TEES – LARGE DIAMETER	14	METAL BEND SUPPORTS WITH FACEPLATE	49	QICKPORT® 1/2" OUTLET CONNECTIONS	12
(CRIMP) XL BRASS TEES – SMALL DIAMETER	13	METAL BEND SUPPORT WITH FACEPLATE	91	QICKPORT® 1" INLET AND OUTLET CONNECTIONS	12
(CRIMP) XL BRASS TRANSITIONAL FITTINGS (ZURN PEX TO POLYBUTYLENE)	17	MIXING SETPOINT CONTROL	83	QICKPORT® ACCESSORIES	12
(CRIMP) XL BRASS VALVES	32	NON-BARRIER TUBING FOR USE IN FIRE PROTECTION APPLICATIONS - COILS	56	QICKPORT® MANIFOLD SYSTEM	9
DIVERTER	85	NYLON CABLE TIES	94	QICKPORT® OUTLET VALVES – POLYMER	12
DUAL SENSING AIR/FLOOR THERMOSTAT	82	OPTIONAL THERMOMETER FOR INJECTION PUMP KIT	74	QICKTITE® ACCESSORIES	42
ELBOWS – ASSEMBLED	35	OUTDOOR RESET AND INJECTION MIXING MODULE	82	QICKTITE ANGLE STOP VALVES	43
ELBOWS – UNASSEMBLED	39	PERFORMA BARRIER TUBING – COILS	62	QICKTITE ANGLE STOP VALVES – FEMALE	43
ESCUTCHEON	50	PEX CRIMP GAUGES	99	QICKTITE® ASSEMBLED FITTING SYSTEM	34
EXPANDABLE ZONE ACTUATOR VALVE CONTROL	81	PEX CRIMP TOOLS – LARGE	96	QICKTITE IN-LINE GLOBE SHUT-OFF VALVE – ASSEMBLED	44
EXPANDABLE ZONE PUMP RELAY CONTROLS	81	PEX CRIMP TOOLS – MEDIUM	96	QICKTITE IN-LINE GLOBE SHUT-OFF VALVES – UNASSEMBLED	44
EXPANSION TANKS	87	PEX SUPPLY TUBES	33	QICKTITE® NUT/CONE/RING	41
FEMALE ADAPTERS – ASSEMBLED	37	PEX TUBE CUTTERS – BLADE AND RATCHET STYLES	97	QICKTITE STRAIGHT STOP VALVES	44
FEMALE COUPLINGS - FPT X FPT	42	PEX TUBING CUTTERS	54	QICKTITE STRAIGHT STOP VALVES – FEMALE	43
FEMALE ELBOWS – ASSEMBLED	37	PIPE CLAMP	95	QICKTITE® UNASSEMBLED FITTING SYSTEM	38
FEMALE ELBOWS – UNASSEMBLED	40	PIPE CLAMPS	46	QICKTITE® VALVES	43
FEMALE SWEAT X COMPRESSION ADAPTERS	77	PIPE SUPPORT TRACK	48	QICKZONE® MODULAR MANIFOLD SYSTEM	66
FERRULES – EXTRA COMPRESSION RINGS FOR SUPPLY TUBES	33	PIPE TRACKS	48	QICKZONE MODULAR MANIFOLD SYSTEM REPLACEMENT PARTS	68
FIRE PROTECTION PRODUCTS	56	PIPE UNCOILER	100	RADIANT HEATING FITTINGS	76
FITTINGS FOR USE IN FIRE PROTECTION APPLICATIONS	57	PIPE UNCOILER	100	RADIANT MANIFOLD SPECIAL ORDER - FLUID MANAGEMENT	90
FLEXIBLE TUBING PROTECTION SLEEVE	92	PIPE UNCOILERS	50	RADIANT PANEL PIPE TRACK	94
FLEXIBLE TUBING PROTECTION SLEEVES	47	PLASTIC L CLAMP SUPPORT	49	RED POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8
FLUID MANAGEMENT	84	PLATE HEAT EXCHANGERS	90	RED POTABLE (NON-BARRIER) TUBING COILS	7
HEAT TRANSFER PLATE	95	POLYMER BEND SUPPORT WITH INTEGRAL MOUNTING BRACKET	91	REPLACEMENT BLADES	54
HOSE BIBB VALVES - SUPPLY/DRAIN	45	POLYMER MESH CLIPS	92	RESIDENTIAL/LIGHT COMMERCIAL SNOW MELT SYSTEM	83
HOT/COLD POTABLE (NON-BARRIER) TUBING COILS	7	PORTABLE PIPE UNCOILER	100	SENSORS	90
ICEMAKER TUBING COILS	8	POTABLE (NON-BARRIER) QICKPACK COILS	8	SETPOINT CONTROLS	83
INDIVIDUAL CONES	41	POTABLE (NON-BARRIER) TUBING FOR USE IN FIRE PROTECTION APPLICATIONS	56	SETS	41
INDIVIDUAL NUTS	41	POWERVENTS	88	SNOW MELT SPECIAL ORDER - CONTROLS	90
INDIVIDUAL RINGS	41	PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES	10	SNOW MELT SWITCH	83
INJECTION MIXING SYSTEMS	73	PREASSEMBLED QICKPORT® MANIFOLDS WITH 1/2" PLASTIC BALL VALVES FOR HOMES WITH WATER CONDITIONERS	10	SOFTWARE	101
INSTALLATION ACCESSORIES	91	PREASSEMBLED QICKPORT MANIFOLDS WITHOUT VALVES	9	STAINLESS STEEL CRIMP RINGS	25
INSTALLATION ACCESSORIES AND MISCELLANEOUS PRODUCTS	46	PREASSEMBLED QICKPORT® MANIFOLDS WITHOUT VALVES FOR HOMES WITH WATER CONDITIONERS	9	STAINLESS STEEL CRIMP RING TOOL	52
INSULATED SUSPENSION CLAMPS/PIPE INSULATORS	46	PREFABRICATED QICKEE RISER ASSEMBLIES	33	STRAIGHT PANEL	81
INSULATED SUSPENSION PIPE/CLAMP INSULATOR	95	PRESSURE BY-PASS KIT FOR INJECTION PUMP KIT	73	STRAIGHT RETURN BALANCE VALVE/CIRCUIT SETTER	84
LARGE CRIMP PEX TOOLS	51	PRESSURE BYPASS VALVES	86	STRAIGHT ZONE VALVES	84
LARGE DIAMETER COMPACT CRIMP TOOL	52	PRESSURE REDUCING VALVES	87	STRUT CLAMP	46
LARGE DIAMETER QICK SERT CR POLYMER CRIMP GAUGE	55	QICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP	25	SWEAT X COMPRESSION 90° ELBOW	76
LAVATORY - RISERS	33	QICKCAP® COPPER CRIMP RINGS WITH POSITIONING CAP	80	TEES - ASSEMBLED	34
LOCKING CLIC HOLDER	92			TEES – UNASSEMBLED	38
MALE COUPLING ADAPTERS WITH XL BRASS INSERTS	36			TEST CAPS/PLUGS	42
MALE ELBOW ADAPTERS WITH XL BRASS INSERTS	35			THERMAL TRACK™	81
				THERMOSTATIC CONTROL FOR INJECTION PUMP KIT	73

ALPHANUMERIC INDEX

THERMOSTATIC HEADS (FOR USE WITH STRAIGHT ZONE VALVES AND DIVERTER)	85	Z-BITE PUSH-TO-CONNECT FEMALE ADAPTERS	27
THERMOSTATIC MIXING VALVE	86	Z-BITE PUSH-TO-CONNECT MALE ADAPTERS	27
THERMOSTATIC MIXING VALVE BODIES (CONNECTIONS REQUIRED)	86	Z-BITE PUSH-TO-CONNECT REDUCING COUPLINGS	29
THERMOSTATIC MIXING VALVE CONNECTIONS (EACH VALVE BODY REQUIRES 3 SETS)	86	Z-BITE PUSH-TO-CONNECT REDUCING ELBOWS	29
THERMOSTATS	82	Z-BITE PUSH-TO-CONNECT REDUCING FEMALE ADAPTERS	29
TOOLS	51	Z-BITE PUSH-TO-CONNECT REDUCING MALE ADAPTERS	30
TOOLS	96	Z-BITE PUSH-TO-CONNECT REDUCING TEES	30
TRANSFORMER	82	Z-BITE PUSH-TO-CONNECT SLIP COUPLINGS	31
TUBE TALON	96	Z-BITE PUSH-TO-CONNECT TEES	31
TUBE TALONS	47	Z-BITE PUSH-TO-CONNECT TRANSITION COUPLINGS, POLYBUTYLENE X PEX COUPLING	28
TUBING CLIP GUN	55	Z-BITE™ PUSH FITTINGS	26
TUBING CLIP GUN	98	Z-BITE™ PUSH-TO-CONNECT COUPLINGS	26
TUBING CLIPS	93	ZONE VALVE ACTUATORS	84
TUBING CLIPS (FOR USE WITH QHTCG TUBING CLIP GUN)	48	ZURN 2-WIRE ACTUATOR FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
TUBING/TRACK STAPLES	93	ZURN 4 WIRE ACTUATOR AND ADAPTER FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
UNASSEMBLED QICKPORT® POLYMER MANIFOLDS WITHOUT VALVES	12	ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS	69
UPRIGHT INSULATION SCREW CLIPS	92	ZURN 4 WIRE ACTUATOR FOR QICKZONE AND ACCUFLOW BRASS	72
UPRIGHT INSULATION SCREW CLIPS	99	ZURN ALUMICOR MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE (PRICED PER PAIR)	72
UPRIGHT INSULATION SCREW CLIP TOOL	97	ZURN ALUMICOR MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS (PRICED PER PAIR)	69
UPRIGHT MANUAL STAPLE GUN FOR RIGID INSULATION	98	ZURN ALUMICOR (PAP) MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
UPRIGHT MANUAL STAPLE GUN FOR WOODEN SUBFLOORS	98	ZURN HY-PE-RTUBE BARRIER TUBING COILS	61
UPRIGHT MANUAL STAPLES FOR RIGID INSULATION	93	ZURN HY-PE-RTUBE BARRIER TUBING - STRAIGHT LENGTHS	61
UPRIGHT MANUAL STAPLES FOR WOODEN SUBFLOORS	93	ZURN PEX ALUMICOR (PEX-ALUMINUM-PEX) TUBING - FOR HEATING USE ONLY	63
UPRIGHT PNEUMATIC STAPLE GUN FOR WOODEN SUBFLOORS	101	ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS	33
UPRIGHT PNEUMATIC STAPLES FOR WOODEN SUBFLOORS	94	ZURN PEX LAVATORY CONNECTION WITH 1/2" FPT NUTS	45
UTILITY PANEL	81	ZURN PEX PERFORMA BARRIER TUBING - STRAIGHT LENGTHS	62
WHITE NON-BARRIER TUBING 20-FOOT STRAIGHT LENGTHS	56	ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW BRASS AND QICKZONE	72
WHITE POTABLE (NON-BARRIER) TUBING 20-FOOT STRAIGHT LENGTHS	8	ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR ACCUFLOW STAINLESS STEEL MANIFOLD	75
WHITE POTABLE (NON-BARRIER) TUBING COILS	7	ZURN PEX/PERFORMA/HY-PE-RTUBE MANIFOLD CONNECTORS FOR QICKZONE AND ACCUFLOW BRASS MANIFOLDS	69
WIRE FASTENERS/TOOLS	50	ZURN PEX® PLUMBING AND RADIANT HEATING SYSTEMS FIRE PROTECTION SYSTEMS - PROFESSIONAL INSTALLATION LIMITED WARRANTY	105
WIRE TIES	94	ZURN PEX RADIANT HEATING PRODUCTS	61
WIRE TOOLS	99	ZURN TERMS AND CONDITIONS	106
XL BRASS/COPPER FITTINGS	77		
Z-BITE DEPTH GAGE AND DEBURRING TOOL	31		
Z-BITE PUSH FITTING REMOVAL TOOL	30		
Z-BITE PUSH-TO-CONNECT CAPS	26		
Z-BITE PUSH-TO-CONNECT DROP EAR ELBOWS	26		
Z-BITE PUSH-TO-CONNECT ELBOWS	27		
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X FEMALE THREAD	28		
Z-BITE PUSH-TO-CONNECT ELBOWS, PUSH X MALE THREAD	28		

ZURN PEX® PLUMBING AND RADIANT HEATING SYSTEMS FIRE PROTECTION SYSTEMS - PROFESSIONAL INSTALLATION LIMITED WARRANTY

Subject to the terms and conditions of this Limited Warranty, and relating to Zurn PEX Plumbing and Radiant Heating and Fire Protection Systems, Zurn PEX, Inc. warrants only to the owner of the real property when installed by licensed professional contractors or authorized distributors who purchase and properly install in a potable plumbing system and/or radiant heating system and/or fire protection system its:

1. Zurn PEX Non-Barrier and Performa® Barrier cross-linked polyethylene tubing (PEX) and Zurn PEX CR poly insert fittings, and Zurn PEX XL brass insert fittings, and Zurn PEX copper crimp rings when installed as a system with Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX), for a period of twenty-five (25) years, and
2. Zurn PEX Non-Barrier and Performa Barrier cross-linked polyethylene tubing (PEX) and Zurn PEX CR poly insert fittings, and Zurn PEX XL brass insert fittings, and Zurn PEX QuickClamp™ crimp rings when installed as a system with Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX), for a period of twenty-five (25) years, and
3. Zurn PEX Non-Barrier cross-linked polyethylene tubing (PEX) and Zurn Z-Bite™ Fittings when installed as a system with Zurn PEX Non-Barrier cross-linked polyethylene (PEX) tubing, for a period of twenty-five (25) years, and
4. Zurn PEX hyPE-RTube PE-RT tube for a period of twenty-five (25) years, and
5. Zurn PEX Non-Barrier and Performa Barrier cross-linked polyethylene tubing (PEX) and Zurn PEX XL brass insert fittings, and Zurn PEX CR poly insert fittings, and stainless steel clamps when installed as a system with Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX), for a period of fifteen (15) years, and
6. Zurn Z-Bite fittings when installed with copper tube meeting ASTM B88 or CPVC tube meeting ASTM D2846 or PEX tube meeting ASTM F876 from another manufacturer for a period of five (5) years, and
7. Zurn PEX Performa Barrier cross-linked polyethylene tubing (PEX), for a period of thirty (30) years, and
8. Zurn PEX Alumicor® PEX-AL-PEX (cross-linked polyethylene-aluminum-crosslinked- polyethylene) tubing for a period of twenty-five (25) years, and
9. Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX) for a period of twenty-five (25) years, and
10. Zurn PEX XL brass insert, and Zurn PEX CR poly insert fittings when not installed with Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX) and installed with PEX tubing that meets the ASTM F876 requirements for a period of five (5) years, and
11. QuickClamp crimp rings when not installed with Zurn PEX Non-Barrier and Barrier cross-linked polyethylene tubing (PEX) and installed with PEX tubing that meets the ASTM F876 requirements, for a period of five (5) years, and
12. Zurn PEX Alumicor PEX-AL-PEX brass compression fittings when used with another manufacturer's tubing that meets the requirements of ASTM F1281 for a period of ten (10) years, and
13. QuickPort® plumbing manifolds, under normal conditions of use, for a period of ten (10) years, and
14. Zurn PEX riser tubes and supplies, if installed properly, for a period of one (1) year from the date of installation, and
15. The associated hardware and accessories, including manifolds, distribution headers, valves, electrical controls, and miscellaneous fittings, for a period of two (2) years from the date of installation, and
16. Zurn PEX Crimp Tools, if properly used under normal conditions, for a period of six (6) months from date of purchase.

In order for this Limited Warranty to apply, the above referenced products must be installed by a licensed professional meeting all applicable code requirements and good plumbing practices.

FAILURE TO INSTALL ZURN PEX PRODUCTS ACCORDING TO MANUFACTURER'S INSTRUCTIONS WILL VOID ALL APPLICABLE WARRANTIES AND MAY RESULT IN SEVERE WATER DAMAGE. Under this warranty, you only have a right reimbursement if the alleged failure is determined to be a direct result of the product(s) as covered in this warranty and occurred during the warranty period. This warranty does not apply and you do not have a right of reimbursement if the failure or resulting damage is caused by:

- I. freezing during or after the installation or inadequate freeze protection;
- II. damage due to tear, breaks, or other external damages before, during or after installation;
- III. components not manufactured or sold by Zurn PEX, Inc.;
- IV. exposure to temperatures and pressures beyond the specified range for Zurn PEX products as specified on the product in the Zurn PEX Design Manual and Installation Guide;
- V. any form of corrosion;
- VI. exposure to ultraviolet light;
- VII. damage or wear from abnormal operating conditions, accident, abuse, misuse, or unauthorized alterations or repair or damage attributable to water discharged as part of a system's normal operating process;
- VIII. exposure to harmful, unauthorized, or unanticipated chemicals or substances;
- IX. failure to install, inspect, or test Zurn PEX Fire Protection Systems in accordance with applicable code requirements, Zurn PEX Residential Fire Protection Systems Installation Guide instructions at the time of installation, and accepted industry practices including, but not limited to, NFPA13D.
- X. malfunction or otherwise improper function of sprinkler(s) installed with a Zurn PEX Fire Protection System, which are not manufactured by Zurn PEX, Inc.

THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR OBLIGATIONS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ZURN PEX DOES NOT GUARANTEE OR IN ANY WAY WARRANT THE INSTALLATION OF ZURN PEX PRODUCTS DUE TO THE WIDE VARIANCE IN INSTALLATION PRACTICES AND OTHER CONDITIONS BEYOND OUR CONTROL. IN NO EVENT SHALL ZURN PEX, INC. BE LIABLE IN TORT OR CONTRACT OR UNDER ANY OTHER LEGAL OR EQUITABLE THEORY OF LAW FOR ANY INCIDENTAL SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES.

If you believe that a product fails to meet the above Limited Warranty, you should notify us in writing within 30 days of an alleged failure and prior to expiration of the applicable warranty period set forth above, at the following address:

Zurn PEX, Inc.
116 Maple Street
Commerce, TX 75428
Attention: Product Claims

Notification should include a description of the product, the failed part, model number (if available), date of purchase and/or date of installation, and how the product fails to meet the above warranty. Upon receipt of a written claim under this Limited Warranty and evidence/identification of the date of manufacture of product, and after inspection by an authorized Zurn PEX representative and determination of a manufacturing defect, Zurn PEX, Inc. will reimburse the property owner for reasonable repair or replacement charges, to include drywall and painting as well as damages to real property and the premises within which the product is installed, resulting from the failure or leak. At our option, and in our sole discretion, we will either repair or replace the product with a Zurn PEX product of the same or similar type, size, and like quantity. THESE REMEDIES ARE THE EXCLUSIVE REMEDIES FOR BREACH OF WARRANTY. UNDER NO CIRCUMSTANCES WILL ZURN PEX, INC. BE LIABLE FOR ANY OTHER INJURY, LOSS, DAMAGE OR EXPENSE WHETHER DIRECT, INDIRECT, CONSEQUENTIAL, EXEMPLARY OR PUNITIVE; INCLUDING BUT NOT LIMITED TO LOSS OF USE, INCOME, PROFIT, PRODUCTION OR INCREASED COST OF OPERATION, SPOILAGE OR DAMAGE TO MATERIAL, OR CHANGE OUT COSTS. In order to qualify for a labor allowance to repair or replace defective material, you must contact Zurn PEX in advance and receive written authorization for this allowance. Except as specified above, we will not pay any costs (labor or otherwise) associated with removing previously installed product(s), installing replacement product(s) or return of a product. If, as determined by Zurn PEX, Inc. in its sole discretion, that repair or replacement of the product is not commercially practicable, or cannot be completed in a timely manner, we may refund the ultimate purchase price paid for the product upon verification by providing a copy of your purchase order, invoice, receipt, or bill of sale. No action on the part of Zurn PEX, Inc. under this warranty shall be construed as an admission of liability or that the product is not fit for its intended use.

ZURN TERMS AND CONDITIONS

PRICE AND TERMS OF PAYMENT

Terms are net, payable 30 days from date of invoice. All pricing in U.S. currency. The Buyer shall pay all sales, consumer, or other applicable taxes. A 1-1/2% monthly (18% annual) service charge will be added to the outstanding balance of all past due invoices.

Minimum invoice \$100.00. Zurn Industries, LLC ("Zurn") reserves the right to apply a minimum order charge in order to meet the \$100.00 minimum invoice requirement. All orders are subject to credit approval by the Zurn Credit Department prior to the acceptance of an order. Orders may be refused, delivery may be withheld, or shipment stopped in transit without any liability on Zurn's part at Zurn's sole discretion based upon Buyer's credit worthiness as determined by Zurn.

FREIGHT

Zurn is pleased to provide an industry-leading \$3,500 combined freight rate. Please see below for specific policy details.

All sales are F.O.B. seller's location. Zurn will allow full freight allowance when any of the following conditions are met: 1) any combination of Specification Drainage, Light Commercial, Commercial Brass or Wilkins orders of \$3,500 or more; 2) Linear Drainage and Chemical Drainage orders of \$5,000 or more; 3) any Combination of Specification Drainage, Light Commercial, Commercial Brass, Wilkins, Linear Drainage and Chemical Drainage orders of \$5,000 or more; 4) Zurn One Systems orders of \$7,500 or more; 5) fixture only orders totaling \$10,000 or more. This full freight allowance applies when the shipment is within the continental United States and has a single destination of a buyer's standard address or job location. Routing of shipment shall be determined at the sole direction of Zurn. Shipping dates are estimates and time of delivery shall not be of the essence of this sale contract. Under no circumstances will the Seller have any responsibility on account of any delays in manufacture, transportation, or otherwise. Terms of Export Shipment on application.

NOTE: Any product dimension larger than 92" or any single item weighing more than 3,500 lbs., shall be defined as an oversized and/or overweight product and Zurn's standard FFA terms may not apply. Please contact our customer service department for guidance on potential additional shipping charges.

These charges and restrictions apply in addition to Zurn standard terms and conditions for sale unless otherwise agreed upon by the parties.

LIMITED WARRANTY

Zurn goods sold hereunder are warranted to be free from defects in material and factory workmanship for the period of time from the date of purchase: AquaVantage® Flush Valves, AquaFlush® Flush Valves, Commercial Fixtures, Faucets, Showers, and Tubular Brass three years; Chemical Drainage, Linear Drainage, Light Commercial, Specification Drainage, Zurn Wilkins, and Flush Valve and Tubular Brass decorative finishes one year, PHIX® Cartridge ten years, FOG-ceptor™ thirty years. Where permitted by law, **THE IMPLIED WARRANTY OF MERCHANTABILITY IS LIMITED TO THE ABOVE IDENTIFIED PERIOD OF TIME AND SHALL BE LIMITED SOLELY TO THE REPLACEMENT OF THE DEFECTIVE GOODS.** A damaged/broken test cock or ball valve is not considered defective. Please contact Zurn Customer Care for assistance.

Zurn will replace goods at no cost that prove defective provided Zurn is notified in writing of such defect and the goods are returned prepaid at the specified Zurn location with evidence that they have been properly maintained and used in accordance with instructions. **ZURN SHALL NOT BE RESPONSIBLE FOR ANY LABOR CHARGES OR ANY LOSS, INJURY, OR DAMAGES WHATSOEVER, INCLUDING, BUT NOT LIMITED TO, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** The sole and exclusive remedy shall be limited to the replacement of the defective goods. Before installation and use, the purchaser shall determine the suitability of the product for his intended use and the purchaser assumes all risk and liability whatever in the connection therewith. All weights stated in Zurn catalogs and lists are approximate and are not guaranteed.

RETURNED GOODS

Standard cataloged material may be returned only with written permission of Zurn. Returned goods are subject to a 25% restocking charge of total saleable material returned, plus cost of reconditioning, if necessary, to make material sellable. Transportation charges are the responsibility of the Buyer. Credit allowance will be in the form of merchandise credit only – not cash credit. The value of the return must total at least \$100.00 to qualify for credit allowance. No credit will be allowed for parts unless originally ordered and invoiced as parts. No credit will be allowed for discontinued or made-to-order items. Items that have been specially made are not subject to return or cancellation except by special negotiation. Material must be returned within one year of invoice date for credit to be issued for Chemical Drainage, Linear Drainage, and Light Commercial. Material must be returned within two years of invoice date for credit to be issued for Commercial Fixtures, Flush Valve Products, Specification Drainage, Tubular Brass, and Zurn Wilkins. No credit is allowed for Linear Drainage products that have been cut and Specification Drainage product with auxiliary tappings. Flush Valve material over two years old will be subject to a 50% handling charge. Flush Valve material over five years old will not be accepted. Light Commercial and Specification Drainage galvanized material will be credited at value of Dura-Coated cast iron, and chrome plated at value of bronze. Zurn Wilkins damaged/broken test cocks or ball valves are not considered defective.

ILLUSTRATIONS OF TYPICAL INSTALLATIONS

The typical installations for various products found in each product section are intended to illustrate the products and potential options for the use of these products. Under no circumstances are they to be construed as recommended installation procedures. Consult local codes and project specifications for proper installation instructions.

SHORTAGE/DAMAGE CLAIMS

Notification of material shortages or incorrect filling of orders must be made to Zurn within 10 days of receipt. No claims over three months old will be honored. Buyer agrees to make all complaints for damage in transit or "short count" directly to the carrier; before the contents are unloaded have the carrier agent's acknowledgment of such damage noted on the bill of lading and to present to the carrier its agent's acknowledgment of such damaged material with formal claim covering said damage.

GENERAL

Zurn reserves the right to make changes in design or equipment of any item or product without incurring any obligation on previously sold items, and to discontinue items at any time, without notice. Possession of this Catalog or other sales literature is not to be construed as an offer to sell. All orders are subject to acceptance by Zurn. Catalog printed in U.S.A.

Zurn flush valves are designed to comply with Army Corp of Engineers and Naval guide specifications, Military Specification MIL.V.29193 and Federal Specification WWP541.

Zurn flush valves comply with the following standards: ASME A112.18.1/CSA B125.1, A112.19.5, A112.19.2, A112.19.6, ASSE 1037 and 101 are listed by the following agencies: Canadian Standards, IAPMO/UPC/CUPC, and CSA 125.3. Zurn flush valves are manufactured from dezincification resistant alloys. For additional compliances, contact Zurn Industries, LLC, Commercial Brass Operation, or 1-800-997-3876.

Zurn is not responsible for typographical errors. The contents of this guide are subject to revision without notice.

© 2017 Zurn Industries, LLC Items in this Guide are covered by Patents and Patents Pending. Registered Trademarks.

Zurn PEX®, Inc.

116 Maple Street

Commerce, TX 75428, 855-663-9876

In Canada

Zurn Industries Limited

37900 Goreway Drive, Unit 10

Brampton, Ontario L6T 5W6, 905-405-8272

[1.855.ONE.ZURN](tel:1855ONEZURN) | ZURN.COM

