

# PRODUCT GUIDE





**ALL THE  
INFORMATION  
YOU  
NEED**

# PRODUCT GUIDE

## THE ALU-REX PRODUCT LINES AT A GLANCE

### **For new rain gutters in debris area**


DoublePro is a dual-action gutter protection system. It is built to stand up to the worst weather conditions in Canada and keep your gutter free of ice and debris year after year.

### **For new rain gutters in treeless area**

The T-Rex® is a continuous fastening system for eavestroughs. It mounts rain gutters solidly on houses, making them much sturdier and more long-lasting than those mounted with spikes and hangers spaced at intervals. The T-Rex continuous hanger™ system protects eavestroughs from damage caused by debris, snow, ice and UV rays.

### **For existing rain gutters**

The Gutter Clean System® keeps leaves and debris from getting into and clogging the eavestroughs. It is installed over existing rain gutters, without replacing them. Its sturdy aluminum construction and the debris protection it provides make it the most widely installed product in Canada.

double  pro®t  rex®gutter  clean®

<b>FOR <u>NEW</u> RAIN GUTTERS IN DEBRIS AREA</b>	✓		
<b>FOR <u>NEW</u> RAIN GUTTERS IN TREELESS AREA</b>		✓	
<b>INSTALLS OVER <u>EXISTING</u> RAIN GUTTERS</b>			✓
Strengthens gutters to support 250 lb per linear foot	✓	✓	
Fastens gutters to the house	✓	✓	
Replaces spikes and hangers	✓	✓	
Protects gutters from pine needles	✓		
Protects gutters from leaves and debris	✓	✓	✓
Can handle 29.7" (754 mm) of water per hour	✓	✓	✓
Reduces problems with ice and snow	✓	✓	✓
Warranty on material	<b>LIFETIME</b>	<b>LIFETIME</b>	<b>40 YEARS</b>
Warranty on sturdiness	<b>LIFETIME</b>	<b>LIFETIME</b>	
Clog-free warranty against leaves	<b>LIFETIME</b>	<b>40 YEARS PRORATED</b>	<b>40 YEARS PRORATED</b>
Clog-free warranty against pine needles	<b>LIFETIME</b>		

# double pro<sup>®</sup>

## FACT SHEET



### **vortex<sup>™</sup>** TECHNOLOGY

The suction created by the two membranes makes it possible to drain three times more water than ever recorded in the heaviest storms. The inner membrane draws water through the wider holes.



### **eclipse<sup>™</sup>** TECHNOLOGY

The double membrane keeps debris from getting inside the gutter. The offset holes make it the perfect filter, allowing water to drain freely while blocking pine needles and leaves without ever getting clogged.





## roll@back™ TECHNOLOGY

This technology sends excess rainwater back into the gutter for truly high-volume drainage capabilities.



## winter shield™ TECHNOLOGY

Wintershield stops ice from building up and in the gutter, protecting it from warping caused by freeze/thaw cycles. That way, water flows through the gutter rather than into your home.







## FACT SHEET

### winter❄️shield™ TECHNOLOGY

- Prevents damage caused by ice and snow
- Will not rust
- Will not warp
- 100% recycled and recyclable aluminum



### OVERLAP

- Makes a perfect seal between sections



### alu❄️perf™ PERFORATIONS

- The perfect balance between maximum drainage and debris protection
- Drain 29.7" (754 mm) of water per hour
- Perforations measure 7/64" (2.8 mm)

### SELF-SEALING SCREW


- Reduces the risk of water seeping through the fascia board
- Galvanized hex screw with rubber gasket

### roll@back™ TECHNOLOGY

- Keeps water from overflowing even when heavy rain flows down the roof

### CONTINUOUS REAR FLAP

- Fastens and seals the back of the rain gutter






# gutter clean<sup>®</sup>


## FACT SHEET

### winter shield<sup>™</sup> TECHNOLOGY

- Prevents damage caused by ice and snow
- Made of 0.017" aluminum
- Will not rust
- Will not warp
- 100% recycled and recyclable aluminum 

### OVERLAP


- Makes a perfect seal between sections



### alu perf<sup>™</sup> PERFORATIONS


- The perfect balance between maximum drainage and debris protection
- Drain 29.7" (754 mm) of water per hour
- Perforations measure 7/64" (2.8 mm)

### flex seal<sup>™</sup> TECHNOLOGY


- Seals the back of the eavestrough/gutter tightly
- Resistant to U.V. rays, fungi, and variations in temperature
- Recyclable 

### roll@back<sup>™</sup> TECHNOLOGY

- Keeps water from overflowing even when heavy rain flows down the roof



THE STANDARD.  
**MADE BETTER.**



WATCH  
**THE VIDEO**



# double pro<sup>®</sup>

## PRODUCTS FOR NEW RAIN GUTTERS



### D-11500

- > Protects against clogs caused by leaves and pine needles
- > Replaces spikes and hangers
- > Strengthens the gutter
- Available for 6" gutters

## TO ORDER

### D-11500 (5")

**PRODUCT**

- Aluminum
- Carbon Black and aluminum
- 200 screws included
- Length: 7.5'
- Top layer thickness: 0.017"
- Bottom layer thickness: 0.014"

**PACKAGING**

- 24 pcs per ctn
- 180' per ctn
- Ctn: 90"x 11" x 5" 47 lb
- 24 ctns per skid (4,320)
- Skid: 7.5' x 4' 1,200 lb

### D-11600 (6")

**PRODUCT**

- Aluminum
- Carbon Black and aluminum
- 200 screws included
- Length: 7.5'
- Top layer thickness: 0.017"
- Bottom layer thickness: 0.014"

**PACKAGING**

- 24 pcs per ctn
- 180' per ctn
- Ctn: 90"x 14" x 5" 56 lb
- 21 ctns per skid (3,780')
- Skid: 7.5' x 4' 1,229 lb

## ACCESSORIES

### UNIVERSAL CORNERS AND ACCESS PANELS (3 IN 1)

- UA-11500 (5")
- UA-11600 (6")
- > Aluminum
- > Carbon Black
- > Top layer thickness: 0.017"
- > Bottom layer thickness: 0.014"
- > 10 corners or 20 panels per ctn

### SCREWS

- > SKU: SCREW1011/2BK
- > Zinc - Gray
- > Bag of 100 screws
- # 10 1-1/2 screw
- > Black head hex 1/4"
- > Rubber Washer





## PRODUCTS FOR NEW RAIN GUTTERS

### M-5200

- > Replaces spikes and hangers
- > Strengthens the gutter

- Available in Carbon Black
- Available for 6" & 7" gutters
- Available in 0.017" & 0.021" aluminum
- Available for fascia gutters
- Available for Super 5 gutters



### M-5800

- > Replaces spikes and hangers
- > Strongest gutter protection
- > Always in 0.021" aluminum
- Available in 5 colours



## ACCESSORIES



### CORNERS

- > Aluminum
- > Gold backer
- > Thickness: 0.017"
- > 20 pieces per ctn

#### Outside

- OC-5200D (5")
- OC-6200D (6")
- OC-5200D B95 (5" Carbon Black)

#### Inside

- IC-5200D (5")
- IC-6200D (6")
- IC-5200D B95 (5" Carbon Black)
- Includes 10 water deflectors

#### Universal

- UC-5000 AXX (for M-5800)



### ACCESS PANELS

- > Easy way to access the eavestrough
- > 20 pieces per ctn

- AP-5200 (5")
- AP-6200 (6")
- AP-5200F (5" fascia)
- AP-5200 B95 (5" Carbon Black)



### BITS

- > 6" long
- > Head hex 1/4"
- > Magnetic



### WATER DIVERTERS

- > Included in inside corner boxes or 30 pieces per ctn
- > Thickness: 0.0165"
- For M-5200 (white)
- For M-5200 B95 (black)
- For M-5800 (5 colours)



### SCREWS

- > SKU: SCREW101/2
- > Zinc - Gray
- > Bag of 100 screws # 10 1-1/2 screw
- > Head hex 1/4"
- > Rubber Washer

**M-5200 B95 (BLACK 5")**

**PRODUCT** Aluminum  
Carbon Black backer  
300 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 48 pcs per ctn  
360' per ctn  
Ctn: 90" x 11" x 8" 56 lb  
20 ctns per skid (7,200')  
Skid: 7.5' x 4' 1,120 lb

**M-5200 (5")**

**PRODUCT** Aluminum  
Gold backer  
300 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 48 pcs per ctn  
360' per ctn  
Ctn: 90" x 11" x 8" 56 lb  
20 ctns per skid (7,200')  
Skid: 7.5' x 4' 1,120 lb

**M-6200 (6")**

**PRODUCT** Aluminum  
Gold backer  
300 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 34 pcs per ctn  
255' per ctn  
Ctn: 90" x 13" x 6" 48 lb  
24 ctns per skid (6,120')  
Skid: 7.5' x 4' 1,152 lb

**M-7200 (7")**

**PRODUCT** Aluminum  
Gold backer  
200 screws included  
Length: 7.5'  
Thickness: 0.021"

**PACKAGING** 24 pcs per ctn  
180' per ctn  
Ctn: 90" x 13" x 8" 50 lb  
20 ctns per skid (3,600')  
Skid: 7.5' x 4' 1,000 lb

**M-5800 (5")**

**PRODUCT** Aluminum  
See colour chart on page 18  
100 screws included  
Length: 7.5'  
Thickness: 0.021"

**PACKAGING** 20 pcs per ctn  
150' per ctn  
Ctn: 90" x 14" x 4" 25 lb  
20 ctns per skid (3,000')  
Skid: 7.5' x 4' 500 lb

**M-5221 (5")**

**PRODUCT** Aluminum  
Gold backer  
300 screws included  
Length: 7.5'  
Thickness: 0.021"

**PACKAGING** 48 pcs per ctn  
360' per ctn  
Ctn: 90" x 11" x 8" 62 lb  
20 ctns per skid (7,200')  
Skid: 7.5' x 4' 1,240 lb

**M-5200F (FASCIA)**

**PRODUCT** Aluminum  
Gold backer  
300 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 40 pcs per ctn  
300' per ctn  
Ctn: 90" x 11" x 8" 52 lb  
20 ctns per skid (6,000')  
Skid: 7.5' x 4' 1,040 lb

**M-5200S5 (SUPER 5)**


**PRODUCT** Aluminum  
Gold backer  
300 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 48 pcs per ctn  
360' per ctn  
Ctn: 90" x 11" x 8" 52 lb  
20 ctns per skid (7,200')  
Skid: 7.5' x 4' 1,040 lb

# gutterclean<sup>®</sup> SYSTEM


## PRODUCTS FOR EXISTING RAIN GUTTERS

### M-5100




- > Adjustable back section for difficult installations
- > Adjustable for 4" gutters
- Available in copper
- Available for 6" gutters

### M-5300



- > The traditional choice, suitable for most installations
- Available for 6" gutters


### M-53ZIP



- > Allows you to install on screw-on hangers
- Available for 6" gutters

## ACCESSORIES

### CORNERS



- > Aluminum
- > Gold backer
- > Thickness: 0.017"
- > 20 pieces per ctn

#### Outside

- OC-5200 (5")
- OC-6200 (6")

#### Inside

- IC-5200D (5")
- IC-6200D (6")

### WATER DIVERTERS



- > Included in inside corner boxes or 30 pieces per ctn
- > White only
- > Thickness: 0.017"



## TO ORDER

### M-5300 (5")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 12" x 5" 42 lb  
24 ctns per skid (7,680')  
Skid: 7.5' x 4' 1,008 lb

### M-6300 (6")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 13" x 6" 52 lb  
21 ctns per skid (6,720')  
Skid: 7.5' x 4' 1,092 lb

### M-53ZIP (5")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 12" x 6" 52 lb  
21 ctns per skid (6,720')  
Skid: 7.5' x 4' 1,092 lb

### M-63ZIP (6")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 13" x 6" 54 lb  
21 ctns per skid (6,720')  
Skid: 7.5' x 4' 1,134 lb

### M-5100 (5")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 13" x 3" 46 lb  
30 ctns per skid (9,600')  
Skid: 7.5' x 4' 1,380 lb

### M-6100 (6")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.44'  
Thickness: 0.017"

**PACKAGING** 43 pcs per ctn  
320' per ctn  
Ctn: 90" x 14" x 3" 53 lb  
30 ctns per skid (9,600')  
Skid: 7.5' x 4' 1,590 lb

### MC-5100 (5")

**PRODUCT** Copper  
100 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90" x 7" x 3" 51 lb  
35 ctns per skid (4,200')  
Skid: 7.5' x 4' 1,785 lb


### MC-6100 (6")

**PRODUCT** Copper  
100 screws included  
Length: 7.5'  
Thickness: 0.017"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90" x 7" x 3" 68 lb  
35 ctns per skid (4,200')  
Skid: 7.5' x 4' 2,380 lb



# RAIN GUTTER PROTECTION FOR HALF ROUND GUTTER



## TO ORDER

### HR-5400 (5")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.5'  
Thickness: 0.0215"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90.25" x 7.75" x 2.25" 22 lb  
40 ctns per skid (4,800')  
Skid: 7.67' x 3.75' 880 lb

### HR-6400 (6")

**PRODUCT** Aluminum  
Gold backer  
Length: 7.5'  
Thickness: 0.0215"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90.25" x 7.75" x 2.25" 25 lb  
40 ctns per skid (4,800')  
Skid: 7.67' x 3.75' 1,000 lb

### HRC-5400 (5")

**PRODUCT** Copper  
100 screws included  
Length: 7.5'  
Thickness: 0.016"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90.25" x 7.75" x 2.25" 49 lb  
24 ctns per skid (2,880')  
Skid: 7.67' x 3.75' 1,176 lb


### HRC-6400 (6")

**PRODUCT** Copper  
100 screws included  
Length: 7.5'  
Thickness: 0.016"

**PACKAGING** 16 pcs per ctn  
120' per ctn  
Ctn: 90.25" x 7.75" x 2.25" 57 lb  
24 ctns per skid (2,880')  
Skid: 7.67' x 3.75' 1,368 lb

## COMPATIBILITY

Multiple profiles of half-round gutters are available on the market.  
Make sure your style of gutter matches our product specifications.



## REVERSIBLE ANTI-RODENT TRIM

- > SKU: R10010
- > Dimensions: 2" (w) x 1" (h) x 10' (d)
- > 30 pcs per bundle
- > 300' per bundle

## MINIMUM ORDER TO GET PREPAID SHIPPING

---

### PRODUCTS


### QUANTITY PER PALLET

Mixed Products Pallet (Excluding Accessories) .....	20 CTNS
M-5200, M-5200 B95, M-5200F, M-5200S5 & M-5221 .....	20 CTNS
M-5800 & M-7200 .....	20 CTNS
D-11600, M-6300, M-53ZIP & M-63ZIP .....	21 CTNS
D-11500.....	24 CTNS
M-5300 & M-6200 .....	24 CTNS
M-5100 & M-6100 .....	30 CTNS


# COLOUR CHART M-5800


# t<sup>+</sup>rex | XL<sup>®</sup>

## CONTINUOUS HANGER™



### COLOURS AVAILABLE\*

 **A01** Bright white

 **A03** White

 **A77** Slate

 **A83** Commercial brown

 **A96** Black

\* Colours subject to change without notice

\*\* Printed colour may vary from the original colour





2180 DE LA ROTONDE AVE., LÉVIS (QUEBEC) G6X 2L8 CANADA  
WWW.ALU-REX.COM • 1-855-5-ALU-REX