STYLED IN ITALY. PROUDLY AMERICAN.

NATIVE

atlas concorde u s A



Native North Granite Wall Bullnose 2"X12"- 5X30.5 cm Native North Granite Wall Mosaic 12"X12"- 30.5X30.5 cm Native North Granite 12"X22"- 30.5X56 cm Native North Granite 11^{3/4}"x23^{5/8}- 30x60 cm

COLORED BODY PORCELAIN TILE



North Granite



South Limestone



West Quartzite



From the four corners of the US come four inspirations of natural stones celebrated in NATIVE. Bright Granite from the North, warm Southern Limestone, Quartzites of the West and Bluestone attributing the East Coast. Their veins, grains and alternations of colors make them suitable to create chic and modern looks, inspired by the most precious stones used in American architecture. The full range of floor and wall tiles exemplify the originality of American materials.



East Bluestone

- Natural stone look
- Complete floor & wall range
- 2 floor sizes: 12"x24", 24"x24"
- 2 wall sizes: 12"x22", 3"x12"
- 3D wall tiles
- Residential and commercial spaces

NATIVE

Native 3D Rock Pearl 12"x22" - 30.5x56 cm Native East Bluestone 11^{3/4}"x23^{5/8}" - 30x60 cm

COLORED BODY PORCELAIN TILE



North Granite





East Bluestone



SHADE VARIATION





COLORED BODY PORCELAIN TILE





SIZE - THICKNESS

 $11^{3/4"} \times 23^{5/8"}$ - 30x60 cm / $23^{5/8"} \times 23^{5/8"}$ - 60x60 cm ≥ 9 mm

FINISH MATTE



NATIVE North Granite 23^{5/8}"x23^{5/8}" - 60x60 cm - Rectified 600010002304



NATIVE East Bluestone 23^{5/8}"x23^{5/8}" - 60x60 cm - Rectified 600010002302



NATIVE South Limestone

23^{5/8}" x23^{5/8}" - 60x60 cm - Rectified 600010002305



NATIVE North Granite 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002095



NATIVE East Bluestone 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002201



NATIVE South Limestone 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002200



NATIVE West Quartzite 11^{3/4}"x23^{5/8}" - 30x60 cm 600010002202

MOSAICS & DECORS





NATIVE North Granite Mosaic 11^{3/4}" x11^{3/4}" - 30x30 cm (Mosaic 2"x2") 600110000801

NATIVE South Limestone Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Mosaic 2"x2") 600110000802




NATIVE North Granite Brick Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Brick Mosaic 1"x11^{3/4}") 600110000813



NATIVE South Limestone Brick Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Brick Mosaic 1"x11^{3/4}") 600110000814

COORDINATING TRIMS







NATIVE East Bluestone Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Mosaic 2"x2") 600110000803



NATIVE West Quartzite Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Mosaic 2"x2") 600110000804



NATIVE East Bluestone Brick Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Brick Mosaic 1"x11^{3/4}") 600110000815



NATIVE West Quartzite Brick Mosaic 11^{3/4}"x11^{3/4}" - 30x30 cm (Brick Mosaic 1"x11^{3/4}") 600110000812



WHITE BODY WALL TILE



North Granite



South Limestone




3D Rock Pearl



3D Rock Ivory

SHADE VARIATION


NEW 2017



WHITE BODY WALL TILE

NATIVE

Native South Limestone Brick 3^{1/8}"x12^{3/8}"- 8x31.5 cm Native South Limestone Listello 3^{1/8}"x12^{3/8}"- 8x31.5 cm Native South Limestone Wall Bullnose 2"x12"- 5x30.5 cm











NATIVE

Native 3D Rock Ivory 12"X22"- 30.5X56 cm Native West Quartzite Brick Mosaic 11^{3/4}"X11^{3/4}"- 30X30 cm Native West Quartzite 23^{5/8}"X23^{5/8}"- 60X60 cm

Native 3D Rock Ivory 12"X22"- 30.5X56 cm Native West Quartzite Brick Mosaic 11^{3/4}"X11^{3/4}"- 30X30 cm Native West Quartzite 23^{5/8}"X23^{5/8}"- 60X60 cm Native West Quartzite Cove Base 6"X12"- 15X30 cm



SIZE - THICKNESS

12"x 22" - 30.5x56 cm 3D 12"x 22" - 30.5x56 cm 🔮 9.5 mm $3^{1/8''} \times 12^{3/8''} - 8 \times 31.5 \text{ cm}$ 8.5 mm

👗 8.5 mm FINISH GLOSSY - MATTE



NATIVE North Granite 12"x22" - 30.5x56 cm - Rectified - Glossy 600015000275



NATIVE 3D Rock Ivory 12"x 22" - 30.5x56 cm - ★ 9,5mm Rectified - Matte

600015000273

NATIVE South Limestone 12"x22" - 30.5x56 cm - Rectified - Glossy 600015000276

NATIVE North Granite NATIVE South Limestone Brick 3^{1/8}"x 12^{3/8}" - 8x31.5 cm 3^{1/8}"x 12^{3/8}" - 8x31.5 cm Glossy 600015000277



Brick Glossy

600015000278



NATIVE 3D Rock Pearl 12"x 22" - 30.5x56 cm - ★ 9,5mm Rectified - Matte 600015000274

MOSAICS & DECORS



NATIVE Granite Wall Mosaic 12"x12" - 30.5x30.5 cm (Mosaic 1.3"x1.3") 600110000825



NATIVE Limestone Wall Mosaic 12"x12" - 30.5x30.5 cm (Mosaic 1.3"x1.3") 600110000826





NATIVE Granite Wall Listello 3^{1/8}"x 12^{3/8}" - 8x31.5 cm 600110000832



Wall Listello 3^{1/8}"x 12^{3/8}" - 8x31.5 cm 600110000833

COORDINATING TRIMS









NATIVE

Native 3D Rock Pearl 12"x22" - 30.5x56 cm Native East Bluestone 11^{3/4}"x23^{5/8}" - 30x60 cm

Sustainability



Every Atlas Concorde USA porcelain tile collection is PTCA Certified. Under the program, established jointly by the Porcelain Tile Certification Agency (PTCA) and the Ceramic Tile Distributors Association (CTDA), manufacturers can "prove" their product is really porcelain (meeting the water absorption criteria of the American national standard - ASTM C373).



LEED (Leadership in Energy and Environmental Design) is a rating system created to encourage the construction of "green" buildings. Developed by the US Green Building Council and internationally recognized, it points out the necessary requirements to build eco-compatible projects, capable of functioning in sustainable and autonomous way in terms of energy consumption as well as having a low environmental impact throughout their entire life-cycle. Atlas Concorde USA is a member of the US Green Building Council.



Atlas Concorde USA products are low-emitting materials with zero emission of volatile organic compounds (VOC). This can contribute to the awarding of 1 LEED credit.

Member of

Atlas Concorde USA is a member of TCNA, a trade association representing manufacturers of ceramic tile, tile installation materials, tile equipment, raw materials, and other tile-related products. The Tile Council is recognized for its leadership role in facilitating the development of North American and international industry quality standards to benefit tile consumers.



The Ceramic Tile Distributors Association (CTDA) is an international association of distributors, manufacturers and allied professionals of ceramic tile and related products. CTDA connects, educates and strengthens tile and stone distributors. Atlas Concorde USA is a member of CTDA.



The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. The HPD Open Standard was created and is maintained and evolved by the HPD Collaborative, a customer-led organization committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. Atlas Concorde USA adheres with its own HPD.



An Environmental Product Declaration (EPD) is an independently verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products. It is a transparent declaration of the lifecycle environmental impact, which Atlas Concorde USA makes available to customers.



Atlas Concorde USA can provide a Product Environmental Footprint (PEF), a multi-criteria measure of the environmental performance of a good or service throughout its life cycle. PEF information is produced for the overarching purpose of seeking to reduce the environmental impacts of goods and services taking into account supply chain activities.

WHITE BODY WALL TILE



Compliant with standards ANSI A137.1-2012 SIZE - THIC

FIELD TILES - Available in all colors



MODERATE VARIATION While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12"x22"	12 3/8" x 22 1/2"	8.5 mm	Glossy	Yes
3D 12"x22"	12 3/8" x 22 1/2"	9.5 mm	Matte	Yes
3"x12"	3 1/8" x 12 3/8"	8.5 mm	Glossy	-
IOSAICS AND COORDINATING	TRIMS - Available in all	colors		
Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	
Mosaic 1"x1"	1.3" x 1.3"	8.5 mm	Glossy	
Wall Listello 3"x12"	3 1/8" x 12 3/8"	8.5 mm	Matte	
Wall Bullnose 2"x12"	2 7/8" x 23 5/8"	8.5 mm	Glossy	
		8.5 mm	Glossy	

PERFORMANCE & FEATURES

					Porcelain Tile	Specification		
NATIV	/F	PROPERTY	ASTM TEST METHOD	Calib	rated	Rec	tified	NATIVE
		PROPERTY	METHOD	Minimum	Maximum	Minimum	Maximum	Wall
		Nominal Size		-2.00%	2.00%	-2.00%	2.00%	Compliant
		Caliber Range (Variation from average facial dimension of sample)	ASTM C499	-0.30% or -0.04 in (-1.0 mm) (*)	0.30% or 0.04 in (1.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
REGULARITY		Thickness (1)		N/A	Range: 0.031 in (0.79 mm)	N/A	Range: 0.031 in (0.79 mm)	Compliant
CHARACTERISTICS		Wedging	ASTM C502	-0.40% or -0.05 in (-1.3 mm) (*)	0.40% or 0.05 in (-1.3 mm) (")	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	t 🕹 t	Warpage Edge		-0.30% or -0.04 in (-1.0 mm) (*)	0.40% or 0.05 in (1.3 mm) (*)	-0.30% or -0.04 in (-1.0 mm) (*)	0.40% or 0.05 in (1.3 mm) (")	Compliant
		Warpage Diagonal	ASTM C485	-0.30% or -0.05 in (-1.3 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	-0.30% or -0.05 in (-1.3 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant
					All Porce	elain Tiles		
STRUCTURAL CHARACTERISTICS		Water Absorption	ASTM C373		≥ 10	0.0%		10% - 20%
BULK MECHANICAL CHARACTERISTICS	$\frac{\downarrow}{\uparrow\uparrow}$	Breaking Strenght	ASTM C648			5 lbf. (1.11 kN) 10 lbf. (0.44 kN)		≥ 175 lbf. a
PHISICAL PROPERTIES		Bond Strength	ASTM C482		≥ 50 psi (0.34 Mpa)		≥ 100 psi
THERMAL AND		Crazing Resistance	ASTM C424	Pass			Resistant	
CHARACTERISTICS	X	Thermal Shock Resistance	ASTM C484	Pass		Resistant		
CHEMICAL	5	Chemical Resistance	ASTM C650		As Re	ported		Unaffected
CHARACTERISTICS		Stain Resistance	ASTM C1378		As Re	ported		Unaffected

May not apply to textured surfaces or tiles with uneven back patterns.



KNESS	12"x 22" - 30.5x56 cm ↓ 8.5 mm 3D 12"x 22" - 30.5x56 cm ↓ 9.5 mm 3 ^{1/8} " x 12 ^{3/8} " - 8x31.5 cm ↓ 8.5 mm	FINISH	GL

GLOSSY	-	MAT	Т
--------	---	-----	---

hpd EPD° 🦍



COLORED BODY PORCELAIN TILE



Matte

Compliant with standards ANSI A137.1-2012	SIZE - THICKNESS

THICKNESS	11 ^{3/4} "x 23 ^{5/8} " - 30x60 cm 23 ^{5/8} " x 23 ^{5/8} " - 60x60 cm	
-----------	---	--

FINISH MATTE



MODERATE VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12"x24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24"x24"	23 5/8" x 23 5/8"	9 mm	Matte	Yes
MOSAICS AND COORDINATING	TRIMS - Available in all of	colors		
Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	
Mosaic 2"x2"	11 3/4" x 11 3/4"	9 mm	Matte	
Brick Mosaic 1"x113/4"	11 3/4" x 11 3/4"	9 mm	Matte	
Bullnose 3"x24"	2 7/8" x 23 5/8"	9 mm	Matte	

FIELD TILES - Available in all colors

Please refer to caliber chart for work sizes. Close joints are not recommended. (*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

NATIV	/F	PROPERTY	ASTM TEST	Calibrated Rectified			NATIVE	
			METHOD	Minimum	Maximum	Minimum	Maximum	Floor
		Nominal Size		-3.00%	3.00%	-3.00%	2.00%	Compliant
		Caliber Range (Variation from average facial dimension of sample)	ASTM C499	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (")	0.25% or 0.03 in (0.8 mm) (*)	Compliant
REGULARITY	\searrow	Thickness (1)		N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
CHARACTERISTICS		Wedging	ASTM C502	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.25% or -0.03 in (-0.8 mm) (*)	0.25% or 0.03 in (0.8 mm) (*)	Compliant
	t 🕹 t	Warpage Edge	ASTM C485	-0.75% or -0.09 in (-2.3 mm) (*)	0.75% or 0.09 in (2.3 mm) (*)	-0.40% or -0.05 in (-1.3 mm) ^[2] or -1.8 mm ^[3] (*)	0.40% or 0.05 in (1.3 mm) ⁽²⁾ or 1.8 mm ⁽³⁾ (*)	Compliant
		Warpage Diagonal	ASTM 0485	-0.50% or -0.08 in (-2.0 mm) (*)	0.50% or 0.08 in (2.0 mm) (*)	-0.40% or -0.07 in (-1.8 mm) (*)	0.40% or 0.07 in (1.8 mm) (*)	Compliant
					All Porce	elain Tiles		
STRUCTURAL CHARACTERISTICS		Water Absorption	ASTM C373		≤ C	.5%		≤ 0.5%
BULK MECHANICAL CHARACTERISTICS	$\frac{\downarrow}{\uparrow\uparrow\uparrow}$	Breaking Strength	ASTM C648			0 lbf. (1.11 kN) 25 lbf. (1.00 kN)		≥ 350 lbf. avg
PHYSICAL PROPERTIES		Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)			≥ 100 psi	
THERMAL AND IGROMETRIC CHARACTERISTICS		Resistance to Freeze/ Thaw Cycling	ASTM C1026	As Reported			Resistant	
CHEMICAL	$\mathbf{5}$	Chemical Resistance	ASTM C650	As Reported			Unaffected	
CHARACTERISTICS		Stain Resistance	ASTM C1378	As Reported			Unaffected	
SAFETY CHARACTERISTICS		Dynamic coefficient of friction	DCOF	Requires a minimu	im value of 0.42 for c	ommercial areas that	are likely to be wet	> 0.42 Wet

Cove Base 6"x12" 5 7/8" x 11 3/4" 8.5 mm (*)

(*) Whichever is less
(1) May not apply to textured surfaces or tiles with uneven back patterns.
(2) Whichever is less, for tiles up to 24*x24" (610 mm x 610 mm).
(3) Applies to tiles larger than 24*x24" (610 mm x 610 mm).

The Health Product Declaration® logo is a registered trademark of HPD Collaborative.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.

© Copyright Atlas Concorde USA, Inc. 2017 The reproduction of the work, fully or in part, is strictly forbidden.

ATLAS CONCORDE USA, INC. - 117 Seaboard Lane - Suite F170 - Franklin, TN 37067 - USA www.atlasconcordeusa.com



Atlas

