

BALDOR® • RELIANCE

Product Information Packet

006594

1040T HUB X 1-1/8

Specs

| | | | |
|---------------------------------|-------------------|--|--|
| ATEX Certified: | NO | | |
| Component Type: | T10/T20 SHAFT HUB | | |
| Bore Fit: | CLEARANCE | | |
| Bore Tolerance Standard: | AGMA 9002 | | |
| Lube Type: | LUBRICATED | | |
| Product Family: | Grid | | |
| Product Size: | 1040T | | |
| Shaft Attachment: | FINISHED BORE | | |
| Shaft Spacing: | CLOSE-COUPLED | | |
| Torsional Rigidity: | FLEXIBLE | | |
| Coupling Style: | GRID | | |

| Parts List | | |
|-------------|---------------------------|----------|
| Part Number | Description | Quantity |
| 006292H | 1040T GRID HUB RB-MS4DG | 1.000 EA |
| 400014 | 1/4-20X1/4 CP SS | 2.000 EA |
| 440727 | 3-3/4X3-3/4X1-7/8 | 1.000 EA |
| DODGE2 | DODGE LABEL 2 | 1.000 EA |
| 440194 | 19 X 32 DOG HOUSE BOX | 0.010 EA |
| CTB060804 | 6X8X4MIL HEATSEALABLE BAG | 1.000 EA |