

BALDOR • RELIANCE

Product Information Packet

006606

1060T HUB X 1-3/8

Copyright © All product information within this document is subject to Baldor Electric Company copyright © protection, unless otherwise noted.

| Specs | | |
|--------------------------|-------------------|--|
| ATEX Certified: | NO | |
| Component Type: | T10/T20 SHAFT HUB | |
| Bore Fit: | CLEARANCE | |
| Bore Tolerance Standard: | AGMA 9002 | |
| Lube Type: | LUBRICATED | |
| Product Family: | Grid | |
| Product Size: | 1060T | |
| Shaft Attachment: | FINISHED BORE | |
| Shaft Spacing: | CLOSE-COUPLED | |
| Torsional Rigidity: | FLEXIBLE | |
| Coupling Style: | GRID | |



BALDOR • RELIANCE Product Information Packet: 006606 - 1060T HUB X 1-3/8

| Parts List | | | |
|-------------|---------------------------|----------|--|
| Part Number | Description | Quantity | |
| 006294H | 1060T GRID HUB RB-MS6DG | 1.000 EA | |
| 400014 | 1/4-20X1/4 CP SS | 2.000 EA | |
| 440731 | 4-3/4X4-3/4X2-1/2 | 1.000 EA | |
| DODGE2 | DODGE LABEL 2 | 1.000 EA | |
| 440194 | 19 X 32 DOG HOUSE BOX | 0.010 EA | |
| CTB060804 | 6X8X4MIL HEATSEALABLE BAG | 1.000 EA | |

