






SELECTION/DIMENSIONS




B TAPER-LOCK SHEAVES



8-Groove		F = 6.25				
O.D.▲	Part No.	Description	Wt.	Type†	E	M
5.75	114114	8B5.4-2517	15.0	A1	1.87	2.62
5.95	114115	8B5.6-2517	17.0	A1	1.87	2.62
6.35	114116	8B6.0-2517	19.0	A1	1.87	2.62
6.75	114117	8B6.4-2517	22.0	A1	1.87	2.62
7.15	114118	8B6.8-2517	26.0	A1	1.87	2.62
7.75	114119	8B7.4-2517	34.0	A1	1.87	2.62
8.95	114130	8B8.6-3030	37.0	A1	1.00	2.25
9.75	114131	8B9.4-3030	37.0	A1	1.00	2.25
11.35	114132	8B11.0-3030	46.0	A1	1.13	2.13
12.75	114133	8B12.4-3030	46.0	A2	1.00	2.25
15.75	114134	8B15.4-3030	66.0	A2	1.00	2.25
18.75	114135	8B18.4-3030	81.0	A3	1.00	2.25
20.35	114136	8B20.0-3030	87.0	A3	1.00	2.25
25.35	114137	8B25.0-3535	115.0	A3	.75	2.00
30.35	114138	8B30.0-3535	146.0	A3	.75	2.00
38.35	114139	8B38.0-4040	204.0	A3	1.12	1.12

10-Groove		F = 7.75				
O.D.▲	Part No.	Description	Wt.	Type†	E	M
5.75	114150	10B5.4-2517	18.0	A1	3.00	3.00
5.95	114151	10B5.6-2517	20.0	A1	3.00	3.00
6.35	114152	10B6.0-2517	22.0	A1	3.00	3.00
6.75	114153	10B6.4-2517	26.0	A1	3.00	3.00
7.15	114154	10B6.8-2517	29.0	A1	3.00	3.00
7.75	114155	10B7.4-2517	35.0	A1	3.00	3.00
8.95	114170	10B8.6-3030	43.0	A1	2.00	2.75
9.75	114171	10B9.4-3030	47.0	A1	2.00	2.75
11.35	114172	10B11.0-3030	58.0	A1	2.00	2.75

C TAPER-LOCK SHEAVES



2-Groove		F = 2.37				
O.D.▲	Part No.	Description	Wt.	Type†	E	M
7.4	115162	2C7.0-2517	15.0	A1	0	.62
7.9	115163	2C7.5-2517	18.0	A1	0	.62
8.4	115164	2C8.0-2517	20.0	A1	0	.62
8.9	115165	2C8.5-2517	22.0	A1	0	.62
9.4	115166	2C9.0-2517	21.0	A1	0	.62
9.9	115186	2C9.5-2517	24.0	A1	0	.62
10.4	115171	2C10.0-2517	25.0	A2	0	.62
10.9	115187	2C10.5-2517	26.0	A2	0	.62
11.4	115174	2C11.0-2517	27.0	A2	0	.62
12.4	115175	2C12.0-2517	28.0	A2	0	.62
13.4	115176	2C13.0-2517	33.0	A3	0	.62
14.4	115177	2C14.0-2517	35.0	A3	0	.62
16.4	115178	2C16.0-2517	38.0	A3	0	.62
18.4	115325	2C18.0-3020	42.0	A3	0	.37
20.4	115326	2C20.0-3020	44.0	A3	0	.37
24.4	115327	2C24.0-3020	56.0	A3	0	.37
30.4	115000	2C30.0-3535	85.0	C3	.50	.63


3-Groove		F = 3.37				
O.D.▲	Part No.	Description	Wt.	Type†	E	M
7.4	115130	3C7.0-2517	18.0	A1	.25	1.37
7.9	115131	3C7.5-2517	19.0	A1	.25	1.37
8.4	115132	3C8.0-2517	21.0	A1	0	1.62
8.9	115133	3C8.5-2517	23.0	A1	.25	1.37
9.4	115001	3C9.0-2517	24.0	A1	.25	1.37
9.9	115188	3C9.5-2517	25.0	A1	.25	1.37
10.4	115016	3C10.0-2517	27.0	A1	.25	1.37
10.9	115189	3C10.5-2517	28.0	A1	.25	1.37
11.4	115006	3C11.0-2517	29.0	A1	.25	1.37
12.4	115328	3C12.0-3020	44.0	A2	0	1.37
13.4	115329	3C13.0-3020	49.0	A3	0	1.37
14.4	115330	3C14.0-3020	50.0	A3	0	1.37
16.4	115331	3C16.0-3020	64.0	A3	.06	1.31
18.4	115014	3C18.0-3030	72.0	A3	0	.37
20.4	115009	3C20.0-3030	79.0	A3	0	.37
24.4	115010	3C24.0-3030	90.0	A3	0	.37
30.4	115011	3C30.0-3535	135.0	C3	0	.12
36.4	115012	3C36.0-3535	175.0	C3	0	.12

▲ P.D. for "B" Belts = O.D. + .01"
P.D. for "C" Belts = O.D.

† Type 1 = Block Type, 2 = Web, 3 = Arm - See page PT7-2.

BELTS PAGES PT7-28-PT7-41	SELECTION: WEDGE PAGES PT7-42-PT7-83	SELECTION: CLASSICAL PAGES PT7-84-PT7-123	ENGINEERING/TECHNICAL PAGES PT7-123-PT7-128
------------------------------	---	--	--

SELECTION/DIMENSIONS



C TAPER-LOCK SHEAVES

4-Groove							F = 4.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
7.4	115135	4C7.0-2517	20.0	A1	1.12	1.50		
7.9	115136	4C7.5-2517	21.0	A1	1.13	1.50		
8.4	115137	4C8.0-2517	24.0	A1	.50	2.13		
8.9	115138	4C8.5-2517	25.0	A1	.50	2.13		
9.4	115017	4C9.0-2517	26.0	A1	.50	2.13		
9.9	115190	4C9.5-2517	29.0	A1	.50	2.13		
10.4	115032	4C10.0-2517	31.0	A1	.50	2.13		
10.9	115191	4C10.5-2517	32.0	A1	.50	2.13		
11.4	115022	4C11.0-2517	34.0	A1	.50	2.13		
12.4	115151	4C12.0-3030	52.0	A2	0	1.37		
13.4	115023	4C13.0-3030	56.0	A3	0	1.37		
14.4	115155	4C14.0-3030	63.0	A3	0	1.37		
16.4	115024	4C16.0-3030	71.0	A3	0	1.37		
18.4	115030	4C18.0-3030	81.0	A3	.18	1.18		
20.4	115025	4C20.0-3030	80.0	A3	0	1.37		
24.4	115026	4C24.0-3030	98.0	A3	0	1.37		
30.4	115027	4C30.0-3535	130.0	A3	.31	.56		
36.4	115028	4C36.0-3535	165.0	A3	0	.87		
44.4	115029	4C44.0-4040	240.0	A3	0	.37		

5-Groove							F = 5.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
7.4	115140	5C7.0-2517	23.0	A1	1.50	2.12		
7.9	115141	5C7.5-2517	25.0	A1	1.50	2.12		
8.4	115142	5C8.0-2517	30.0	A1	1.50	2.12		
8.9	115143	5C8.5-2517	32.0	A1	1.50	2.12		
9.4	115033	5C9.0-2517	35.0	A1	1.50	2.12		
9.9	115192	5C9.5-2517	36.0	A1	1.50	2.12		
10.4	115048	5C10.0-2517	39.0	A1	1.50	2.12		
10.9	115193	5C10.5-2517	42.0	A1	1.50	2.12		
11.4	115038	5C11.0-2517	43.0	A1	1.50	2.12		
12.4	115152	5C12.0-3030	58.0	A1	.69	1.69		
13.4	115039	5C13.0-3030	63.0	A2	.50	1.87		
14.4	115156	5C14.0-3030	65.0	A2	.50	1.87		
16.4	115040	5C16.0-3030	86.0	A3	.50	1.87		
18.4	115036	5C18.0-3030	105.0	A3	.69	1.69		
20.4	115041	5C20.0-3535	91.0	A3	0	1.87		
24.4	115042	5C24.0-3535	114.0	A3	.37	1.50		
30.4	115043	5C30.0-3535	152.0	A3	.38	1.50		
36.4	115044	5C36.0-4040	216.0	A3	.25	1.12		
44.4	115045	5C44.0-4040	278.0	A3	.25	1.12		

6-Groove							F = 6.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
7.4	115145	6C7.0-3030	33.0	A1	1.00	2.37		
7.9	115146	6C7.5-3030	38.0	A1	1.00	2.37		
8.4	115147	6C8.0-3030	43.0	A1	1.00	2.37		
8.9	115148	6C8.5-3030	49.0	A1	1.00	2.37		
9.4	115049	6C9.0-3030	54.0	A1	1.00	2.37		
9.9	115194	6C9.5-3030	57.0	A1	1.00	2.37		
10.4	115064	6C10.0-3030	61.0	A1	1.00	2.37		
10.9	115195	6C10.5-3030	56.0	A1	1.00	2.37		
11.4	115054	6C11.0-3030	58.0	A1	1.00	2.37		
12.4	115153	6C12.0-3030	66.0	A1	1.00	2.37		
13.4	115055	6C13.0-3030	69.0	A2	1.00	2.37		
14.4	115157	6C14.0-3535	85.0	A2	.50	2.37		
16.4	115056	6C16.0-3535	100.0	A3	.50	2.37		
18.4	115062	6C18.0-3535	115.0	A3	.75	2.12		
20.4	115057	6C20.0-3535	103.0	A3	.87	2.00		
24.4	115058	6C24.0-3535	129.0	A3	.87	2.00		
30.4	115059	6C30.0-4040	195.0	A3	1.00	1.37		
36.4	115060	6C36.0-4040	243.0	A3	1.00	1.37		
44.4	115061	6C44.0-4040	315.0	A3	1.00	1.37		

8-Groove							F = 8.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
8.4	115160	8C8.0-3030	59.0	A1	2.00	3.37		
8.9	115161	8C8.5-3030	62.0	A1	2.00	3.37		
9.4	115081	8C9.0-3535	64.0	A1	1.50	3.37		
9.9	115196	8C9.5-3535	73.0	A1	1.50	3.37		
10.4	115096	8C10.0-3535	81.0	A1	1.50	3.37		
10.9	115197	8C10.5-3535	85.0	A1	1.50	3.37		
11.4	115086	8C11.0-3535	87.0	A1	1.50	3.37		
12.4	115185	8C12.0-3535	90.0	A1	1.50	3.37		
13.4	115087	8C13.0-3535	97.0	A1	1.50	3.37		
14.4	115097	8C14.0-3535	105.0	A1	1.50	3.37		
16.4	115088	8C16.0-3535	125.0	A3	1.50	3.37		
18.4	115098	8C18.0-4040	155.0	A3	1.50	2.87		
20.4	115089	8C20.0-4040	151.0	A3	1.50	2.87		
24.4	115090	8C24.0-4040	183.0	A3	1.50	2.87		
30.4	115091	8C30.0-4040	237.0	A3	1.50	2.87		
36.4	115092	8C36.0-4545	322.0	A3	1.25	2.62		
44.4	115093	8C44.0-4545	411.0	A3	1.25	2.62		

10-Groove							F = 10.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
9.4	115351	10C9.0-4545	84.0	A1	1.50	4.37		
9.9	115352	10C9.5-4545	101.0	A1	1.50	4.37		
10.4	115353	10C10.0-4545	104.0	A1	1.50	4.37		
10.9	115354	10C10.5-4545	108.0	A1	1.50	4.37		
11.4	115355	10C11.0-4545	128.0	A1	1.50	4.37		
12.4	115356	10C12.0-4545	148.0	A1	1.50	4.37		
13.4	115349	10C13.0-4545	168.0	A1	2.00	3.87		
14.4	115357	10C14.0-4545	205.0	A1	2.00	3.87		
16.4	115358	10C16.0-4545	237.0	A1	2.00	3.87		
18.4	115359	10C18.0-4545	270.0	A3	2.00	3.87		
20.4	115360	10C20.0-4545	176.0	A3	2.00	3.87		
24.4	115361	10C24.0-5050	242.0	A3	1.50	3.87		
30.4	115123	10C30.0-4545	303.0	A3	2.00	3.87		
36.4	115124	10C36.0-4545	375.0	A3	2.00	3.87		
44.4	115125	10C44.0-4545	484.0	A3	2.00	3.87		

12-Groove							F = 12.37	
O.D.▲	Part No.	Description	Wt.	Type†	E	M		
9.4	115065	12C9.0-4040	87.0	A1	3.50	4.87		
9.9	115066	12C9.5-4040	90.0	A1	3.50	4.87		
10.4	115067	12C10.0-4040	95.0	A1	3.50	4.87		
10.9	115068	12C10.5-4040	104.0	A1	3.50	4.87		
11.4	115069	12C11.0-4040	125.0	A1	3.50	4.87		
12.4	115070	12C12.0-4040	140.0	A1	3.50	4.87		
13.4	115071	12C13.0-4545	173.0	A1	3.00	4.87		
14.4	115072	12C14.0-4545	177.0	A1	3.00	4.87		

▲ P.D. for "C" Belts = O.D.

† Type 1 = Block Type, 2 = Web, 3 = Arm - See page PT7-2.

BELTS PAGES PT7-28-PT7-41	SELECTION: WEDGE PAGES PT7-42-PT7-83	SELECTION: CLASSICAL PAGES PT7-84-PT7-123	ENGINEERING/TECHNICAL PAGES PT7-123-PT7-128
------------------------------	---	--	--