For Residential and Commercial Applications

Job Name	Engineer / Architect	
Job Location	Wholesaler	
Submittal Date	Contractor	

TK3SRB21 Tankless Water Heater Service Valve Kit

Use: For use in potable water distribution systems for water flow control. Valves connect directly to cold water inlet and hot water outlet of the tankless water heater. Use for appliance maintenance and emergency shut-off.

Design Features:

- Compact design ideal for recessed and cover box installations
- Captive coupling nut & washer reduces opportunity for component loss making installation easier
- Captive washer won't kink or tear during installation
- Forged, one-piece construction reduces the potential for pinhole leaks
- Integrated drain valve with independent, 1/4 turn operation allows quick system diagnostic testing and maintenance
- Built-in side port for the pressure relief valve reduces the number of connections & simplifies the installation
- Right-sized handles, color-coded for immediate system identification. Perfect for tight installations
- No Lead

Operating Specifications:

Temperature: 40°- 180° F

Pressure: 125 PSI maximum

No-Lead Product

MATERIAL SPECIFICATIONS		
Valve Body	No-Lead forged brass	
Stem	No-Lead brass	
Handle	Aluminum, coated	
Handle Screw	Zinc-plated steel	
Flat Seal	Rubber	
Coupling Nut	Forged brass	
Drain Cap	Forged brass	
Cap Gasket	Rubber	
Seat	PTFE	
Ball	No-Lead brass, chrome plated	

No-Lead Part Listing:

TK3SRB21-18X 3/4" sweat x 3/4" IPS hot/cold service valve kit, 18" gas connector, and PR valve

TK3SRB21-24X 3/4" sweat x 3/4" IPS hot/cold service valve kit, 24" gas connector, and PR valve

Listings and Certifications:

- CSA verified to WOG 600 rating
- IAPMO listed to NSF/ANSI 61 (File # N-5427) and IGC 157 (File # 5427)
- No-Lead product manufactured in compliance with section 116875 of the California Health & Safety Code. IAPMO file #6242





This specification and all information contained herein is the confidential and exclusive property of BrassCraft Manufacturing, and shall not be disclosed to others without the written consent of BrassCraft Mfg. This specification must be returned to BrassCraft Mfg. if requested.