
Switch Boxes

Single Gang FS Boxes

All sizes take standard covers and accessories or devices. Integral mounting feet provide easy mounting. Grounding lugs included.


Type FSE





For dead-end terminations.

Type FSS





For multiple dead-end circuit terminations or where additional support is required in stub-up applications.



1




Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
C980DFN-CTN	1/2		12
C980EFN-CTN	3/4	18	12
C980FFN-CTN	1		8



Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
C982DFN-CTN	1/2		12
C982EFN-CTN	3/4	18	12
C982FFN-CTN	1		8

Type FSC








For through





Std. Ctn. Qty. Size (in.) Volume Cu. In. C981 DFN-CTN C981EFN-CTN 3/4 12 18 C981FFN-CTN

Type FSCC





For multiple through circuit termintions or where additional support is required in stub-up applications.



Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
C979DFN	1/2		•
C979EFN	3/4	18	15
C979FFN	1		




Switch Boxes

Single Gang FD Deep Device Boxes

All sizes take standard covers and accessories or devices. Integral mounting feet provide easy mounting. Grounding lugs included.

Type FD

Type FDE






For terminations where hub requirements vary according to application – hubs easily made with flared wood bit or hole saw.



Cat. No.	Volume Cu. In.	Std. Ctn. Qty.
CE9801-UPC	25	10



DIA TO FIT DESIGNATED CONDUIT SIZE

			@
Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
C9811EN	3/4	25	10

where large devices or

required.

additional wiring capacity is

For dead-end terminations where large devices or

			9
Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
C9801DN	1/2		•
CO201EN	2/4	25	10

additional wiring capacity is required.


C9801FN

Switch Boxes

Two Gang FS Boxes

All sizes take standard covers and accessories or devices. Integral mounting feet provide easy mounting. Grounding screws are included.

Type 2FSC





For through terminations where two devices or additional wiring capacity is required.






Type 2FSE			
		0 0	0 0
	4.620		
5.500 (142.24)	• •	4.620	30
	3,282	1 11	ad-end
		1 1	ations where two s or additional
<u>- </u>	3.750		capacity is
		require	ed.
		1,980 (50.29)	
		, <u></u> L	€ P.

Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
CE9802D-CTN	1/2	32	10
CE9802E-CTN	3/4		10
CE9802FR	1		1


Cat. No. Size (in.) Volume Cu. In. Std. Ctn. Qty. CE9812DR 1/2 4 CE9812E-CTN 3/4 32 10 CE9812FR 1 10

Type FS





For terminations where hub requirements vary according to application - hubs easily made with flared wood bit or hole saw.





Cat. No.	Size (in.)	Volume Cu. In.	Std. Ctn. Qty.
CE9802	N/A	32	10

