

The Channellock logo is positioned in the upper right corner. It consists of the words "CHANNELLOCK" in a bold, white, sans-serif font, set against a red background with a white border. The logo is slightly tilted to the right.

CHANNELLOCK

www.channellock.com



SEE THE CHANNELLOCK®
DIFFERENCE FOR YOURSELF.

LONG NOSE PLIERS

LONG NOSE PLIERS

Only CHANNELLOCK® uses precision machined knife and anvil style cutting edges to ensure perfect mating and superior cutting edge life.
 Seul CHANNELLOCK® utilise des bords tranchants de type couteau et contre-lame usinés avec précision afin d'assurer un ajustement parfait et une durabilité supérieure des tranchants.
 Sólo CHANNELLOCK® utiliza filos de corte de precisión con cuchillos de estilo "punto y plano" que aseguran el alineamiento perfecto y una mayor duración del filo de corte.




High carbon C1080 steel for superior performance on the job, and an electronic coating for ultimate rust prevention.
 Acier C1080 à haute teneur en carbone de performance supérieure et poli électrolytique pour une protection parfaite contre la rouille.
 Acero al alto carbono C1080 para lograr la más alta resistencia y capa depositada electrónicamente para máxima prevención de la oxidación.

Crosshatch teeth pattern
 Dentelure quadrillée
 Ranurado entrecruzado en las superficies de las mordazas



Laser heat-treated cutting edges last longer.
 Les surfaces de coupe thermotraitées au laser durent plus longtemps.
 Los dientes y bordes de corte termotratados por láser dan mayor rendimiento.



CHANNELLOCK BLUE® grips for comfort
 Poignées de confort CHANNELLOCK BLUE®
 Empuñaduras CHANNELLOCK BLUE® para mayor comodidad de las manos



Features

- 317 – with side cutter
- 3017 – without side cutter
- 317 – avec coupe-fil de côté
- 3017 – sans coupe-fil de côté
- 317 – con corte lateral
- 3017 – sin corte lateral

PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
317	8.00	203.20	2.36	59.94	0.41	10.41	0.87	22.10	0.41	10.41	0.14	3.56	0.11	2.79	1.89	48.01	0.55	249.48
3017	8.00	203.20	2.36	59.94	0.41	10.41	0.87	22.10	N/A	N/A	0.14	3.56	0.11	2.79	1.89	48.01	0.55	249.48





Features

- 326 – with side cutter
- 3026 – without side cutter
- 326 – avec coupe-fil de côté
- 3026 – sans coupe-fil de côté
- 326 – con corte lateral
- 3026 – sin corte lateral

PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
326	6.10	154.94	2.08	52.83	0.41	10.41	0.75	19.05	0.41	10.41	0.10	2.54	N/A	N/A	1.89	48.01	0.36	163.29
3026	6.10	154.94	2.08	52.83	0.41	10.41	0.75	19.05	N/A	N/A	0.10	2.54	0.11	2.79	1.89	48.01	0.33	149.69



LONG NOSE PLIERS



Features

- Bent nose
- No cutter
- Bec coudé
- Sans coupe-fil
- Punta curva
- Sin corte


PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
386	5.75	146.05	1.65	41.91	0.41	10.41	0.75	19.05	N/A	N/A	0.10	2.54	0.11	2.79	1.89	48.01	0.38	172.37



Features

- Snipe nose for confined spaces
- No cutter
- Bec étroit pour espaces confinés
- Sans coupe-fil
- Punta plana para usar en espacios estrechos
- Sin corte



PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
3037	8.00	203.20	2.44	61.98	0.37	9.40	0.87	22.10	N/A	N/A	0.12	3.05	0.11	2.79	1.89	48.01	0.45	204.12



Features

- Heavy duty side cutter
- Useful crushing area
- Coupe-fil de côté renforcé
- Zone d'écrasement utile
- Corte lateral de uso industrial
- Zona de compresión útil

PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
318	8.38	212.85	2.30	58.42	0.50	12.70	1.00	25.40	0.63	16.00	0.16	4.06	0.11	2.79	1.89	48.01	0.59	267.62



Features



- Heavy duty side cutter
- 12 and 14 AWG wire stripper
- Useful crushing area
- Coupe-fil de côté renforcé
- Dénude-fil, calibres 12 et 14 AWG
- Zone d'écrasement utile
- Corte lateral de uso industrial
- Pela cables para alambres 12 y 14 AWG
- Zona de compresión útil

PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams
318WS	8.38	212.85	2.30	58.42	0.50	12.70	1.00	25.40	0.63	16.00	0.16	4.06	0.11	2.79	1.89	48.01	0.59	267.62

LONG REACH PLIERS

Features

- Flat nose
- Crosshatch teeth pattern
- Bec de cane
- Dentelure quadrillée
- Punta plana
- Ranurado entrecruzado en las superficies de las mordazas




PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams		
718	7.88	200.15	1.18	29.97	0.43	10.92	0.53	13.46	N/A	N/A	0.53	13.46	N/A	N/A	1.89	48.01	0.51	231.33

Features

- 728 – Diagonal side cutter
- 758 – Flush cutter
- 728 – Coupe-fil oblique
- 758 – Coupeur à ras
- 728 – Cortador lateral diagonal
- 758 – Alicate corte al ras



NEW



PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams		
728	7.50	190.50	0.91	23.11	0.37	9.40	0.59	14.99	0.91	23.11	N/A	N/A	N/A	N/A	1.89	48.01	0.42	190.51
758	7.50	190.50	0.91	23.11	0.37	9.40	0.59	14.99	0.91	23.11	N/A	N/A	N/A	N/A	1.89	48.01	0.42	190.51

Features



- Needle nose
- Crosshatch teeth pattern
- Bec effilé
- Dentelure quadrillée
- Punta larga
- Ranurado entrecruzado en las superficies de las mordazas



PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams		
738	7.88	200.15	1.18	26.97	0.43	10.92	0.53	13.46	N/A	N/A	0.10	2.54	0.08	2.03	1.89	48.01	0.47	213.19

Features

- End cutter
- Coupe-fil en bout
- Alicate de corte frontal



PLIER	A OVERALL LENGTH		B JAW LENGTH		C JOINT THICKNESS		D JOINT WIDTH		E CUTTING EDGE		F NOSE WIDTH		G NOSE THICKNESS		H HANDLE SPAN		WEIGHT	
	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	pounds	grams		
748	8.00	203.20	1.56	39.62	0.38	9.65	0.59	14.99	0.19	4.83	0.28	7.11	0.19	4.83	1.89	48.01	0.46	208.65