



Materials/Finishes:	Plain Carbon Steel (212B)	Electro-Galvanized (212G)
	Hot-Dip Galvanized (212HDG)	T-304 Stainless Steel (212SS)
	T-316 Stainless Steel (212SX)	
Variants:	N/A	
Service:	Designed for the suspension of cold pipe lines or hot pipe lines where no insulation is required.	
Approvals:	Complies with Federal Specifications WW-H-171-E (Type# 4), A-A-1192 A (Type# 4), and MSS SP-58 and SP-69 (Type# 4).	
Ordering:	Specify figure number, finish and pipe size	
Notes:	Normally used with Fig. 13 weldless eye nut, Fig 26 eyerod or Fig. 26W welded eyerod in accordance with NFPA 13.	

PIPE SIZE	PIPE OD	MATERIAL SIZE	BOLT F	B	C	D	WGT EACH (lbs)	MAX REC LOAD (lbs)
1/2	0.840	.125 min x 1	5/16	1-1/8	7/16	1-11/16	0.27	500
3/4	1.050	.125 min x 1	5/16	1-1/4	7/16	1-13/16	0.30	500
1	1.315	.125 min x 1	5/16	1-7/16	7/16	2	0.33	500
1-1/4	1.660	.125 min x 1	5/16	1-9/16	7/16	2-1/8	0.36	500
1-1/2	1.900	.125 min x 1	5/16	1-3/4	1/2	2-1/4	0.37	800
2	2.375	3ga x 1	1/2	2-3/8	1/2	2-15/16	1.04	1040
2-1/2	2.875	3ga x 1	1/2	2-11/16	3/4	3-1/4	1.19	1040
3	3.500	3ga x 1	1/2	2-15/16	3/4	3-1/2	1.27	1040
3-1/2	4.000	3ga x 1	1/2	3-1/4	3/4	3-13/16	1.43	1040
4	4.500	4ga x 1-1/4	5/8	3-3/8	3/4	4-1/16	1.94	1040
5	5.563	4ga x 1-1/4	5/8	4-1/16	7/8	4-3/4	2.20	1040
6	6.625	3/8 x 1-1/2	3/4	4-15/16	1	5-3/4	5.42	1615
8	8.625	3/8 x 1-1/2	3/4	6	1-1/8	6-7/8	6.51	1615
10	10.750	1/2 x 2	7/8	7-13/16	1	8-15/16	13.60	2490
12	12.750	1/2 x 2	7/8	8-7/8	1	10	16.05	2490
14	14.000	1/2 x 2-1/2	7/8	9-1/4	1-1/8	10-5/8	20.00	2490
16	16.000	1/2 x 2-1/2	7/8	10-1/4	1-1/8	11-5/8	22.00	2490
18	18.000	5/8 x 2-1/2	1	11-5/8	1-1/4	13	32.00	3060
20	20.000	5/8 x 2-1/2	1-1/8	12-3/4	1-3/8	14-1/8	36.00	3060
24	24.000	5/8 x 3	1-1/4	15-1/4	1-5/8	16-7/8	50.00	3060

PROJECT INFORMATION			APPROVAL STAMP
Project:			Notes:
Address:			
Contractor:			
Engineer:			
Date:			
Approved	Approved as Noted	Not Approved	