


DATACOMM/ NETWORKS

Crimpmaster™ Crimp Tools & Die Sets

High quality ratchet-type crimp tool for electricians, contractors and installers who require guaranteed repeatability of good mechanical

and electrical connections.





Also available in these kits:





30-556

RJ-11 Crimp Tool for two, four or six-position modular plugs Tool w/die N/A



30-578

RG-59, RG-6, and 8281 50 and 75 OHM cables (Hex, 0.324 (8.23mm), 0.255 (6.48mm), 0.068 (1.73mm), 0.042 (1.07mm)

Tool w/die 30-483



16-26 AWG (1.31mm² - .128mm²) miniature insulated rings, spade and butt splices

Tool w/die N/A



30-559

RJ-45 Eight-position Crimp Tool for keyed or non-keyed modular plugs

Tool w/die 30-522



30-581

RG-58, RG-59/62, BNC/TNC Coax Connectors (Hex, 0.255 (6.48mm), 0.213 (5.41mm), 0.068 (1.73mm)

Tool w/die 30-502



22-10 AWG (.324mm² - 5.261mm²) insulated terminals/color coded

Tool w/die 30-500



30-560

RJ-45 Eight-position Crimp Tool for AMP® RJ-45 modular

Tool w/die 30-521



30-582

F-type CATV RG-59, RG-6 Connectors (Hex, 0.350 (8.89mm), 0.320 (8.13mm), 0.255 6.48mm)

Tool w/die 30-503



30-580

22-8 AWG (.3mm² - 8mm²) non-insulated terminals

Tool w/die N/A



30-570

RG-6. RG-174. Belden®-Type RG-8281 cables (Hex. 0.324 (8.23mm), 0.178 (4.52mm), 0.068 (1.73mm)

Tool w/die N/A



30-587

RG-58, RG-174 and G-8218 for both 50 and 75 ohm cables (Hex 0.213 (5.41mm), 0.178 (4.52mm), 0.068 (1.73mm), 0.042 (1.07mm)

Tool w/die N/A



30-586

22-12 AWG (.324mm² - 3.31mm²) Non Insulated Open Barrel Connectors, Commercial Type Tool w/die N/A



30-573

Cambridge CP-88, CP-89 BNC/TNC coax connectors with RG-58, RG-59/RG-62 AU cables (Hex 0.305 (7.75mm), 0.068 (1.73mm), 0.228 (5.79mm)

Tool w/die 30-481

30-576

RG-174. Mini 59 BNC/TNC Connectors (Hex. 0.178 (4.52mm), 0.128 (3.25mm), 0.068 (1.73mm)



30-591

30-593

Plenum and Non-Plenum Thinwire Cables RG-58 and 59 (Hex, 0.213 (5.41mm), 0.190 (4.83mm), 0.068 (1.73mm), 0.042 (1.07mm)

Mini UHF and BNC/TNC 5

0.068 (1.73mm), 0.100

cavity (Hex, 0.052 (1.32mm),

(2.54mm), 0.213 (5.41mm),

Tool w/die N/A



30-594

Fully Insulated quick disconnect terminals with thinner wire barrels 22-10 AWG (.324mm² - 5.261mm²)

Tool w/die N/A



30-18 AWG (.205mm² - 2.08mm²) Open Barrel Pins and Sockets

Tool w/die N/A



30-577

N-Series and RG-8/11 Connectors (Hex, 0.429 (10.90mm), 0.100 (2.54mm), 0.080 (2.03mm)






0.255 (6.48mm) Tool w/die N/A



30-479 (Tool w/die)

For insulated terminals, 22-10 AWG with built-in locator



F-Type Coaxial Connectors



F-Series Connectors utilize threaded couplings and cable conductors as contacts for CATV and other UHF applications.

- Available in the three most popular styles, RG-6/6Q/59
- All brass design
- One-piece body design
- Crimp with the Crimpmaster™ 30-503 Crimp Tool

	Connector Type	Cable Type	Termination Type	Qty.	Cat. No.
		RG-6	Crimp	Card of 4	84-017
	F			Card of 10	85-037
				Card of 50	85-017
	Г	RG-6 Quad	Crimp	Card of 10	85-057
	r			Card of 50	85-030
F D0 50	Orima	Card of 4	84-016		
- V	Г	RG-59	Crimp	Card of 10	85-036

Push-On F-Connectors RG-6 & RG-59

- No terminator tool required

All brass nickel	ction	WILL THE	
Knurled nut for Designed for in		1	A CONTRACTOR OF THE PARTY OF TH
Connector Type	Cable Type	Qty.	Cat. No.
_			

Connector Type	Cable Type	Qty.	Cat. No.	
F 🕳	RG-6	Card of 4	85-065	
	nu-o	Jar of 50	89-165	
AL .	RG-6 Quad	Card of 4	85-066	
20	RG-59	Card of 4	85-067	
RCA	RG-6	Card of 10	89-500	
Description	Cat. No.			
Coax Connector Kit w/E Push-on Connectors	33-320			

Connector Installation Tools

- Works on compression and hex connectors
- Comfort grip handle aids in installing and removing connectors on coax cable





Description	Cat. No.
F & BNC Coax Connector Tool - 8 in.	35-046
F & BNC Coax Connector Tool - 12 in.	35-042
F & BNC Coax Connector Tool - 16 in.	35-043

Twist-On F-Connectors RG-6 & RG-59

- After cable is stripped, simply twist on connector
- No termination tool required
- Available in two styles, RG-6 and RG-59

Connector Type	Cable Type	Qty.	Cat. No.
r	RG-6	Card of 10	85-053
F	NG-0	Card of 50	85-039
г	DC E0	Card of 4	84-018
Г	RG-59	Card of 10	85-035

Coax Strip & Crimp Tool

- Precision, form-ground stripping holes remove outer jacket and insulation from RG-59 and RG-6 coaxial cable
- Durable blades cut copper-coated steel conductors
- Three crimping nests for crimping F-connectors and ring terminals
- Cushioned, comfort-grip handles

(Kit includes ten connectors)

Description	Cat. No.
Coax Strip & Crimp Tool	30-433
Coax Strip & Crimp Tool Kit w/ten RG-6 F-Connectors	30-433F



DATACOMM/NETWORKS

F-Type Adapters & Terminators

- · Nickel-plated brass construction
- For 75Ω applications

	Description	Qty.	Cat. No.
	1GHz Female-to-Female F-Type Coaxial Adapter	Card of 10	85-031
Fine A	3GHz F-Splice Adapter, high bandwith, OMHz to 3GHz for standard and high definition applications,	Card of 4	85-339
Committee of the Commit	<0.25dB insertion loss, >25dB return loss		85-340
	Female to RCA Male Adapter – converts female F-connectors to male RCA connectors	Card of 2	85-936
45	Coax Cable F-Terminators - for all open ports on coax wall plates and splitters	Card of 10	85-038
	90° F-Adapter - F-female to F-male coax adapter	Card of 2	85-070

BNC Connectors

- Connector construction covers both plenum and non-plenum cable jackets
- Captive gold center contacts provide maximum conductivity and minimal resistance
- · Nickel plating resists corrosion, tarnish and ensures signal quality
- Meets military specifications. MS39012 and MIL202 where applicable.
- Available in both small and bulk quantities to suit a range of application requirements

	Connector Type	Cable Type	Center Conductor	Jacket	Connector Impedance	Qty.	Cat. No.
	BNC Plug	RG-59	20 AWG Solid	Non-Plenum	75 Ohm	Bag of 5	85-502
	2.10 1 149	55	2071110 00110	. 10.1 1 10.10.11		Box of 100	86-502
	BNC Plug	RG-6	18 AWG Solid	Non-Plenum	75 Ohm	Bag of 5	85-545
	BNC Adapter	_	Jack to Jack	_	50 Ohm	Bag of 5	85-590
	BNC Twist-on Plug	RG-59	22-23 AWG Solid	Non-Plenum	50 Ohm	Bag of 5	85-480
9 9 11 11	F to BNC Adapter K	iit					LA-4173

4-Way Indent Crimp Tool

Crimps solid barrel contacts for RS232 interface connectors. Features four-way indent dies (per MS22520 specifications), full cycle ratchet, built-in pin and socket locator and comfort-grip handles.

• High-grade steel construction

Description	Cat. No.
20-26 AWG (.519 mm2128 mm2) RS232 D-sub Round Barrel Contacts, Pins or Sockets	35-465

D-Sub/Double-D Service Tool

 Exact replacement of the AMP® open-barrel service tool for stamped contacts and D-Sub contacts

Also crimps Double-D, high density, miniature contacts

 Includes openings for crimping insulated terminals and cutters for machine screws

Description	Cat. No.
D-Sub/Double-D Service Tool	30-426

AMP® is a registered trademark of Amp Inc.

Technician's Service Kit – 33-505

- Kit includes tools to install twisted pair cable on blocks and data jacks.
- Kit Includes:

35-088 Electrician's Scissors w/ 35-497 66 Blade Only Stripping Notches 7-in-1 Twist-a-Nut™ 35-908 Probe Pic & Spudger 35-473 Screwdriver/Nutdriver Punchmaster™ Punch 45-165 UTP/STP Stripper 35-485 Down Tool w/110 Blade **62-205** Nylon case



RJ-45/11 Four, Six & Eight-Position Combination TelCom Termination Kit – 33-704

- This TelCom Kit is designed for the user who will terminate RJ-11 and RJ-45 twisted pair cables.
- Kit Includes:

30-496 Telemaster™ for RJ-11/RJ-45 Plugs 85-344 4-Position, RJ-11 Modular Plugs, qty. 15 85-345 6-Position, RJ-11 Modular Plugs, gty. 15 85-346 8-Position, RJ-45 Modular Plugs, qty. 15

RJ-45 Termination Kit – 33-750

- This kit is suited for the user who will cut and terminate RJ-45 Modular Plugs. The kit includes 50 modular plugs, enough to make 25 separate cables.
- Kit Includes:

30-496 Telemaster™ for RJ-11/RJ-45 Plugs

45-165 UTP/Coax Stripper

85-346 8-Position, RJ-45 Modular Plugs, gty. 50

Telemaster™ Crimp Kit – 33-700

- This kit is the Telemaster[™] tool along with 30 modular plugs.
- Kit Includes:

30-496 Telemaster Tool for RJ-11 (1, 2, 3 pair) and RJ-45 Plugs

85-346 RJ-45 8P8C, qty. 10

86-395 RJ-11 6P6C, qty. 10

85-344 RJ-11 6P4C, qty. 10

PRO Network/Telco Installer Kit – 33-506

- This kit gives the user the ability to terminate modular plugs as well as data blocks or jacks.
- Kit Includes:

35-497 66 Blade only 30-696 Ratchet Telemaster™

85-396 8-Position, RJ-45 Modular Plugs, 35-485 Punchmaster™ II 110 Blade only

qty. 50 35-473 Probe Pic and Spudger

35-535 Mechanic's Bag 45-165 UTP/STP Stripper

35-088 Electrician's Scissors w/Stripper

Notches



Crimpmaster™ 10Base-T RJ-45 Crimping Kit – 33-652

This foam fitted kit includes the Crimpmaster™ Crimp Tool with an 8-position die set as well as 200 RJ-45 Modular Plugs. Kit allows user to cut, strip and terminate twisted pair cables.

Kit Includes:

45-074 Data T®-Cutter **30-506** Crimpmaster™ Crimp Tool Frame 45-165 UTP/Coax Stripper

30-559 8-Position Die Set for RJ-45 Plugs 86-396 8-Position RJ-45 Plugs, gty. 200





