

Rittal – The System.

Faster – better – everywhere.

Cam lock – SZ 2520.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cam lock – SZ 2520.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Material:	Die-cast zinc
Surface finish:	Nickel-plated
Note on Model No.:	Can be replaced by lock inserts, type C

Product features

Suitable for:	Enclosure type: AE stainless steel with cam Enclosure type: Basic AE with cam, stainless steel
Lock Insert:	With double-bit insert
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.06 kg (0.1 lb.)
EAN:	4028177026032
Customs tariff number:	83016000
ETIM 6.0:	EC000327
ETIM 5.0:	EC000327
eCl@ss 8.0/8.1:	27409217

eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Product description (long):	SZ Cam lock, die-cast, nickel-plated, with double bit insert
Approvals	
Certificates:	EAC