

Rittal – The System.

Faster – better – everywhere.

HD Wall Spacer Bracket – HD 4000.100

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



HD Wall Spacer Bracket – HD 4000.100

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Benefits:	Creates space for cleaning behind the enclosure. Shorter assembly times by eliminating the need for an all-round seal. Greater hygiene safety by avoiding an uncontrollable dead space or gap between the enclosure and wall. Mounting on the wall optionally from the enclosure interior via a through-hole (max. M8) or from the rear via an integral M10 thread.
Material:	Stainless steel 1.4301 (AISI 304)
Supply includes:	Assembly components and seals
Note:	Depending on the size of the housing, up to 4 wall spacer brackets will be required to provide a sufficiently secure wall mounting

Product features

Wall distance:	50 mm (2 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.4 kg (0.9 lb.)
EAN:	4028177565654
Customs tariff number:	73269098
ETIM 6.0:	EC002622

ETIM 5.0:	EC002622
eCl@ss 8.0/8.1:	27189263
eCl@ss 7.0/7.1:	27189263
eCl@ss 6.0/6.1:	27189263
eCl@ss 5.1/5.1.4:	27189207
Product description (long):	HD Wall spacer bracket, stainless steel, 1.4301, Wall distance 50 mm
Approvals	
Certificates:	DGUV