



EA2C

by Burndy
Catalog ID: EA2C

Prop65

Versilug For Copper Cable, 1, 8 Sol. - 2 Str., 13/16 in L, 2-1/2 in W, Clamping element adjustable to several angles.

Features: Compact, High Copper Alloy Terminal For Joining A Wide Range Of Cable To Equipment Pads Or Bar, Clamping Element Adjustable To Several Angles, One-Wrench Installation, Dimension T: 1/4 IN, Dimension D: 1-1/16 IN, Dimension K: 7/16 IN, Dimension N: 13/32 IN, Tongue Width: 13/16 IN, Installation Torque: 150 IN-LB, Stud Size: 3/8 IN, Height: 1-3/8 IN, Length: 2-1/2 IN

Product Details

General

Application	For Joining A Wide Range Of Copper Cable To Equipment Pads Or Bars
Connector Type	Terminal
Installation Torque Recommended in-lb	150 LBS/in
Material	Copper
Physical Attribute - Number of Clamping Elements	1
Physical Attribute - Number of Holes	1
Physical Attribute - Number of Screws	1
Physical Attribute - Screw Type	Hexagonal Bolt
Plated	N
Plating Type	Unplated
Sub Brand	VERSILUG
Temperature Rating	194
Trade Name	VERSILUG™
Type	Bolted Lugs & Terminals
UPC	781810326206
UPC 12 Digit	7818103262066

Dimensions

Dimension - B Length fraction	1-10/77 in
Dimension - B Length inch	1.13 in
Dimension - Height fraction	1-3/8
Dimension - Height inch	1.38 in
Dimension - Hole Size fraction	7/16
Dimension - Hole Size inch	0.44 in
Dimension - Hole Size mm	11 mm
Dimension - L Length Overall mm	64 mm
Dimension - Length Overall inch	2.50 in
Dimension - N inch	0.41 in

Dimension - Pad Width fraction	13/16 in
Dimension - Pad Width inch	0.81 in
Dimension - Stud Size inch	3/8

Electrical Ratings

Rating - Minimum Voltage	600
--------------------------	-----

Conductor Related

Conductor - Copper Solid Size	8 AWG;7 AWG;6 AWG;5 AWG;4 AWG;3 AWG;2 AWG
Conductor - Copper Solid Size Range	8 AWG-2 AWG
Conductor - Copper Str Size	8 AWG;7 AWG;6 AWG;5 AWG;4 AWG;3 AWG;2 AWG
Conductor - Copper Str Size Range	8 AWG-2 AWG
Conductor Type	CU C Str-Size
Number Of Conductors	1

Certifications and Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	UL468A-468B
Standards - Industry Standards Met	UL468A-468B
Standards - RoHS Compliance Status	EX
UL Listed	Yes

Logistics

Minimum Pack Quantity	1
-----------------------	---

For further technical assistance, please contact us

BURNDY Headquarters
47 East Industrial Park Drive
Manchester, New Hampshire 03109

Customer Service Hours:
8 AM - 8 PM Eastern Monday-Friday
Emergency Service 24-hours/365 Days
Phone: 1-800-346-4175
1-603-647-5299 (International)