

Rittal – The System.

Faster – better – everywhere.

Ergoform-S Lock System – SZ 2455.010

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Ergoform-S Lock System – SZ 2455.010

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	Standard
Description:	The unlocked handle folds out forwards and is pivoted to open the enclosure.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Color:	RAL 7035 with brown handle and bracket

Product features

Version:	Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
Suitable for:	Enclosure type: AE with 3-point lock Enclosure type: Basic AE with 3-point lock Enclosure type: Wall-mounted housing AE with 3-point lock Enclosure type: TP pedestals Enclosure type: One-piece console TP console door Enclosure type: TP universal console Enclosure type: AE with 3-point lock, stainless steel Enclosure type: Basic AE with 3-point lock, stainless steel Enclosure type: One-piece console, console door, stainless steel
Packaging unit:	1 pc(s).
Weight/packaging unit:	0.54 kg (1.2 lb.)

EAN:	4028177559103
Customs tariff number:	83024110
ETIM 6.0:	EC000327
ETIM 5.0:	EC000327
eCl@ss 8.0/8.1:	27409217
eCl@ss 7.0/7.1:	27189266
eCl@ss 6.0/6.1:	27189266
eCl@ss 5.1/5.1.4:	27189220
Product description (long):	SZ Ergoform-S lock system, Standard, RAL 7035 with brown handle and latch
Approvals	
Certificates:	EAC