

Rittal – The System.

Faster – better – everywhere.

Acrylic glazed cover – FT 2780.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Acrylic glazed cover – FT 2780.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version:	19"
Description:	With security lock, lock no. 3524 E
Material:	Frame: Extruded aluminum sections with die-cast corner pieces Glass panel: Smoked acrylic
Protection category IP to IEC 60 529:	IP 54
Supply includes:	Hinges and assembly components. Incl. lock insert # 3524 E

Product features

Dimensions:	Height: 158 mm (6.2 ") Width: 320 mm (13 ") Depth: 47.5 mm (1.9 ")
Viewing area:	Height: 137.5 mm (5.4 ") Width: 280 mm (11 ")
Installation dimensions:	Installation height: 3 U (3 U) Installation width: 269,2 mm / ½ 19"
Build depth for components (max.):	43 mm (1.7 ")
Packaging unit:	1 pc(s).

Weight/packaging unit:	1.08 kg (2.4 lb.)
EAN:	4028177032217
Customs tariff number:	76101000
ETIM 6.0:	EC002527
ETIM 5.0:	EC002527
eCl@ss 8.0/8.1:	27182301
eCl@ss 7.0/7.1:	27182301
eCl@ss 6.0/6.1:	27182301
eCl@ss 5.1/5.1.4:	27182301
Product description (long):	FT Acrylic glazed cover, 482.6 mm (19"), WHD: 320x158x47,5 mm
Approvals	
Certificates:	EAC