

# Rittal – The System.

Faster – better – everywhere.

## ▶ TS Mounting Chassis, 45 x 88 mm – TS 8612.660

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS Mounting Chassis, 45 x 88 mm – TS 8612.660

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Version:** For the inner mounting level

**Description:** Mounted directly on internal surfaces (e.g. roof) to support heavy assemblies. Mounted on the side or rear, the enclosure can then be screw-fastened securely to the machine. The double profile with 11 rows of holes provides many additional options for interior configuration.

**Material:** Carbon steel

**Surface finish:** Zinc-plated

**Supply includes:** Assembly components

## Product features

**Suitable for:** Enclosure type: the inner mounting level  
Width/depth: 600 mm

**Installation options:** On the vertical and horizontal TS, SE enclosure section

**Packaging unit:** 2 pc(s).

**Weight/packaging unit:** 3 kg (6.6 lb.)

**EAN:** 4028177267060

**Customs tariff number:** 73269098

<b>ETIM 6.0:</b>	EC002625
<b>ETIM 5.0:</b>	EC002625
<b>eCl@ss 8.0/8.1:</b>	27189234
<b>eCl@ss 7.0/7.1:</b>	23159101
<b>eCl@ss 6.0/6.1:</b>	23159101
<b>eCl@ss 5.1/5.1.4:</b>	27189250
<b>Product description (long):</b>	TS TS punched section without mounting flange, 45 x 88 mm, for inner mounting level: for WD: 600 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC