



Energy Advantage IR MR16

35MRC16/IRC/ALU/NFL24 20PK

Philips Energy Advantage IRC MR16 lamps make it easy to optimize the look and feel of your merchandise, and the shoppers experience, with lower operating costs.


Product data

General Information	
Cap-Base	GU5.3 [GU5.3]
Operating Position	Universal [Universal]
Light Technical	
Beam Angle (Nom)	24 °
Correlated Color Temperature (Nom)	3000 K
Operating and Electrical	
Power (Rated) (Nom)	35 W
Starting Time (Nom)	0.0 s
Voltage (Nom)	12 V

Product Data	
Order product name	EnAdvIR Alu 35W 12V MR16 24D 1CT/4XF5
EAN/UPC - Product	046677202675
Order code	202671
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	925633617104
Net Weight (Piece)	32.000 g
ILCOS Code	HRGS-35-12-GU5.3-50/24


Energy Advantage IR MR16

Dimensional drawing



MLES Alu 35W GU5.3 12V MR16 24D


Product	D (max)	C1 (max)
EnAdvIR Alu 35W 12V MR16 24D 1CT/4XF5	51 mm	50.5 mm



MLES Alu 35W GU5.3 12V MR16 24D

Product	D (max)	C1 (max)
EnAdvIR Alu 35W 12V MR16 24D 1CT/4XF5	51 mm	50.5 mm

Photometric data



Halogen Reflector 35W GU5.3 12V 24D

Energy Advantage IR MR16

