

Rittal – The System.

Faster – better – everywhere.

Base tray infill for RiLine busbar systems – SV 9340.140

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Base tray infill for RiLine busbar systems – SV 9340.140

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	For rear contact hazard protection when connecting the busbars from enclosure to enclosure.
Material:	Thermally modified hard PVC. Fire protection corresponding to UL 94-V0
Color:	RAL 7035
Supply includes:	Assembly components

Product features

Suitable for busbar system:	Flat copper busbars
Number of poles:	3-pole
Dimensions:	Length: 100 mm (3.9 ")
Connection type:	Baying connection from enclosure to enclosure
Packaging unit:	2 pc(s).
Weight/packaging unit:	0.24 kg (0.5 lb.)
EAN:	4028177502390

Customs tariff number:	85472000
ETIM 6.0:	EC002498
ETIM 5.0:	EC002498
eCl@ss 8.0/8.1:	27379201
eCl@ss 7.0/7.1:	27142414
eCl@ss 6.0/6.1:	27142414
eCl@ss 5.1/5.1.4:	27370302
Product description (long):	SV Base tray infill, L: 100 mm
Approvals	
Approvals:	C-UL UL + C-UL