


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART NUMBER	MATERIAL	LABELS PER SHEET	SHEET PER PKG	STD. PKG. QTY.
S200X650YAJ	GYM13	4	125	500



2.00 ± 0.062
 [50.80 ± 1.6]
 TYP. 4 PLCS.

1.50 ± 0.062 [38.10 ± 1.6]
 6.50 ± 0.062 [165.10 ± 1.6]
 11.00 ± 0.062 [279 ± 1.6]

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
3	9/11/2020	RVU	RCMC	JHAC	GYM13 WAS GYM6. UPDATE LABELS. UPDATE TEMPLATE DWG.	GAECN05754
2	10/29/09	RVU			UPDATE ON TOLERANCES. ADD +/- .062.	5898
1	8/12/08	RVU			CHG. FORMAT FROM 'B' TO 'A' SIZE. TITLE AREA TOL. INCORRECT.	5516
0	6/29/06	RVU			DRAWING RELEASE. MATERIAL WAS GYM2.	4568
A	9/22/04	RVU			ENGINEERING RELEASE.	0000

TITLE						
OPTIMUM SELF-LAMINATING S200X650YAJ LASER INKJET PRINTABLE LABELS						
CUSTOMER DRAWING						
ITEM REVISION NAME					100472CK/07	
DATASET FILE NAME					100472CK_DC_C10214/07D	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]					PANDUIT MATERIAL: SEE TABLE	
.x ± .12 [3.05] .xxx ± .025 [.635] .xx ± .062 [1.57] ANGLES ±						
					THIRD ANGLE PROJECTION	
DRAWING NUMBER:					C10214	
DRAWN BY	DATE	CHK	SCALE	SHT 1 OF 1		SIZE
RVU	9/22/04	JHAC	NTS			A

D10100DA/20

2

1

2

1