

Rittal – The System.

Faster – better – everywhere.

Fold-out tray for keyboard and mouse – SZ 2379.600

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Fold-out tray for keyboard and mouse – SZ 2379.600

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description:	Installed in 600 and 800 mm wide doors and 19" swing frame and enclosures. Standard double-bit lock insert may be exchanged for 27 mm lock inserts, type A and lock cylinder SZ 2571.000.
Material:	Flap: Carbon steel Side parts: Cast aluminum Tray: Extruded aluminum section
Surface finish:	Flap, side parts: Textured paint Tray: Natural anodized
Color:	Flap, side parts: RAL 7035
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12

Product features

Dimensions:	Height: 355 mm (14 ") Width: 19" Depth: 126 mm (5 ")
Suitable for door width:	600 mm (24 ")
Keyboard dimensions:	Height (max.): 50 mm (2 ") Width (max.): 405 mm (16 ") Depth (max.): 250 mm (9.8 ")

Height units:	8 U
Installation dimensions:	Installation depth: 93 mm (3.7 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	8.1 kg (17.9 lb.)
EAN:	4028177319295
Customs tariff number:	76169990
ETIM 6.0:	EC002620
ETIM 5.0:	EC002620
eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189261
eCl@ss 6.0/6.1:	27189261
eCl@ss 5.1/5.1.4:	27189244
Product description (long):	SZ Fold-out tray for keyboard and mouse, for door W: 600 mm
Approvals	
Certificates:	EAC Protection category