

4


3

2

1


Transformer Specifications	
PRIMARY VOLTAGE(S)	208/230/460 (TRIPLE RATED)
SECONDARY VOLTAGE(S)	24/115
RATED V.A.	100
RATED FREQUENCY	50/60
INSULATION CLASS	105
AGENCY APPROVALS	UL, CUL
ESTIMATED WEIGHT	

TEST REQUIREMENTS	
WINDING	H4-H3-H2-H1
D.C. VOLTS	217.2-240-480
LOAD VOLTS	217-240-480
F.L. AMPS	0.573/0.286
H1-POT	3000V
EXCITING AMPS	0.21AMPS @ 480 VOLTS, 50HZ
EXCITING WATTS	11.5 MAX



NOTE:
1. TORQUE CONNECTIONS TO 16 LB.-IN
2. ALL MEASUREMENTS IN INCHES (MM)

CONNECTION DIAGRAM



CONNECTION TABLE	
SINGLE OUTPUT - FIRST INSTALLED	
PRIMARY	SECONDARY
Volt Term. Volt Term. Volt Term.	
200 H4-H3	23 XF-X2
230 H4-H3	24 XF-X2
440 H4-H3	25 XF-X2
480 H4-H3	26 XF-X2
440 H4-H3	23 XF-X2
480 H4-H3	24 XF-X2
440 H4-H3	25 XF-X2
480 H4-H3	26 XF-X2
440 H4-H3	23 XF-X2
480 H4-H3	24 XF-X2
440 H4-H3	25 XF-X2
480 H4-H3	26 XF-X2



UNLESS OTHERWISE SPECIFIED	
DIMENSIONS IN INCHES	
ONE PLACE DEC	40.1
TWO PLACE DEC	10.2
THREE PLACE DEC	1.02
ANGLES 24.6 DEG	10.9
VOLUME	4.0
WEIGHT	4.0
FORCE/TORQUE/SPEED	1.10
TEMPERATURE	4.1/4.5
DIMENSIONS TO BE INTERPRETED IN ACCORDANCE WITH	
ASME, Y14.5M-1994	
EXCEED SYMBOL DEFINITIONS	
FOR DRAWING 694725	
THIRD ANGLE PROJECTION	
DATE	06/30/09
APPROVED	S. CASTRO
DATE	06/30/09
ENGINEER	E. ROBLES
DATE	06/30/09
ENGR REF	0.5 SANDOVAL
TOOL REF	
NEXT ASSY	
INDUSTRIAL CONTROL TRANSFORMER	
SIZE	B
SCALE	C0100E5EFB.DWG
PARTS LIST	
DWG NO	C0100E5EFB
PRODUCT CODE	
SHEET NO	1 OF 1