

# Rittal – The System.

Faster – better – everywhere.

## Earthquake base/plinth for TS – TS 8601.860

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Earthquake base/plinth for TS – TS 8601.860

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** The standard design of the Rittal TS 8 enclosure 8806.500, in conjunction with the corresponding 100 mm sheet steel base/plinth, fulfills the requirements of Telcordia GR-63-CORE for earthquake zones 1, 2 and 3. This should be used as a benchmark for your own systems, as certification of empty enclosures is not possible. For earthquake zone 4, the TS 8 can be upgraded with an earthquake kit together with a comfort handle and earthquake base/plinth.

**Applications:** Conforms to Bellcore Earthquake Zone 4 requirements

**Material:** Corner pieces: Carbon steel, 5 mm  
Panels: Carbon steel, 2 mm

**Surface finish:** Powder-coated

**Color:** RAL 7022

**Supply includes:** Base/plinth, fully assembled  
4 corner pieces  
2 depth stays  
1 trim panel front/rear

**Suitable for Model No.:** 8806.500

## Product features

**Suitable for:** Enclosure type: TS 8  
Width: 800 mm (31 ")  
Depth: 600 mm (24 ")

**Dimensions:** Height: 100 mm (3.9 ")

<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	15.9 kg (35.1 lb.)
<b>EAN:</b>	4028177413597
<b>Customs tariff number:</b>	94039010
<b>ETIM 6.0:</b>	EC000721
<b>ETIM 5.0:</b>	EC000721
<b>eCl@ss 8.0/8.1:</b>	27182003
<b>eCl@ss 7.0/7.1:</b>	27182003
<b>eCl@ss 6.0/6.1:</b>	27182003
<b>eCl@ss 5.1/5.1.4:</b>	27182002
<b>Product description (long):</b>	TS Earthquake base/plinth for TS, H: 100 mm, for WD: 800x600 mm
<b>Approvals</b>	
<b>Certificates:</b>	EAC