THOMAS & BETTS CORPORATION, 8155 T & B BOULEVARD, MEMPHIS, TENNESSEE 38125

T & B CATALOG NUMBERS:

PATCHT-LG

PAGE: 1 OF 4 **REVISION: 0**

PRODUCT DESCRIPTION:

CORROSION PROTECTION FOR

ELECTRICAL CONDUIT AND

FITTINGS - LIGHT GRAY

DATE PREPARED: May 23, 2008

DOCUMENT NUMBER: MSDS-0185

SECTION 1 PRODUCT IDENTIFICATION & EMERGENCY INFORMATION

PRODUCT NAME:

OCAL TOUCH-UP COMPOUND - LIGHT GRAY

GENERAL USE:

TOUCH-UP PATCHING MATERIAL FOR CONDUIT AND ACCESSORIES.

PRODUCT DESCRIPTION: **GENERIC INGREDIENTS:**

CORROSION PROTECTION FOR ELECTRICAL CONDUIT AND FITTINGS.

24 HR EMERGENCY TELEPHONE NUMBERS: CHEMTREC (703) 527-3887 / 800-424-9300

FOR PRODUCT INFORMATION: THOMAS & BETTS; 901-252-5000 (ext. 8324)

SECTION 2 HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS#	% BY WT	ACGIH TLV	ACGIH TLV-C	ACGIH STEL	OSHA PEL	OSHA STEL
PVC RESIN DINP	9002-86-2	50 – 75	N/A	N/A	N/A	N/A	N/A
(Diisononyl phthalate) TITANIUM DIOXIDE CARBON BLACK	68515-48-0 13463-67-7 1333-86-4	20 - 40 1 - 5 1 - 5	N/A 10 mg/m ³ 3.5 mg/m ³	N/A N/A N/A	N/A N/A N/A	N/A 10 mg/m ³ 3.5 mg/m ³	N/A N/A N/A

SECTION 3 HEALTH INFORMATION & PROTECTION

CARCINOGENICITY

NTP: NO

IARC MONOGRAPHS: NO **OSHA REGULATED:** NO

ROUTES OF ENTRY

EYES:

INGESTION: YES

INHALATION:

SKIN: YES

EMERGENCY OVERVIEW

CAUSES EYE IRRITATION. MAY CAUSE SLIGHT SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. THIS PRODUCT IS NOT EXPECTED TO PRESENT ANY UNUSUAL HAZARDS UNDER FIRE OR SPILLS

CONDITIONS.

HEALTH HAZARDS

ACUTE: MAY BE HARMFUL IF SWALLOWED. MAY CAUSE SLIGHT SKIN IRRITATION. CAUSES EYE IRRITATION.

CHRONIC:

AVOID LONG TERM AND REPEATED CONTACT. THIS PRODUCT CONTAINS TITANIUM DIOXIDE. ANIMALS

INHALING MASSIVE QUANTITIES OF TITANIUM DUST IN A LONG-TERM STUDY DEVELOPED LUNG TUMORS. TITANIUM DIOXIDE DUST EXPOSURE WITH THIS COATING DOES NOT EXIST. POTENTIAL FOR

INHALATION OF TITANIUM DIOXIDE DUSTS FROM COATING IS VERY UNLIKELY. THIS PRODUCT CONTAINS CARBON BLACK, WHICH HAS BEEN RATED AN IARC 2B CARCINOGEN DUE TO ANIMAL DATA.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYE WATERING, REDNESS, ITCHING, BURNING SENSATION AND VISUAL DISTURBANCES. EYES:

MAY BE HARMFUL IF SWALLOWED. INGESTION:

DUE TO PRODUCT TYPE, INHALATION IS EXTREMELY UNLIKELY. INHALATION:

DRYNESS, ITCHING, CRACKING, BURNING, REDNESS AND SWELLING. MAYBE HARMFUL IF ABSORBED SKIN:

THROUGH SKIN.

THOMAS & BETTS CORPORATION, 8155 T & B BOULEVARD, MEMPHIS, TENNESSEE 38125

T & B CATALOG NUMBERS:

PATCHT-LG

PAGE: 2 OF 4 **REVISION: 0**

PRODUCT DESCRIPTION:

CORROSION PROTECTION FOR **ELECTRICAL CONDUIT AND**

FITTINGS - LIGHT GRAY

DATE PREPARED: May 23, 2008

DOCUMENT NUMBER: MSDS-0185

POTENTIAL HEALTH EFFECTS

EYE CONTACT: CAUSES MODERATE EYE IRRITATION. INGESTION: MAY BE HARMFUL IF SWALLOWED.

INHALATION: NOT LIKELY.

MAY CAUSE SKIN IRRITATION. MAYBE HARMFUL IF ABSORBED THROUGH SKIN. SKIN CONTACT:

FIRST AID MEASURES

EYE CONTACT: REMOVE CONTACT LENS, IF WORN, AND RINSE THE AFFECTED EYE IMMEDIATELY WITH PLENTY OF

WATER FOR AT LEAST 15 MINUTES RETRACTING EYELIDS OFTEN. IF IRRITATION PERSISTS, SEEK

MEDICAL ATTENTION.

INGESTION: GENTLY WIPE OR RINSE THE INSIDE OF THE MOUTH WITH WATER. SIPS OF WATER MAY BE GIVEN.

NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SEEK MEDICAL ATTENTION.

INHALATION: REMOVE FROM AREA TO FRESH AIR. IF SYMPTOMATIC, SEEK MEDICAL ATTENTION IMMEDIATELY.

WASH EXPOSED SKIN AREAS WITH SOAP AND WATER. IF REDNESS OR IRRITATION PERSISTS, SEEK SKIN CONTACT:

MEDICAL ATTENTION IMMEDIATELY.

MEDICAL CONDITION GENERALLY AGGRAVATED BY EXPOSURE

NOT APPLICABLE

WORKPLACE EXPOSURE CONTROLS

NONE REQUIRED

ENGINEERING / VENTILATION CONTROLS

PROVIDE GENERAL DILUTION OR LOCAL EXHAUST VENTILATION TO KEEP THE CONCENTRATION OF INGREDIENTS LISTED IN SECTION 2 BELOW EXPOSURE LIMITS, THE LEL BELOW THE STATED LIMIT.

PERSONAL PROTECTION

EYE PROTECTION: WEAR SAFETY GLASSES WITH SIDE SHIELDS WHEN HANDLING THIS PRODUCT. WHEN THE

POSSIBILITY EXISTS FOR EYE CONTACT WITH SPLASHING, WEAR ADDITIONAL EYE PROTECTION SUCH

AS CHEMICAL GOGGLES AND/OR FACE SHIELD. DO NOT WEAR CONTACT LENSES. HAVE AN EYE

WASH STATION AVAILABLE.

WEAR PROTECTIVE NON-PERMEABLE GLOVES. INSPECT GLOVES FOR CHEMICAL BREAK-THROUGH HAND PROTECTION:

AND REPLACE AT REGULAR INTERVALS.

RESPIRATORY PROTECTION: ANY VAPOR EXPOSURE MAY BE PREVENTED BY ENSURING PROPER VENTILATION CONTROLS.

SKIN PROTECTION: WEAR PROTECTIVE CLOTHING. RECOMMENDATIONS FOR SKIN PROTECTION ARE BASED ON IN

FREQUENT CONTACT WITH THIS PRODUCT

SECTION 4 FIRE & EXPLOSION HAZARDS

EXPLOSION DATA:

EXPLOSIVE PROPERTY: LEL: N/E

N/A

LIEL: N/E **EXTINGUISHING MEDIA:** USE NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) CLASS B EXTINGUISHERS (CARBON DIOXIDE,

DRY CHEMICAL OR UNIVERSAL AQUEOUS FILM FORMING FOAM) DESIGNED TO EXTINGUISH

COMBUSTIBLE LIQUID FIRES.

FIRE FIGHTING: FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE

CLOTHING.

HAZARDOUS COMBUSTION

MAY PRODUCE THE FOLLOWING HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, PRODUCTS:

CARBON DIOXIDE, ACRYLIC MONOMER, NITROGEN, HYDROGEN CHLORIDE, AND TOXIC GASES.

UNUSUAL FIRE OR

CLOSED CONTAINERS MAY EXPLODE OR BURST (DUE TO THE BUILD-UP OF STEAM PRESSURE) WHEN **EXPLOSION HAZARDS:**

EXPOSED TO EXTREME HEAT OR FIRE.

SECTION 5 SPILL CONTROL MEASURES

THOMAS & BETTS CORPORATION, 8155 T & B BOULEVARD, MEMPHIS, TENNESSEE 38125

T & B CATALOG NUMBERS:

PATCHT-LG

PAGE: 3 OF 4 REVISION: 0

PRODUCT DESCRIPTION:

CORROSION PROTECTION FOR **ELECTRICAL CONDUIT AND**

FITTINGS - LIGHT GRAY

DATE PREPARED: May 23, 2008

DOCUMENT NUMBER: MSDS-0185

CONTAINMENT PROCEDURES:

PROVIDE SUFFICIENT VENTILATION. ONLY PERSONNEL EQUIPPED WITH PERSONAL PROTECTIVE EQUIPMENT SHOULD BE PERMITTED IN THE AREA. REMOVE ALL SOURCES OF IGNITION. TAKE UP SPILLED MATERIAL WITH SAND, VERMICULITE OR OTHER NONCOMBUSTIBLE ABSORBENT MATERIAL AND PLACE IN A CLEAN, EMPTY CONTAINER FOR DISPOSAL. ONLY THE SPILL MATERIAL AND

ABSORBENT BE PLACED IN THIS CONTAINER.

DISPOSAL:

DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. EMPTY CONTAINERS SHOULD BE RECYCLED OR DISPOSED OF THROUGH AN APPROVED WASTE

MANAGEMENT FACILITY.

SECTION 6 HANDLING & STORAGE

HANDLING PROCEDURES:

WASH HANDS THOROUGHLY AFTER HANDLING.

STORAGE PROCEDURES:

PROTECT FROM FREEZING. STORE IN A CLEAN AREA WITH AMBIENT TEMPERATURE.

SECTION 7 TYPICAL PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE:

VISCOUS LIQUID

AUTO-IGNITION TEMPERATURE:

LIGHT GRAY

BOILING POINT:

N/A

COLOR: **EVAPORATION RATE**

(N-BUTYL ACETATE = 1): N/A

FLAMMABILITY: N/A ODOR: N/A

PERCENT,

FREEZING POINT: N/A

VOLATILE BY VOLUME: N/A

N/A

MELTING POINT: N/A N/A

PH:

OXIDIZING PROPERTIES: PERCENT,

SOLUBILITY IN WATER NEGLIGIBLE 68° F (20° C):

SOLIDS BY WEIGHT: N/A

SOFTENING POINT

SOLUBILITY IN

(BASE METAL): N/A ORGANIC SOLVENT: N/A

VAPOR DENSITY (AIR = 1): N/A SPECIFIC GRAVITY (H2O = 1): N/A

VAPOR PRESSURE (mm Hg): N/A

VISCOSITY: N/A VOC CONTENT (lbs / gal): N/A

SECTION 8 REACTIVITY DATA

CHEMICAL STABILITY:

STABLE

CONDITIONS TO AVOID:

KEEP FROM FREEZING.

INCOMPATIBLE MATERIALS:

AVOID CONTACT WITH STRONG OXIDANTS, ACIDS, REDUCING AGENTS, BASES. AND HALOGENS.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

SECTION 9 REGULATORY INFORMATION

DEPARTMENT OF TRANSPORTATION (DOT)

PROPER SHIPPING NAME: NOT REGULATED GOODS

U.S. FEDERAL REGULATIONS

ALL COMPONENTS OF THE PRODUCT ARE INCLUDED IN THE EPA TOXIC SUBSTANCES CONTROL ACT TSCA:

(TSCA) CHEMICAL SUBSTANCES INVENTORY.

THE PRODUCT IS <u>NOT</u> CLASSIFIED AS A HAZARDOUS SUBSTANCE UNDER REGULATIONS OF THE CERCLA:

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA), 40 CFR

§302.

THE PRODUCT IS <u>NOT</u> CLASSIFIED AS A HAZARDOUS WASTE UNDER THE RESOURCE CONSERVATION RCRA HAZARD CLASS:

AND RECOVERY ACT, OR ITS REGULATIONS, 40 CFR §261 et seq.

CLEAN AIR ACT: THE PRODUCT IS NOT A PROCESSED WITH OR DOES NOT CONTAIN ANY CLASS I OR CLASS II OZONE

DEPLETING SUBSTANCES.

SARA TITLE III INFORMATION

THOMAS & BETTS CORPORATION, 8155 T & B BOULEVARD, MEMPHIS, TENNESSEE 38125

T & B CATALOG NUMBERS: PATCHT-LG

PAGE: 4 OF 4 REVISION: 0

PRODUCT DESCRIPTION:

CORROSION PROTECTION FOR

ELECTRICAL CONDUIT AND

FITTINGS - LIGHT GRAY

DATE PREPARED: May 23, 2008

DOCUMENT NUMBER: MSDS-0185

SECTION 302: REQUIRES EMERGENCY PLANNING BASED ON THRESHOLD PLANNING QUANTITIES (TPQs), AND

RELEASE REPORTING BASED ON REPORTABLE QUANTITIES (RQs) OF EXTREME HAZARDOUS

SUBSTANCES (EHS) LISTED IN APPENDIX A CFR 355. NO COMPONENTS OF THIS PRODUCT ARE ON THE

EHS LIST.

SECTION 311 / 312: THE FOLLOWING COMPONENTS OF THIS PRODUCT ARE SUBJECT TO THIS REQUIREMENT: NONE

SECTION 313: THIS PRODUCT CONTAINS CHEMICAL COMPONENTS SUBJECT TO SECTION 313 REPORTING: NONE

STATE REGULATIONS / RIGHT-TO-KNOW

CALIFORNIA PROPOSITION 65

INFORMATION: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCE(s) KNOWN TO BE ON THE CA PROP. 65 LIST:

NONE

CHEMICAL NAME CAS NO.

CARBON BLACK 1333-86-4

(AIRBORNE, UNBOUND PARTICLES OF

RESPIRABLE SIZE)

INTERNATIONAL

WHMIS (CANADA): THIS PRODUCT CONTAINS THE FOLLOWING THE CHEMICAL(s) LISTED AS CONTROLLED SUBSTANCES:

CHEMICAL NAME CAS NO.

TITANIUM DIOXIDE 13463-67-7 CARBON BLACK 1333-86-4

LABELS: CANADIAN LABEL CLASSIFICATION REQUIRED ON CONTAINER(s): D2A, D2B

SECTION 10 NOTES

TOXICOLOGICAL INFORMATION: NONE

ECOLOGICAL INFORMATION: NO DATA AVAILABLE

HAZARD RATING SYSTEM

HMIS NFPA KEY HEALTH 4 = SEVERE 1 1 **FLAMMABILITY** 3 = SERIOUS 1 1 REACTIVITY 2 = MODERATE 0 0 1 = SLIGHT 0 = MINIMAL

REVISION SUMMARY 0

SUPERCEDES ISSUE DATE N/A

SECTION 11 OTHER INFORMATION

ABBREVIATIONS

N/E = NOT ESTABLISHED N/A = NOT AVAILABLE

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND ACCURATE TO THE BEST OF THOMAS & BETTS CORPORATION KNOWLEDGE. THE INFORMATION RELATES TO THE SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY HIMSELF AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR HIS OWN PARTICULAR USE.