

Rittal – The System.

Faster – better – everywhere.

Plastic cable gland plates with PG knockouts – KL 1581.000

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Plastic cable gland plates with PG knockouts – KL 1581.000

created: 29.05.2018 build on www.rittal.com/us-en



Product description

Description: With pre-punched PG holes for cable glands. Use with standard flange plate seal.

Material: ABS

Color: RAL 7035

**Protection category
IP to IEC 60 529:** IP 55 if correctly installed

Note: The assignment of the flange plate size can be found on the respective housings

Product features

Dimensions: Width: 220 mm
Depth: 90 mm

**Operating
temperature:** Operation (environment): -40°C...+70°C

Flange plate, size: 2

Cable entry: Number x PG diameter: 12 x 13.5

Packaging unit: 5 pc(s).

**Weight/packaging
unit:** 0.6 kg (1.3 lb.)

EAN:	4028177010888
Customs tariff number:	85389099
ETIM 6.0:	EC000211
ETIM 5.0:	EC000211
eCl@ss 8.0/8.1:	27142421
eCl@ss 7.0/7.1:	27189190
eCl@ss 6.0/6.1:	27189190
eCl@ss 5.1/5.1.4:	27189222
Product description (long):	KL Plastic cable gland plate, with PG knock-outs, WD: 220x90 mm, size: 2, PG knockouts: 13.5
Approvals	
Certificates:	EAC