



S9235

14T8/LED/48-835/DR
14 watt T8 LED; Medium bi-pin base; 3500K; 50000 average rated hours; 1800 lumens

Features

- Direct Replacement - for use on Instant Start and Rapid Start ballasts with no rewiring required*
- Solid State LED lighting
- High efficacy
- Long life
- 25watt - 32watt Fluorescent equivalency
- DLC Qualified
- 5 year Limited warranty



S9235

*May not be compatible with all electronic ballasts.

View: [Ballast Compatibility Chart](#)

Item Number	UPC	Watts	Lamp Shape	Base	ANSI Base	Lamp Code	Dimmable/Non-Dimmable
S9235	045923092350	14	T8	Medium BiPin	G13	14T8/LED/48-835/DR	Non-Dimmable
Finish	MOL In Inches	MOD In Inches	Initial Lumens	Average Rated Hours	Kelvin Temp	Color	CRI
White	48"	1.00"	1800	50000	3500	Neutral White	82
Beam Spread Deg	Pack	Package Type	RoHS Compliant	UL or ETL Listed	Warranty		
230	10	Box	Yes	Yes	5 Year Limited		



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027

