Rittal - The System.

Faster – better – everywhere.

Cross-brace for mounting plates for TS, SE – TS 4333.180



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Cross-brace for mounting plates for TS, SE – TS 4333.180

created: 24.05.2018 build on www.rittal.com/us-en



| Pro | d٠٠ | o+ | A | ^- | ori | nti | ion |
|-----|-----|----|---|----|-----|-----|-----|
| Pro | au | CI | a | es | CLI | Dτ | on |

Description: Additional horizontal cross braces to dampen vibrations and/or for retrospective stabilization of

wide mounting plates. The braces can also be used as an additional aid to secure heavy

structural elements.

Material: Carbon steel

Surface finish: Zinc-plated

Supply includes: 2 sections

4 clamps

4 grub (set) screws M10 x 16 mm

Note on Model No.:: Other widths available on request.

Product features

Suitable for: Enclosure type: TS

Enclosure type: SE Width: 1800 mm (71 ")

Packaging unit: 2 pc(s).

Weight/packaging 7.8 kg (17.2 lb.)

unit:

EAN: 4028177099135

Customs tariff 73269098

© Rittal 2018

number:

| ETIM 6.0: | EC002625 | | |
|-----------------------------|---|--|--|
| ETIM 5.0: | EC002625 | | |
| eCl@ss 8.0/8.1: | 27189234 | | |
| eCl@ss 7.0/7.1: | 27409216 | | |
| eCl@ss 6.0/6.1: | 27409216 | | |
| e Cl@ss 5.1/5.1.4: | 27189231 | | |
| Product description (long): | TS Cross-brace, for mounting plate for TS, SE, for W: 1800 mm | | |

© Rittal 2018