Rittal - The System.

Faster – better – everywhere.

Divider panel for TS – TS 8609.860

Date: May 24, 2018



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Divider panel for TS – TS 8609.860 created: 24.05.2018 build on www.rittal.com/us-en



To shield individual enclosure cells. All-round, double edging for stability and to accommodate the seal. The symmetry of the enclosure frame means divider panels of the appropriate dimensions can also be fitted at the rear.
Notches in the corners and half-way up the sides permit the use of angular baying brackets and baying brackets, even with a divider panel fitted.
Carbon steel, 1.5 mm
Zinc-plated
IP 54
The divider panel may also be fitted at the rear. This allows, e.g. frequency converters for hear dissipation to be installed in a divider panel with the cooling units facing outwards and protected/concealed with a cover.
Assembly components
Enclosure type: TS 8 Height: 1800 mm (71 ") Depth: 600 mm (24 ")
Mounted on the outer mounting level The inner level remains free for further expansion
1 pc(s).

© Rittal 2018

Weight/packaging unit:	13.15 kg (29 lb.)
EAN:	4028177208803
Customs tariff number:	94039010
ETIM 6.0:	EC002525
ETIM 5.0:	EC002525
eCl@ss 8.0/8.1:	27182102
eCl@ss 7.0/7.1:	27182102
eCl@ss 6.0/6.1:	27182102
eCl@ss 5.1/5.1.4:	27182102
Product description (long):	TS Divider panel, for TS, for WD: 1800x600 mm
Approvals	
Certificates:	EAC

© Rittal 2018