

Rittal – The System.

Faster – better – everywhere.

Condensate discharge – SZ 2459.000

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Condensate discharge – SZ 2459.000

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Description: For reliable condensate discharge from the inside and protection against splashed water from the outside (labyrinth effect). Required hole diameter 16 mm. (In AE carbon steel, the hole is already present in the base.)

Material: Polyamide

Color: Similar to RAL 7035

Note: Splash-proof at the bottom if correctly installed (not IP 55 to EN 60529)

Product features

Packaging unit: 6 pc(s).

Weight/packaging unit: 0.04 kg (0.1 lb.)

EAN: 4028177023741

Customs tariff number: 39269097

ETIM 6.0: EC002009

ETIM 5.0: EC002009

eCl@ss 8.0/8.1: 27180715

eCl@ss 7.0/7.1: 27180715

eCl@ss 6.0/6.1:	27180715
eCl@ss 5.1/5.1.4:	27189226
Product description (long):	SZ Condensate discharge