

# Rittal – The System.

Faster – better – everywhere.

## **Mounting Bracket TS – TS 8800.370**

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Mounting Bracket TS – TS 8800.370

created: 24.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** Offers variable mounting options for 23 x 23 mm punched rail, e.g. to support external surfaces or create an additional internal level.

**Material:** Die-cast zinc

**Supply includes:** Incl. 24 brackets, 24 sheet metal screws 5.5 x 13 mm.

## Product features

**Suitable for:** Enclosure type: TS 8

**Installation options:** On the vertical TS, SE enclosure section flush with the outer edge of the enclosure  
On the vertical TS, SE enclosure section flush with the enclosure clearance width

**Packaging unit:** 24 pc(s).

**Weight/packaging unit:** 1.2 kg (2.6 lb.)

**EAN:** 4028177267046

**Customs tariff number:** 79070000

**ETIM 6.0:** EC002625

**ETIM 5.0:** EC002625

**eCl@ss 8.0/8.1:** 27189234

<b>eCl@ss 7.0/7.1:</b>	27189234
<b>eCl@ss 6.0/6.1:</b>	27189234
<b>eCl@ss 5.1/5.1.4:</b>	27189234
<b>Product description (long):</b>	TS Mounting bracket, for fastening of the PS mounting rail 23x23 mm, directly in the vertical TS section
<b>Approvals</b>	
<b>Certificates:</b>	EAC