

# Rittal – The System.

Faster – better – everywhere.

## ▶ Side panels, screw-fastened, carbon steel for TS, TS IT – TS 8126.235

Date : May 29, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Side panels, screw-fastened, carbon steel for TS, TS IT – TS 8126.235

created: 29.05.2018 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Benefits:** Automatic potential equalization and higher EMC protection thanks to enclosure panel holders with grounding insert  
Easy positioning with the location aid  
Grounding bolt with contact surface

**Material:** Carbon steel, 1.5 mm

**Surface finish:** dipcoat-primed, powder-coated on the outside

**Color:** RAL 7035

**Protection category  
IP to IEC 60 529:** IP 55

**Supply includes:** Assembly components

**Note:** Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure.  
Area available for population: External dimension – 100 mm

## Product features

**Suitable for:** Enclosure type: TS  
Enclosure type: TS IT  
Height: 2200 mm (87 ")  
Depth: 600 mm (24 ")

**Packaging unit:** 2 pc(s).

<b>Weight/packaging unit:</b>	36.2 kg (79.8 lb.)
<b>EAN:</b>	4028177213425
<b>Customs tariff number:</b>	94039010
<b>ETIM 6.0:</b>	EC002524
<b>ETIM 5.0:</b>	EC002524
<b>eCl@ss 8.0/8.1:</b>	27182101
<b>eCl@ss 7.0/7.1:</b>	27182101
<b>eCl@ss 6.0/6.1:</b>	27182101
<b>eCl@ss 5.1/5.1.4:</b>	27182101
<b>Product description (long):</b>	TS Side panel, screw-fastened, for TS, TS IT, for WD: 2200x600 mm, Sheet steel
<b>Approvals</b>	
<b>Certificates:</b>	EAC