

FEATURES:

AVAILABLE IN BOTH AN OPEN STYLE AND A FINGER SAFE STYLE

SEE THROUGH COVERS FOR EASY INSTALLATION

ACCOMMODATES BOTH FLEX AND CODE CONDUCTORS

cULus LISTED TO UL1953 (FILE# E74460)


AL9CU RATED

FINGER SAFE STYLES PROVIDE IEC 60529 IP20 PROTECTION



OPTIONAL TOP COVER FOR OPEN STYLE (PART BDBLCSCOVER) FOR ADDED PROTECTION

100KA SCCR RATING WITH CORRECT FUSING


CONTACT CUSTOMER SERVICE FOR ALTERNATE CONFIGURATIONS AT TELEPHONE NUMBER 1 800 346-4175




REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
E	11/24/2015	DIMENSIONS UPDATED AS PER MARKUP	42184	RG	TS



RUN SIDE



FINGER SAFE STYLE





TAP SIDE

NOTES:


- DIMENSIONS IN BRACKETS [] ARE IN MILLIMETERS ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE SPECIFIED AND ARE FOR REFERENCE ONLY.
- MATERIALS: BASE AND POLE SEPERATING SIDES - NYLON 6/6
BLOCK AND RETENTION SCREWS - TIN PLATED ALUMINUM
FINGER SAFE COVERS - POLYCARBONATE
BLOCK MOUNTING HARDWARE - STAINLESS STEEL

- BDB L CS 4 K 1 FS
- FINGER SAFE (OMIT IF OPEN STYLE)
 - NUMBER OF POLES (1,2 OR 3)
 - TAP CONFIGURATION IDENTIFIER (SEE TABLE)
 - RUN CONFIGURATION IDENTIFIER (SEE TABLE)
 - CONFIGURABLE SERIES
 - LARGE SIZE
 - BURNDY DISTRIBUTION BLOCK


TO ORDER BURNDY® PRODUCTS CALL				LARGE DISTRIBUTION BLOCK			
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)				ITEM NO: SEE TABLE			
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)				CAT. NO: SEE TABLE			
FOR PRODUCT INFO: http://www.burndy.com				DRAWN BY: T. REYNOLDS	5/6/2015		
				CHECKER: T. REYNOLDS	6/11/2015		
				DSN APRVL: T. REYNOLDS	6/18/2015		
				MFG APRVL: M. STEVENS	6/15/2015		
				QA APRVL: C. LINDQUIST	6/12/2015		
				MKT APRVL: M. BAILLY	6/12/2015		
				PROD FAM: --		DRAWING NO	REV
				PROJECT #: --		SIZE	
				DOCUMENT TYPE: SALES		50059695	E
				REL LEVEL: Released		B	SHEET 1 OF 4



RUN SIDE



OPEN STYLE



3.25 ONE POLE [83]
6.17 TWO POLE [157]
9.09 THREE POLE [231]
TAP SIDE

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
E	11/24/2015	DIMENSIONS UPDATED AS PER MARKUP	42184	RG	TS

TO ORDER BURNDY® PRODUCTS CALL						LARGE DISTRIBUTION BLOCK			
UNITED STATES 1-800-346-4175 (LONDONDERRY, NH)						ITEM NO: SEE TABLE			
CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES)						CAT. NO: SEE TABLE			
FOR PRODUCT INFO: http://www.burndy.com						DRAWN BY: T. REYNOLDS	5/6/2015		
						CHECKER: T. REYNOLDS	6/11/2015		
						DSN APRVL: T. REYNOLDS	6/18/2015		
						MFG APRVL: M. STEVENS	6/15/2015		
						QA APRVL: C. LINDQUIST	6/12/2015		
						MKT APRVL: M. BAILLY	6/12/2015		
						PROD FAM: --	DRAWING NO		
						PROJECT #: --	SIZE	50059695	
						DOCUMENT TYPE: SALES	B	SHEET 2 OF 4	
						REL LEVEL: Released		E	

BURNDY LARGE DISTRIBUTION BLOCKS										
BLOCKS		BLOCK								AMPACITY
		RUN				TAP				
OPEN STYLE	FINGER SAFE	HOLE LAYOUT	RANGE	TORQUE in-lbs		HOLE LAYOUT	RANGE	TORQUE in-lbs		
BDBLCS4K1	BDBLCS4K1FS	OO (2)	#6 awg - 350 B, C, H, I, K, DLO, 373 DLO	#6-373	450	OOO	#14 awg - 2/0 B, C, H, I, K, DLO	#14-#6	80	620
BDBLCS4K2	BDBLCS4K2FS					OOO		#4-2/0	120	
BDBLCS4K3	BDBLCS4K3FS					(6)				
BDBLCS6R1	BDBLCS6R1FS	OO (2)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	OO	#6 awg - 4/0 B, C, H, I, K, DLO	#6-2/0	180	760
BDBLCS6R2	BDBLCS6R2FS					OO		3/0-4/0	300	
BDBLCS6R3	BDBLCS6R3FS									
BDBLCS6V1	BDBLCS6V1FS	OO (2)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	OO (2)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	760
BDBLCS6V2	BDBLCS6V2FS							250-535	600	
BDBLCS6V3	BDBLCS6V3FS									
BDBLCS4T1	BDBLCS4T1FS	OO (2)	#6 awg - 350 B, C, H, I, K, DLO, 373 DLO	#6-373	450	OO (2)	#6 awg - 350 B, C, H, I, K, DLO, 373 DLO	#6-373	450	620
BDBLCS4T2	BDBLCS4T2FS									
BDBLCS4T3	BDBLCS4T3FS									
BDBLCS6A1	BDBLCS6A1FS	OO (2)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	OOOOOO	#14 awg - #4 awg B, C, H, I, K, DLO	#12-#8 AL	10	760
BDBLCS6A2	BDBLCS6A2FS					OOOOOO		#14-#8 CU	15	
BDBLCS6A3	BDBLCS6A3FS					(12)		#6-#4	30	
BDBLCS5K1	BDBLCS5K1FS	O (1)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	OOO	#14 awg - 2/0 B, C, H, I, K, DLO	#14-#4	80	380
BDBLCS5K2	BDBLCS5K2FS					OOO		#2-2/0	120	
BDBLCS5K3	BDBLCS5K3FS					(6)				
BDBLCS3K1	BDBLCS3K1FS	O (1)	#6 awg - 350 B, C, H, I, K, DLO, 373 DLO	#6-373	450	OOO	#14 awg - 2/0 B, C, H, I, K, DLO	#14-#6	80	310
BDBLCS3K2	BDBLCS3K2FS					OOO		#4-2/0	120	
BDBLCS3K3	BDBLCS3K3FS					(6)				
BDBLCS5W1	BDBLCS5W1FS	O (1)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	O (1)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	380
BDBLCS5W2	BDBLCS5W2FS							250-535	600	
BDBLCS5W3	BDBLCS5W3FS									
BDBLCS3A1	BDBLCS3A1FS	O (1)	#6 awg - 350 B, C, H, I, K, DLO, 373 DLO	#6-373	450	OOOOOO	#14 awg - #4 awg B, C, H, I, K, DLO	#12-#8 AL	10	310
BDBLCS3A2	BDBLCS3A2FS					OOOOOO		#14-#8 CU	15	
BDBLCS3A3	BDBLCS3A3FS					(12)		#6-#4	30	
BDBLCS6K1	BDBLCS6K1FS	OO (2)	#4 awg - 500 B, C, H, I, K, DLO, 535 DLO	#4-4/0	400	OOO	#14 awg - 2/0 B, C, H, I, K, DLO	#14-#6	80	760
BDBLCS6K2	BDBLCS6K2FS					OOO		#4-2/0	120	
BDBLCS6K3	BDBLCS6K3FS					(6)				

RUN HOLES		
DIGIT	HOLE LAYOUT	RANGE
1	O	#14 awg - 2/0
2	OO	#14 awg - 2/0
3	O	#6 awg - 350 kcmil
4	OO	#6 awg - 350 kcmil
5	O	#4 awg - 500 kcmil
6	OO	#4 awg - 500 kcmil

RUN HOLES		
LETTER	HOLE LAYOUT	RANGE
A	OOOOOO OOOOOO	#14 awg - #4 awg
B	OOO OOO	
C	OO OO	
D	OO	
E	O	
F	OOO OOO	#14 awg - #2 awg
G	OO OO	
H	OO	
J	O	
K	OOO OOO	#14 awg - 2/0
M	OO OO	
N	OO	
P	O	
R	OO OO	#6 awg - 4/0
T	OO	#6 awg - 350 kcmil
U	O	
V	OO	#4 awg - 500 kcmil
W	O	
X	O	750 kcmil

TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com						LARGE DISTRIBUTION BLOCK					
						ITEM NO: SEE TABLE					
						CAT. NO:SEE TABLE					
						DRAWN BY: T. REYNOLDS		5/6/2015			
						CHECKER: T. REYNOLDS		6/11/2015			
						DSN APRVL: T. REYNOLDS		6/18/2015			
						MFG APRVL: M. STEVENS		6/15/2015			
						QA APRVL: C. LINDQUIST		6/12/2015			
						MKT APRVL: M. BAILLY		6/12/2015			
						PROD FAM: --			DRAWING NO		REV
						PROJECT #: --			SIZE		
						DOCUMENT TYPE: SALES			50059695		
						REL LEVEL: Released			SHEET 3 OF 4		
											E

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
E	11/24/2015	DIMENSIONS UPDATED AS PER MARKUP	42184	RG	TS

SCCR FUSE VALUES								
OPEN STYLE	FINGER SAFE	J	T	RK1	RK5	G	CC	L
BDBLCS3K1	BDBLCS3K1FS	200	200	100	30	60	30	200
BDBLCS3K2	BDBLCS3K2FS	200	200	100	30	60	30	200
BDBLCS3K3	BDBLCS3K3FS	200	200	100	30	60	30	200
BDBLCS5K1	BDBLCS5K1FS	200	200	100	30	60	30	200
BDBLCS5K2	BDBLCS5K2FS	200	200	100	30	60	30	200
BDBLCS5K3	BDBLCS5K3FS	200	200	100	30	60	30	200
BDBLCS4T1	BDBLCS4T1FS	200	200	100	30	60	30	200
BDBLCS4T2	BDBLCS4T2FS	200	200	100	30	60	30	200
BDBLCS4T3	BDBLCS4T3FS	200	200	100	30	60	30	200
BDBLCS6V1	BDBLCS6V1FS	400	400	200	100	60	30	400
BDBLCS6V2	BDBLCS6V2FS	400	400	200	100	60	30	400
BDBLCS6V3	BDBLCS6V3FS	400	400	200	100	60	30	400
BDBLCS4K1	BDBLCS4K1FS	200	200	100	30	60	30	200
BDBLCS4K2	BDBLCS4K2FS	200	200	100	30	60	30	200
BDBLCS4K3	BDBLCS4K3FS	200	200	100	30	60	30	200
BDBLCS6K1	BDBLCS6K1FS	200	200	100	30	60	30	200
BDBLCS6K2	BDBLCS6K2FS	200	200	100	30	60	30	200
BDBLCS6K3	BDBLCS6K3FS	200	200	100	30	60	30	200
BDBLCS3A1	BDBLCS3A1FS	200	200	100	30	60	30	200
BDBLCS3A2	BDBLCS3A2FS	200	200	100	30	60	30	200
BDBLCS3A3	BDBLCS3A3FS	200	200	100	30	60	30	200
BDBLCS6A1	BDBLCS6A1FS	200	200	100	30	60	30	200
BDBLCS6A2	BDBLCS6A2FS	200	200	100	30	60	30	200
BDBLCS6A3	BDBLCS6A3FS	200	200	100	30	60	30	200
BDBLCS5W1	BDBLCS5W1FS	400	400	200	100	60	30	400
BDBLCS5W2	BDBLCS5W2FS	400	400	200	100	60	30	400
BDBLCS5W3	BDBLCS5W3FS	400	400	200	100	60	30	400
BDBLCS6R1	BDBLCS6R1FS	400	400	200	100	60	30	400
BDBLCS6R2	BDBLCS6R2FS	400	400	200	100	60	30	400
BDBLCS6R3	BDBLCS6R3FS	400	400	200	100	60	30	400

REV	DATE	DESCRIPTION	ECO	BY	C'H'K.
E	11/24/2015	DIMENSIONS UPDATED AS PER MARKUP	42184	RG	TS

TO ORDER BURNDY® PRODUCTS CALL UNITED STATES 1-800-346-4175 (LONDONDERRY, NH) CANADA: 1-800-361-6975 (QUEBEC) 1-800-387-6487 (ALL OTHER PROVINCES) FOR PRODUCT INFO: http://www.burndy.com		LARGE DISTRIBUTION BLOCK				
		ITEM NO: SEE TABLE				
		CAT. NO:SEE TABLE				
		DRAWN BY: T. REYNOLDS		5/6/2015		
		CHECKER: T. REYNOLDS		6/11/2015		
		DSN APRVL: T. REYNOLDS		6/18/2015		
		MFG APRVL: M. STEVENS		6/15/2015		
		QA APRVL: C. LINDQUIST		6/12/2015		
		MKT APRVL: M. BAILLY		6/12/2015		
		PROD FAM: --		DRAWING NO		REV
		PROJECT #: --		SIZE	50059695	E
		DOCUMENT TYPE: SALES		B		
		REL LEVEL: Released				
		SHEET 4 OF 4				