

P/N: 1196960

Copyright

© 2015, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: 1196960

Release:

Commit: 29700

Language: en-US

Modified: 2015-10-16

Formatted: 2015-12-07

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



General description

This wide angle lens has a field of view almost double that of the standard lens. Perfect for wide or tall targets or when working in crowded spaces.

Imaging and optical data

Field of view (FOV)	45° × 33.8°
Minimum focus distance	0.20 m (0.66 ft.)
Focal length	9.66 mm (0.38 in.)
Spatial resolution (IFOV)	Depends on the IR resolution of the camera: 5.18 mrad for 160 × 120 pixels 4.14 mrad for 200 × 150 pixels 3.45 mrad for 240 × 180 pixels 2.59 mrad for 320 × 240 pixels
F-number	1.3

Physical data

Weight	0.105 kg (0.231 lb.), incl. two lens caps
Size (L × D)	38 × 47 mm (1.5 × 1.9 in.)

Shipping information

Packaging, type	Cardboard box
List of contents	• Lens • Lens case
Packaging, weight	0.33 kg (0.73 lb.)
Packaging, size	172 × 131 × 133 mm (6.8 × 5.2 × 5.2 in.)
EAN-13	7332558001141 4743254000834 (Estonia plant)
UPC-12	845188000134
Country of origin	Sweden

Compatible with the following products

- 62103-1102; FLIR T420 (incl. Wi-Fi and 15° lens)
- 62103-1103; FLIR T420 (incl. Wi-Fi and 45° lens)
- 62103-1101; FLIR T420 (incl. Wi-Fi)
- 62103-1205; FLIR T420 with SC kit (incl. Wi-Fi and 45° lens)
- 62103-1501; FLIR T420bx (incl. Wi-Fi)
- 62104-2203; FLIR T430sc (incl. Wi-Fi)



IR lens, f = 10 mm, 45° incl. case






P/N: 1196960

© 2015, FLIR Systems, Inc.

#1196960; r. /29700; en-US

- 62104-2204; FLIR T430sc with SC kit (incl. Wi-Fi)
- 62103-1302; FLIR T440 (incl. Wi-Fi and 15° lens)
- 62103-1303; FLIR T440 (incl. Wi-Fi and 45° lens)
- 62103-1301; FLIR T440 (incl. Wi-Fi)
- 62103-1701; FLIR T440bx (incl. Wi-Fi)
- 62104-1903; FLIR T450sc (incl. Wi-Fi)
- 62104-2801; FLIR T460 (incl. Wi-Fi)
- 48201-1001; FLIR A300
- 42701-1001; FLIR A300 (9 Hz)
- 48201-1101; FLIR A310
- 42701-1101; FLIR A310 (9 Hz)
- 48001-1101; FLIR A315
- 42901-1101; FLIR A315 (9 Hz)
- 48201-1201; FLIR A320 Tempscreen
- 42701-1201; FLIR A320 Tempscreen (9 Hz)
- 48001-1001; FLIR A325sc
- 64502-0801; FLIR E33
- 64502-1001; FLIR E40
- 64501-0101; FLIR E40 (incl. Wi-Fi)
- 64501-0103; FLIR E40 with SC kit (incl. Wi-Fi and 45° lens)
- 64501-0114; FLIR E40 with SC kit (incl. Wi-Fi)
- 64501-0501; FLIR E40bx (incl. Wi-Fi)
- 64502-1101; FLIR E50
- 64501-0201; FLIR E50 (incl. Wi-Fi)
- 64501-0601; FLIR E50bx (incl. Wi-Fi)
- 64502-1202; FLIR E60
- 64501-0302; FLIR E60 (incl. Wi-Fi)
- 64501-0702; FLIR E60bx (incl. Wi-Fi)
- 64501-0402; FLIR E63 (incl. Wi-Fi)

Camera with Lens IR f=10 mm (45°)








FLIR®	
A3	Size
1:2	Scale
3(7)	Sheet
T197905	Drawing No.
B	Size

For additional dimensions see page 1

Modified 2012-04-18	Check CAHA	Drawn by R&D Thermography	Basic dimensions FLIR Txxx/Bxxx			
Denomination			Size A3	Scale 1:2	Sheet 3(7)	Size B
			Drawing No.		T197905	

Camera with Lens IR f=10 mm (45°)



	Modified	Check	Drawn by	A3		Sheet 3(7)
	2012-06-07	JOTA	R&D Thermography			
	Denomination					
	Basic Dimensions FLIR T4xx					
				Scale 1:2	Drawing No. T127604	Size A


[illegible]

Modified 2012-04-18	Crack CAHA	Drawn by R&D Thermography	Scale A3	Scale 1:1	Sheet 3(6)	Size A
Basic dimensions FLIR A3xx/SC3xx			Drawing No. T125002			
-						

Drawing No. T125002 Size A

[illegible]

Camera with Lens IR f=10 mm (45°)



For additional dimensions see page 1

Modified 2012-04-18	Check CAHA	Drawn by R&D Thermography	FLIR®		
Denomination			Size A3	Scale 1:2	Sheet 2(4)
Basic dimensions FLIR Exx			Drawing No. T126960	Size A	