

Rittal – The System.

Faster – better – everywhere.

System Window for TS, SE – FT 2735.500

Date : May 24, 2018

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



System Window for TS, SE – FT 2735.500

created: 24.05.2018 build on www.rittal.com/us-en



Product description

Version: 30 section

Description: Utilized to cover display and operating instruments or cut-outs, and provide protection from dirt and moisture as well as unauthorized access.

Benefits:

- Base frame: Easily screw-fastened to the door thanks to modified dimensions (tubular door frame may be used as a drilling template).
- Base frame: Readily height-adjustable.
- Base frame: Stabilizes the door cut-out.
- Base frame: Conceals the cut edge.
- Base frame: There is no dirt on the seal, the glass is protected from being lifted out, dirt cannot drop inside, and moisture cannot run behind the window when opening.
- Base frame: Frame section height 30 mm or 60 mm
- Viewing window: Made from single-pane safety glass: high level of resistance to solvents and scratches, anti-static, reduced risk of injury if broken.
- Viewing window: Hinge with 180° opening angle, easily inserted.

Material: Extruded aluminum section with die-cast zinc corner pieces and single-pane safety glass.

Surface finish: Base frame: Powder coated on the outside in RAL 7035,
Hinge and lock section: Natural-anodized

**Protection category
IP to IEC 60 529:** IP 54

Mounting tip: Standard double-bit lock insert may be exchanged for lock inserts 27 mm, type A, and/or for lock system Ergoform-S (except H = 270 mm).

Product features

Suitable for: Enclosure type: TS 8
Enclosure type: SE

Width: 600 mm (24 ")

Dimensions:	Height: 270 mm (11 ") Width: 500 mm (20 ") Depth: 47 mm (1.9 ")
Viewing area:	Height: 198 mm (7.8 ") Width: 363 mm (14 ")
Build depth for components (max.):	33 mm (1.3 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	3.3 kg (7.3 lb.)
EAN:	4028177476288
Customs tariff number:	76101000
ETIM 6.0:	EC002527
ETIM 5.0:	EC002527
eCl@ss 8.0/8.1:	27182301
eCl@ss 7.0/7.1:	27182301
eCl@ss 6.0/6.1:	27182301
eCl@ss 5.1/5.1.4:	27182301
Product description (long):	FT System window, for TS, SE, 30 section, WHD: 500x270x47 mm, for W: 600 mm
Approvals	
Certificates:	EAC